Em

LENGTH OF STAY BY DIAGNOSIS

MEDICARE 1970

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE SOCIAL SECURITY ADMINISTRATION Office of Actuary — Office of Research and Statistics DHEW Publication No. (SSA)74-11704



PUBS RA 412 .3 M433 1970 Length c

stay



RA 412,3 M433 1970 Length of Stay

MEDICARE Health Insurance for the Aged, 1970 Length of Stay by Diagnosis

Cris Marry C2-07-13 7506 Accurry Blvd. Saldinors, Maryland 21244

Library of Congress Catalog Number HEW 66-36

SUGGESTED CITATION

U.S. Social Security Administration, Office of Research and Statistics, Medicare: Health Insurance for the Aged, 1970: Length of Stay by Diagnosis. Washington, D.C. 1973.

United States Government Printing Office Washington, D.C.: 1973

Foreword

WITH THE enactment of Medicare, utilization review became a national requirement for third-party reimbursement of certain health care costs. The 1972 Amendments to the Social Security Act authorized the establishment of Professional Standards Review Organizations (PSRO's), which will be responsible for assuring that services furnished by or in institutions are medically necessary, are provided in accordance with recognized professional standards of care, and are furnished in the most efficient and economical manner consistent with quality care. To aid in studying these utilization patterns, national and regional data were published for 1969 on the number of Medicare discharges from short-stay hospitals, the mean and median length of stay and percentile distribution of days of care for selected diagnoses. This report presents similar data for discharges in 1970. For each diagnosis, data are presented for selected patient characteristics: age, the presence of secondary or complicating conditions, and whether or not surgery was performed.

This report was prepared in the Division of Health Insurance Studies of the Office of Research and Statistics in the Social Security Administration, under the supervision of Howard West, Director, and Aaron Krute, Deputy Director, Program Statistics. Text preparation was the responsibility of Penelope L. Pine of the Program Statistics Staff. Contributions to the tabulation and presentation of the statistical content of this report were made by Winston O. Edwards of Management Statistics and Robert M. Dickerson of Data Management.

The General Tables were produced by the "System for Automated Tabular Composition," a computer system at the Social Security Administration Headquarters in Baltimore, Maryland. They were set on Linotron equipment at the Government Printing Office in Washington, D.C.

JOHN J. CARROLL
Assistant Commissioner
for Research and Statistics

November 1, 1973



Contents

	Page
Foreword	iii
Discharges from Short-Stay Hospitals for Selected Diagnoses and Patient Characteristics, 1970 Introduction Source and Limitations of Data Coding of Diagnoses	vii vii vii viii
Provisions of the Law	X
General Tables	
Notes	xv
1. Northeastern States: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	1
2. North Central States: discharges from short-stay hospitals by length of stay for selected diagnoses and patient characteristics	11
3. South: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	21
4. West: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	31
5. New England: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	41
6. Middle Atlantic: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	51
7. East North Central: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	61
8. West North Central: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	71
9. South Atlantic: discharges from short-stay hospitals by length of stay for	
selected diagnoses, and patient characteristics	81
selected diagnoses, and patient characteristics	91
selected diagnoses, and patient characteristics	101
diagnoses, and patient characteristics	111
diagnoses and natient characteristics	121

Symbols

Quantity zero			 _
Quantity more than 0 but less than 0.05			 0.0
Figure subject to relatively large variability			 *

Discharges from Short-Stay Hospitals for Selected Diagnoses and Patient Characteristics, 1970

Introduction

The hospital insurance (HI) part of the Medicare program, effective July 1, 1966, has been providing payment for a large portion of the costs of inpatient hospital services for the insured population aged 65 and over. In calendar year 1971, for example, Medicare reinbursements for inpatient care in short-stay hospitals totalled almost \$5.0 billion and represented more than three-fourths of the charges billed to the program for such services.

This report presents tables showing length of stay distributions for selected diagnoses by census region and division for Medicare patients discharged from short-stay hospitals during 1970 (see Notes to General Tables for composition of geographic areas). For each diagnosis, data are reported by selected patient characteristics, including age, the presence or absence of additional (complicating) conditions, and whether or not surgery was performed (see Notes preceding General Tables). These factors as well as the disease, illness, or injury that was the primary cause of a person's hospitalization are important in determining length of stay and, as a result, benefit payments under Medicare.

The report presents data for 139 specific diagnoses or diagnostic groups, representing 4.65 million stays for inpatients discharged from short-stay hospitals under Medicare during 1970. The figures reported were selected from some 5.5 million total discharges entered in the Social Security Administration's central records at the time the data were tabulated. Table A below summarizes the length of stay experience under Medicare for the United States and census regions of the total 5.5 million discharges recorded.

Source and Limitations of Data

The data in this report are derived from bills for inpatient services submitted for payment by short-stay

hospitals for a 20-percent sample of Medicare beneficiaries. The data include all discharges, that is, patients discharged alive as well as those who died during hospitalization or who were transferred to other facilities. The number of reported discharges is greater than the actual number of persons discharged during the year because a person could have more than one stay during the reporting period.

When a beneficiary is hospitalized, an admission notice and subsequent bills are received by the Social Security Administration (SSA) where they are processed and placed on file. Part of this process consists of coding medical information on the bills in the statistical sample to identify the disease, illness, condition or injury responsible for the hospitalization. Information from the billing forms is matched to other master records maintained by SSA, which contain information about the characteristics of each Medicare beneficiary as well as individual short-stay hospitals participating under Medicare. General and special hospitals reporting average stays of less than 30 days are included.

The data in this report are based on a sample of the approximately 5.5 million discharges from short-stay hospitals during 1970 which were recorded in SSA by January 1972. The sample counts have been multiplied by five to give an estimate of the total number of discharges recorded as of this date. There is a lag between the time a person is discharged from a hospital and the time this information is received by SSA and posted to central records. Therefore, the counts for this report understate the total number of discharges for each diagnosis. An additional small number of discharges were also excluded, i.e., emergency admissions to hospitals not participating in the Medicare program and those for which the hospital stay was over 90 days in duration.

Table A: Number and percent of discharges from short-stay hospitals and the average length of stay and standard deviation for selected patient characteristics, by census region, 1970

Patient United Characteristics States	North- eastern States	North Central States	South	West
---------------------------------------	-----------------------------	----------------------------	-------	------

Number of discharges

Total . . 5,461,830 1,577,115 1,357,905 1,858,790 668,020

2000 .	0,101,000	Perc	ent distribut	ion	000,020
Age 65-74 years 75-84 years 85 years and older	53.2 37.2 9.6	53.4 37.8 8.8	51.6 38.1 10.3	54.3 36.1 9.6	52.7 37.0 10.2
Single diagnosis Multiple diagnoses	42.3 57.7	44.6 55.4	38.3 61.7	44.1 55.9	39.8 60.2
With surgery Without surgery	30.8 69.2	35.1 64.9	30.2 69.8	27.0 73.0	32.1 67.9
		Average l	ength of stay	y (days)	
Total	12.8	15.0	13.1	11.6	10.1
Age 65-74 years 75-84 years 85 years and	12.1 13.4	14.3 15.7	12.4 13.7	11.0 12.2	9.6 10.5
older	14.2	16.6	14.7	13.1	11.0
Single diagnosis Multiple	11.4	13.5	11.5	10.4	8.7
diagnoses	13.8	16.2	14.1	12.6	10.9
With surgery Without surgery	14.1 12.2	15.8 14.6	14.5 12.5	13.2 11.1	10.9 9.7
		Standa	rd deviation	(days)	
Total	11.8	13.2	12.0	10.6	9.6
Age 65-74 years 75-84 years 85 years and	11.2 12.2	12.5 13.7	11.4 12.4	10.0 11.0	9.2 9.8
older	13.2	14.9	13.5	12.0	10.5
Single diagnosis Multiple	11.0	12.4	11.0	9.9	8.7
diagnoses	12.3	13.7	12.5	11.1	10.0
With surgery Without surgery	12.4 11.5	13.6 13.0	12.6 11.7	11.4 10.3	9.8 9.4

A complete count of Medicare discharges from short-stay hospitals in 1970 would be about 5.93 million, 9 percent more than the total figure used in this study. It is assumed that this difference has no significant effect on the data. Discharges for which the hospital stays were over 90 days totalled about 20,000 and represented about three-tenths of 1 percent of all discharges reported. They accounted for over 2.6 million days of care, and would have raised the national average length of stay by about four-tenths of a day. The data shown by geographic division were summarized by address of the hospital, not residence of the beneficiary. Included in the totals are the 50 States and the District of Columbia.

The data in this report are estimates derived from a sample of bills and therefore are subject to sampling variability. Smaller numbers in table cells are generally subject to greater variability than larger estimates. Where the number of cases in the sample was judged too small to be reliable, an asterisk appears in place of the estimate in the table. Both standard deviations and percentiles are provided to give some indication of that variability. The standard deviation measures the variability (dispersion) of the distribution of individual lengths of stay around the mean. For a normal distribution, we would expect 68 percent of the cases to fall within (plus or minus) one standard deviation of the mean. One should note that the value of the standard deviation may be influenced by extreme values of the distribution, while the value of percentiles is influenced primarily by the shape of the distribution and only to a limited extent by its extreme values. In this report, the standard deviation is computed on the basis of the sample data.

Coding of Diagnoses

Participating hospitals use standard billing forms (SSA-1453, figure 1) to identify the beneficiary and specify the services rendered during the stay. The billing form includes a space for the entry by the hospital of a detailed description of the patient's primary diagnosis at the time of discharge. Space is also provided for the entry of any secondary diagnoses. The name and date of any surgical procedure performed during the hospital stay is also recorded.

The primary discharge diagnosis on each bill in the 20-percent sample is coded using the International Classification of Diseases Adapted — Seventh Revision (ICDA-7). Four-digit codes are assigned for each primary diagnosis. If more than one diagnosis appears on the bill and there is no indication of which diagnosis is primary, the first diagnosis listed is coded. The only exception to this rule is when a symptom or ill-defined condition is listed first. In this case preference is given to the more substantive diagnosis appearing second. The presence or absence of additional diagnoses is indicated by a one-digit code.

Medical coding is done by personnel of the Social Security Administration who have completed special training in anatomy and medical terminology and the use of the statistical coding manuals. Also, review of the coding is performed with the assistance of skilled personnel including medical record technicians and registered record librarians.

¹International Classification of Disease, adapted for Indexing Hospital Records by Diseases and Operations, Public Health Service Publication No. 719, Volumes 1 and 2, U.S. Department of Health, Education, and Welfare.

	1	TENT HOSPITAL AND	MEDICAL INSU	JRANCE	BENEFI	rs-	-SOCI	AL SE	CURIT	Y ACT		Budg 72-R	Approved et Bureau No 0734
NOTICE: Anyone who ml				ted by this		ay up							
1. Patient's last nam	е	First n	ame		MI		2. Se	1 -	¬ -	3. Health	insuran c e	claim nur	nber
4.5.		071 01 42 71	D 0 - 4 - 1		_i]M [JF		C 00 111		
4. Patient's address (Street number	r, City, State, 21	P Code)				1	o. Da	te of b	iran	6. Medical	recora nu	mber
7. Date of this admis	sian le	3. Provider nam	o and address	(City one	d State)			Dro	l——		10. Attendi	ng physic	ion
!	!	5. Provider nan	ie and address	(City and	Jalej			. Fic	ividet i	lumber	IO. Attendi	ng physic	1411
11. Dates of qualifying	ug stay 1	12. Qualifying a	and other prior	stav info	rmation		l						
FROM !	lg stay	iz. Qualifying a	ind other phon	stay iiiioi	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
THRU	-L												
!	!												
	<u>-i</u>				•••			-					
If you have other hea about this claim relea	ith insurance of ased to them i	or if your State upon their requ	medical Assist	ance Age items 13	ency will and 14	рау	part	or yo	ur med	lical expe	enses and y	ou want i	ntormation
13. Insuring organiza		•		-						14. Pc	olicy or med	lical assist	tance no.
		6,									,		
15. Patient's Certification for payment under													
lease to the Socia	al Security Adn	ninistration or i	ts intermediari	es or car	riers an								
request that pays												1-	
Contained in provider's record	Signature (Patient or author	orized represen	tative) (S	Signature	e by	mark	must	be witi	nessed)		Date	
	(14			Do 5	not use	17	Diagh			-1 dia			Do not use
16. Admitting diagnos and address of er		ment related, al	iso give name		space				or curre	ent diagn	oses		this space
						(a)	Prima	iry					
					i l	(h)	Secor	ndane					i
10 0	(C)	4				(5)	Jecoi	idaiy					i
18. Surgical procedur	es (Show date	or eacn)			- 1 1								
			,				00.0						
19. STATEMENT OF S			Total Charges	Non-c	overed C	hg's.	FROM	tateme	nt cover	s period	THRU		
Blood pints Pints replaced	Not replaced	Charge per pint					21 D		rantee o	<u> </u>		UR notice r	
Α.							21. Da	aymeni	began	ЭΤ	ZZ. Date	UK nonce r	eceived
Accommodation	Days	Rate						- 1		1		!	1
B. 1-Bed		-						<u>i</u> -		-i			<u>i — — </u>
C. 2-3-4 Bed							23. D	ate act	ive care	ended	24. Date	benefits ex	nausted
D. 5 or more Beds								1		1			!
FOR E. Intensive ca	re							<u>— i-</u>		 -		1	L
F. Self care G. PIP total			-					atient :	status charged	- le	. Date of deat	1 h	-10
		<u> </u>					۸. ۵	ate dis	cnarged	B.	. Date of dear	in i	C.
H. Operating r	oom							_ -		 1-			patient
L I. Anesthesia								itetime ays use	reserve ed	27. No	n-covered /s	28. COV	ered days
ONLY J. Outpatient													
K. Blood administrat	ion						20 0				DID nor a	liom	
L. Pharmacy							30. K	emark:	5;		PIP per o amount	\$	
M. Radiology													
N. Laboratory		1											
O. Medical, surgical	and central su	ppiies											
P. Physical therapy													
Q. Occupational ther	ару												
R. Speech therapy													
S. Inhalation therapy													
T. Other (Describe)													
II TOTALC													
U. TOTALS	1-						21 5	ala-t		ameurt.	•		
V. Inpatient deductit							31. R	eimbui			\$	LICE	
W. Blood deductible	pts. @						20. 11				RMEDIARY	USE 33. Non-	34. Days
X. Coinsurance	days ()()			-	From	erined	HOU-COV	Thru		pmt. code	used
Y. TOTAL DEDUCTIO											1		
29. I certify that the			on and recertif				25 A	p prove	- 1	<u>- -</u>		Data	pproved
Signature of provider	representative			Dote	receive	d	33. A	pprove	u b y			Date 8	
				PO 13 \$5				oart=c	of Hack	h Education	n, and Welfare S		Administration
FORM SSA-1453(5)	(1-70)			101333			De	hakuner	" or meal	Laucauoi	work stallage 2		- with the station

PROVISIONS OF THE LAW

The health insurance program for the aged, commonly called Medicare, was enacted on July 30, 1965 as Title XVIII of the Social Security Act, and became effective on July 1, 1966. The program makes available two separate but coordinated insurance coverages—hospital insurance, covering nearly all persons aged 65 and over, and supplementary medical insurance, covering those persons in this age group who enroll voluntarily and pay the premium.

Hospital Insurance Program

The hospital insurance program (Part A of Medicare) pays for part of the costs of inpatient hospital and related post-hospital services. It is financed on a self-supporting basis through a tax on a portion of current earnings, paid by employees, employers, and self-employed persons. The proceeds of this tax are placed in the Hospital Insurance Trust Fund for payment of benefits and administrative expenses incurred under the program. General tax revenues are used to defray the costs of providing coverage for persons who qualify for hospital insurance but who are not eligible for monthly social security or railroad retirement benefits.

BENEFITS

Inpatient hospital benefits.—The program pays for up to 90 days of covered services in a participating hospital in a "benefit period" (a period beginning with the first day of hospitalization and ending 60 days after discharge from a hospital or a skilled nursing home). Full payment is made for the first 60 days of hospitalization after a deductible of \$52 has been paid. For each of the remaining 30 days in the benefit period, the patient pays a coinsurance amount of \$13 a day.

Each hospital insurance beneficiary also has a "lifetime reserve" of 60 additional hospital days, subject to a copayment of \$26 a day. These additional days can be used at the patient's option whenever the 90 days covered in a benefit period are exhausted.

The program also pays for emergency services in a nonparticipating hospital. Each nonparticipating hospital providing emergency services elects whether to bill the program or to charge its patients directly. If they bill the program, they are reimbursed on the basis of reasonable costs of covered services rendered. If they bill the patient, he pays the bill and submits the itemized bill to SSA for reimbursement. The

reimbursement paid is 60 percent of reasonable charges for room and board and 80 percent of the charges for ancillary services.

Inpatient tuberculosis and psychiatric hospital services are also covered. However, there is a lifetime limit of 190 days of care in a psychiatric hospital. Where an individual is a patient in a participating psychiatric hospital at the time he becomes entitled to hospital insurance, the number of days he was such an inpatient in the 150-day period immediately prior to his eligibility are deducted from his days of entitlement in that benefit period but not from the lifetime limitation.

Covered hospital services include room and board in accommodations containing from two to four beds, nursing services (except for private-duty nursing), drugs and biologicals, and all those services ordinarily furnished by a hospital to its inpatients. The hospital insurance program does not cover the services of physicians (including radiologists, anesthesiologists, pathologists and physiatrists) except for services provided by interns or residents in training under approved teaching programs in a hospital.

The cost of the first three pints of blood (or equivalent amounts of packed red blood cells) furnished a patient during a benefit period is also deductible unless the patient arranges for replacement. Charges for any additional blood are covered under the program.

Post-hospital home health care benefits.—These benefits cover the cost of visiting nurse services and related home health services for as many as 100 visits in the year following the patient's most recent discharge from a hospital or participating extended care facility, provided he has been confined for at least 3 consecutive days in a hospital. A home health plan must be developed by a physician and implemented within 14 days after the patient's discharge from the hospital or extended care facility. The home health care must be for further treatment of a condition for which he received services in the hospital or extended care facility.

Extended care facility benefits.—The program pays for the reasonable cost of all covered inpatient services in participating extended care facilities (ECF) for up to 100 days in any benefit period. Benefits are payable only following discharge from a hospital after a stay of 3 consecutive days or more, and admission to an ECF within 14 days of discharge. Full payment is made for the first 20 days. For each of the remaining 80 days, the patient pays a coinsurance amount of \$6.50 a day. (The extended care coinsur-

ance amount is set by law as one-eighth of the inpatient hospital deductible.)

Supplementary Medical Insurance Program

The supplementary medical insurance program (Part B of Medicare) covers physicians' services, outpatient hospital services, additional home health services, other medical services and supplies, and outpatient physical therapy. Individuals 65 years of age and over may enroll in the program regardless of whether they are eligible for social security retirement benefits by paying monthly premiums which are matched by the Federal Government and paid into the Supplementary Medical Insurance Trust Fund for payment of benefits and administrative expenses incurred under the program.

BENEFITS

The SMI program pays for 80 percent of the allowed charges for covered physician services and other medical services after the patient has met a deductible of \$50 during a calendar year. For outpatient care and home health services, the program pays 80 percent of reasonable costs after the deductible has been met. Payment for outpatient psychiatric physician services is limited to the lesser of \$250 or 50 percent of the allowed charges in any year after the \$50 deductible has been met. The sum and percentage are derived from the statutory provision which permits an incurred expense for out-of-hospital treatment of mental illness of only \$312.50 or 62.5 percent of actual expenses in a calendar year. Since only 80 percent of allowed charges can be reimbursed, the effective maximum becomes \$250.

To preclude the possibility of having to meet a deductible twice in a short period of time, a "carryover" provision is applied. Accordingly, covered expenses that are incurred in the last quarter of the year and counted toward the deductible in that year are also credited toward the deductible for the following year. However, the provisions concerning the deductible and the coinsurance do not apply to the services of radiologists and pathologists furnished to hospital inpatients. "Reasonable" charges for such services are completely reimbursed.

The SMI program pays for physicians' services, including home, hospital, and office visits; services and supplies, including drugs and biologicals that cannot be self-administered, that are furnished as a part of a physician's professional service; diagnostic X-ray tests, diagnostic laboratory tests, and other diagnostic tests; X-ray; radium, and radioactive isotope therapy, including materials and the services of technicians; surgical dressings, splints, casts, and other devices used for reduction of fractures and dislocations; purchase or rental of durable medical equipment, in-

cluding iron lungs, oxygen tents, hospital beds, and wheelchairs used in the patient's home (including an institution used as his home); ambulance service where the use of other methods of transportation is contraindicated by the individual's condition; prosthetic devices (other than dental) that replace all or part of an internal organ; leg, arm, back, and neck braces; artificial legs, arms, and eyes, including replacement if required because of a change in the patient's physical condition; and 100 home health visits during a calendar year, independent of those provided under the hospital insurance program.

Also covered are hospital services incident to physicians' services rendered to outpatients, and outpatient physical therapy services.

Eligibility

The hospital insurance program.—Almost all persons aged 65 and over are eligible for benefits under the hospital insurance program. Included are those persons in this age group who are entitled to monthly social security cash benefits or payments from the railroad retirement system, regardless of whether they have applied for these cash benefits. During 1970, a person could apply for hospital insurance protection even though he did not qualify for either social security cash benefits or a railroad retirement annuity if (1) he had attained age 65 before 1968, or (2) he would attain age 65 after 1967 with not less than three quarters of social security coverage, whenever acquired, for each calendar year elapsing after 1966 and before the year in which he would attain age 65. However, hospital insurance protection could not go into effect until the individual attained age 65. These two classes of individuals were "deemed insured" under a special transitional provision.

For persons who reach age 65 after 1968, the amount of work credits needed increases by three quarters each year—six quarters are needed by those who reached age 65 in 1969, nine by those who reach 65 in 1970, and so on. However, a person who qualifies for monthly benefits as the dependent or survivor of an insured worker does not need any work credits.

Employees who retired from the Federal Civil Service after July 1, 1960, and who had the opportunity to be covered under the Federal Employees Health Benefits Act of 1959, are ineligible for hospital insurance benefits under the transitional provisions. Also ineligible are aliens with less than 5 years of continuous residence in the United States, and those persons convicted of crimes against the security of the United States.

Hospital insurance protection can be retroactive for as many as 12 months before the month an individual files his application for entitlement. For example, an individual may apply 11 months after he attains age 65 and still be entitled to benefits from the month he attained age 65.

Supplementary medical insurance.—Persons entitled to benefits under the hospital insurance program (Part A), retired Federal employees and persons not eligible for hospital insurance under the transitional provisions may voluntarily participate in the SMI program.

Enrollment.—Individuals may enroll in the SMI program only during specified periods—the initial and the general enrollment periods. The initial enrollment period begins with the third month preceding the one in which an individual attains age 65 and ends 3 months after the month of attainment, a total period of 7 months. If he enrolls during the 3 months prior to the month in which he attains age 65, his coverage is effective with the month in which he attains age 65; if he enrolls during the month he attains age 65, his coverage begins the following month; if he enrolls in any of the 3 months after he attains age 65, his coverage begins from 2 to 3 months after enrollment, depending on how long he waited before enrolling.

The most recent general enrollment period was set between January 1, 1970, and March 31, 1970, for those who did not enroll in their initial enrollment period, or who having terminated their enrollment now wished to reenroll. Comparable periods are set to occur in every year. A person who enrolls during a general enrollment period may receive benefits starting on the first of July following the general enrollment period. An eligible individual must enroll within 3 years after the end of his initial enrollment period or within 3 years after termination of prior enrollment.

A State may enroll otherwise eligible individuals who receive cash payments under public assistance programs if the State requests that a State-Federal enrollment agreement be established and pays the necessary premiums.

Enrollment terminates with the beginning of the month following the month of death. Up to April 1, 1968, railroad retirement beneficiaries and individuals entitled to monthly cash social security benefits could terminate their enrollment voluntarily by notiflying the Social Security Administration in writing during a general enrollment period of the desire to withdraw from the program. Under the 1967 amendments effective April 1, 1968, beneficiaries may give notice of withdrawal at any time and their coverage will be terminated at the close of the following calendar quarter. Other enrolled persons may terminate their coverage by withholding payment of premiums or by notifying the Social Security Administration in writing of the desire to withdraw from the program. The enrollee is provided a 90-day grace period for the payment of overdue premiums after which coverage is automatically terminated. An individual who previously has terminated his enrollment may reenroll only in a general enrollment period beginning within 3 years of the date his previous enrollment had terminated. Reenrollment, however, is allowed only once.

Financing the Program

Hospital insurance.—The hospital insurance program is financed on a long-range, self-supporting basis through a separate schedule of increasing tax rates on the first \$7,800 of earnings in employment covered under the Social Security Act. The same tax rate applies to employees, employers, and self-employed persons. This rate was 0.60 percent for 1968–1972, and is scheduled to increase until it is 0.90 percent in 1987 and thereafter. The proceeds of this tax and that collected from the railroad retirement system are placed in a Hospital Insurance Trust Fund from which reimbursement for all benefits and administrative expenses incurred under the hospital insurance program is made. The Hospital Insurance Trust Fund is reimbursed from general tax revenues for the cost of providing coverage for the almost $2\frac{1}{2}$ million persons who qualify for hospital insurance under the transitional provisions.

Supplementary medical insurance.—Premiums are paid into the Supplementary Medical Insurance Trust Fund by those persons enrolled for supplementary medical insurance (or on their behalf), and a matching amount is paid from general revenues by the Federal Government.

The premiums of persons receiving social security cash benefits, railroad retirement, or Federal civil service annuities are deducted from their monthly benefit checks. Persons not receiving monthly benefits are billed quarterly for premiums by the Social Security Administration or the Railroad Retirement Board and have a 90-day grace period in which to make payment. Premiums may be paid for as long as a year in advance, and for individuals financially unable to make quarterly payments, arrangements can be made for monthly payments.

The monthly premium during 1969 and the first half of 1970 was \$4 a month. The premium rate of the supplementary medical insurance program may be adjusted annually if medical costs rise. Beginning July 1970, it was raised to \$5.30 a month.

As previously noted, States are permitted to pay the medical insurance premiums for public assistance recipients aged 65 or over who were receiving money payments under an approved public assistance plan and for all aged persons eligible to receive medical assistance under an approved Title XIX plan.

Administration of the Program

Hospital insurance.—Under the hospital insurance plan, groups or associations of providers, on behalf of their members, may nominate a national, State, or other public or private agency or organization to serve as intermediary in the claims process. A member of an association is free, however, to receive payment from an approved intermediary other than its

association's nominee, if approved by the Secretary and agreeable to the intermediary selected. In addition, a provider may deal directly with the Social Security Administration.

The Secretary may enter into an agreement with a nominated organization if he finds this to be consistent with effective and efficient administration of the hospital insurance program. The intermediary makes payments to providers for covered items and services on the basis of reasonable cost determinations and assists in the application of safeguards against unnecessary utilization of covered services. The agreement may also call for (1) furnishing consultative services to assist providers to establish and maintain necessary fiscal records and otherwise qualify as providers of services, (2) serving as a center for communicating with providers, and (3) making audits of provider records. Hospital insurance intermediaries also make payments for home health and outpatient hospital services covered under medical insurance.

Requests for payment for covered services must be signed by the beneficiary (or someone for him, if he is unable to do so). Payments are made on the basis of reasonable costs for these services to participating providers of services, that is, hospitals, extended care facilities, and home health agencies, that have been certified for participation.

In some instances, hospitals may bill for physician services rendered to inpatients. In these cases, payment is made by the Part A intermediary. Depending on the nature of the billing, funds are transferred from the SMI trust fund to the HI trust fund to cover the cost of these services, or are paid directly from the SMI trust fund.

The intermediary selected by the provider reviews the claims for payment and pays the provider. Actual payment is made on the basis of an interim rate established between the provider and the intermediary. Final settlement based on each provider's operating year is made on the basis of a cost report submitted by the provider, and subject to an ind-pendent audit.

No payments can be made to Federal facilities except for emergency services, unless the provider serves as a community institution. In addition, payment cannot be made to a provider for those services it is obligated to render at public expense under Federal law or contract.

Supplementary medical insurance.—Under the medical insurance program, the Secretary may enter into contracts with carriers for the performance of specified administrative functions. The carriers' principal function is to determine whether charges are allowable (reasonable) and to make payment.

The carrier selected by the Secretary determines the allowed charges for bills submitted for each medical care service covered by the program and pays 80 percent of this amount after the \$50 deductible has been met.

The allowed charge for the service may be paid to the patient, or the patient may assign the bill for collection to the physician or other supplier of the service, if he is willing to accept assignment. In the former situation, the patient submits an itemized bill to the carrier and is reimbursed; in the latter, the physician or other supplier submits the bill and is reimbursed. When the payment is made directly to the physician (or supplier) on assignment, the allowed or reasonable charge determined by the carrier is the total charge. In both situations, the patient is responsible for the first \$50 of the charges for covered services he receives during the year and the amount of the bill over 80 percent of the allowed charges.

The law instructs the carrier to consider the following criteria in determining the "allowed" charge:

- (1) the customary charge for the service generally made by the physician or other person furnishing such services; and
- (2) the prevailing charge in the locality by other physicians and suppliers for similar services. The upper limit of the prevailing charge was set at the 83d percentile of the weighted customary charge.

The law also specifies that the "allowed" charge cannot be higher than the charge applicable for the similar service rendered under comparable circumstances to the carriers' own policy holders or subscribers. For 1970, carriers were instructed to maintain allowed charges at the levels existing before 1969.

Carriers also have the authority and responsibility to determine, in a given case, whether a claim is for a covered service and to deny claims for noncovered or excluded items or services. In addition, carriers are to assist in the application of safeguards against unnessary utilization of services furnished eligible individuals.

Most services covered by the medical insurance program are rendered on a fee-for-service basis. However, services furnished under group practice prepayment plans are normally rendered in return for predetermined premium payments. In recognition of the need for special adaptation of the Medicare payment procedures for services rendered by group practice prepayment plans, the law provides that an organization which furnishes medical and other health services (or arranges for their availability) on a prepayment basis, may elect to be paid 80 percent of the reasonable cost of services in lieu of 80 percent of the allowed charge for such services.

The 1967 amendments to the Social Security Act introduced a time limit on filing of claims. For bills incurred in the supplementary medical insurance portion of the program after March 1968, claims must be filed no later than the close of the calendar year following the year in which the services are furnished. For services provided during the last 3 months of the calendar year, bills may be submitted through the end of the second year following.

General Tables

Notes

Health Insurance for the Aged: The program, commonly known as Medicare, that pays for part of the costs of hospital and medical services for participating persons aged 65 and over.

Short-stay hospital: General and special hospitals certified as participating facilities under Medicare and reporting average lengths of stay of less than 30 days.

Discharge: The formal release of an inpatient from a hospital. Includes those persons who died during their hospitalization.

Length of stay: The number of days of care for a discharge. The day of discharge is not counted as a day of care. A hospitalization of less than 1 day (i.e., the patient is admitted and discharged on the same day) is counted as 1 day.

Primary discharge diagnosis: The illness, condition, or injury recorded on the patient's billing form by the hospital as the primary diagnosis at the time of discharge. This diagnosis is coded using the International Classification of Disease, Adapted, Seventh Revision.

Age of patient: The number of completed years at last birthday in month of admission to the hospital.

Percentile: The 10th, 25th, 50th, 75th, and 90th percentiles of stay are presented. The 50th percentile is the median of the distribution. That is, half of the stays fall above and below the median of the distribution. The meaning of the precentiles can be illustrated by example: if the 10th percentile for a group of discharges is 2 days, it can be defined as 10 percent of the discharges stay 2 days or less.

With surgery: A discharge is considered to involve surgery if it involved any operative procedure classified as such according to the Current Procedural Terminology, first edition, American Medical Association, Chicago, Illinois, 1966. Surgery includes procedures

involving incision, excision, amputation, introduction, endoscopy, repair, destruction, suture, or manipulation.

Without surgery: All other discharges.

Geographic classifications: Based on the address of the hospital.

United States: Consists of the 50 States, and the District of Columbia, grouped in 9 Census Divisions, which are regrouped into 4 Census Regions.

Census Regions: Northeast, North Central, South, West.

Census Divisions: Northeast - New England, Middle Atlantic.

North Central - East North Central, West North Central.

South - South Atlantic, East South Central, West South Central.

West - Mountain, Pacific.

States included in each division: New England - Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut.

Middle Atlantic - New York, New Jersey, Pennsylvania.

East North Central - Ohio, Indiana, Illinois, Michigan, Wisconsin.

West North Central - Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas.

South Atlantic - Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida.

East South Central - Kentucky, Tennessee, Alabama, Mississippi.

West South Central - Arkansas, Lcuisiana, Oklahoma, Texas.

Mountain - Montana, Idaho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada.

Pacific - Washington, Oregon, California, Alaska, Hawaii.

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Potient	Number of	Averoge	Standard		Perce	ntiles	(doys)		Potient	Number of	Average	Standard		Perce	ntiles	(doys)	1
chorocteristics	dischorges	(doys)	deviation (days)	10th	25th	50th	75th	90th	chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)									MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	9,900	16.2	15.4	2	5	11	21	35	Total	3,195	20.0	14.8	3	9	16	26	38
65 to 74 years	5,570 3,525 805	15.8 17.1 14.9	15.5 15.7 12.4	2 2 2	5 6 6	11 12 11	20 24 18	34 36 29	65 to 74 years	1,785 1,245 165	19.6 20.7 18.8	15.9 13.6 10.4	3 4 6	8 10 11	16 18 14	26 27 26	39 38 33
One diagnosis	3,585 6,315	13.9 17.5	14.0 16.0	1 3	6	12	19 23	29 37	One diognosis	1,310 1,885	19.3 20.4	15.0 14.7	3	8 9	16 17	26 27	38 38
With surgery	2,535 7,365	19.8 14.9	17.2 14.5	2 2	5	15 10	26 19	44 32	With surgery	1,370 1,825	25.8 15.6	14.1 13.8	10	15 6	23 11	32 20	43 32
HERPES ZOSTER (088)	1 015	15.0	10.8	5	7	11	18	30	MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	1,815	15.0	8.7	4	7	10	17	24	Total	3,760	20.5	14.8	4	8	18	28	39
75 to 84 years	775 210	16.8 17.0	11.9 12.3	5	8 7	13	21 20	38 32	65 to 74 years	2,170 1,320 270	19.4 21.6 23.6	14.4 15.3 15.6	3 4 4	7 10 12	17 18 19	26 28 33	38 38 43
One diognosis	580 1,235	12.0 16.4	8.5 11.4	5	8	13	14 21	21 32	One diagnosis	1,345 2,415	16.8 21.4	13.5 15.5	3	8 9	16 18	25 29	35 42
With surgery	100 1,715	19.9 14.7	12.9 10.5	5	7	16 11	18	36 29	With surgery	1,850 1,910	26.3 14.8	13.5 13.8	12 1	16 5	23 9	33 20	42 33
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)									MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Age:	3,195 1.885	17.8	18.7 18.4	3	5	11	21	42	Total	14,550	17.6	14.3	3	7	13	24	37
65 to 74 years 75 to 84 years 85 years and over	1,060 250	18.7 12.1	20.4 9.5	2 3	6 5 4	12 9	21 16	46 24	65 to 74 years	9,975 4,335 240	17.9 17.0 15.7	14.4 14.0 14.5	3 3 1	7 6 5	14 12 11	24 23 18	37 35 33
One diagnosis	1,845 1,350	17.0 18.9	18.1 19.4	2 3	5 6	11 12	20 23	41 46	One diognosis	6,250 8,300	15.8 18.9	13.1 14.9	2	6 8	12 14	22 26	32 39
With surgery	2,175 1,020	15.8 21.9	15.7 23.3	3	5	10	20 24	31 59	With surgery	6,455 8,095	20.2 15.5	13.3 14.7	6 2	10 5	17 10	26 21	38 35
MALIGNANT NEOPLASM OF ESOPHAGUS (150)									MALIGNANT NEOPLASM OF BREAST (170)								
TotalAge:	2,060	20.1	17.4	3	7	14	30	45	Total	13,700	16.4	12.4	5	9	12	19	31
65 to 74 years 75 to 84 years 85 years and over	1,010 915 135	21.5 19.3 14.3	18.4 16.9 8.9	4 2 3	8 6 8	16 13 10	27 18	48 42 26	Age: 65 to 74 years 75 to 84 years 85 years and over	7,940 4,870 890	16.3 16.2 17.2	12.9 11.5 13.3	5 5 4	9 9 7	12 13 12	18 19 21	31 30 36
One diognosis	1,020 1,040	17.2 22.9	15.9 18.3	2 4	6 8	13 17	21 34	36 49	One diagnosis	6,240 7,460	14.1	10.0 13.9	6	8 9	11	16 23	23
With surgery	1,250 810	21.7 17.5	17.5 16.9	3	8	16 11	30 21	46 37	With surgery	9,320 4,380	15.1 19.0	10.1 16.1	6 3	9	12 14	17 25	26 40
MALIGNANT NEOPLA5M OF STOMACH (151)									MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
TotalAge:	5,895	21.1	15.7	3	9	18	28	41	Toto!	2,355	16.5	17.4	3	5	10	18	43
65 to 74 years 75 to 84 years 85 years ond over	2,780 2,585 530	21.8 21.2 16.8	16.3 15.5 12.4	3 4 2	9 9 8	18 18 13	29 28 22	44 40 34	Age: 65 to 74 years	1,680 635 40	15.2 20.2 14.4	16.6 19.1 10.1	2 4 2	4 6 2	9 12 10	16 30 21	42 45 26
One diognosis	2,410 3,485	20.1 21.8	14.0 16.7	4 3	9	18 18	27 29	38 44	One diognosis	1,395 960	13.0	14.4	2	4 6	8	14	28 52
With surgery	2,710 3,185	25.6 17.2	15.0 15.2	8	15	22 12	33 22	45 37	With surgery	1,680	15.8	17.6	3	5	9	17 25	42 44
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)									MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)	675	18.3	16.8	3	5		25	44
TotalAge:	16,665	22.8	15.9	5	12	19	29	43	Total	4,615	14.2	12.4	3	6	11	17	27
65 to 74 years	8,630 6,775 1,260	22.3 23.6 21.4	15.8 16.0 15.5	5 5 5	12 12 10	18 20 19	28 31 27	41 44 39	Age: 65 to 74 years	2,955 1,540	14.0 13.9	12.5 12.0	3	6 5	11	16 18	27 27
One diagnosis	6,425 10,240	21.9 23.4	15.3 16.2	5 5	11 12	18 20	28 30	40 44	85 years ond over	2,570 2,045	12.5 16.3	13.2 10.8 13.9	3 4	9 5 7	21 9 12	31 14 20	36 24 29
With surgery	10,585 6,080	25.7 17.7	14.8 16.5	11 2	15 5	22 12	31 23	45 39	Two or more diagnoses	2,045 3,375 1,240	14.1	13.9 11.5 14.6	3 2	6 5	11 9	17 19	27 30
MALIGNANT NEOPLASM OF RECTUM (154)									MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)	1,240	14.3	14.0	2	,	,	17	30
TotolAge:	7,655	23.5	15.6	5	11	20	32	44	Total	2,305	19.4	15.0	3	9	15	25	38
65 to 74 years	4,295 2,765 595	23.9 23.1 22.2	14.7 16.7 16.3	6 5 3	14 9 8	21 19 19	31 32 31	42 46 46	Age: 65 to 74 years	1,550 670	18.2 22.2	13.5 18.3	4 3	9 8	15 16	23 31	34 47
One diognosis	3,490 4,165	22.6 24.2	14.0 16.8	5 5	12 11	21 20	30 33	40 47	One diagnosis	730 1,575	17.9 16.2 20.8	8.8 12.9 15.7	2	10 5 10	16 13 17	23 22 26	30 34 40
With surgery	5,500	24.8	14.7	6	14	22	32	45	110 of more diagnoses	1,5/5	20.0	13.7	~		"	2.5	~

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard	<u> </u>	Perce	ntiles	(days)				Averoge	Standard		Percer	tiles	(doys)	
Patient choracteristics	Number of dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th	Potient choracteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)									OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	14,320	16.8	13.1	4	7	13	21	32	Total	3,865	19.4	17.2	2	7	14	26	44
Age: 65 to 74 years	6,785 6,135 1,400	16.1 17.2 19.1	13.0 13.0 13.5	4 4 5	7 8 8	12 14 14	20 22 26	30 32 38	65 to 74 years 75 to 84 years 85 years and over	2,430 1,230 205	20.2 17.0 24.0	17.7 15.0 20.4	2 1 5	7 5 9	14 13 17	28 22 26	43 43 54
One diognosis	6,195 8,125	14.8 18.4	11.2 14.2	4	7 8	12 14	18 23	28 35	One diognosis	1,960 1,905	16.4 22.5	16.2 17.5	1 4	5 9	11 18	22 31	37 49
With surgery	8,890 5,430	17.6 15.5	12.6 13.8	5 3	9	14	22 20	33 32	With surgery	950 2,915	23.3 18.2	17.9 16.7	5 2	10 6	19 12	29 25	49 41
MALIGNANT NEOPLASM OF KIONEY AND URETER (180)									BENIGN NEOPLASM OF INTESTINE, EXCLUOING RECTUM (211.2,211.3)								
Total	1,705	19.5	14.0	3	9	17	26	40	Total	1,740	16.3	11.7	3	8	13	21	30
65 to 74 years 75 to 84 years 85 years ond over	1,030 625 50	19.1 20.0 22.1	15.1 12.4 8.8	5 6	10 14	16 18 18	24 26 29	36 31	65 to 74 years 75 to 84 years 85 years ond over	1,255 445 40	15.7 18.4 11.5	11.3 12.8 7.7	3 4 5	8 7 5	13 15 8	20 26 12	29 35 20
One diognosis		18.3 20.3	13.1 14.6	2 4	9	16 18	23 26	38 38	One diognosis	1,005 735	14.0 19.5	9.8 13.3	2 5	5 10	12 16	18 24	27 38
With surgery	955 750	21.6 16.9	12.6 15.3	6 2	13 5	19 13	27 21	41 37	With surgery	1,475 265	16.7 14.4	11.4 13.3	3 2	9 5	14 10	21 19	30 27
MALIGNANT NEOPLASM OF 8LAOOER (181.0)									BENIGN NEOPLASM OF RECTUM (211.4) Total	1,700	9.7	10.4	2	3	6	11	22
Total	12,260	13.2	13.0	2 2	4	9	17	27	Age: 65 to 74 years	965 630	8.9 10.1	9.0 11.7	1 2	3	5 7	11 11	20 19
65 to 74 years 75 to 84 years 85 years ond over	4,730 955	13.8 16.8	13.9	2 3	4 4 6	13	18	26 28 35	85 years and over	105	14.6	11.7	3	5	8	21	34 17
One diognosis	6,940 5,320	11.4 15.6	11.9 13.8	1 2	3 6	7 11	14 20	25 29	Two or more diagnoses	770 1,465	11.3	9.1	3	2 5 3	8	13 12	27 23
With surgery	9,805 2,455	12.6 15.7	11.9 16.3	2 2	4 5	10	17 19	26 40	With surgery Without surgery	235	8.3	6.8	ī	3	6	iő	15
MALIGNANT NEOPLASM OF SKIN (190,191)									8ENIGN NEOPLASM OF UTERUS (214,215) Totol	2,520	8.7	7.8	2	3	6	11	17
Total		9.7	10.5	1	2	5	12	23	Age: 65 to 74 years	1,840	8.3	7.3 9.3	2	3	6	11	16
65 to 74 years 75 to 84 years 85 years ond over		9,1 10,3 10,2	9.4 11.5 11.1	į	2 2 2	5 5 5	11 13 13	22 25 23	75 to 84 years 85 years and over	605 75 1,095	9.6 10.6 6.7	7.3 7.3	4	3 6 2	9	11 13	24 15 13
One diognosis	4,495 2,530	8.3 12.1	9.0 12.3	1	3	4 7	9 16	21 30	Two or more diognoses	1,425 2,290	10.2	7.7	2	3	8	13	19 16
With surgery	5,870 1,155	8.7 14.5	9.5 13.5	1 2	2 4	5 9	10 20	21 32	Without surgery	230	10.9	12.4	2	3	7	14	23
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONOARY SITES (199)									Total	2,055	6.5	6.0	1	2	4	7	15
TotolAge:	16,240	18.5	15.7	2	6	14	25	39	65 to 74 years	1,640 385 30	6.1 7.6 16.0	5.7 6.2 11.9	1 2 3	2 3 3	4 5 11	7 8 23	14 18 29
65 to 74 years	9,290 6,185 765	18.0 19.0 19.6	15.3 16.0 18.4	2 3 2	6 7 6	13 14 14	24 25 28	37 40 43	One diagnosis	1,390 665	5.4 8.8	5.5 6.5	1 2	2 4	3 7	5	12 16
One diognosis	8,915	17.6 19.5	15.3 16.1	2 3	6 7	13 15	23 26	37 41	With surgery	1,980 75	6.4 8.9	5.9 7.6	1	2 2	4 5	7 14	15 20
With surgery	5,250 10,990	20.3 17.6	15.6 15.7	3 2	8	16 13	28 23	42 38	NEOPLASMS OF UNSPECIFIED NATURE OF THE 8LAODER (236.2)								
LYMPHOSARCOMA AND RETICULOSARCOMA (200)									Total	4,600	8.4	9.3	1	2	5	10	20
Total	2,950	19.2	16.1	3	7	14	26	40	65 to 74 years	2,685 1,660 255	7.3 10.0 8.9	8.1 11.1 6.8	1 1 2	2 2 3	4 6 7	8 12 11	15 25 21
65 to 74 years 75 to 84 years 85 years ond over	985	17.2 23.3 16.6	14.5 18.2 13.9	3 4 2	6 9 5	13 18 11	24 31 18	34 50 39	One diognosis	3,535 1,065	7.7 10.6	8.8 10.5	1	2 3	4 7	9	18 25
One diognosis	1,510 1,440	18.6 19.8	16.5 15.6	3	7 8	13 16	26 26	37 44	With surgery	4,060 540	8.2 9.9	9.3 8.8	1	2 3	5	9	19 26
With surgery	1,020 1,930	21.2 18.1	16.0 16.0	4 2	9 7	17 13	28 24	42 37	ASTHMA (241)								
LEUKEMIA AND ALEUKEMIA (204)									Total	6,030 4,430	12.5	9.4 9.2	3 3	6	10	15	22 22
Age:		15.7	14.7	2	5	11	21	36	75 to 84 years 85 years ond over	1,390 210	13.1 13.9	10.0 9.5	3 2	6	11	16 18	24 30
65 to 74 years	2,410 1,965 270	15.9 15.2 17.9	15.4 13.9 13.9	1 2 1	5 5 7	11 10 14	20 22 26	37 34 38	One diognosis	2,385 3,645	10.2 14.0	7.9 10.0	2 4	5 7	8 11	13 17	18 25
One diognosis	2,450 2,195	14.3 17.3	14.9 14.4	1	4 7	9	19 23	34 37	With surgery	315 5,715	17.3 12.2	11.0 9.2	5	8	14 10	25 15	29 22
With surgery	740 3,905	21.2 14.7	16.3 14.2	5	8	16 10	29 19	42 34									

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stoy	Standard deviation		Perce	ntiles	(days))	Potient	Number of	Averoge stoy	Standard deviation		Percer	ntiles	(days)	
chorocteristics	discharges	(doys)	(doys)	10th	25th	50th	75th	90th	characteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th
OISEASES OF THYROIO GLANO (250-254)									CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTEO DISEASES (313-317)								
Total	3,625	13.7	10.6	4	6	10	16	26	Total	5,770	19.4	17.9	3	7	13	24	44
65 to 74 years	2,560 895 170	12.3 16.5 19.9	9.2 12.5 14.2	4 5 5	6 7 8	9 12 16	15 21 27	21 32 41	Age: 65 to 74 years	2,130 2,795 845	19.1 19.5 20.1	18.0 17.3 19.5	2 4 4	6 7 7	13 14 12	25 24 24	46 41 53
One diognosis	1,665 1,960	10.1 16.8	6.6 12.3	4 5	5 8	8 13	12 20	17 35	One diognosis	2,285 3,485	18.0 20.4	17.2	3 4	6 7	12	22 25	43 45
With surgery	1,355 2,270	11.3 15.2	8.8 11.4	4	5 7	8 12	12 18	21 30	With surgery	385	31.1	22.2	6 3	13	27	45	69
DIABETES MELLITUS (260)									PSYCHOTIC AND PSYCHOPHYSIOLOGIC	5,385	18.6	17.2	3	6	13	23	41
Total	47,695 28,180	16.2	13.2	4	7	12	19	32	DISORDERS (318-323) Total	3,840	22.3	17.3	3	8	18	3D	46
75 to 84 years	17,090 2,425	16.7 18.1	13.7 15.0	4 3	7 7	12	20 23	33 36	Age: 65 to 74 years	2,840	21.6	16.6	3	8	18	30	43
One diognosis	10,880 36,815	14.2 16.8	12.3 13.4	3 4	6 8	10 13	17 21	28 33	75 to 84 years	890 11D	24.6 22.5	19.0 17.9	6 2	7	18	32 30	49 48
With surgery	8,095 39,600	23.8 14.7	17.3 11.6	6 4	11	18	31 18	48 28	One diognasis	2,060 1,780	23.6 20.9	17.6 16.8	3 4	1D 7	20 16	32 28	45 46
MALNUTRITIONAL DEFICIENCY STATES (286)	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								With surgery	250 3,590	22.9 22.3	19.1 17.1	4 3	6 9	15 18	34 30	48 45
Totol	2,485	18.3	14.9	3	7	14	24	37	PSYCHONEUROTIC DISORDERS (324) Total	8,210	18.5	14.8	4	7	14	25	37
65 to 74 years	1,075 1,005 405	17.1 19.3 18.7	12.7 15.7 17.5	3 4 1	8 8 5	13 14 14	22 26 23	34 38 44	Age: 65 to 74 years	5,835 2,170	18.6 17.9	14.6 14.4	4	7	14	25 24	38 34
One diognosis	640 1,845	15.3 19.3	12.1 15.6	1 4	6 8	12 14	21 25	35 39	85 years and over One diagnosis	4,240	20.6	23.8 15.D	4	5	17	22	39
With surgery	275 2,210	22.9 17.7	12.4 15.0	5 3	13 7	22 13	29 22	39 37	Two or more diagnoses	3,970 485	16.4 22.7	20.0	3 4	8	16	21 28 25	32 52 37
GOUT (288)									CEREBRAL HEMORRHAGE,	7,725	18.2	14.4	4	7	14	23	3/
Totol	1,620	13.5	8.8	4	6	10	16	26	NONTRAUMATIC AND STROKE (331,334.8)								
75 to 84 years	525 80	14.8 16.1	14.1 13.6	3 4 5	5 7 5	11	15 23	26 24 33	Age:	43,595 17,955	18.2 18.5	17.1 17.5	1	5	13	25 25	42
One diognosis	395 1,225	10.8 14.4	7.7 11.8	3 4	5 6	8 11	13 17	21 27	65 to 74 years 75 to 84 years 85 years and over	19,655 5,985	18.2 17.1	17.0 16.4	1	5	13	25 24	41 41
With surgery	200 1,420	17.9 12.9	18.D 9.6	3 4	7 6	12 1D	19 16	32 24	One diognosis	20,770 22,825	16.6 19.6	16.3 17.7	1 1	4 6	11 14	22 27	38 45
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)									With surgery	2,915 40,680	26.3 17.6	20.1 16.7	3 1	10 5	22 12	37 24	57 40
Total	2,180	18.4	13.0	5	9	14	23	34	CEREBRAL EMBOLISM AND THROMBOSIS (332)								
65 to 74 years	780 1,140 260	16.8 19.6 18.0	12.4 13.1 14.0	5 7 4	8 11 8	13 15 13	21 25 21	33 35 34	Total	21,655	19.4	16.3	3	7	15	26	41
One diognosis	790	15.3	10.9	5	8	12	18	30	65 to 74 years	9,285 9,725	19.8 19.5 17.6	16.6 16.1	3 2 2	7	15 15	27 26 24	42 40 39
Two or more diagnoses	325	20.1	13.8	11	14	20	26	37 40	One diognosis	6,100	18.4	16.1	2 3	5 6 7	13	24	40
IRON OEFICIENCY ANEMIAS (291)	1,855	17.3	12.5	5	8	13	21	33	Two or more diagnoses	15,555	19.8 27.4	16.3	7	12	15 23	27 36	41 56
Total	3,770	13.4	8.7	4	7	11	17	24	Without surgery CEREBRAL ARTERIOSCLEROSIS (SO	20,250	18.8	16.0	2	7	14	25	40
65 to 74 years	1,510 1,800	13.1 13.9	8.2 8.6	3 5 2	7 7 5	11 12 8	16 18	24 24 24	SPECIFIED) (334.D) Total	18,335	14.7	12.8	3	6	10	18	30
85 years and over One diagnosis	460 845	12.2	7.0	2	5	10	15	19	Age: 65 to 74 years	7,400	13.6	11.7	3	6	9.	17	27
Two or more diagnoses	2,925 790	14.1	9.0	5 6	7 10	12	18 20	25 28	75 to 84 years	8,625 2,310	15.3 16.1	13.0 15.1	3	6	11	18	32 32
OTHER AND UNSPECIFIED ANEMIAS	2,980	12.5	8.2	3	6	11	16	23	One diagnosis	4,825 13,510	12.9 15.3	11.4	3	5 6	9 11	16 19	26 31
(292,293)	10,115	15.7	14.0	2	6	11	20	34	With surgery Without surgery	1,445 16,890	20.6 14.2	15.2 12.4	7	9 6	15 10	24 17	42 29
Age: 65 to 74 years	4,535	15.3	14.0		6	11	19	33	PARALYSIS AGITANS (350)	6,835	20.7	14.8	5	10	17	26	40
75 to 84 years	4,465 1,115	15.6 17.6	13.3 16.3	2 2 3	6	11 13	21 21	35 36	Total	4,375	20.9	14.7	5	10	17	26	40
One diagnosis	3,215 6,900	12.2 17.4	11.4 14.7	3	7	12 12	16 22	27 37	75 to 84 years	2,265 195	20.1 22.2	14.6 19.2	6 5	8	16 14	25 28	39 42
With surgery	1,635 8,480	22.9 14.3	16.4 13.0	6 2	11 5	18 10	30 18	47 31	One diognosis	3,205 3,630	20.5 20.9	14.0 15.5	6 5	9	17 16	24 27	37 41
									With surgery	535 6, 300	26.2 20.2	17.5 14.5	7 5	12 10	21 16	35 25	51 38

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Number of discharges	stoy (doys)	deviation (days)	10th	25th	50th	75th	90th	Potient	Number of	stoy	deviation	1011				1
5 000						/51/1	90111	chorocteristics	discharges	(doys)	(days)	10th	25th	50th	75th	90th
e 000								ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
5,220	13.2	10.0	3	6	-11	17	25	Total	2,385	13.7	11.2	2	5	10	18	28
3,310 1,570	13.4 12.9	10.4 9.7	3	6	10	16 16	27 23	Age: 65 to 74 years	1,040	13.6	11.5	1	5	10	18	28
340	12.8	7.5	3	6	12	17	23	75 to 84 years	1,040 305	12.5 17.8	9.8 13.5	2 2	5 6	10	17 26	24 33
2,745	14.2	10.7	4	6	11	18	27	One diagnosis	530 1,855	14.2 13.5	11.2 11.2	3 2	6	10	18 18	28 28
935 4,285	14.5 13.0	12.5 9.4	2	5	11	18 16	29 23	With surgery	165	17.1	11.D	2	8	16	26	30
									2,220	13.4	11.2	2	5	10	17	27
58,055	7.9	4.7	4	5	6	8	12		18,585	12.5	11.5	1	4	9	16	26
29,350 24,620	7.7 8.1	4.1 5.0	4	5	6 7	8	12 12	Age: 65 to 74 years	8,810	11.4	10.4	1	4	8	14	23
4,085			1	5	7		14	75 to 84 years	7,755 2,020	13.0 15.4	11.7 14.2	1 2	5	11	18 20	27 33
13,115	7.6 9.1	6.2	4	5	7	1D	15	One diognosis	5,900 12,685	11.5	11.3	1	4 5	8 9	14	23 27
55,765 2,290	8.0 7.8	4.5 8.1	4	5 2	6	8	12 15	With surgery	3,990	15.0	11.1	3	7	11	2D	30
								Without surgery	14,595	11.8	11.5	1	4	8	15	25
5,065	8.7	7.4	2	4	6	10	15		40 515	15.5	13.1	2	6	12	20	31
3,135 1,700	8.5 8.6	6.5 7.7	2 2	4	6	10 10	15 16	Age: 65 to 74 years	16,835	15.3	12.5	3	7	12	20	29
230	12.0	14.1	ì		8		17	75 to 84 years	18,345 5,335	15.6 15.6	13.3 14.1	2 1	6 5	12	20 20	32 35
3,180 1,885	7.9 10.0	8.7 8.7	3	5	7	11	17	One diagnosis	18.320	14.9	12.6	2	6	11	19	30 32
4,035 1,030	8.9 7.9	6.9 9.0	3 2	4 3	7 5	10	16 14		2,995	24.1	16.5	7	12	20	32	44
.,								Without surgery	37,520	14.8	12.5	2	6	11	19	29
2.516	150	120		,			,,,		25.040	140	11.7		7	,,	10	200
						ŀ		Age:								28
690 120	15.6 12.3	13.8	4	6 3	12	21	25	75 to 84 years	11,105	15.1	12.0	4	7	11	19	28 32
540	12.6	12.3	2	4 7	7	15	30	One diagnosis	4,775	12.9	10.4	3	6	9	16	25 29
490		1	1		14	23	38		2,175	17.8	12.8	4	8	14	23	35
3,025	15.5	13.7	4	7	11	20	28	Without surgery	23,665	14.5	11.6	4	7	11	18	28
									13 090	12 1	10.1	3	5		15	24
82,885	15.0	12.6	3	6	11	19	30	Age:	7,720	11.7	9.3	3	5	8	14	24
31,180 39,270	14.1 15.4	11.4 12.7	3	6 7	11	18	28 31	75 to 84 years	4,485 875	12.7 12.7	11.2 11.8	3 2	5 4	8	15 16	24 30
		1	1	1	1	1			3,550 9,530	9.7 13.0	8.2 10.6	2	4	7 9	12 16	19 25
61,765	15.6	12.8	3	7	12	19	31	With surgery	1,570	14.5	10.2	4	7	12	19	26
7,695 75,190	20.7 14.5	15.2 12.2	5 3	6	17	27 18	4ì 29	Without surgery	11,51D	11.8	10.1	3	5	8	14	23
									17.385	17.8	15.5	3	7	13	22	38
65,220	18.3	13.2	1	7	18	25	33	Age:	6,075	17.2	14.5	3	7	13	22	36
37,215 23,760	18.8 17.9	12 6 13.9	1	5	19 17	25 25	33	75 to 84 years	7,795 3,515	18.2 17.7	15.7 16.6	3	7	13	23 22	40 38
								One diognosis	3,340 14,045	15.9 18.2	14.5	3	5	11	20	32 39
34,450	19.3	14.0	i	7	19	26	36	With surgery	4,140	24.4	16.7	7	12	19	31	48
3,175 62,045	24.9 18.0	16.5 13.0	1	12	23 18	35 25	45 33	Without surgery	13,245	15.7	14.4	3	6	111	20	33
								DISSECTING ANEURYSM (451)								
56,690	14.7	11.5	3	6	11	19	29	Total	3,715	12.4	12.6	1	1	9	18	27
30,520	14.0	10.6	ł	6	11	18	27	65 to 74 years	2,105 1,390	13.6 10.7	13.5 10.7	- 1	1	11 8	20 16	30 23
21,685 4,485	15.2 16.1	12.2 13.9	3	6	12	20 20	31 34		7			1				27
19,030 37,660	13.4 15.3	10.9 11.8	3	6 7	1D 12	17 20	26 30	Two or more diagnoses	1,890	13.5	13.4	i	2	9	19	25 30
4,125	20.9	14.9	5	10	16	27	41	With surgery	1,900 1,815	16.5 8.2	12.7 11.1	1	1	15	23 10	31 20
	2,475 2,745 935 4,285 58,055 29,350 24,620 4,085 44,940 13,115 55,765 2,290 5,065 3,135 1,700 230 230 3,180 1,885 4,035 1,030 120 5,055 690 120 2,975 490 3,025 82,885 31,180 39,270 12,435 21,120 61,765 7,5,190 65,220 37,215 23,760 4,245 30,760 4,245 30,760 4,045 4,045 4,045 4,045 4,045 4,045 6	2,475 2,745 14.2 2,745 14.2 2,745 14.2 2,745 14.2 2,745 14.2 2935 14.5 29,350 27,7 24,620 8.1 4,940 13,115 2,765 2,290 7.8 5.065 8.7 3,135 8.6 1,700 8.6 12.0 3,185 1,700 1,885 10.0 4,035 1,20 1,885 10.0 4,035 1,20 1,885 10.0 4,035 1,20 1,885 10.0 4,035 1,885 10.0 4,035 1,89 1,030 7,9 18.1 3,515 15.9 2,705 16.1 66.1 120 123 540 126 2,775 16.5 490 1,302 11.8 11.1 13,200 13,4 61,765 16.3 21,120 13,4 61,765 7,5,190 14.5 65,220 18.3 37,216 17,20 18.3 37,216 18.6 30,770 11,20 31,180 31,	2,475 12.2 9.2 2,745 14.2 10.7 935 14.5 12.5 4,285 13.0 9.4 58,055 7.9 4.7 29,350 7.7 4.1 4,085 8.9 6.0 44,940 7.6 4.0 13,115 9.1 6.2 55,765 8.0 4.5 2,290 7.8 8.1 5,065 8.7 7.4 3,135 8.5 6.5 1,700 8.6 7.7 230 12.0 14.1 3,180 7.9 6.5 1,885 10.0 8.7 4,035 3.9 6.9 1,030 7.9 9.0 3,515 15.9 13.9 2,705 16.1 14.0 12.6 12.3 10.6 2,975 16.5 14.0 490 18.1 14.3	2,475 12.2 9.2 3 2,745 14.2 10.7 4 935 14.5 12.5 2 4,285 13.0 9.4 4 58,055 7.9 4.7 4 29,350 7.7 4.1 4 4,085 8.9 6.0 4 4,085 8.9 6.0 4 44,940 7.6 4.0 4 13,115 9.1 6.2 4 55,765 8.0 4.5 4 2,290 7.8 8.1 1 5,065 8.7 7.4 2 3,135 8.5 6.5 2 1,700 8.6 7.7 2 230 12.0 14.1 3 3,180 7.9 6.5 2 1,885 10.0 8.7 3 2,705 16.1 14.0 4 6,90 1,3 10.6	2,475	2,475 12.2 9.2 3 5 10 2,745 14.2 10.7 4 6 11 935 14.5 12.5 2 5 11 4,285 13.0 9.4 4 6 10 58,055 7.9 4.7 4 5 6 29,350 7.7 4.1 4 5 6 29,350 7.7 4.1 4 5 6 4,085 8.9 6.0 4 5 7 4,085 8.9 6.0 4 5 7 44,940 7.6 4.0 4 5 6 7 55,765 8.0 4.5 4 5 6 7 2,290 7.8 8.1 1 2 4 6 3,135 8.5 6.5 2 4 6 1,700 8.6 7.7 2 4 6	2,475 12.2 9.2 3 5 10 15 2,745 14.2 10.7 4 6 11 18 935 14.5 12.5 2 5 11 18 4,285 13.0 9.4 4 6 10 16 58,055 7.9 4.7 4 5 6 8 29,350 7.7 4.1 4 5 6 8 29,350 7.7 4.1 4 5 6 8 4,085 8.9 6.0 4 5 7 10 44,940 7.6 4.0 4 5 7 10 55,765 8.0 4.5 4 5 6 8 2,290 7.8 8.1 1 2 6 8 5,065 8.7 7.4 2 4 6 10 3,135 8.5 6.5 2 <td< td=""><td>2,475 12.2 9.2 3 5 10 15 23 2,745 14.2 10.7 4 6 11 18 27 935 14.5 12.5 2 5 11 18 27 58,055 7.9 4.7 4 5 6 8 12 29,350 7.7 4.1 4 5 6 8 12 24,620 8.1 5.0 4 5 7 10 14 44,940 7.6 4.0 4 5 6 8 11 55,765 8.0 4.5 7 10 15 15 5,065 8.7 7.4 2 4 6 10 15 3,135 8.5 6.5 2 4 6 10 15 3,135 8.5 6.5 2 4 6 10 15 1,885 10.0 <</td><td>2.475</td><td>2,475</td><td>2,473</td><td>2,745</td><td>2,775 142 10,7 4 6 11 18 27 100</td><td>2.775 122 92 3 5 10 15 22 25 27 5 11 18 27 27 27 27 27 27 27 2</td><td>2.775 12.2 9.72 3 5 10 10 10 10 10 10 10</td><td>2.775 12.2 9.2 3 5 10 18 23 9.1 18 18 18 18 18 18 18 </td></td<>	2,475 12.2 9.2 3 5 10 15 23 2,745 14.2 10.7 4 6 11 18 27 935 14.5 12.5 2 5 11 18 27 58,055 7.9 4.7 4 5 6 8 12 29,350 7.7 4.1 4 5 6 8 12 24,620 8.1 5.0 4 5 7 10 14 44,940 7.6 4.0 4 5 6 8 11 55,765 8.0 4.5 7 10 15 15 5,065 8.7 7.4 2 4 6 10 15 3,135 8.5 6.5 2 4 6 10 15 3,135 8.5 6.5 2 4 6 10 15 1,885 10.0 <	2.475	2,475	2,473	2,745	2,775 142 10,7 4 6 11 18 27 100	2.775 122 92 3 5 10 15 22 25 27 5 11 18 27 27 27 27 27 27 27 2	2.775 12.2 9.72 3 5 10 10 10 10 10 10 10	2.775 12.2 9.2 3 5 10 18 23 9.1 18 18 18 18 18 18 18

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number · of	Averoge	Standard		Perce	ntiles	(doys	,	Potient	Number of	Averoge	Standard		Percei	ntiles	(days)	
chorocteristics	dischorges	(deys)	deviation (doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	(doys)	deviation (doys)	10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)									ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	3,740	17.7	14.9	2	7	13	23	38	Total	3,210	10.8	9.5	3	5	8	13	20
65 to 74 years	2,370 1,010 360	17.0 21.1 12.8	13.7 17.6 12.0	2 3 1	7 9 6	13 15 10	21 27 14	37 45 25	65 to 74 years	1,820 1,110 280	10.5 11.3 10.4	8.7 11.2 6.6	2 3 4	5 4 5	8 7 8	13 13 12	18 24 20
One diognosis	1,965 1,775	14.8 20.8	13.3 15.9	1 4	5 9	11 16	19 28	30 44	One diognosis	770 2,440	7.6 11.7	5.1 10.3	1 3	3 5	6 8	10 14	15 22
With surgery	2,295 1,445	21.0 12.5	14.5 14.1	7	11 3	16	27 14	39 26	With surgery	235 2,975	12.9 10.6	15.6 8.8	1 3	3 5	6 8	14 12	28 20
GANGRENE OF LOWER EXTREMITY (455.0)						İ			INFLUENZA (480-483)	2,530	10.2	7.4	3	5	8	13	19
Totol	3,175	28.0	19.1	7	13	22	38	55	Tatal	1,475	10.5	7.4	3	5	1 8	13	20
65 to 74 years	1,315 1,410 450	26.7 30.1 25.2	18.8 19.0 19.3	7 9 2	13 14 11	21 26 21	35 42 35	53 56 49	75 to 84 years	915 140	9.9 10.5	7.1 8.4	3	4	8 7	12	18 21
One diognosis	1,530 1,645	25.3 30.5	17.1 20.4	6 7	13 15	20 25	36 41	52 58	One diagnosis	805 1,725 95	8.4 11.1	5.8 7.9	3	5	8	11	15 20
With surgery	2,065 1,110	30.4 23.4	18.2 19.8	11 3	15 8	26 17	40 31	55 54	With surgery Without surgery LOBAR PNEUMONIA (490)	2,435	15.9 10.0	10.2 7.2	5 3	8 5	12 8	22 12	27 18
VARICOSE VEINS OF LOWER EXTREMITIES (460)									Total	1,305	15.9	12.1	3	9	13	19	29
Total	5,320	16.8	14.4	4	6	12	22	34	65 ta 74 years 75 to 84 years 85 years ond over	695 430	14.5 17.1	8.9 13.7	3 3 2	9	13 13	18 21	24 36
65 to 74 years	3,355 1,720 245	15.1 19.4 21.4	14.1 14.6 13.7	4 4 5	5 8 10	9 16 19	21 24 30	32 37 42	One diagnosis	180 385	18.5	17.0	3	6	14	14	20
One diagnosis	2,535 2,785	15.1 18.4	14.1 14.6	4	5 7	9	20 24	32 36	Two or more diagnoses	920	17.2 25.5	13.6	3 5	8 20	14	32	34
With surgery	3,005 2,315	16.0 17.8	14.7 14.0	4	5 7	10 14	22 23	35 33	Withou! surgery	1,225	15.3	11.8	3	8	13	18	28
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)									Total	12,220	15.0	13.0	2	6	11	19	31
Totol	5,475	9.7	7.5	3	5	7	11	17	65 to 74 years	5,015 5,180 2,025	14.0 15.7 16.0	11.0 13.7 15.3	3 2 1	6 6 5	11 11 11	18 20 21	26 33 35
Age: 65 to 74 years	3,950 1,350 175	9.5 9.9 13.8	7.1 7.3 14.1	3 3 4	5 5 6	7 8 7	11 11 11	17 17 41	One diagnosis	3,090 9,130	12.3	11.0 13.5	2 3	5 6	9	14 21	25 33
One diognosis	2,730 2,745	8.3 11.0	6.1 8.5	3 4	5	6 8	9	13 20	With surgery	880 11,340	22.2 14.5	14.8 12.7	7 2	11	19 11	29 18	42 30
With surgery	4,555 920	9.9 8.7	7.1 9.1	4 2	5 3	7 6	11 8	17 16	PRIMARY ATYPICAL PNEUMONIA (492)								
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)									Age:	8,355 4,110	14.5	9.3	4	7	11	18	27
Totol	6,000	15.5	9.6	6	9	13	18	27	65 to 74 years	3,275 970	15.0 17.4	12.1 14.1	4 4	7 7	11 14	18 23	28 31
Age: 65 to 74 years	3,720 2,020 260	14.7 16.9 16.2	9.5 9.9 7.8	6 6	8 10 10		17 20 18	25 29 27	One diognosis	2,305 6,050	12.1 15.4	10.0 11.4	3 5	6 7	10 12	14 20	21 28
One diagnosis	2,365 3,635	13.7	8.5 10.1	5 6	8 9	12	16	22 28	With surgery	705 7,650	21.2 13.9	14,3 10.6	6	12 7	18 13	26 1á	36 25
With surgery	625	20.1	12.3	7	10	18	25	34	PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Without surgery	5,375	15.0	9.1	6	9	13	18	25	Total	16,945	15.4	12.2	3	7	12	19	30
OTHER SITES (464)	3,175	152	9.6	5	3	13	19	27	65 to 74 years 75 to 84 years 85 years ond over	7,660 6,775 2,510	14.7 15.9 16.4	11.4 12.4 14.0	4 3 2	7 7 7	11 12 12	18 20 21	28 31 32
Age: 65 to 74 years	1,910	14.7 15.6	9.6 9.7	5 5	8	12	18	25 28	One diagnosis	6,140 10,805	13.4 16.6	10.9 12.8	3 4	6	10	16 21	25 32
85 years and over One diagnosis	1,735	17.9	7.9 9.2	9 5	7	16	17	29	With surgery	1,435 15,510	23.0 14.7	15.2 11.7	7	11 7	19 11	30 18	42 29
Two or more diagnoses	335	16.9 24.6	9.7	7 11	10	21	29	29 41	ACUTE BRONCHITIS (OR SUBACUTE) (500)								
PULMONARY EM80LI5M AND	2,840	14.1	8.4	5	8	11	18	24	Total	5,395	11.5	8.4	4	6	9	14	20
INFARCTION (465)	7,030	17.1	12.7	2	8	14	23	33	65 to 74 years	3,110 1,830 455	10.6 12.3 14.2	6.9 9.5 11.3	4 4 4	6 6 7	9 9 10	13 14 16	18 25 29
Age: 65 to 74 years 75 to 84 years	3,665 2,780	17.3 17.0	12.2 13.4	3 2	8 7	14	23 22	33	One diagnosis	1,170 4,225	9.7 12.0	6.9 8.7	3 4	4 6	7 9	12	18 21
85 years ond over	585	15,7	12.5	1	5	11	24	33 34	With surgery	425	18.8	12.1	6 4	9	15	25 13	33 19
One diagnosis	1,975 5,055	16.6 17.2	12.2 12.9	2 2	8 8	15	22 23	30 34	Without surgery	4,970	10,9	1.7	4	0	, ,	13	19
With surgery	6,105	16.4	13.4 12.4	6	12	18	28 22	37 32									

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stoy	Standard deviation		Perce	ntiles	(days)		Potient	Number of	Averoge stoy	Standard deviation		Percei	ntiles	(doys)	
chorocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th	charocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th
8RONCHITIS, UNQUALIFIEO (501)									ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	3,960	11.4	8.3	3	5	9	14	22	Total	1,770	16.6	10.4	5	9	14	21	29
65 to 74 years		10.6 12.9	7.7 9.6	3 4	5	8 9 8	13 16 14	21 24	Age: 65 to 74 years	1,105	16.1	9.3	5	9	15 14	20	28
85 years and over One diagnosis		9.2	5.5	2	6	7	11	18	75 to 84 years	465 200	18.2 15.5	13.0 9.5	5 4	10	12	22 20	30 29
Two or more diognoses	2,420	12.7	8.8	4	7	9	15	24	One diognosis	630 1,140	15.5 17.1	8.4 11.4	5 5	9	14 14	19 22	26 30
With surgery		13.5 11.1	11.0 7.9	2 4	6	9	23 13	29 20	With surgery	630 1,140	19.7 14.8	10.2 10.1	6	12	18 13	24 18	34 25
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)									ULCER OF OUOOENUAA W/O	,,,,,,							
Total	4,615	14.1	11.4	4	7	11	17	27	PERFORATION & W/O HEIMORRHAGE (541.0)								
65 to 74 years	2,920 1,550	13.7 14.6	10.9 12.4	4	6 7	11	17 17	26 28	Total	8,800	13.4	10.7	4	6	10	16	26
One diagnosis		15.2	9.3	6	9	110	16	19	65 to 74 years	5,730 2,660 410	12.8 14.1 17.2	9.8 11.2 16.7	4 4	6 7	10 11 11	16 17 20	24 27 38
Two or more diognoses	3,035	14.8	12.4	3	7	11	18	28	One diognosis	3,380	11.8	9.8	3	6	9	14	23
With surgery	455 4,160	21.8 13.2	17.3 10.3	6	10	18 10	26 16	36 25	Two or more diagnoses	5,420 1,855	20.3	11.1	7	7 11	11	17 26	34
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)									Without surgery	6,945	11.6	9.3	3	6	9	14	20
Totol	2,370	12.8	11.6	3	6	9	15	24	PERFORATION & WITH HEMORRHAGE (541.1)								
65 to 74 years	715	11.8 15.1	11.0 12.8	3	5 7	9	14 20	21 28	Total	6,935	15.5	11.1	5	8	12	19	29
85 years and over One diagnosis		12.9	8.4 12.7	2	7	10	16	21 18	Age: 65 to 74 years	3,925 2,530	14.8 16.0	10.7 10.8	5	8	12	18 19	27 30
Two or more diognoses	1,685	13.6	11.0	4	6	10	17	25	85 years and over	480	18.8	14.1	4	9	13 15	22	33
With surgery	635 1,735	11.8 13.2	10.2 12.0	2	6	9	14 16	25 23	One diognosis	2,785 4,150	14.6 16.1	10.6 11.3	5	7 8	12 12	18 20	26 30
PULMONARY CONGESTION AND HYPOSTASIS (522)									With surgery	1,690 5,245	21.7 13.5	13.7 9.2	8 5	11	18 11	27 16	38 25
Total	7,130	13.9	12.9	1	4	10	19	28	ULCER OF STOMACH & DIJOOENUM,								
Age: 65 to 74 years	3,245 3,040	13.6 13.7	12.0 12.5	1	4	11	19 19	27 30	WITH PERFORATION (540.2,.3,541.2,.3) Total	1,265	18.9	13.5	4	9	15	26	35
85 years and over	845	15.7	17.3	1	4	11	20	32	Age: 65 to 74 years	760	19.6	12.4	7	11	16	24	35
One diognosis	2,755 4,375	13.5 14.1	12.6 13.2	i	3	10	20 18	28 29	75 to 84 years	410 95	19.3 11.7	15.7 9.1	2 2	7	13	31 21	38 24
With surgery	320 6,810	25.8 13.3	20.0 12.2	4 1	10 4	20 10	32 18	52 27	One diognosis	530 735	18.1 19.5	12.4 14.2	7 2	9 8	15 16	23 27	32 37
EMPHYSEMA WITHOUT MENTION OF 8RONCHITIS (527,1)									With surgery	820 445	20.9 15.3	13.4 13.0	7	11 5	17 13	27 20	38 34
Total	13,720	13.7	11.7	3	6	10	17	26	GASTRITIS AND DUODENITIS (543)								
Age: 65 to 74 years	8,935 4,265	13.3 14.3	11.7 11.2	3 3	6 7	10	16 18	25 27	Total	6,005	9.8	7.8	2	4		12	19
85 years ond over	520	15.2	15.1	2	6	9	18	30	65 to 74 years	3,655 1,885	9.3 10.2	7.0 8.2	3	5	7	11 12	17 20
One diognosis	3,805 9,915	12.7 14.1	12.2 11.5	3	6	10	15 17	25 27	85 years ond over One diagnosis	1,900	12.1 7.8	11.1 7.1	2	3	6	16	22 14
With surgery	1,450 12,270	17.9 13.2	13.7 11.4	3 3	8 6	14 10	23 16	34 25	Two or more diagnoses	4,105	10.7	8.0	3	5	8	13	20
OISEASES OF ESOPHAGUS (539)									With surgery	670 5,335	15.9 9.1	11.3 6.9	5 2	7	12 7	20 11	30 16
Total	3,465	11.6	11.4	1	3	8	15	25	APPENDICITIS (550-553)	0.500	,,,	,,,,			,,	,,	200
65 to 74 years	1,935 1,260 270	12.0 10.9 11.8	12.4 9.4 11.3	1 2	3 4 4	8 7 8	15 14 13	26 24 29	Total	2,520 1,625	16.1 15.1	11.4	6	8	13	19	28 27
One diognosis	1,415	10.1	11.4	1	2	6	12	23	75 to 84 years	735 160	17.8 17.8	12.5 6.9	7	8 9 12	14 15	20 20	36 30
Two or more diagnoses	2,050 1,720	12.6	11.2	2	3	9	16 19	25 32	One diognosis	1,350 1,170	13.5 19.1	8.7 13.3	6 7	7 10	10 16	17 22	24 31
Without surgery	1,745	9.7	9.7	1	3	7	12	19	With surgery	2,125	16.8	11.4	7	9	13	20	29
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)									Without surgery INGUINAL HERNIA WITHOUT MENTION	395	12.4	10.7	2	5	10	16	21
Total	4,995	16.0	11.4	5	8	13	20	29	OF OBSTRUCTION (560.0)	93.105	10.7	7.1	_			,,	1-
65 to 74 years	2,950 1,730 315	15.6 16.5 16.7	10.7 12.6 9.7	5 4 6	8 8 8	13	19 20 24	28 32 28	Total	23,185 15,610	9.9	7.1 5.9	5	6	8	11	17 16
One diognosis	1,795	13.0	8.7	4 5	7	n	16	23	75 to 84 years	6,715 860	12.3 12.8	8.8 8.9	5	7	9 10	14 14	21 23
Two or more diagnoses	3,200 1,605	17.6 20.9	12.3	5 9	8 12	15	22	33	One diagnosis	15,180 8,005	9.3 13.3	4.9 9.4	4 5	6 7	8	10 15	14 24
Without surgery	3,390	13.6	9.7	4	7	l ii l	17	25	With surgery	21,715	10.7	6.6	5	6	8	11	17

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stoy	Standard deviation		Perce	ntiles	(days)		Patient	Number of	Averoge	Standard deviation	_	Percer	ntiles	(doys)	
choracteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	stoy (doys)	(days)	10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)									CHOLELITHIA515 (584)								
Total	9,865	11.6	9.3	3	5	8	14	22	Tatal	21,735	16.8	10.8	6	9	14	21	29
Age: 65 to 74 years	5,805	11.3	8.8		5	8	14	22	65 ta 74 yeors	13,125 7,370	16.1 18.0	10.2 11.8	6	9 10	13 15	19 22	27 32
75 to 84 years	3,415 645	12.3 11.3	9.6 10.8	3 3 3	6 5	7	14 14	23 25	85 years and over One diagnosis	1,240	16.9 15.4	10.8 9.1	6	8	14	22 19	32 25
One diognosis	2,330 7,535	10.0 12.1	7.9 9.6	2 4	4 6	7 9	13 14	19 24	Two or more diagnoses	11,170	18.1	12.1	6	9	15	22	32
With surgery	2,135 7,730	16.9 10.2	11.5 7.9	4 3	8 5	13	21 12	33 19	With surgery	15,220 6,515	18.8 12.1	10.6 9.9	3	11 5	16	15 15	31 23
HERNIA OF OTHER 5ITE5 W/O MENTION OF OBSTRUCTION (560.13,.8,.9)									CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)				:				
Totol	7,500	12.1	8.0	4	7	9	14	23	Total	11,615	14.8	10.5	5	8	12	18	27
Age: 65 to 74 years	5,065 2,100	12.0 12.6	7.7 8.6	5 4	7	9	13	22 24	65 to 74 yeors	6,110 4,465 1,040	14.2 15.3 16.5	9.5 10.9 13.1	5 4	8 8 7	12 12 12	17 18 22	25 29 32
85 years and over	335	12.1	8.2	6	7	9	12	24	One diognosis	5,750	13.6	8.7	4	7	11	16	24
One diagnosis	4,295 3,205	11.0 13.7	6.8 9.1	4 5	7	10	12 17	18 27	Two ar more diagnoses	5,865	16.1 18.8	11.8	5 8	8 11	12	20	31
With surgery	6,465 1,035	12.6 9.2	8.0 7.2	5 2	7	10 7	14 11	23 17	Without surgery	6,500	11.7	8.7	3	6	9	14	21
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)									BILIARY OUCTS (586)								
Total	6,465	13.3	10.1	4	7	10	15	24	Age:	3,340 1,600	18.0 17.7	14.7 15.0	4	8	13	23	35
Age: 65 to 74 years	2,960 2,735	12.3 14.2	9.0 11.0	4 5 3	7	10 11	14 16	23 25 28	65 to 74 years	1,415	18.5 17.6	14.6 13.7	5	8 8	15	24 19	34 37
85 years and over One diagnosis	770 3,610	14.2	10.8		7	11	18	28 21	One diognosis	1,575 1,765	17.2 18.8	13.1 16.0	4 4	8 7	13 14	22 24	31 39
Two or more diognoses	2,855	15.1	11.0	4 5	8	12	18	28	With surgery	1,355	25.3	16.0	10	14	21	29	44
With surgery	5,400 1,065	13.9 10.4	10.1 10.1	5 1	7 4	11 7	16 12	24 20	Without surgery	1,985	13.1	11.4	3	5	9	15	25
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)	•								Total	2,640	15.2	12.0	3	7	12	20	28
Total	13,045	15.0	13.6	2	6	11	19	32	Age: 65 to 74 years	1,630 820	15.7 14.7	13.2 9.5	3 4	7	12 12	20 19	29 27
65 to 74 years	5,835 5,520	15.1 15.5	13.1 14.2	2 2 1	6 5	11 11	19 20	30 33 29	85 years and over	190	12.9	10.9	1	2	10	19	29
85 years and over	1,690 6,215	13.4	12.8 12.8		5	10	16	29	One diognosis ,	1,070 1,570	13.9 16.1	11.2 12.4	3	6 7	11	17 21	26 31
Two or more diognoses	6,830	15.9	14.2	2 2	6	11	21	34	With surgery	595 2,045	23.8 12.7	15.5 9.3	6 3	12 6	21 10	28 16	45 23
With surgery	5,515 7,530	20.3 11.2	14.8 11.1	5 1	10	16	25 13	39 23	NEPHRITIS, NEPHRO515, ANO HYORONEPHRO515 (590-594,601)						:		
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)									Total	3,805	17.4	15.7	2	6	13	22	36
Total	11,085	10.4	9.3	2	4	7	12	21	Age: 65 to 74 years	2,175 1,320	17.3 17.8	15.9 16.0	2 2	5	13	22 23	35 36
65 to 74 years	4,205	10.0 10.3	8.9 9.4	2 2	4	7 7 9	12 12	19 22	85 years and over	310 1,180	16.2 15.7	12.2	3	7	13	22 19	30
85 years and over	1,095 4,190	12.1 8.6	10.2 8.9	2	3	6	15	25 16	One diognosis	2,625	18.1	16.3	2	6	14	24	38
Two or more diognoses	6,895	11.4 16.7	9.3	3	5	13	14	23	With surgery	1,360 2,445	20.3 15.8	15.8 15.4	2	10	16 10	24 21	40 32
With surgery	9,895	9.6	8.6	5 2	4	7	11	18	INFECTIONS OF KIDNEY (600)								
DIVERTICULITIS (572.1) Totol	23,505	12.5	10.6	3	5	9	15	25	Total	6,270 3,230	15.5	12.2 9.7	5	7	12	19 17	29
Age: 65 to 74 years	12,215	12.4	10.6		5	9	15	25	75 to 84 years	2,375 665	16.4 20.7	12.6 18.1	4 5 5	8 8	12 14	20 25	32 44
75 to 84 years	9,235 2,055	12.5 13.2	10.7 11.7	3 3	5	9	15 16	24 25	One diagnosis	1,990 4,280	13.6 16.4	11.5 12.4	4 5	6	10 12	16 20	25 30
One diognosis	8,775 14,730	10.5 13.7	9.1 11.3	2 4	4	8 10	12 17	20 26	With surgery	1,840	17.7	13.6	5 4	9	13	22	33 27
With surgery	6,745 16,760	17.4 10.5	13.2 8.7	4 3	7 5	13	23 12	35 19	Without surgery CALCULI OF KIONEY AMD URETER (602)	4,430	14.6	11.4	4	7	"	18	2/
CIRRH0515 OF LIVER (581)	3,,03	.5.5	J.,						Total	6,000	11.6	9.3	2	5	9	15	23
Total	5,720	17.7	13.4	3	8	14	23	35	Age: 65 to 74 years	4,455 1,335	11.1 13.4	9.0 10.0	2 3	4	8 11	14 18	23 25
65 to 74 years	4,380 1,260	17.3 19.0	13.3 14.1	3 4 2	8	14 16	22 25 22	35 35	85 years and over	210	11.6	9.7	1	4	11	14	20
85 years ond over One diagnosis	1,825	17.5	9.8 13.3	3	12 7	15	22	27 35	One diagnosis	2,860 3,140	10.0 13.2	8.4 9.8	3	6	10	13 17	20 25
Two or more diognoses	3,895	18.2	13.5	4	8	15	24	35	With surgery	3,645 2,355	14.5 7.3	10.1 5.6	4	7	12 5	18 9	27 15
With surgery	1,045 4,675	21.7 16.8	13.0 13.3	7	12 7	19	27 22	39 34									

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stoy	Standard deviation		Percei	ntiles	(dnys)		Potient	Number of	Averoge	Standard deviation		Percei	ntiles	(doys)
chorocteristics	dischorges	(doys)	(days)	10th	25th	50th	75th	90th	charocteristics	dischorges	(days)	(days)	10th	25th	50th	75th	9011
OTHER DISEASES OF KIONEY AND URETER (603,604)									OTHER OISEASES OF MALE GENITAL ORGANS (613-617)								
Total	4,520	13.6	12.5	2	5	10	17	27	Tatal	4,580	9.4	8.1	2	4	7	11	1
65 to 74 years	2,940 1,325 255	13.2 14.5 14.0	12.0 13.7 10.9	2 2 1	5 5 6	10 10 11	17 18 19	26 30 24	65 to 74 years 75 to 84 years 85 years ond over	3,035 1,375 170	8.9 10.1 12.0	8.2 8.1 5.7	2 2 3	3 4 8	6 8 11	10 12 15	2 2
One diagnosis	1,955 2,565	10.9 15.7	10.7 13.3	2 3	3 7	8	14 19	23 3i	One diagnosis	2,340 2,240	7.4 11.5	5.7 9.6	2 3	3 5	5 8	13	1 2
With surgery	3,195 1,325	14.5 11.5	12.1 13.0	3 1	6 3	11 7	18 14	28 22	With surgery Without surgery UTEROVAGINAL PROLAPSE (631)	3,300 1,280	9.5 9.0	8.6 6.7	2 3	4 4	7 7	11	1:
Total	8,600	10.5	9.1	2	4	8	13	20	Total	11,085	12.6	6.6	6	8	11	14	2
65 to 74 years	4,530 3,270 800	9.1 11.6 14.4	7.5 9.5 12.8	2 2 3	3 5 6	7 8 10	11 14 17	17 23 30	65 to 74 years 75 to 84 years 85 years and over	8,020 2,825 240	12.1 14.0 16.6	5.7 8.2 10.6	6 7 4	8 9 8	10 11 12	14 16 19	1 2 3
One diognosis	2,880 5,720	7.7 12.0	6.7 9.7	. 2	3 5	5 9	9 14	14 22	One diagnosis	6,015 5,070	11.8 13.6	5.6 7.6	6 6	8 9	10 11	13	1 2
With surgery Without surgery OTHER DISEASES OF BLAOOER (606)	5,590 3,010	9.9 11.7	9.1 9.0	2 3	3 5	7 9	12 14	19 22	With surgery Without surgery INFECTIONS OF SKIN ANO 5UBCUTANEOUS TISSUE (690-698)	10,335 750	12.7 12.0	6.4 9.7	7 2	8 5	11 9	14 15	2
TotolAge:	3,805	14.3	12.3	3	6	10	17	27	Total	7,330	15.4	12.9	3	6	111	19	3
65 to 74 years	2,090 1,335 380	13.0 15.9 15.9	10.9 14.0 12.6	2 4 3	5 6 8	10 11 13	15 20 19	25 30 31	Age: 65 to 74 years 75 to 84 years 85 years ond over	4,320 2,310 700	15.1 16.1 14.2	12.9 13.6 9.9	3 3 3	6 7 7	11 12 11	19 20 19	333
One diagnosis	1,570 2,235	12.7 15.4	12.3 12.2	2 4	5 7	9	16 19	25 30	One diagnosis Two or more diagnoses	2,920 4,410	12.6 17.2	11.0 13.7	3 4	5 8	8	16 21	2 3
With surgery	2,870 935	14.3 14.4	11.1 75.4	3 2	6 5	11	18 16	26 32	With surgery Without surgery	2,460 4,870	17.2 14.4	14.5 11.9	3 4	6	12	23	3 2
URETHRITIS AND STRICTURE OF URETHRA (607,608)									RHEUMATOIO ARTHRITIS (722.0)	4,675	14.4	11.7					
TotolAge:	5,660	9.8	9.1	2	3	7	12	20	Total	4,115	19.2	16.0	4	7	14	23	4
65 to 74 years	3,155 2,150 355	9.2 10.4 11.7	9.1 9.1 8.2	2 2 2	3 4 5	6 8 9	11 13 17	19 20 22	65 tu 74 years	2,590 1,335 190	19.0 18.8 24.5	15.6 15.9 21.6	4 4 5	7 7 7	15 14 14	23 23 35	34 45 56
One diognosis	2,330 3,330	8.9 10.4	9.5 8.7	1 2	2 4	6 7	11 13	17 21	One diagnosis	1,420 2,695	17.6 20.0	14.5 16.7	4	7 8	13 15	21 25	3 4
With surgery	4,745 915	10.2 7.9	9.3 7.1	2	3	7 6	13 9	21 14	With surgery	775 3,340	21.9 18.5	18.9 15.2	4	7	16 14	28 22	5
OTHER OISEASES OF URETHRA ANO URINARY TRACT (609)									OSTEOARTHRITIS (ARTHRO515) (723.0) Totol	8,670	17.1	13.0	5	8	13	22	3
TotolAge:	7,295	13,1	11.8	3	5	9	16	27	Age: 65 to 74 years	4,380	17.8	13.3	5	8	14	22	
65 to 74 years	3,520 2,955 820	12.0 14.0 14.6	11.0 11.9 14.1	2 3 3	4 6 5	10 9	15 17 20	25 29 28	75 to 84 years	3,585 705	16.8	12.8 11.5	5 5	7 7	13	17	3 3 2
One diognosis	2,780 4,515	10.3 14.8	10.7 12.1	2 3	4 6	7	11 19	21 30	One diagnosis	2,915 5,755 2,370	18.3 16.5 23.5	13.5 12.7	5 5	8 7	12	24 21 29	3 3
With surgery	2,985 4,310	12.7 13.4	11.7 11.9	2 3	5	9	16 17	27 27	With surgery Without surgery SPONOYLITIS OSTEOARTHRITICA (723.1)	6,300	14.7	11.6	4	13	20	18	2
HYPERPLASIA OF PROSTATE (610)									Total	5,625	14.1	10.9	4	7	11	18	2
Total	41,885	16.2	10.7	5	9	13	20	29	Age: 65 to 74 years	2,950	13.2	9.7	4	6	10	16	2
65 to 74 years	24,070 15,130 2,685	15.0 17.3 20.1	9.2 11.8 14.9	5 5 5	8 9 10	13 14 16	18 21 25	26 32 37	75 to 84 years	2,270 405	14.7 17.6 12.8	11.0 15.4 10.0	5 4	7 7	13	18 20	3
One diagnosis	22,230 19,655	14.7 17.8	9.3 11.9	4 5	8 9	13 15	18 22	25 32	One diagnosis Two or more diagnoses With surgery	4,355 740	14.5	11.0	3 4 6	6 7 9	10	16 18 29	2
With surgery	36,650 5,235	16.5 13.7	10.2 13.8	6 2	9 4	14 9	20 17	28 32	Without surgery	4,885	13.1	9.8	4	6	10	16	2
(611,612) Totol	1,885	12.3	10.7	2	4	9	16	23	Total	5,150	14.5	11.6	4	6	11	18	2
Age: 65 to 74 years	1,095 685	10.6 14.2	9.6 11.6	2 2	4 5 7	8 11	14 18	20 33	75 to 74 years	2,685 2,060 405	14.1 14.7 16.0	11.8 10.8 13.2	3 4 2	6 7 6	10 11 10	18 18 21	2 2 3
85 years and over	105 880	16.8	9.5	6 2 3	4	7	19 15	31 22	One diagnosis	1,885 3,265	13.4 15.1	10.2 12.2	3 4	6 7	11	17 19	2 2
Two or more diagnoses	1,005	13.6	11.5	2	5	10	17 16	26 24	With surgery	745 4,405	19.7 13.6	14.3 10.8	6 3	8 6	16	26 17	3.

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Perce	ntiles	(days))	Patient	Number of	Average	Standard		Percer	tiles	(doys)	
choracteristics	dischorges	stay (days)	deviation (doys)	107h	25th	50th	75th	90th	choracteristics	dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th
OSTEOPOROSIS ANO ATROPHY (733.3)									SYMPTOMS REFERABLE TO								
Total	3,760	16.4	12.4	4	7	13	21	32	GENITOURINARY SYSTEM (786)	4,500	15.0	12.2	3	_	12	19	21
Age: 65 to 74 yeors	1,510 1,805 445	16.6 15.8 18.2	10.9 12.1 17.7	5 4 4	9 7 7	13 12 13	22 19 22	32 32 36	Total	2,400 1,755 345	13.9 16.1 17.2	11.2 12.9 14.5	3 3 4	6 6 7	11 13 12	17 21 22	27 32 34
One diagnosis	635 3,125	14.3 16.9	9.9 12.8	4 4	6 8	10 13	19 21	29 33	One diognosis	3,845	15.3	12.4	3	6	12	19	31
With surgery	365 3,395	19.8 16.1	17.1 11.8	3 4	7 7	15 13	28 21	37 30	Two or more diagnases	655 2,695	13.7	11.0	3	10	11	17 22	28 32
OISPLACEMENT OF INTERVERTEBRAL OISC (735)									Without surgery OTHER GENERAL SYMPTOMS	1,805	10.8	11.1	'	3	7	13	23
Total	4,195	17.7	12.6	6	9	14	21	31	(780,781,787-789) Toîol	7,545	12.4	12.6	2	4	8	15	26
Age: 65 to 74 years	960	16.8 19.6 28.0	11.4 15.0 14.1	5 7 7	9 10 17	14 14 22	21 21 37	29 38 44	Age: 65 to 74 years	3,875 2,875	11.7 13.3	12.0 12.9	2 2	4	8	14 17	23 28
One diognosis	2,035	16.6 18.7	11.0 13.8	5 6	9	14 15	20 22	29 33	85 years and over	795 5,845	13.0	14.5	1 2 2	4	10	15	27 25 28
With surgery		23.1 15.8	12.9 11.9	10 5	14	19	28 19	40 28	Two or more diognoses	1,680 2,645	14.0	13.2	2	5	10	17	27
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)									NERVOUSNESS AND OEBILITY (790)	4,900	11.8	12.4	1	4	8	14	25
Totol	3,540	7.9	7.4	1	2	5	10	17	Total	370	13.5	12.7	2	4	8	19	31
65 to 74 years	875	7.4 9.4 8.8	6.9 8.7 6.3	1 2 1	3 3	5 7 7	10 12 11	15 19 17	65 to 74 years 75 to 84 years 85 years ond over	205 120 45	13.8 14.0 10.8	10.9 16.1 9.0	2 2 1	4 4 2	8 6 9	21 17 12	31 26 16
One diagnosis	2,040 1,500	5.7 11.0	5.3 8.7	1 3	2 5	3	7 13	12 21	One diagnosis	195 175	9.0 18.5	7.5 15.2	2 3	3 6	6 11	12 28	19 33
With surgery	2,250 1,290	7.0 9.6	8.0 5.9	1 2	2 5	8	8 12	15 17	With surgery	20 350	13.5	12.9	2	4	7	19	31
CONGENITAL MALFURMATIONS (750-759) Total	1,810	12.6	11.4	3	5	9	16	25	UREMIA (792) Total	1,015	16.2	14.6	2	6	11	21	34
Age: 65 to 74 years	1,180	11.3	9.2	1	5	9	16	21	Age: 65 to 74 years	500	16.4	16.1	1 2	5	11	2i 2i	34
75 to 84 years		15.1	15.3 8.5	2 3 3	6	10	17 23	34 26	75 to 84 years	365 150	15.9 15.9	12.1 15.0	3	6	12	20	33 23
One diagnosis		10.2	13.0	3	6	10	17	20 27	One diagnosis	690 325	14.6 19.5	13.8	4	7	10	20 22	27 36
With surgery	845 965	12.5 12.7	11.5	3	5	10	17	27 22	With surgery	170 845	21.8 15.0	15.7	5 2	11 5	19 10	25 20	41 33
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)									SENILITY WITHOUT MENTION OF PSYCHOSIS (794)	200	340	120	1			,,,	22
Total	2,235	9.2	10.0	1	3	6	11	19	Total	280	14.2 9.6	13.8	2	5	6	18	13
Age: 65 to 74 years	1 610	9.5 8.4 10.1	11 0 8.1 10.3	1	2 3 1	6 6 7	11 11 14	20 18 19	75 to 84 years	150 95	16.1 12.9	15.4 12.8	1	6	10	25 14	33 32
One diagnosis	1,460 775	8.8 9.9	10.5 8.9	1	2 3	5 7	10 13	18 19	One diagnosis	170 110	13.1 15.9	10.1		í	7	32 32	26 33
With surgery	310 1,925	13.1 8.5	12.2 9.5	2	4 2	9	16 10	29 18	With surgery	15 265	14.2	13.9	1	5	9	18	32
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)					_				OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	4,070	8.3	8.3	1	3	6	9	16	Total	3,090 1,935	11.3	13.0	1	3	7	14	25
Age: 65 to 74 years	1,295	8.1 8.6 9.4	7.5 9.2 10.5	2	3 3 2	6 5 4	9 10 12	15 17 26	75 to 84 years	980 175	12.6 14.4	13.3	1	1	8 7	18 20	28 28
One diagnosis	3,175	8.2 8.8	8.5 7.2	1 2	3 4	5 7	9	17 16	One diagnosis	2,530 560	10.8 13.3	11.6 15.7	1	2 3	7 8	14 16	24 33
Two or more diagnoses	855	11.4	11.5	!	3	7	14	25	With surgery	1,015 2,075	11.3 11.3	14.0 11.7	- }	2	4 8	16 13	29 23
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)	3,215	7.5	7.0	1	3	5	9	14	FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	4,260	12.2	11.6	2	4	8	16	26	Total	7,235	17.5	12.5	5	8	14	23	32
Age: 65 to 74 years 75 to 84 years	2,090 1,670	11.9 12.9	11.5 11.7	2 2 2	5 4 4	8 8	14	24 28	65 to 74 years	3,215 3,110 910	16.2 18.8 17.5	11.8 12.7 13.7	5 5 4	8 9 7	14 15 13	20 25 28	30 33 36
One diagnosis	3,240	11.1	11.4	2	4	7	12	24	One diagnosis	2,745 4,490	15.9 18.4	10.8 13.4	5 5	7 8	13 15	21 24	30 34
Two or more diagnoses	1,020	12.0 17.6	11.6	2	7	15	24	32	With surgery	575 6,660	23.9 16.9	16.9 11.9	5 5	11	19 14	28 22	45 31
Without surgery	3,395	10.8	10.9	2		7	12	23									

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Perce	ntiles	(doys)) 	Potient	Number of	Averoge	Standard		Percer	ntiles	(doys	1
chorocteristics	discharges	(doys)	deviation (doys)	10th	25th	50th	75th	90th	charocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
FRACTURE OF RI8(S), STERNUM AND LARYNX (807)									HEAD INJURY (EXCLUOING SKULL FRACTURE) (850-856)								
Totol	4,240	13.5	10.8	3	6	10	17	27	Total	8,170	11.5	12.5	1	3	7	14	20
75 to 74 years	1,860 1,750 630	11.8 14.4 16.3	9.5 11.3 12.1	3 3 4	5 6 7		15 19 19	25 27 33	65 to 74 years 75 to 84 years 85 years and over	3,945 3,205 1,020	10.7 12.2 12.0	12.8 12.4 11.9	1 1 1	2 3 4	6 8 8	13 16 14	24 25 28
One diognosis	1,095 3,145	10.0 14.8	8.5 11.2	2 4	4 6	7 11	12 19	20 29	One diognosis	2,340 5,830	11.1 11.6	14.4 11.7	1	2	5 7	13 15	2
With surgery	470 3,770	19.0 12.8	13.3 10.2	3 3	7 6	15 10	29 16	39 25	With surgery	1,360 6,810	16.7 10.4	16.5 11.3	1	3	11	23 13	4 2
FRACTURE OF PELVIS (808)									LACERATION ANO OPEN WOUNO (870-898)								
Total	4,090	23.5	16.7	6	11	19	32	46	Total	4,545	9.5	11.0	1	2	6	11	2
65 to 74 years 75 to 84 years 85 years ond over	1,330 1,850 910	22.3 24.4 23.5	16.0 16.7 17.7	5 7 5	10 12 11	18 20 18	31 33 30	45 46 46	Age: 65 to 74 yeors	2,615 1,590 340	8.1 11.0 13.6	9.8 11.5 14.1	1 1 2	2 3 5	5 7 10	9 13 16	1 2 2
One diognosis	1,900 2,190	21.0 25.8	15.2 17.7	5 6	10 13	16 22	27 35	40 47	One diognosis	1,900	7.3	9.2	1	2 3	4	8	1
With surgery	290 3,800	32.2 22.9	19.7 16.3	11 5	16 11	28 18	46 31	62 45	Two or more diagnoses	2,645 2,365 2,180	11.0 8.9 10.2	11.8 10.4 11.4	1	2 3	7 5 6	13 10 12	119
FRACTURE OF HUMERUS (812)									SUPERFICIAL INJURY (910-918)	2,100							
Total	7,425	13.5	12.9	2	4	9	18	29	Total	475	8.7	6.8	2	3	6	11	1
65 to 74 years 75 to 84 years 85 years ond over	3,340 3,030 1,055	12.0 14.1 16.7	10.9 13.7 15.2	2 2 2	4 6	9	16 19 22	27 31 36	Age: 65 to 74 years	205 220 50	7.0 10.6 7.5	6.0 7.3 4.0	1 3 3	3 5 3	4 8 6	9 12 11	1 2
One diognosis	4,085 3,340	11.7 15.7	11.5 14.1	2 3	3 5		15 21	27 32	One diognosis	35 440	6.3 8.9	3.5 6.9	1 2	2	6	9 11	1 2
With surgery Without surgery	2,755 4,670	13.9 13.3	13.4 12.6	2 2	4	9 8	18 17	31 29	With surgery Without surgery	45 430	7.9 8.8	3.5 7.0	3	3	7 6	10	1 2
FRACTURE OF RAOIUS ANO ULNA (EITHER OR 80TH) (813)									CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Totol	5,145	8.5	10.8	1	2	4	10	19	Total	7,070	11.4	10.4	2	4	8	14	2
65 to 74 years 75 to 84 years 85 years ond over	2,550 2,115 480	7.0 10.2 9.2	8.8 13.1 8.4	1	2 2 3		12 10	16 22 21	Age: 65 to 74 years	2,910 2,820 1,340	9.7 12.2 13.3	8.5 10.7 12.6	1 2 3	3 4 5	6 9	13 15 18	2 2
One diognosis	2,190	5.6 12.4	7.2 13.4	2	3	-	14	12 32	One diagnosis	1,440 5,630	8.9 12.0	8.1 10.8	1 2	3 5	5 8	11 15	2 2
With surgery	3,825 1,320	7.8 10.6	9.3 14.2	1	2 2	5	11	18 26	With surgery Without surgery	760 6,310	15.1 10.9	13.0 9.9	3 2	5 4	11 8	20 14	3
Total	38,765	27.7	18.4	7	15	23	36	54	AOVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES								
Age: 65 to 74 years	10,695 18,645	27.7 28.4	18.7 18.4	8	15 15	23 23	34 37	54 56	(960-989) Total	3,545	10.3	11.0	1	3	6	12	2
85 years and over	9,425	26.4	18.0 17.4	7	15	22	34	52 51	Age: 65 to 74 yeors 75 to 84 yeors	1,840 1,455	9.3 10.7	9.9 11.0	1	3	6 7	12 13	1:
Two or more diognoses	15,875 29,060 9,705	29.5 27.7 27.5	19.6 16.6 22.9	11 2	15 16 8	1	39 34 41	58 52 62	85 years and over One diagnosis	1,200 2,345	7.0 12,1	14.9 8.0 11.8	1 2	6 2 4	10 4 8	15 9 16	1 2
FRACTURE OF LOWER EXTREMITY EXCEPT	7,703	27.3	22.7	2	"	21	-1	02	With surgery	205	22.9	14.9	7	13	18	27	4
FEMUR (822-826)	0.005	15.0		2	١,	١,,		20	Without surgery	3,340	9.6	10.1	1	3	6	12	1
TotolAge: 65 to 74 years	9,025 5,615	15.8	14.4	2	6	11	20	32	COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
75 to 84 years	2,760 650	18.2 16.4	16.4 15.0	3	6	13 12	24 20	41 28	Total	3,885 2,425	12.1 11.7	12.0 11.7	2	4	8	14 13	2
One diognosis	5,545 3,480	13.9 18.9	12.7 16.1	2 4	5 7	9	18 25	27 41	75 to 84 years	1,225 235	12.0 17.7	10.7 18.4	2	5	11	13 20	2
With surgery	4,955 4,070	15.8 15.8	13.7 15.1	3	7 5	12 10	20 21	30 35	One diognosis	2,310 1,575	10.3 14.9	10.4 13.6	2 3	4 6	7 10	12 17	3
SPRAINS OF 8ACK (846,847)									With surgery	1,840 2,045	12.7 11.7	12.0 12.0	2 2	4	9 8	16 12	2
Total	3,945 2,455	12.7 11.3	9.3 7.4	3	6	10	16 14	23									
75 to 84 years	1,220 270	15.1 14.0	11.6 10.5	3	6 7 6	11	19 18	31 29									
One diognosis	1,485 2,460	12.0 13.1	9.6 9.1	2	6	10	14 17	21 25									
With surgery	140 3,805	16.8 12.5	11.1 9.2	3	6	16 10	21 16	30 23									

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

## Control of Control			Averoge	Stondard		Perce	ntiles	(days)			Average	Stondard		Percer	ntiles	(doys)	
Table 1. 19. 1. 19. 1. 19. 19. 19. 19. 19. 19	Potient chorocteristics	Number of dischorges	stoy	deviation	10th	25th	50th	75th	90th	Potient characteristics	Number of dischorges	stoy	deviation	10th	25th	50th	75th	90th
March Marc															·			
25 to 24 main		8,205	13.5	13.2	2	4	9	17	28		2,545	19.9	15.1	4	9	16	26	41
See of the elegendary 1,500 1,64 1,16 2 3 5 10 10 31 10 10 31 10 10	65 to 74 years	3,040	13.8	13.3	1	4	10	17	29	65 to 74 years	1,040	20.3	15.5	4	8	15	28	42
Without Source Miles M						3 5	7 10	14 18										
Test									35 27									
Total																		
28 18 18 19 13 17 18 19 18 18 18 18 18 18	Age:									Total	2,825	19.3	14.9	3	8	16	27	36
Dec degrees 1,000 10.2 10.4 2 5 16 17 27 28 18 13 18 29 20 20 20 20 20 20 20	75 to 84 years	985	13.1	9.7	3 4	5	10	17	26	65 to 74 yeors	1,100	19.9	13.9	4	10	17	26	37
Web arrays 150 121 27 27 17 16 16 27 28 28 28 28 28 28 28					2 4	5 6				One diagnosis	1,025	18.7	13.4	3	8	16	26	35
MALICHANT MOPLASM OF SIGNAL (ALTHOR) 1.45 13.5 2 5 10 19 34 Total					3 3				21 25	With surgery	1,255	24.7	12.4	11	16	22	30	39
Age:	CAVITY AND PHARYNX (140-148)									MALIGNANT NEOPLASM OF BRONCHUS,	1,370	15.1	13.4	2	-	,	20	J.,
75 To Re years	Age:									Total	10,495	16.6	14.7	2	5	12	22	35
Two or more degnoses 1, 165 16.8 15.2 2 6 11 21 21 20 00 00 00 00	75 to 84 years	730	15.7	13.7 14.7	3	5		21	36 33	65 to 74 years	3,165	17.1	15.1	2 2 2	6	12	22	
MALIGNANT NEPLASKI OF ESOPIAGUS (150) 1,485 17.4 15.0 2 5 13 24 38 ALIGNANT NEPLASKI OF BEAST (170) MALIGNANT NEPLASKI OF BEAST (170) MALIGNANT NEPLASKI OF BEAST (170) 9,185 15.7 11.6 4 8 12 19 2 6 4 10 30 8 12 19 2 7 5 16 84 years 6 5 24.9 2 74.2 1 5 12 37 8 68 years 6 5 24.9 2 75 18 68 years 1 755 1 72 14.7 2 75 18 18 years 1 755 1 72 14.7 2 75 18 18 years 1 755 1 72 14.7 2 75 18 18 years 1 755 1 72 14.7 2 75 18 18 years 1 755 1 75 2 14.7 2 75 18 18 years 1 755 1 75 2 14.7 2 75 18 18 years 1 755 1 75 2 14.7 2 75 18 18 years 1 755 1 75 2 14.7 2 75 18 18 years 1 755 1 75 2 14.7 2 75 18 18 years 1 755 1 75 2 14.7 2 75 18 18 years 1 755 1 75 2 14.7 2 75 18 18 years 1 755 1 75 2 14.7 2 75 18 18 18 18 18 18 18 18 18 18 18 18 18	One diognosis			11.6 15.2		6				One diagnosis				2				
Total	Without surgery				2 2													35 34
Age. Age of Agency																		
75 to 64 years 6.55	Age:					1				Total	9,185	15.7	11.6	4	8	12	19	29
Decomposis 755 77.2 14.7 2 5 13 23 4 23 4 14 23 34 7 15 22 7 14 25 35 7 14 25 35 7 15 26 14 15 25 15 15 15 15 15 15	75 to 84 years	655	14.6	13.2	2	4	11	20	36	65 to 74 years	3,375	15.6	10.8	5	9	12	18	28
Without surgery 785 19.7 15.3 3 7 15 28 41 7 15.3 3 7 15 28 41 7 7 7 7 7 7 7 7 25 35 35 34 7 15 28 41 7 7 7 7 7 7 7 7 7					2 2	5 5	13 14	26 23		One diognosis	3,675	13.4	8.5	5	8	11	15	22
MALIGNANT NEOPLASM OF STOMACH (151) Totol					3 2					With surgery	5,755	14.9	9.5	6	9	12	17	25
Totol. 3,895 17,8 14,1 2 7 14 25 36 4 30 2 7 14 25 36 4 30 3 5 9 16 33 3 5 9 16 33 4 6 34 30 37 15 20 37 15 34 36 37 15 38 38 38 38 38 38 38 3										MALIGNANT NEOPLASM OF CERVIX	5,750		14.0					
75 to Ba years 1,520 18.5 14.1 3 7 15 26 37 37 37 37 37 37 37 3	Age:			1		1	1			Total	2,145	13.8	13.2	3	5	9	16	33
One diognosis 1,290 16.4 13.0 2 5 14 24 36 One diognosis 1,250 11.3 11.1 3 4 7 13 23 With surgery 1,620 23.2 13.0 9 13 21 29 42 With burgery 1,620 23.2 13.0 9 13 21 29 42 With surgery 1,620 23.2 13.0 9 13 21 29 42 Without surgery 10 1,620 23.2 13.0 9 17 20 4 MALIGNANT NEOPLASM OF INTESTINE EXCEPT RETUM (152.153) 12,395 20.1 14.9 3 9 17 2 39 Age: 65 to 74 yeors 6.445 19.3 14.2 2 9 17 25 38 4 16.2 13.2 3 6 10 17 29 45 to 4 yeors 6.5 to 74 yeors 2.34 13.4	75 to 84 years	1,520	18.5	14.1	3	7	15	26	37	65 to 74 years	635	16.3	15.2	3	5	9	20	39
With surgery										One diognosis	1,250	11.3	11.1	3	4	7	13	23
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153) Totol		1,620 2,275								With surgery	1,440	12.4	12.2	3	4	8	13	30
Age: 65 to 74 years 6,445	EXCEPT RECTUM (152,153)									MALIGNANT NEOPLASM OF UTERUS	703	10.5	14.0	3	J		22	34
75 to 84 years	Age:				l					Total	3,540	14.0	12.2	3	6	10	17	29
One diagnosis 4,185 17,9 13,8 2 7 15 23 36 One diagnosis 1,725 11.6 10.6 3 4 8 13 21 Two or more diagnoses 8,210 21.2 15.3 3 9 18 28 40 One diagnosis 1,725 11.6 10.6 3 4 8 13 21 With surgery 7,010 23.4 13.4 10 15 21 28 39 Without surgery 5,385 15.7 15.7 1 3 9 22 38 With surgery 2,585 13.4 11.5 3 6 10 26 MALIGNANT NEOPLA5M OF RECTUM (154) 10.4 9 19 31 44 4 4 4 11.790 19.7 14.9 3 8 17 27 39 65 to 74 years 2,925 22.5 15.9 3 10 20 31 42 4	75 to 84 years	4,775	20.9	15.6	3 3	9	18	28	41	65 to 74 years	1,085	16.2	13.2	3 3 2	7	-11	21	35
Without surgery 5,385 15.7 15.7 1 3 9 22 38 With surgery 2,585 13.4 11.5 3 6 10 16 26 MALIGNANT NEOPLASM OF RECTUM (154) 15.7 1 3 9 12 38 With surgery 2,585 13.4 11.5 3 6 10 16 26 MALIGNANT NEOPLASM OF RECTUM (154) 15.7 1 3 9 12 38 Mith surgery 2,585 13.4 11.5 3 6 10 21 36 MALIGNANT NEOPLASM OF RECTUM (154) 15.7 1 3 9 12 38 44 38 11.7					2 3		15 18			One diognosis		11.6		3			13	
MALIGNANT NEOPLASM OF RECTUM (154) Totol										With surgery	2,585	13.4	11.5	3		10	16	26
Totol																		
75 to 84 years	Age:								1	Total	1,790	19.7	14.9	3	8	17	27	39
One diagnosis 2,360 19.0 13.9 3 6 17 27 36 Two or more diagnoses 3,050 24.4 17.1 4 10 21 34 47 One diagnosis 440 19.6 16.5 1 7 17 25 38 With surgery 3,630 24.4 14.8 5 13 22 32 44 Without surgery 1,780 17 17 3 2 5 10 24 45 With surgery 890 22.1 12.6 8 13 18 28 38	75 to 84 years	2,055	21.9	15.9	4	8	18	32	46	65 to 74 years	580	20.5	16.1	1	8	16	28	43
With surgery 3,630 24.4 14.8 5 13 22 32 44 With surgery 890 22.1 12.6 8 13 18 28 38	One diognosis									One diognosis	440	19.6	16.5	1	7	17	25	38
	With surgery	3,630 1,780	24.4 17.2			13 5	10			With surgery	890	22.1	12.6			18 12		38 39

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard deviation		Percei	Γ	<u> </u>		Potient	Number of	Averoge	Standard deviction		Percei			
chorocteristics	dischorges	(days)	(days)	10th	25th	50îh	75th	90th	choracteristics	dischorges	(days)	(doys)	10th	25th	50th	75th	90
MALIGNANT NEOPLASM OF PROSTATE (177)									OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Totol	12,185	15.3	12.7	3	6	11	19	31	Total	3,365	15.8	14.4	2	5	10	22	
Age: 65 to 74 years	5,250 5,575 1,360	14.6 15.5 17.1	12.6 12.1 14.8	3 3 3	6 7 7	11 12 13	18 19 21	29 31 39	75 to 84 years	2,015 1,185 165	14.7 17.4 18.0	13.9 14.5 17.3	2 3 1	4 7 5	10 11 9	20 24 28	
One diognosis	4,620 7,565	13.5 16.4	10.8 13.6	3 3	6	11 12	16 21	25 34	One diognosis	1,450 1,915	14.5 16.8	13.8 14.7	1 2	4	9 12	19 23	
With surgery	7,065 5,120	16.0 14.4	11.4 14.2	5 2	8 5	13 9	19 18	30 33	With surgery	820 2,545	18.3 15.0	14.6 14.2	3 2	7 4	14 10	25 21	
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)		:							8ENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Totol	1,375	19.4	15.7	2	6	16	25	40	Total	1,540	13.0	11.0	1	4	11	16	
55 to 74 years	780 520 75	20.2 18.7 14.3	16.0 14.5 19.2	3 2 1	10 6 1	16 16 4	24 26 20	41 38 34	65 to 74 years 75 to 84 years 85 years ond over	990 500 50	12.2 14.3 15.2	9.7 13.0 11.2	1 2 2	4 5 5	10 11 10	15 18 20	
One diognosis	445 930	16.4 20.8	12.9 16.7	2 3	5 7	15 17	20 28	31 44	One diognosis	780 760	11.4 14.6	9.9 11.7	1 3	3	10 11	14 19	
With surgery	770 605	21.3 16.9	16.2 14.7	3 2	11	18	25 24	42 39	With surgery	1,145 395	14.3 9.3	9.4 14.0	2	8	12 4	17 9	
MALIGNANT NEOPLASM OF BLADDER (181.0)									8ENIGN NEOPLASM OF RECTUM (211.4)								
Total	8,395	12.1	12.3	1	3	8	15	27	Total	1,545	8.0 7.1	7.8 6.9	1	2	5	10	
75 to 74 years	4,370 3,335 690	11.3 12.2 15.9	12.0 11.7 15.1	1 2 2	3 4 6	7 8 10	14 15 19	26 27 36	75 to 84 years	410 100	9.1 13.5	7.3 13.1	3	3	7 9	12 17	
One diagnosis	4,740 3,655	9.7 15.1	10.2	1 2	3 5	6	12	22	One diagnosis	780 765	6.6 9.5	7.5 7.8	1 2	2	4 7	7 12	-
Vith surgery	6,520 1,875	11.3	11.2	1	3 4	7 9	14	26 35	With surgery	1,240 305	8.3 6.8	8.0 6.8	1	3	5 4	10 8	1
Without surgery	1,673	14.0	13.0	İ	4	,	19	33	8ENIGN NEOPLASM OF UTERUS (214,215)								
Total	5,105	9.5	10.7	1	2	5	11	22	Totol	1,940	8.0	7.0	1	2	5	11	
Age: 15 to 74 years	2,200 2,210 695	9.5 9.0 11.0	10.4 10.9 11.2	1	2 2 3	5 5 7	11 10 14	24 19 22	65 to 74 years	1,395 485 60	7.7 8.8 10.7	6.9 6.8 9.0	2	2 3 5	5 6 6	11 12 12	
One diognosis	2,955 2,150	7.4	8.7 12.4	1 2	2 3	4 8	9	16 29	One diognosis	795 1,145	5.6 9.7	5.6 7.3	1 2	2	3 8	6 13	
Vith surgery	4,025 1,080	8.6 12.9	9.8 12.9	1	2 4	4 8	10	19	With surgery	1,735 205	8.1 7.2	7.1 6.1	2 1	2	5	11 12	
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONOARY	1,000	12.7							LIPOMA (226) Total	1,770	6.1	6.1	1	2	3	7	
SITES (199)	11,165	16.5	15.5	2	5	11	22	36	Age: 65 to 74 years 75 to 84 years	1,300 415	5.7 7.2	5.3 7.9	1	2 2	3	6	
Total	6,450	16.1	15.5	2	5	11	21	35	85 years and over	55	8.6	6.2	i i	2	8	13	
75 to 84 years	3,990 725	16.9 17.1	15.9	2	5	13	22 25	33 38	One diagnosis	1,015 755	4.8 7.9	4.8 7.1	2	3	5	10	
One diognosis	5,670	15.8	15.7 15.4	2	6	10	21 22	35 38	With surgery Without surgery	1,620 150	6.0 8.0	5.7 8.3	1	2	3	7	
With surgery	3,490 7,675	18.8 15.4	16.3 15.0	1	7	14	26 20	40 35	NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
LYMPHOSARCOMA ANO RETICULOSARCOMA (200)									Total	2,485 1,390	6.8 6.3	9.4 8.9	1	2	3	7	
Totol	2,455	17.8	15.3	2	6	12	25	39	75 to 84 years 85 years ond over	850 245	6.7 10.6	9.2 11.3	i	2	3 5	6 11	
55 to 74 years	1,450 890 115	17.0 19.1 17.0	14.6 16.1 15.9	2 3 3	5 7 6	12 15 10	25 25 19	36 40 40	One diagnosis	1,880 605	5.5 10.8	7.7 12.4	1	1 2	3 6	5 13	
One diognosis	1,165 1,290	16.2 19.1	14.8 15.5	2	5 7	11 14	22 28	35 41	With surgery	2,210 275	6.8 7.1	9.3 10.0	1	2	3	7	
Nith surgery	910 1,545	18.7 17.2	13.3 16.3	3 2	9 5	16 11	26 24	38 40	ASTHMA (241)	4 200	10.4	0.5		E	6	12	
LEUKEMIA ANO ALEUKEMIA (204)					·				Total	6,390 4,000	10.6	7.7	2 2	5	8	12	
Total	5,120 2,455	13.4	13.5 13.1	3	5	9	16 16	29 31	75 to 84 years	2,170 220	11.5 13.1	9.4 10.7	2	5 6	8 9	14 15	
75 to 84 years	2,195 470	12.8 15.5	13.5 15.6	2	4 5	8 10	16 20	27 31	One diagnosis	1,975 4,415	8.9 11.4	7.0 9.0	2	4 5	7 9	11 14	
One diagnosis	2,120 3,000	12.4 14.1	13.8 13.3	2 2	4 5	7 10	14 18	29 29	With surgery	300 6,090	13.9 10.4	10.7 8.4	2 2	5	10	19 13	
With surgery	620 4,500	18.0 12.8	14.1 13.3	4 2	9	15	22 15	33 28									

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

D-NA	Number of	Averoge	Standard		Perce	ntiles	(doys)		D-Air-A	Newstra	Averoge	Standard		Perce	ntiles	(doys)	
Patient chorocteristics	dischorges	stay (doys)	deviation (days)	10th	25th	50th	75th	90th	Potient characteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
DISEASES OF THYROIO GLAND (250-254)	3 400	10.0	0.5	,	_		12	21	CHRONIC BRAIN SYNDROME ASSOCIATEO WITH SELECTED DISEASES (313-317)								
Total	3,400 2,430	10.8	8.5 8.1	3	5	8	13	21	Total	5,960	17.1	14.8	3	6	13	22	36
65 to 74 years 75 to 84 years 85 years and over	845 125	11.6 13.4	8.9 11.4	3 3 5	6 7	8 9	13	22 23	65 to 74 years	2,240 2,685	17.6 16.9	15.3 14.2	3 3	7 6 5	13	22 22	38 36 36
One diognosis	1,270 2,130	8.9 11.9	6.1 9.4	3 3	5 5	7 8	10 15	16 22	One diagnosis	1,035 1,680 4,280	16.4 15.1 17.9	14.9 13.7 15.1	2 3	5 7	12 10 13	21 19 23	36 30 37
With surgery	1,330 2,070	10.1 11.2	7.7 8.9	4 3	5 5	7 8	11	17 22	With surgery	535	20.3	15.6	3	7	17	30	42
OIABETES MELLITUS (260)									PSYCHOTIC AND PSYCHOPHYSIOLOGIC	5,425	16.8	14.7	3	6	12	21	35
Total	40,925	13.6	11.9	3	6	10	17	27	DISORDERS (318-323)	2.500	,,,,,	17.4		,	,,	20	45
65 to 74 years 75 to 84 years 85 years and over	23.955 14,835 2,135	13.1 14.4 15.1	11.3 12.6 13.6	3 3 3	5 6 6	10	16 17 19	26 29 31	Total Age: 65 to 74 years 75 to 84 years	3,590 2,555 945	19.7 20.3 18.5	17.4 17.7 16.5	3 2 2	6 6	14 14 13	28 28 26	45 48 40
One diagnosis	8,080 32,845	11.5 14.2	9.7 12.4	3	5 6	9 10	14 17	22 28	85 years and over	90	17.3	15.9	1	5	10	23	42
With surgery	5,440 35,485	20.7 12.6	16.5 10.6	4 3	8 5	16	27 15	42 24	One diognosis	1,970 1,620	21.2 18.0	17.8 16.7	3	6	16 12	32 24	47 40
MALNUTRITIONAL DEFICIENCY STATES (286)	05,403	.2.0	.5.5	ľ					With surgery	285 3,305	25.0 19.3	20.2 17.1	3	9 6	19 14	38 27	48 44
Totol	2,180	15.9	14.7	3	6	11	19	33	PSYCHONEUROTIC DISORDERS (324)	10,035	14.3	13.3	2	5	ç	18	31
65 to 74 years	960 925	14.5 17.6	14.1 15.2	3 4	5 7	10	17 22	28 36	Total	7,045	14.5	13.1		5	10	19	31
85 years and over	295	15.3	14.1	3	6	9	21	34	65 to 74 years	2,685 305	14.2 9.8	13.9 8.5	2 2 2	4	6	18 11	32 24
Two or more diagnoses	1,815	15.9	14.8	3	6	11	19	33	One diognosis	4,030 6,005	14.6 14.0	13.5 13.1	2 3	4 5	10 9	20 17	32 31
With surgery	195 1,985	19.2 15.6	18.7 14.2	3	6	10	19	43 31	With surgery	645 9,390	18.4 14.0	15.3 13.0	3 2	5	13 9	28 18	41 30
Totol	1,890	16.3	8.4	2	4	7	13	20	CEREBRAL HEMORRHAGE, NONTRAUMATIC STROKE								
Age: 65 to 74 years	1,085 650	9.4 11.3	8.1 8.8	2 3 3	4 5	7 8	11	16 23	(331,334.8) Total	39,595	16.2	15.5	1	5	11	22	36
One diagnosis	540	7.4	6.6	3 2 3	3	9 5 8	15	25 13	Age: 65 to 74 years	14,790 18,250	16.5 16.3	16.0 15.5	1	5	11 11	21 22	37 37
Two or more diagnoses	160	11.4	10.3	3	5	15	23	31	85 years and over	16,210	15.2	14.1	1 2	4 5	10	21 20 23	33 34 38
Without surgery PERNICIOUS AND OTHER HYPERCHROMIC		9.7	7.9	2	4	'	12	17	Two or more diagnoses	23,385	17.1 23.3	15.6	3	9	12	34	53 35
ANEMIAS (290) Totol		13.3	10.1	3	5	111	17	27	Without surgery CEREBRAL EMBOLISM AND THROMBOSIS	37,605	15.8	15.1	1	5	11	21	35
Age: 65 to 74 years 75 to 84 years		12.6	9.1	3	6	10	16	26	(332)	17.005	,,,,						24
75 to 84 years	1,160 375	13.4 14.7	10.8 10.3	3 2	5	11	17 20	26 30	Toto!	17,035 6,785	17.3	14.8	3	6	13	23	36 37
One diognosis	905 1,595	11.6 14.3	8.5 10.8	2 3	5 6	9	16 18	23 28	75 to 84 years	7,830 2,420	17.0 17.2	14.6 13.8	2 2	6 7	13 13	23 25	37 35
With surgery	370 2,130	15.3 13.0	10.4 10.0	3	7 5	12 10	20 17	29 25	One diagnosis	4,905 12,130	15.6 18.0	14.2 15.0	2 3	5 6	11 14	20 24	32 37
IRON OFFICIENCY ANEMIAS (291)									With surgery	1,115 15,920	23.7 16.9	17.1 14.6	5 2	11 6	19 12	33 22	49 35
Totol	3,615 1,400	11.9	9.1 8.0	3	5	8	15	22	CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIEO) (334.0)								
75 to 84 years	1,695	12.2 12.1	9.3 10.7	3	5	9	15 15	22 26	Totol	17,745	12.2	10.4	3	5	9	15	25
One diognosis	810 2,805	9.8 12.5	7.3 9.4	2 4	4 6	7 9	13 15	19 23	Age: 65 to 74 years	6,505 8,350 2,890	11.5 12.3 13.5	9.0 10.7 12.4	3 3 3	5 5 5	9 9	14 15 16	22 26 29
With surgery	645 2,970	13.8 11.4	9.5 8.9	3	6 5	11 8	18 14	26 22	One diagnosis	5,095 12,650	10.5 12.9	8.5 11.0	2 3	4 5	8 9	13	22 26
OTHER ANO UNSPECIFIED ANEMIAS (292,293)									With surgery	1,575	16.2	11.9	5 3	7	12	21	31
TotolAge:	9,055	11.2	11.2	1	3	7	14	25	Without surgery	16.170	11.8	10.2	3	5	8	14	24
65 to 74 years	3,650 3,920	11.3 11.5	11.2 11.9	1	3 4	7 8	14 14	27 24	Tatal	5,875	19.2	14.6	4	8	15	24	39
85 years ond over One diagnosis	1,485 3,140 5,915	10.3 8.8 12.5	9.2 12.0	1 1 2	3 2 4	7 6 8	14 11 16	22 18 27	Age: 65 to 74 years	3,895 1,800 180	18.9 18.8 27.9	14.0 15.0 20.5	4 4 5	8 7 10	15 14 20	24 24 40	36 39 57
With surgery	1,380	15.7	14.2	2	5 3	12	22	34	One diagnosis	2,575	18.4	13.2 15.7	4 4	9 8	16 15	23 26	33 42
Without surgery	7,675	10.4	10.4	. 1	3	1 7	13	22	Two or more diagnoses	3,309	22.4	15.9	4	9	18	31	43
									Without surgery	5,370	18.9	14.5	4	8	15	24	37

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Average	Standard		Perce	ntiles	(days)		Potient	Number of	Averoge	Stondard		Percer	ntiles	(doys))
chorocteristics	dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th	characteristics	dischorges	stoy (doys)	deviation (days)	10th	25th	50th	75th	90th
NEURALGIA ANO NEURITIS (360-366)									ALL OTHER MYOCAROIAL DEGENERATION								
Total	5,320	12.2	9.9	3	5	9	15	24	(422.0,422.9)	2,755	12.2	12.0	2	5	10	,,	
Age: 65 to 74 years	3,085 1,930	11.4 13.3	8.8 10.9	3	5 6	8	14 16	22 26	Total	1,170	13.2	11.4	3		11	16	27
85 years and over	305	14.0	12.3	4	5	10	16	26	75 to 84 years	1,270 315	13.0	12.4 11.9	2	6 5 2	9	16	26 19
One diagnosis	2,015 3,305	10.4 13.4	9.2 10.1	2 4	6	10	12 16	20 25	One diagnosis	635 2,120	11.8 13.6	9.3 12.6	2 2	4 5	9	16 16	25 28
With surgery	800 4,520	13.5 12.0	11.6 9.6	3	6 5	10	16 15	25 23	With surgery	130	13.0	11.0	1	5	12	18	30
CATARACT (385)	,,,,,								Without surgery	2,625	13.1	12.0	2	5	10	16	26
Total	36,745	8.1	4.9	4	5	6	9	13	FUNCTIONAL DISEASE OF HEART (433)	14,935	11.0	10.2	2		8	14	23
Age: 65 to 74 years	17,820 16,195	7.7 8.4	4.2 5.3	3 4	5 5	6 7	8 9	13 14	Total	7,310	10.1	9.4	1	3	7	14	21
85 years and over	2,730	8.9	6.0	4	5	7	10	14	75 to 84 years	5,960 1,665	11.8	10.2 13.1	2	4	8 7	15	24
One diognosis	26,255 10,490	7.7 9.1	4.0 6.6	3 4	5	7	8 10	13 15	One diognosis	4,125	9.6 11.5	9.3	1 2	3	7 8	12 15	19 24
With surgery	35,120 1,625	8.1 8.3	4.6 9.1	4	5	6	9	13 17	With surgery	10,810 2,340	14.8	10.5 11.0	2	6	12	19	30
GLAUCOMA (387)	1,,,,,,	"		Ì			,	, ,,	Without surgery	12,595	10.2	9.9	ĩ	3	7	13	21
Total	3,225	7.9	5.8	2	4	6	10	14	CONGESTIVE HEART FAILURE (434.1)	20 205	12.4	12.0	2	-	,,,	17	200
Age: 65 to 74 years	1,745 1,250	7.3 8.3	5.2 6.2	2 2	4 4	5 6	9	13 15	Total	30,225	13.6	12.0 12.0	2	5	10	17	28
85 years and over	230	9.5	7.3	2	5	7	10	19	75 ta 84 years 85 years ond over	13,670 4,995	13.8 13.5	11.9 12.4	1	5	10 10	17 17	28 29
One diognosis	1,780 1,445	6.8 9.2	4.7 6.7	3	3 4	5 7	11	12 16	One diognosis	10,565	12.2	11.0 12.5	2 2	4	9	15 18	26 29
With surgery	2,420 805	8.1 7.0	5.7 6.2	2 2	4 3	6 5	10	15 14	Two or more diagnoses	19,660	20.4	16.0	4	9	16	26	41
CHRONIC RHEUMATIC HEART DISEASE									Without surgery	28,445	13.2	11.6	2	5	10	17	27
(410-416)	0.500		,,,,		١,		,,,	20	HYPERTENSIVE HEART DISEASE (442,443)	00.500	10.0	100				,,	24
Totol	2,580 1,985	14.4	12.4	3	6	10	18	30	Total	20,580 10,390	13.0 12.1	10.8 9.6	3	5	9	16	26
65 to 74 years	540	16.5	13.7	10	12	11	24 24	37 30	75 to 84 years	8,215 1,975	13.7	11.4 12.7	3 2	6	10 11	17 19	28 31
One diognosis	345 2,235	13.0 14.6	10.5 12.6	2 3	5 6	9	20 18	27 31	One diagnosis	3,185 17,395	10.7 13.4	8.8 11.0	2	4	8	13 17	22 27
With surgery	345	17.3	15.6	2	7	14	24	34	With surgery	1,645	17.6	14.5	3	7	13	22	35
Without surgery	2,235	14.0	11.7	3	6	10	17	29	Without surgery	18,935	12.6	10.2	3	5	9	16	25
ARTERIOSCLEROTIC HEART 015EA5E 50 0E5CR18ED (420.0)									OTHER HYPERTENSIVE DISEASE (446,447) Total	15,045	10.4	9.6	2	4	7	13	20
Total	63,375	13.3	11.4	3	5	10	17	26	Age: 65 to 74 years	8,625	9.4	8.5	2	4	6	12	18
65 to 74 years	24,025 29,465 9,885	12.4 13.7 14.4	10.3 11.7 12.6	3 3 2	5 5	9 10 10	15 17 19	24 27 29	75 to 84 years	5,405 1,015	11.4 12.7	10.8 11.5	2	4	8	14	22 24
One diognosis	14,095	11.5	9.8	2	4	8	14	23	One diognosis	3,835 11,210	8.2 11.1	7.3 10.2	2	3	5 8	10 14	17 21
Two or more diognoses	49,280	13.8	11.7	3	6	10	17	27	With surgery	1,570	12.8	10.9	3	6	10	15	24
With surgery	5,195 58,180	19.4 12.8	14.5 10.9	3	8 5	15	25 16	39 25	Without surgery	13,475	10.1	9.5	2	4	7	12	20
ACUTE CORONARY OCCLUSION (420.1)									Total	21,665	15.2	14.3	3	5	10	19	33
Totol	41,595	16.6	13.0	1	5	16	23	31	Age: 65 to 74 years	6,970	15.9	15.4	3	5 5	11	20	34
65 to 74 years	22,485 15,725 3,385	17.1 16.5 13.9	12.2 13.6 14.0		4 2	15	23 24 21	31 33 30	75 to 84 years	10,020 4,675	14.8	13.5 14.3	3	5	10 10	19 18	33 32
One diognosis	18,795	15.4	12.0	1	4	15	22	29	One diagnosis	3,330 18,335	14.2 15.4	13.9 14.4	2	4 5	9 10	18 19	32 33
Two or more diagnoses	22,800	17.6	13.6	1	5	16	25 27	34	With surgery	3,800 17,865	23.1 13.5	16.8 13.1	5 2	11 5	18	30 16	47 28
With surgery	1,835 39,760	19.6 16.4	15.0 12.8	i	5	17	23	31	Without surgery	17,003	13.5	13.1	2	3	9	10	20
OTHER ISCHEMIC HEART 015EA5E (420.2-420.4,422.1)									0155ECTING ANEURY5M (451)								
Total	47,145	12.6	10.9	2	5	9	16	25	Age:	3,240 1,835	11.7	11.4	1	2	9	17	25 25
Age: 65 to 74 years	24,295 18,350	12.1 13.1	10.1 11.7	2 2	5	9	16 16	24 27	65 to 74 years	1,150 1,150 255	11.4 9.3	11.4 11.6 10.0	i	1 3	10 8 6	17 17 10	27 18
85 years and over	4,500	13.2	11.4	2	5	9	18	27	One diagnosis	1,600	10.5	10.2	1	1	8	15	21
One diagnosis	12,725 34,420	10.9 13.2	9.5 11.3	3	5	7 9	14	22 27	Two or more diognoses	1,640	12.8	12.4	1	2	9	18	28 31
With surgery	2,715 44,430	17.9 12.3	14.4 10.6	4 2	7 5	14	23 16	36 25	Without surgery	1,570	7.1	8.8	il	i l	4	8	18

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stay	Standard deviation		rerce	ntiles	(uoys)		Potient	Number of	Averoge stay	Standard deviation	<u> </u>	rerce	ntiles	(aays	, —
chorocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th	chorocteristics	discharges	(doys)	(days)	10th	25th	50th	75th	90
ARTERIAL EMBOLISM AND THROMBOSIS (454)									ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	2,640	14.8	13.0	1	5	11	19	30	Total	7,760	9.5	8.1	2	4	7	11	1
Age: 65 to 74 years	1,470 995 175	15.2 14.8 12.0	12.3 14.1 11.2	2 1 1	6 4 1	12 11 12	20 19 15	29 32 19	Age: 65 to 74 years	4,240 2,780 740	8.9 10.1 11.4	7.1 9.0 9.8	2 3 2	4 4 5	7 7 9	11 12 13	1 1 2
One diognosis	1,150 1,490	12.3 16.8	11.0 14.1	1 2	4 7	10 13	16 22	27 33	One diognosis	1,695 6,065	7.9 10.0	6.9 8.4	2 3	3 4	6 7	9 12	1
With surgery	1,465 1,175	18.2 10.6	13.1 11.5	3 1	10 2		24 13	33 21	With surgery	450 7,310	11.0 9.5	11.9 7.9	1 3	2	7 7	13 11	1
GANGRENE OF LOWER EXTREMITY (455.0)									INFLUENZA (480-483)								
Totol	1,700	24.6	17.4	5	12	21	32	51	Total	10,160 5,900	9.6 9.0	7.6 6.9	3	4	7	12	
65 to 74 years	575 730 395	25.0 24.3 24.8	17.3 16.2 19.4	5 5 4	13 12 11	21 21 18	31 33 31	50 45 56	75 to 84 years	3,400 860	10.1 10.9	8.2 8.8	3	5	7 8	12	:
One diognosis	615 1,085	22.6 25.8	16.1 18.0	4 5	111	19 21	27 33	42 52	One diognosis	3,760 6,400	7.4 10.8	5.1 8.5	3	3 5	6 8	13	2
With surgery	1,035 665	26.6 21.5	16.4 18.4	9	16 7		32 32	50 51	With surgery	360 9,800	12.9 9.4	11.5 7.3	3	5	10 7	16 11	1
VARICOSE VEINS OF LOWER EXTREMITIES (460)									LOBAR PNEUMONIA (490) Total	1,620	13.6	11.9	2	6	10	18	2
Total	4,815	16.9	13.6	4	7	13	22	34	Age: 65 to 74 years	745 615	12.9 14.6	12.3 11.5	2 1	6	9 11	16 20	3
65 to 74 years	2,890 1,650 275	14.8 20.0 20.9	12.5 14.2 15.5	3 5 3	6 9 7	10 16 17	19 26 29	31 40 43	85 years and over One diagnosis	260 610	13.7	11.3 7.9	2	4	11	18	1
One diognosis	2,215 2,600	14.9 18.7	12.9 13.8	3 5	6 8	10	19 24	32 36	Two or more diognoses	1,010	15.9 32.4	13.3	13	7 17	12 23	20 42	5
With surgery	2,510 2,305	15.5 18.5	13.2	4 5	6 8	11	20 24	32 36	Without surgery	1,540	12.7	10.4	1	5	9	17	2
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)									Total	12,160	13.1	11.4	2	5	10	16	2
Totol	5,520	9.7	7.2	3	5	7	11	17	65 to 74 years	5,055 4,855 2,250	12.6 13.7 13.2	10.1 12.4 11.6	3 2 1	6 5 5	10 10 10	15 17 18	2
Age: 65 to 74 years	3,690 1,625 205	9.3 10.6 10.2	6.7 8.1 7.9	3 3 3	5 5 6	7 8 8	11 13 11	16 18 21	One diognosis	3,190 8,970	10.7 14.0	8.8 12.0	3 2	5 6	8 10	13 18	1 2
One diognosis	2,385 3,135	8.1 10.9	4.1 8.7	3 3	5 5	7 8	9 13	13 22	With surgery	750 11,410	21.8 12.6	16.1 10.8	6 2	11 5	17 9	28 15	4 2
With surgery	4,335 1,185	10.3 7.5	7.1 7.0	4	5	8 5	12	17 14	PRIMARY ATYPICAL PNEUMONIA (492)								
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								ů.	Age: 65 to 74 years	10,175 4,960	12.6	10.1 9.4	4	6	9	15	2
Totol	5,980	13.5	9.2	5	7	11	16	22	65 to 74 years 75 to 84 years 85 years ond over	3,855 1,360	12.8 14.2	10.1 12.3	3	6	10 10	15 18	2 2
65 to 74 years	3,765 1,820 395	13.4 13.1 16.0	8.9 9.4 10.1	5 5 5	7 7 8	11 11 13	16 15 21	23 20 26	One diognosis		9.9 13.7	7.3 10.9	3	5 6	7 10	12 16	1 2
One diognosis	2,465 3,515	12.0 14.6	7.5 10.0	4 5	7 8	10 12	14 17	20 25	With surgery	735 9,440	18.1 12.2	12.6 9.8	4	8	16 9	22 14	2
With surgery	470 5,510	15.9 13.3	12.0 8.8	4 5	7 7	12	20 15	28 22	PNEUMONIA, OTHER AND UNSPECIFIED (493)								
PHLEBITIS AND THROMBOPHLEBITIS OF	3,310	10.0	0.0			"			Total	18,735 8,200	13.8 13.1	11.0 9.9	3	6	10	17 16	2
OTHER SITES (464) Total	2,140	13.1	9.1	5	7	10	16	23	75 to 84 years	7,530 3,005	14.1 14.8	11.4 12.7	3	6	11	17	2 2
Age: 65 to 74 years	1,390 645	12.6 13.9	8.5 10.1	4 5 2	7 7 5	10 10 13	15 17 20	21 25 26	One diagnosis	6,375 12,360	12.0 14.7	9.7 11.5	3 3	6 7	9 11	14 18	2 2
85 years ond over	950 1,190	14.2 12.1 13.9	8.8 8.3 9.5	4 5	7 7	9	14 17	21 25	With surgery	1,455 17,280	20.8 13.2	13.4 10.5	6 3	10 6	18 10	27 16	3 2
With surgery	120 2,020	19.0 12.7	10.7	8 5	10 7	16	25 15	32 22	ACUTE BRONCHITIS (OR SUBACUTE) (500)								
PULMONARY EMBOLISM AND INFARCTION (465)									Total	8,060 4,755	9.9 9.3	7.1 6.5	3	5	8	11	1
Total	4,190	15.5	12.3	2	7	13	20	31	75 to 84 years	2,510 795	10.6 11.7	6.6 11.0	3	6 5	8	13 13	2
Age: 65 to 74 years	2,160 1,565 465	16.5 14.6 14.4	12.7 10.6 15.2	3 2 1	7 7 3	13 12 10	21 19 17	32 30 37	One diagnosis	2,175 5,885	7.4 10.8	4.8 7.6	2	6	6 8	9 13	1
One diagnosis	1,005	12.9 16.4	11.6 12.4	1 3	5 8	10	17 17 21	26 32	With surgery	370 7,690	13.6 9.7	9.5 7.0	4 3	7 5	10 8	17 11	1
With surgery	505	21.5	16.8	3	10	17 12	30 19	41 29									

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Daire	Number of	Averoge	Standard		Perce	rtiles	(doys)		Detiont	Number of	Averoge	Standard		Percer	tiles	(doys)	
Patient charocteristics	dischorges	stay (doys)	deviation (days)	10th	25th	50th	75th	90th	Potient chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)									ULCER OF STOMACH W/O PERFORATION								
Totol	5,955	10.6	8.4	3	5	8	13	19	& WITH HEMORRHAGE (540.!) Tatol	1,380	17.3	12.3	5	6	14	21	22
Age: 65 to 74 years	3,640 1,850 465	10.0 11.0 13.4	7.1 7.9 16.2	3 3 3	5 5 4	8 9 7	12 13 12	18 20 31	Age: 65 to 74 years 75 to 84 years 85 years and over	610 605 165	14.7 20.0 17.2	11.0 13.5 9.8	5 6 2	7 10 10	12 16 16	18 23 23	32 26 40 28
One diagnosis	1,915 4,040	9.2 11.2	6.5 9.2	3 3	5	7 8	11 13	16 20	One diognosis	525 855	i3.3	7.3	5 5	8 9	12 17	16	21
With surgery	405 5,550	12.3 10.4	10.2 8.3	2 3	5 5	9	15 12	25 19	Two or mare diagnoses	300	24.5	14.0	8	13	19	25 33	36 49
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)									Without surgery	1,080	15.3	10.3	4	7	13	19	28
Total	4,565	12.3	10.3	3	5	9	14	24	PERFORATION & W/O HEMORRHAGE (541.0)								
Age: 65 to 74 years	2,965 1,430 170	12.4 12.2 10.9	9.9 11.2 7.4	3 3 2	5 5 5	9 9 9	15 14 14	24 24 21	Total	10,445 6,660	10.4 9.9	8.7 8.4	2	4	8	13 12	20 20
One diagnosis	1,560 3,005	10.1 13.4	8.0 11.1	2 4	4 6	7 10	13	21 26	75 to 84 years	3,240 545	11.1	8.7 10.7	3	5	8 9	14	21 26
With surgery Without surgery	250 4,315	15.0 12.1	10.5 10.2	3 3	7 5	12	19 14	29 24	One diognosis	3,980 6,465	8.3 11.6	6.7 9.4	1 2	5	6 9	11 15	17 23
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)									With surgery	1,890 8,555	15.6 9.2	10.6 7.7	4 2	7	13 7	20 11	29 18
Total	2,330	10.8	8.4	3	5	9	13	19	ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
65 to 74 years	795	9.8 12.0 13.3	6.9 10.3 7.8	2 3 5	5 5 8	6 9 11	12 14 14	18 22 24	Total	5,845	14.5	10.9	4	7	11	17	28
One diognosis	610	9.1	6.6	2 3	4 5	7 9	12	17 21	65 to 74 years	3,270 2,095 480	14.1 14.4 17.6	10.8 10.6 12.4	4 4 5	7 7 9	11 11 13	17 17 23	27 27 32
With surgery	490	10.8	10.2	2 3	4 5	7 9	13	23 19	One diognosis	2,580 3,265	12.5	9.1 11.9	4 5	7	10 12	15 20	22 30
PULMONARY CONGESTION AND HYPOSTASIS (522)									With surgery	1,180 4,665	20.3 13.1	14.1 9.4	6	10 7	16 10	25 16	37 24
Total	3,175	13.3	12.5	1	4	10	17	28	ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.23)								
65 to 74 years	1,315 1,285	12.5 14.4	11.8 13.1	1	5	9	16	27 30	Tatal	1,000	17.4	12.0	2	9	15	22	34
85 years and over One diagnosis	665	12.3	12.4	1	3	10	15	28	Age: 65 to 74 years	490 445	17.7 17.2	12.5 11.9	4	10	15 14 18	20 25 20	33 34 27
Two or more diagnoses	230	13.6	12.5	2	7	10	18	29 37	85 years and over One diagnosis	65 485	17.0 14.8	8.8 10.4	2	7	13	18	27
Without surgery EMPHYSEMA WITHOUT MENTION OF	2,945	12.7	12.2	1	4	9	16	27	Two or more diagnoses	515 670	19.9 19.4	12.9 10.4	2 8	10	18	27 25	35 34
BRONCHITIS (527.1) Total	13,450	12.5	10.7	3	5	9	15	25	Without surgery	330	13.4	13.9	1	2	9	18	31
Age: 65 to 74 years	8,380	12.1	10.6	3	5	8	15	24	Total	8,305	7.9	6.9	2	3	5	10	16
75 to 84 years	590		10.8			10	16	25 26	Age: 65 tn 74 yeors	4,975 2,705	7.4 8.6	6.6 7.2	2	3	6	11	14 18
One diognosis	2,980 10,470	10.7	9.4	3	6	9	13	23 25	85 years and over One diagnosis	625 2,615	9.4 5.8	7.2 4.9	2 1	2	7	7	19
With surgery	1,260 12,190	17.6 11.9	14.5 10.1	3	5	13	22 15	37 24	Two nr more diognoses	5,690 790	8.9 13.6	7.4	3	5	10	11	18 28
DISEASES OF ESOPHAGUS (539)	0.405	,,,,				_	,,,		Without surgery	7,515	7.4	5.9	1	3	5	9	15
Totol	3,635 2,010	9.9	9.2	1	3	6	13	22	APPENDICITIS (550-553) Total	2,430	14.5	10.8	5	7	11	17	27
75 to 84 years	1,325	10.8 12.8	11.2	2 2	5	7 9	13 16	22 31	Age: 65 to 74 yeors 75 to 84 years	1,500 740	13.3	9.6 12.7	4 5	6	10 13	16 20	25 29
One diagnosis	1,330 2,305	9.5 11.0	10.0 10.1	1 2	3 4	6 7	12 13	21 24	85 years and over	190	15.1	10.3 7.8	4	7	14	17	29 21
With surgery	1,505 2,130	13.0 8.7	11.2 8.8	2 !	5 3	10	17 10	27 17	Two or more diagnoses	1,005	18.2	13.2	6	9	14	15 23	32
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)									With surgery	1,990 440	15.4 10.4	11.4	2	4	13	18	28 19
TotolAge:	4,885	13.6	10.5	3	5	11	18	26	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)	1							
65 to 74 years	2,740 1,775 370	13.5 13.0 17.5	11.0 9.6 10.0	3 3 3	5 5 8	10 11 18	17 17 25	26 24 31	Total	17,795	9.8	6.0 5.1	4	6	8 8 9	10	13
One diognosis	1,760 3,125	12.0 14.5	8.3 11.4	2 3	5	10 12	16 19	23 27	75 to 84 years	5,125 870	11.1 12.1	7.3 7.5	5 5	7	9	12 14 9	18 20
With surgery	1,175 3,710	20.2 11.5	12.6 8.8	5 2	11	18	25 15	36 22	One diagnosis	10,755 7,040	8.6 11.6	4.4 7.6	5	7	7 9	13	20
									With surgery	16,550 1,245	9.8	5.7 10.0	5	4	8 7	111	15 20

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard		Perce	ntiles	(doys)				Averoge	Standard	-	Percer	ntiles	(doys)	
Potient choracteristics	Number of dischorges	stoy (days)	deviation (doys)	10th	25th	50th	75th	90îh	Patient characteristics	Number of discharges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th
OIAPHRAGMATIC HERNIA WITHOUT									CHOLELITHIA5I5 (584)								
MENTION OF OBSTRUCTION (560.4) Totol	10,490	9.4	8.1	2	4	6	12	19	Total	24,405	14.4	10.1	3	7	12	18	27
Age: 65 to 74 years	6,315	9.0	7.7	2	3	6	11	18	65 to 74 years	14,865 7,955	13.7 15.6	9.2 11.3	3 4	7 7	11	17 20	25 30
75 to 84 years	3,520 655	9.8	8.4 10.0	3	5	8	12 14	20 22	85 years and over One diagnosis	1,585	15.6	11.8 8.4	3	6 7	12	20 16	31 23
One diognosis	2,235 8,255	8.1 9.8	8.1 8.1	1 2	3 4	5 7	10 12	17 20	Two or more diagnoses	13,370	15.5	11.2	3	7	12	20	30
With surgery	2,345 8,145	14.4 8.0	10.3 6.7	3 2	6 3	12	18	27 15	With surgery	14,965 9,440	17.4 9.7	9.6 9.0	8 2	10	15 7	21 11	29 19
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.13,.8,.9)									CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Totol	5,640	11.7	7.9	4	6	9	14	20	Total	10,415	12.1	9.9	3	5	9	15	23
Age: 65 to 74 years	3,785 1,615	11.1	7.3 9.0	4 4	6 7	9	13	20 21	65 to 74 years	5,515 3,775 1,125	11.5 12.8 12.6	9.4 10.7 9.0	3 3	5 5 5	8 9 9	15 16 17	22 24 25
85 years and over	240	13.0	7.5	4	7	11	17	20	One diagnosis	4,260	10.4	7.7 11.0	2	4		13 17	19 26
One diagnosis	2,885	10.6 12.8	6.6 8.8	3	6 7	10	16	23	Two or more diagnoses	6,155 2,955	17.7	11.0	7	10	i5 7	22	30
With surgery	4,695 945	12.3 8.8	7.7	5 2	3	10	14	21 18	OTHER 015EA5E5 OF GALLBLAODER AND	7,460	9.9	8.5	2	4	7	12	19
HERNIA OF ABOOMINAL CAVITY WITH OBSTRUCTION (561)									BILIARY OUCTS (586)								
Totol	4,300	12.6	9.8	4	7	10	15	22	Total	3,400 1,660	13.2	12.1	2	4	9	17	28
65 to 74 years	1,940 1,840	12.8 12.3	9.9 9.0 11.7	4	7 7 5	10 10 10	15 15 15	22 21 23	75 to 84 years	1,350 390	12.8 14.9	11.7 12.8	3 2	5	9 11	16 22	26 31
85 years and over One diagnosis	2,180	12.8	7.3	3	6	9	13	18	One diognosis	1,115 2,285	12.3 13.7	12.4 12.0	2	3 5	8 10	16 18	28 28
Two or more diagnoses	2,120 3,505	13.2	9.3	5	8	10	18	27	With surgery	1,015	22.1 9.5	13.9 9.0	5 2	13	19	28 11	42 18
Without surgery	795	10.1	11.4	Ĭ	2	5	12	24	OISEASES OF PANCREAS (587)	2,003	,	7.0			·	,,	
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)									Total	2,410	14.0	11.1	2	6	11	18	28
Totoi	10,895	12.4	11.2	1	4	9	17	27	65 to 74 years		13.6 13.8 18.4	10.8 10.1	3 2 1	6 5 5	10 12 13	17 19 22	24 28 50
65 to 74 years	4,665 4,770 1,460	12.1 12.9 12.2	10.7 11.4 11.7	1 1	4 4 2	9 9	16 17 17	25 29 26	85 years and over One diagnosis	820	13.0	16.5	2 3	5	10	17	25
One diognosis	3,955 6,940	10.8 13.4	9.7 11.8	1 2	3 4	8 9	14 18	23 29	Two or more diagnoses	1,590	14.5	11.0	3	12	12	19 27	28 39
With surgery	3,790	17.0	11.6	4	8	14	22	33 22	Without surgery	1,950	12.4	9.9	2	5	10	15	23
Without surgery	7,105	10.0	10.1	'	3	6	13	22	HYORONEPHRO515 (590-594,601)								
ULCERATIVE (571)	17,605	8.4	7.7	2	3	6	10	16	Totol	3,105	13.9	12.0	2 2	5	110	18	27 25
Totol	8,775	7.5	6.7	1	3	5	9	14	75 to 84 years	1,205 275	15.1 14.9	12.9 10.8	2 2	6 5	11	20 20	31 31
75 to 84 years	6,895 1,935	8.9 10.2	8.3 9.6	2 2	3	7	11	16 20	One diognosis	710 2,395	12.2 14.5	9.4 12.6	2 2	6	10	15 19	23 29
One diognosis	6,330 11,275	6.1 9.6	5.4 8.6	1 2	2	7	7 11	12 19	With surgery	900 2,205	16.4 12.9	13.0	4	7	12	21 17	32 25
With surgery	1,385 16,220	12.4 8.0	10.9 7.3	2 2	4 3	8	16 10	30 15	INFECTIONS OF KIDNEY (600)	2,203	12.7	11.~	,	J		"	2.5
OIVERTICULITIS (572.1)									Total	7,470	12.8	10.9	3	5	9	15	25
Total	24,050	9.4	9,4	2	3	6	11	19 19	65 to 74 years	3,525 3,085 860	11.4 13.4 15.8	9.5 11.4 12.8	3 4 4	5 6 7	10 12	14 15 20	22 26 30
65 to 74 years	12,390 9,465 2,195	9.0 9.8 10.5	9.2 9.6 9.7	2 2	3 4	7 7	10 12 13	19	One diognosis	1,950	10.5	9.3	3	5	7	12	20
One diognosis	8,020 16,030	7.6 10.4	8.1 9.8	1 2	2 4	5 7	9	16 21	Two or more diognoses	5,520 1,350	13.5	11.3	3	6	10	16 20	27 31
With surgery	5,720	13.9	12.8	2	4	10	18	29	Without surgery		12.2	10.5	3	5	9	15	24
Without surgery	18,330	8.1	7.5	2	3	6	9	16	CALCULI OF KIONEY AND URETER (602) Total	5,990	9.2	8.3	2	3	6	12	19
Totol	3,250	16.3	12.6	3	7	13	21	30	Age: 65 to 74 years 75 ta 84 years	4,365 1,400	8.8 10.2	7.5 10.4	2	3	6	11 12	18 20
Age: 65 to 74 years 75 to 84 years	2,355 780	17.0 14.8	12.3 13.7	4 2 2	8	14 10	22 20	31 28	85 years and over	225	10.1	7.6	2	5	7 7	13	21
85 years and over One diagnosis	115 925	13.7	7.7	3	7	14	17	21 28	One diagnosis		8.1 10.2	7.7 8.7	1 2	3	7	13	16 21
Two or more diognoses	2,325	17.2	12.9	3	8	14	22	32	With surgery	3,050 2,940	11.9 6.5	9.4 5.8	3	5 2	9	15 8	22 12
With surgery	705 2,545	19.9 15.3	13.2 12.2	5 3	10	18	25 20	36 29	Į.								

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Averoge	Standard		Perce	ntiles	(doys)		Patient	Number of	Averoge	Standard		Percer	ntiles	(doys)	
chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	characteristics	dischorges	(doys)	deviation (doys)	10th	25th	50th	75th	90th
OTHER DISEASES OF KIONEY AND URETER (603,604)									OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	3,945	12.2	10.4	2	4	9	16	24	Total	3,920	9.0	8.5	2	4	6	10	17
65 to 74 years	2,245 1,410 290	11.1 13.5 14.5	9.6 11.1 11.1	2 2 4	5 6	10 11	14 19 20	22 27 26	65 to 74 years 75 to 84 years 85 years and over	2,515 1,220 185	8.2 10.4 11.8	7.8 9.4 8.9	2 2 4	3 4 6	6 7 9	10 11 14	14 21 22
One diognosis		9.6 13.3	8.5 10.9	1 2	3 5	7 10	12 18	20 26	One diagnosis	1,850 2,070	6.9 10.9	5.6 10.1	2 3	3 5	5 8	8 12	12 21
With surgery	2,445 1,500	13.5 10.0	10.1 10.5	3	6 3	10	18 12	25 23	With surgery Without surgery UTEROVAGINAL PROLAPSE (631)	2,770 1,150	8.8 9.6	9.0 7.1	2	3 5	8	10 11	17 17
Total	9,980	9.6	8.4	2	4	7	12	19	Total	9,160	12.3	6.3	6	8	11	14	18
Age: 65 fo 74 years	5,040 3,940 1,000	8.7 10.1 12.5	7.8 8.6 10.0	2 2 3	3 4 5	6 7 10	10 12 15	17 20 25	Age: 65 to 74 yeors	6,625 2,365 170	11.9 13.2 12.1	5.3 7.9 12.4	6 6 4	8 8 6	10 11 9	14 15 14	17 21 17
One diagnosis	2,975 7,005	7.1 10.7	6.9 8.8	1 2	3 4	5 8	8	13 21	One diognosis	4,115 5,045	11.4 12.9	4.8 7.2	6	8	10 11	13 14	16 20
With surgery		9.0 10.2	8.0 8.8	2 2	3 4	6 7	11 12	18 20	With surgery	8,415 745	12.3 12.3	5.5 12.2	6	8 5	11 9	14 13	18 19
OTHER DISEASES OF BLADDER (606)									INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)					••			
Total	1,980	14.1	12.2	2	5	10	18	29	Total	6,500	13.7	12.1	3	6	9	16	28
75 to 84 years	1,625 460	14.5 12.5	11.7 9.1	2 2 3	5 5	11	19 18	28 25	65 to 74 years	3,410 2,525 565	13.5 13.6 15.2	11.7 11.8 15.5	4 3 3	6 5 5	9 9 10	16 17 15	27 27 32
One diognosis	2,685	10.7 15.9	9.6 13.0	3	7	12	13 20	24 31	One diagnosis	2,065 4,435	10.9 14.9	10.3 12.6	2 4	5	7	13 18	21 32
Without surgery		14.3	10.2 16.5	1	3	11 7	18	27 33	With surgery	1,535 4,965	16.1 12.9	15.2 10.9	2 3	5	11	19 15	38 26
URETHRITIS AND STRICTURE OF URETHRA (607,608)									RHEUMATOIO ARTHRITIS (722.0)								
Totol		9.2	7.8	2	3	6	12	19	Totol	4,235	14.8	11.7	3	6	11	19	29 29
65 to 74 years 75 to 84 years 85 years ond over	2,095	8.7 9.7 9.6	7.7 8.4 6.5	2 2 2	3 4 4	6 7 7	11 12 13	19 17	65 to 74 years	2,885 1,225 125	14.7 15.2 11.5	10.6 11.1	3 3 1	6 6 2	11 12 7	18 21 17	30 26
One diognosis	2,095 3,690	7.1 10.4	6.0 8.5	1 2	2 4	5 7	9 13	14 21	One diognosis	1,205 3,030	13.5 15.3	10.5 12.1	3	5 6	10 12	19 19	28 30
With surgery	4,785 1,000	9.2 8.9	7.7 8.2	2 2	3	6 5	12 12	19 18	With surgery	770 3,465	18.2 14.0	14.2 11.0	3	7 6	14 11	24 18	37 28
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)									OSTEOARTHRITIS (ARTHROSIS) (723.0)	10,970	14.5	12.9	3	5	10	19	30
Total	7,370	11.0	10.2	2	4	7	13	22	Total	5,440	15.2	13.3		6	11	20	32
65 to 74 years 75 to 84 years 85 years ond over	3,075	9.4 11.8 12.9	9.0 10.9 10.7	2 3 2	4 5 5	6 8 10	11 14 16	18 22 26	75 to 84 years	4,430 1,100	14.0 13.5	12.6 11.8	3 3	5	10	17 18	27 26
One diognosis		8.8 12.0	7.8 11.0	2 3	3 5	6 8	10 14	19 24	One diagnosis	3,200 7,770	15.4 14.2	13.0 12.8	3	5	10	20 18	31 28
With surgery		10.9 11.0	10.9 9.9	2 3	3 4	7 7	13 13	22 22	With surgery Without surgery SPONDYLITIS OSTEOARTHRITICA (723.1)	2,750 8,220	21.0 12.4	15.7 10.9	5 3	5	18 9	26 15	40 24
HYPERPLASIA OF PROSTATE (610)									Total	7,970	10.8	9.0	3	5	8	12	21
Totol	30,695	14.3	9.9	4	8	11	17	26	Age: 65 to 74 years	4,290	10.6	8.9	3	5	8	12	21
65 to 74 years	16,725 11,755 2,215	13.1 15.2 18.2	8.9 10.5 12.0	4 4 5	7 8 9	11 12 15	16 19 24	24 27 33	75 to 84 years	2,990 690	10.5 12.8 9.2	8.8 10.1	3 3 2	6	8 10 7	12	21 25
One diognosis	14,055 16,640	12.6 15.7	8.6 10.7	4 5	7 8	10 13	15 20	22 28	One diognosis	1,735 6,235 800	11.2	8.2 9.1 13.5	3	5	8	10 13 20	16 23 37
With surgery	25,995 4,700	14.6 12.4	9.4 11.9	5 2	8	12 8	ī8 16	26 28	With surgery Without surgery ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)	7,170	10.2	8.2	3	5	8	12	19
(611,612)									Total	6,310	11.9	10.2	2	5	9	15	24
Total	2,290 1,225	9.5 8.2	8.1 6.6	1	3	7	12 10	18	Age: 65 to 74 years 75 to 84 years	3,175 2,375	10.9 13.4	9.3 11.5	2	4	8 10	14 16	21 29
75 to 84 years	850 215	11.2 11.0	9.3 9.6	3	4 4	8	14 12	21 24	85 years and over	760 2,135	11.6	9.4	3 2 2	5	9	15	25 24
One diagnosis	890 1,400	7.8 10.7	6.0 9.1	1 2	3	5 8	10 13	16 20	One diagnosis Two or more diagnases With surgery	4,175 595	17.8	10.0	3	5	9	15	24 24 36
With surgery	1,290 1,000	10.2 8.6	8.4 7.8	2 2	4 3	8	14 10	19 15	Without surgery	5,715	11.3	9.5	2	4	8	14	22

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

	<u> </u>	Averoge	Standard		Perce	ntiles	(days))			Averoge	Standard		Percer	ntiles	(days)	
Potient chorocteristics	Number of dischorges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th	Potient charocteristics	Number of discharges	stoy (days)	deviation (doys)	10th	251h	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)									SYMPTOMS REFERABLE TO								
Total	4,460	14.1	11.3	4	6	10	17	28	GENITOURINARY SYSTEM (786) Total	2,425	9.7	8.4	2	3	7	13	18
65 to 74 years	1,595 2,105 760	12.8 14.6 15.6	10.5 11.0 13.3	3 4 4	6 6 7	10 11 11	15 18 18	26 29 30	Age: 65 to 74 years 75 to 84 years 85 years ond over	1,395 775 255	9.8 9.1 10.9	8.3 9.1 6.6	2 1 3	3 3 6	7 7 9	12 12 15	20 16 19
One diagnosis		12.9 14.3	8.7 11.7	3 4	6	11	17 17	24 28	One diagnosis	1,960 465	9.4	8.4 8.5	1 3	3 5	7 9	12	18 20
With surgery		21.1 13.4	18.7 9.9	3 4	7	13 10	31 16	46 26	With surgery	1,200	12.4 7.ī	7.8 8.2	3	7 2	11	15	21 13
DISPLACEMENT OF INTERVERTEBRAL DISC (735)									OTHER GENERAL SYMPTOMS (780,781,787-789)	1,225	7.1	6.2	'	2	4		13
Tatal	3,640	14.4	10.9	3	6	11	18	28	Tetal	5,515	9.9	10.0	2	3	6	12	20
65 to 74 years	2,730 825 85	14.8 12.8 17.1	11.5 8.4 12.2	3 5 6	6 7 9	12 10 13	19 15 19	28 22 23	Age: 65 to 74 years	3,160 1,820	9.8 9.7	10.5 9.0	2 2	3	6	11 12	20 19
One diognosis	1,590 2,050	14.5 14.4	10.5 11.2	3 4	7 6	11 11	18 18	28 27	85 years ond over One diagnosis	4,115 1,400	8.9 12.6	10.6 8.8 12.7	2 2 2	3 4	7 6 8	14 10 14	25 18 28
With surgery	895 2,745	21.6 12.1	13.2 8.9	9 3	12	19 10	26 15	37 21	With surgery	1,410	10.8	11.3	2	3	7	12	25
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)									NERVOUSNESS AND DEBILITY (790)	4,105	9.5	9.5	2	3	6	12	19
Total	2,705	87	7.9	2	3	6	11	18	Tatal	595	9.6	9.9	1	3	7	10	21
65 to 74 years 75 to 84 years 85 years and over	1,750 840 115	7.9 9.7 15.0	7.5 7.5 11.1	1 2 3	2 4 5	5 6 13	10 13 18	16 21 30	65 to 74 years 75 to 84 years 85 years and over	260 220 115	8.1 12.0 8.3	7.9 12.7 6.7	1 2 1	2 4 2	6 8 7	10 11 9	14 30 20
One diognosis	1,325 1,380	6.6	6.6 8.4	1 2	2 5	4 7	8 15	14 23	One diognosis	385 210	9.7 9.4	10.8 8.2	1	3	6 7	10 10	21 19
With surgery	1,380 1,325	7.8 9.7	8.4 7.2	1 2	2 5	7	10 13	19 18	With surgery	25 570	9.6	10.1	1	3	7	10	21
CONGENITAL MALFORMATIONS (750-759)									UREMIA (792)								
Totol	1,580	11.1	9.6	2 2	3	8	15	22	Total	720 340	13.1	9.7	2	5	9	16	32 28
75 to 84 years	425 60	10.5 14.2	10.7 10.7	1	3	11	14 23	21 28	75 to 84 years	220 160	16.4 11.1	13.9 10.4	1	5	11 7	21 13	39 25
One diagnosis	525 1,055	9.2 12.1	8.2 10.1	1 2	4	6 9	14 16	22 22	One diagnosis	405 315	11.4 15.3	10.2 12.7	4	5	8 11	15 18	23 36
With surgery	620 960	13.0 9.9	10.2 9.1	2	3	11 7	18 13	2á 20	With surgery	70 650	15.1 12.9	12.1 11.4	1 2	4	12	17 16	34 32
SYMPTOMS REFERABLE TO CAROIOVASCULAR AND LYMPHATIC SYSTEM (782)									SENILITY WITHOUT MENTION OF PSYCHOSIS (794)			17.0				1.5	0.5
Total	1,870	6.8	7.3	1	2	4	8	15	Total	400	14.7	17.3	2	3	13	15	35 27
65 to 74 years 75 to 84 years 85 years ond over	1,020 680 170	7.1 5.8 9.2	7.1 6.7 9.8	1 1 1	2 2 2	3 5	9 6 11	16 11 16	75 to 84 years 85 years ond over	160 210	16.1 13.8	19.2 16.5	2	3	9	19 12	44 28
One diagnosis	1,385 485	6.4 8.0	6.8 8.5	1	2 2	3 5	8 10	13 17	One diagnosis	245 155	12.6 18.0	14.0 21.1	2	3 5	10	15	29 44
With surgery	290 1,580	9.5 6.3	9.1 6.8	2	3 2	6	12 7	20 13	With surgery	10 390	15.0	17.5	1	4	9	16	36
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)									OTHER AND ILL-OEFINED DISEASES (791,793.795)								
Total	3,995	6.2	6.2	1	2	4	7	12	Total	3,135 1,835	8.0 7.6	9.2 9.2	1	2	4	10	19
Age: 65 to 74 years 75 to 84 years 85 years ond over	2,135 1,425 435	5.8 6.7 6.7	5.3 7.2 7.2	1	2 2 2	4 4 5	7 8 7	10 14 12	65 to 74 years	1,105 195	8.6 9.3	9.6 7.1	i	3	5	11 13	20 19
One diognosis	3,010 985	5.6 8.0	5.6 7.8	1	2 3	4 5	7 9	11 16	One diagnosis	2,480 655	7.6 9.8	8.7 11.1	1	1 2	6	9 12	18 22
With surgery	540	5.8	4.1	1	2 2	4	7	11	With surgery	815 2,320	7.1 8.4	9.0 9.3	i	1 2	3 5	9	20 17
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)	3,455	6.3	66	1	2	4	7	13	FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	4.540	8.9	8.6	1	3	5	11	19	Total	6,305	17.5	12.7	4	8	14	23	33
Age: 65 to 74 years	2,665 1,450	8.3 9.8	8.2 8.9	1 2	3	5 7	11 12	18 21	65 to 74 years 75 to 84 years 85 years and over	2,800 2,580 925	16,1 18.2 19.4	12.4 12.5 13.9	5 5	7 9 9	13 15 16	21 23 24	30 34 38
85 years and over	3,460	9.2 8.4	9.4 8.2	1	3	5	11	18	One diagnosis	2,015 4,290	14.9 18.7	10.2 13.6	4 5	7 8	12 15	19 24	27 35
Two or more diagnoses	1,080 770	10.5	9.5	2	3	7 8	13 18	23	With surgery	385 5,920	22.8 17.1	16.3 12.4	8	12 8	17 14	28 22	37 32
Without surgery	3,770	8.2	8.0	i	3	5	10	16									

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient choracteristics	Number of	Averoge stay (doys)	Standard	Percentiles (doys)					Potient	Number of	Averoge		Percentiles (doys)				
	dischorges		deviation (doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90
FRACTURE OF RIB(5), 5TERNUM AND LARYNX (807)									HEAO INJURY (EXCLUOING 5KULL FRACTURE) (850-856)								
TotalAge:	4,380	12.7	10.9	2	5	9	16	27	Total	5,730	10.7	11.1	1	2	6	14	
75 to 84 years	2,015 1,775 590	11.7 12.9 15.6	10.3 11.1 11.8	2 2 3	5 4 6	10 11	14 16 22	24 27 31	65 to 74 years 75 to 84 years 85 years ond over	2,780 2,210 740	10.2 11.6 10.2	10.8 11.6 10.5	1 1 1	2 3 2	6 7 5	13 15 14	
One diagnosis	1,055 3,325	8.9 13.9	7.7 11.5	2 3	3 5	6	11 18	19 28	One diognosis	1,300 4,430	9.4 11.1	9.8 11.4	1	2 3	5 7	12 14	
With surgery	360 4,020	20.3 12.0	16.7 10.0	4 2	8 5	14	29 15	44 25	With surgery	1,315 4,415	15.5 9.3	14.1 9.6	1	4 2	11	23 12	
FRACTURE OF PELVI5 (808)									LACERATION AND OPEN WOUND					,			
Totol	3,870	23.9	15.6	6	12	21	32	45	(870-898)	4 20 5		,,,				,,	
Age: 65 to 74 years	1,200	25.5	15.9	8	13	22	35	48	Totol	4,325	9.4	11.2	1	2	5	11	
75 to 84 years	1,795 875	23.1	15.1 16.0	6	12	20 19	33	42 46	65 to 74 years	2,275 1,500 550	8.3 10.3 11.5	9.4 13.2 11.9	i	2 4	5 6 8	11 14	
One diognosis	1,535 2,335	21.5 25.5	14.0	7	13	18 22	29 34	40 48	One diognosis	1,465 2,860	7.2 10.5	8.7 12.2	1	2 3	4 6	9 12	
With surgery	300 3,570	30.4 23.3	17.7 15.3	8	20 12	26 20	39 31	56 45	With surgery	1,955 2,370	10.3 8.6	11.7 10.7	1	2 2	6	13 9	
FRACTURE OF HUMERUS (812)									5UPERFICIAL INJURY (910-918)								
Totol	6,730	14.2	13.5	2	4	9	18	33	Totol	615	9.5	12.4	1	2	5	12	
65 to 74 years	2,720 3,040 970	12.9 14.6 16.9	12.7 13.5 15.0	2 2 2	4 4 6	10 11	16 19 24	31 32 38	Age: 65 to 74 years	275 245	8.7 7.8	8.4 9.6	1	2 2 2	6	12	
One diognosis	3,395 3,335	11.4 17.1	11.3 14.8	1 3	3 6	7	14 22	26 40	One diognosis	95 85	3.4	22.3	1	ı	2	19	
With surgery	2,260 4,470	15.6 13.6	14.7 12.7	2 2	4 4	10	20 17	37 30	Two or more diognoses	530 70	10.5	13.0 5.9	1	2	6	13	
FRACTURE OF RAOIUS AND ULNA (EITHER OR 80TH) (813)									CONTUSION AND CRUSHING WITH	545	9.9	12.9	1	2	6	12	
Totol	5,445	8.0	10.3	1	2	4	10	18	INTACT 5KIN SURFACE (920-929)	0.505	,,,	,,,,			_	12	
Age: 65 to 74 years	2,940	6.5	8.1	!	1	3	7	14	Totol	8,535	10.4	10.0	2	3	7	13	
75 to 84 years	1,960 545	9.3	11.7	l i	3	5	11	23 26	65 to 74 years	3,255 3,685 1,595	8.4 10.9 13.5	8.2 9.9 12.5	1 2 2	3 4 5	5 8 9	10 13 18	
One diognosis	3,070 2,375	12.3	13.3	1	3	7	15	10 27	One diognasis	1,740 6,795	7.7 11.1	6.6 10.6	1 2	3	5 8	10 14	
With surgery	3,700 1,745	8.0 8.1	10.8 9.1	1	2 2	4 4	11	18 17	With surgery	625 7,910	14.6 10.1	13.8 9.6	3 2	6	10 7	17 13	
FRACTURE OF FEMUR (820,821)									AOVERSE EFFECTS OF DRUGS ANO								
Total	32,740	26.0	17.6	6	14	22	34	51	OTHER CHEMICAL SUBSTANCES (960-989)								
65 to 74 years	8,605 15,370 8,765	25.7 26.5 25.3	17.0 17.4 18.4	6 7 5	14 14 13	22 22 20	34 34 33	49 51 52	Total	3,350	8.7	10.0	1	2	5	10	
One diognosis	17,805 14,935	24.1 28.2	16.3	6 7	13	20 24	30 36	46 55	65 to 74 years	1,875 1,280 195	8.2 9.8 7.4	9.3 11.2 7.7	1 1 1	2 2 1	5 6 5	9 12 9	
With surgery	23,780 8,960	26.1 25.8	15.6 22.0	10	15	22 20	32 38	47 59	One diognosis	1,140 2,210	5.8 10.2	6.4 11.1	1	1	3 7	7 12	
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)	5,760							,	With surgery	180 3,170	19.8 8.1	19.2	2 1	4 2	12 5	30	
Totol	7,810	15.6	14.6	3	6	11	19	33	COMPLICATIONS OF SURGICAL	3,1,0	J.,	0.5	·				
Age: 65 to 74 years	4,600	15.2	14.7	3	5	10	18	32	PROCEDURES (997,998)	4.000	,, -	10.4			_	,,	
75 to 84 years	2,615 595	15.9 17.7	14.2 15.6	3	6	11	20 23	33 37	Total	4,200 2,540	11.7	12.4	2	4	7	14	
One diognosis	4,305 3,505	13.4 18.3	13.5 15.5	2 4	5 7	14	16 23	27 37	75 to 84 years	1,365 295	11.9 17.4	12.7 15.6	2	5	7	14 25	
With surgery	4,215 3,595	15.8 15.4	13.2 16.1	3	6 5	12 9	19 19	31 34	One diognosis	2,425 1,775	9.6 14.6	10.1 14.4	2 3	3	6	11 18	
5PRAINS OF 8ACK (846,847)									With surgery	1,625 2,575	12.9 11.0	12.1 12.4	2 2	5 3	9	17 12	
Total	4,605	10.9	8.8	3	5	8	13	21		2,3,3			لتب		لتب		L
75 to 84 years	2,650 1,630 325	10.6 11.3 11.3	8.7 9.0 7.8	3 3 3	5 5 4	8 8 8	12 14 17	20 24 21									
One diognosis	1,490 3,115	9.6 11.5	7.9 9.1	2 3	4 5	7 8	11	18 22									
With surgery	175	15.7	11.7	6	7	10	22	29									

175 4,430

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

		Averoge	Standard		Percei	ntiles	(days)	,			Average	Standard		Percer	tiles	(doys)	
Potient chorocteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	Potient charocteristics	Number of dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)									MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	12,945	11.9	12.1	2	4	8	14	25	Total	2,540	17.0	13.4	3	7	13	23	35
65 to 74 years	7,555 4,225 1,165	11.3 12.2 14.4	11.7 12.0 14.2	2 2 2	4 4 5	7 8 9	13 14 19	23 26 31	65 to 74 years	1,470 930 140	17.0 17.2 16.2	13.3 13.5 12.5	3 3 2	6 7 5	13 13 14	23 22 24	35 35 30
One diognosis	5,755 7,190	11.2 12.5	12.5 11.7	2 2	3 4	7 9	13 15	24 26	One diagnosis	1,215 1,325	15.8 18.1	11.6 14.7	2 3	6 7	13 14	22 25	30 37
With surgery	2,535 10,410	15.2 11.1	13.3 11.7	2 2	5 4	12 7	20 12	30 22	With surgery	935 1,605	21.2 14.6	12.4 13.3	6 2	12 5	18 10	26 19	36 33
HERPES ZOSTER (088)	2 215	11.0	0.1	,	_ ا	9	15	24	MALIGNANT NEOPLASM OF PANCREAS (157)								
Totol		11.8	9.1 8.5	2	5	9	14	20	Total	3,810	18.2	15.2	3	7	14	24	37
75 to 84 years	1,410	12.1 12.8	9.6 8.9	3	6 5	10	14 16	25 26	65 to 74 years	2,175 1,270 365	18.1 18.9 16.6	16.1 13.8 14.9	3 2	7 8 5	14 16 12	24 26 23	36 39 29
One diognosis	1,935	11.2	8.1 9.6	3	5	9	14 15	21 26	One diognosis	1,520 2,290	17.5 18.7	15.1 15.3	2 3	6 7	14 15	23 25	37 37
With surgery	185 3,130	14.8	10.1 8.9	3	7 5	9	19	27 23	With surgery	1,665 2,145	24.5 13.4	14.3 14.1	10 2	14	21 8	29 16	42 27
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)									MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)	2,143	13.4	14.1		,		10	2,
Age:	3,880	13.1	14.1	2	3	8	16	30	Tatal	13,875	14.6	13.2	2 ·	5	10	19	32
65 to 74 years	2,120 1,410 350	13.0 12.9 14.8	14.9 11.5	3	3 3 6	8 6 10	16 16 22	31 27	Age: 65 to 74 years	9,505 3,900 470	14.8 14.3 14.6	13.0 13.5 14.6	2 2 1	5 5 4	11 10 9	19 18 17	31 31 37
One diognosis	1,990 1,890	10.9 15.4	12.3 15.4	1 2	3 4	10	12 20	27 34	One diognosis	6,520 7,355	13.9 15.2	13.0 13.4	2 2	4 6	10 11	18 20	30 33
With surgery	2,540 1,340	13.1	14.1	1	3	8 7	16 17	28 32	With surgery	5,120 8,755	17.0 13.3	13.3 13.0	3 2	7 4	13 9	22 17	34 30
MALIGNANT NEOPLASM OF ESOPHAGUS (150)									MALIGNANT NEOPLASM OF BREAST (170)								
Totol	1,590	17.0	14.9	2	5	11	27	38	Total	9,305	14.5	10.8	4	7	11	17	27
65 to 74 years	945 540 105	17.9 14.4 22.4	15.7 13.7 11.7	2 2 4	5 4 10	12 8 21	28 17 30	38 36 35	Age: 65 to 74 years	5,615 2,935 755	14.3 14.9 14.7	10.3 11.2 13.0	4 4	8 · 7 · 7	12 11 11	17 18 16	27 29 29
One diognosis		17.2 16.7	14.6 15.4	2 2	5 4	111	28 26	37 38	One diognosis	4,155 5,150	12.8 15.9	9.2 11.8	4 4	7 8	10 12	15 19	22 32
With surgery	785 805	17.9 16.2	13.2 16.5	3 2	7 4	14	29 23	37 40	With surgery Without surgery	5,890 3,415	13.9 15.6	9.2 13.2	5 2	8 6	11	16 20	24 32
MALIGNANT NEOPLASM OF STOMACH (151)									MALIGNANT NEOPLASM OF CERVIX UTERI (171)	0,413	13.0	13.2			'-	20	32
TotolAge:	3,770	17.2	14.0	2	6	14	24	34	Total	3,755	10.4	11.5	2	3	6	12	23
65 to 74 years		17.5 17.4 15.8	14.2 14.4 11.8	2 2 2	7 6 5	14 14 12	24 23 25	35 34 32	Age: 65 to 74 yeors 75 to 84 years	2,425 1,035 295	10.4 10.6 10.0	12.2 11.0	2 2 3	3	5 6 8	11 12 13	23 24 17
One diognosis	1,430 2,340	17.2 17.3	13.6 14.4	2 2	7 6	13 14	24 24	35 33	One diognosis	2,205 1,550	8.9 12.6	9.9 13.2	2 2	3 4	5 7	10 14	17 17 33
With surgery	1,500 2,270	22.0 14.1	11.9 14.5	9 1	14 4	19	27 17	36 32	With surgery	2,360	9.6	10.3	2 2	3 3	6	10	18
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)									MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)	1,395	11.9	13.2	2	3	6	15	30
TotolAge:	12,165	18.1	13.6	3	8	15	23	36	Total	3,300	11.9	9.8	3	5	9	15	23
65 to 74 years	6,645 4,350 1,170	17.7 18.1 19.5	12.8 13.9 16.4	3 2 2	8 7 7	15 15 15	22 24 27	35 37 41	Age: 65 to 74 years 75 to 84 years 85 years ond over	2,150 980 170	10.9 14.1 11.4	8.5 12.2 8.0	2 3 4	5 5 5	9 10 9	14 17 12	20 28 26
One diognosis	4,910 7,255	16.9 18.9	13.2 13.8	2 3	6 8	14 16	21 25	33 37	One diagnosis	1,710 1,590	10.0	8.5 10.8	2 3	4 6	8 10	12 12 17	18 26
With surgery	6,925 5,240	21.6 13.4	11.8 14.4	9	14 3	18 8	27 16	37 33	With surgery	2,485 815	11.3 13.8	8.1 13.6	3 2	5 4	9	14 18	21 30
MALIGNANT NEOPLASM OF RECTUM (154)									MAL, NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Totol	4,080	21.3	15.7	3	9	18	28	41	Total	1,805	18.6	15.0	3	7	14	24	39
65 to 74 years 75 to 84 years 85 years ond over	2,355 1,380 345	20.6 22.6 21.6	15.7 15.3 17.3	3 5 3	11 7	20 18	29 29 29	42 43	65 to 74 years	1,155 625 25	18.4 18.7	15.2 14.9	3	7 8 *	13 15	24 24 *	40 39
One diognosis	1,935 2,145	19.6 22.9	15.0 16.2	3 4	8 11	16 20	26 31	37 43	One diognosis	590	16.9 19.4	14.9 15.0	2 4	6 9	11 15	23 25	40 37
With surgery	2,690 1,390	23.3 17.5	14.4 17.4	7 2	13	21 11	29 25	41	With surgery	845 960	20.9 16.5	14.1 15.5	7 2	12	17 11	25 24	39 40

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Average stoy	Standard deviation	_	rerce	ines	(dcys)		Patient	Number of	Averoge stoy	Standard deviation		rerce	ntiles	(doys)	-
charocteristics	discharges	(days)	(days)	10th	25th	50th	75th	90th	chorocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)									OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	15,315	13.0	10.8	3	6	10	16	25	Total	3,745	15.1	14.5	2	4	10	19	34
65 to 74 years		12.9 13.0 13.8	11.0 10.0 12.2	3 3 2	6 6 5	10 10 10	15 16 18	24 24 31	65 to 74 years 75 to 84 years 85 years ond over	2,390 1,190 165	15.1 15.5 11.9	14.5 15.2 8.6	1 2 2	5 4 4	11 9	18 21 18	35 34 22
One diagnosis	6,695 8,620	11.8 14.0	9.3 11.7	3 3	6	9 10	14 17	21 27	One diognosis	1,730 2,015	13.7 16.3	13.9 14.9	2 2	4 5	10 12	16 22	30 36
With surgery		13.4 12.5	9.6 12.0	4 2	7	10	16 15	24 27	With surgery	975 2,770	17.3 14.3	14.4 14.5	3	6	13	23 18	36 33
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)									BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total		17.4	14.1	3	6	13	24	34	Total	1,595	12.4	8.6	2	5	17	17	23
65 to 74 years	1,065 530 65	17.1 16.2 31.0	14.0 11.7 24.4	3 3 8	6 5 13	13 13 22	23 24 30	35 32 55	65 to 74 years	1,135 415 45	12.0 12.8 18.7	8.2 9.5 5.7	2 2 9	5 4 11	11 11 21	16 19 23	21 28 24
One diognosis	700 960	15.8 18.5	11.9 15.5	3 3	6	13 14	21 26	31 39	One diagnosis	850 745	11.7 13.1	9.2 7.8	2	3 6	10 12	16 18	23 22
With surgery	815 845	20.7 14.2	13.1 14.4	6 2	12 4	17 8	28 19	36 30	With surgery	1,215 380	14.2 6.5	8.4 6.2	3	8 2	13	19 7	24 15
(181.0)	7 400							or.	Total	1,380	8.8	8.0	2	3	6	11	17
Total		11.9 11.6 12.3	11.4 11.6 11.3	2 2 2	4 4	7 8	15 15 15	25 24 25	Age: 65 to 74 years	900 460 20	8.7 8.9	8.2 7.4 *	2 2	3 3 *	5	11 11 *	16 20
85 years ond over One diagnosis	4,625 2,855	11.8 10.3 14.3	10.6 10.0 13.0	2 2 3	3 5	7 10	13 18	25 22 30	One diagnosis	695 685	6.5 11.1	5.7 9.2	2 3	3 4	4 8	7 14	14 22
With surgery	5,635	11.6	10.7	2	4	8	14	23	With surgery	1,150 230	9.3 6.2	8.4 4.1	2	3	6 4	12 8	18 12
Without surgery	1,845	12.8	13.3	1	3	8	17	30	BENIGN NEOPLASM OF UTERUS (214,215)								
Total	9,730	7.6	8.9	1	2	4	9	17	Total	1,835	8.4	7.1	2	2	5	12	16
Age: 65 to 74 years 75 to 84 years 85 years ond over	4,980 3,535 1,215	7.2 7.9 8.2	8 4 8.9 10.4	1	2 2 2	4 4 4	8 9	16 18 16	65 to 74 years 75 to 84 years 85 years ond over	1,365 415 55	7.7 10.3 9.0	6.6 8.4 4.7	2 2 4	3 4	5 8 6	11 14 14	15 21 16
One diognosis	5,725	6.6 9.0	8.2 9.5	1	2 2	3 5	7	14 20	One diagnosis	790 1,045	6.6 9.7	5.6 7.7	1 2	3	3 8	9 13	13 18
With surgery	8,440 1,290	6.9 12.2	7.7 13.5	1	2	4 7	8 15	15 31	With surgery	1,635 200	8.3 8.7	7.1 6.6	2	3	5 6	12 11	17 16
MAL. NEOPLA5M OF UNSPEC. PRIMARY 5ITE & OTHER & UNSPEC. SECONDARY SITE5 (199)									LIPOMA (226) Total	2,000	5.4	5.0	1	2	3	6	11
Total	13,740	15.7	14.4	2	5	11	20	34	65 to 74 years	1,570 415	5.1 6.2	4.4 6.2	1	2 2	3	6 8	10 13
Age: 65 to 74 years	8,280 4,535 925	16.2 14.5 16.8	15.1 13.0 15.1	2 2 2	5 5 6	11 10 11	21 19 23	35 31 38	85 years and over One diagnosis	1,395 605	4.5 7.5	3.6 6.7	1	2 3	3	5 9	10 16
One diognosis	7,460 6,280	14.6 17.0	13.7 15.1	2	4 6	10 12	19 22	31 36	With surgery	1,900 100	5.3 8.2	4.8 7.1	1	2 2	3 4	6 13	10 16
With surgery	4,305 9,435	18.0 14.6	15.0 14.0	2 2	7	13	24 18	38 32	NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
LYMPHOSARCOMA AND RETICULOSARCOMA (200)									Total	2,125	6.8	6.6	1	2	4	8	14
Total	2,300	16.7	14.4	3	6	12	23	35	65 to 74 years	1,305 650 170	6.4 7.2 8.1	7.2 5.2 6.9	1 2	3	4 5 5	6 9 10	13 14 19
Age: 65 to 74 years	1,470 755 75	14.6 20.3 20.1	12.4 17.0 14.2	2 3 6	6 7 8	10 15 12	19 28 29	30 39 36	One diognosis	1,735 390	6.6 7.7	6.6	1	2 3	4 6	7 9	14
One diagnasis		15.3 18.0	13.6 15.0	2	6 7	10 13	22 24	34 36	With surgery	1,900 225	6.7 7.7	6.6 7.5	1	2 2	4 5	8 9	14 16
With surgery	915 1,385	18.7 15.3	13.5 14.8	3 2	8 5	15 10	26 20	37 34	ASTHMA (241)								
LEUKEMIA AND ALEUKEMIA (204)									Total	7,430 5,310	9.7 9.2	8.1 7.1	2	4	7	12	19
Total	5,415	12.3	12.2	2	4	8	16	28	75 to 84 years	1,865 255	10.9 12.8	10.4 8.9	2	5	8	13 18	22 24
65 to 74 years	2,940 2,215 260	11.3 13.7 11.1	11.4 13.3 9.8	1 2 2	3 4 4	7 8 8	14 18 15	26 32 23	One diognosis Two or more diagnoses	2,890 4,540	8.4 10.6	7.0 8.7	1 2	3 4	6	10 13	17 20
One diognosis	2,570 2,845	10.7 13.6	11.0 13.0	1 2	3 4	7 9	14 19	22 29	With surgery	280 7,150	19.7 9.4	15.7 7.4	5 2	8 4	16 7	24	37 18
With surgery	735 4,680	19.5 11.1	16.0 11.1	3	8	15 7	26 14	37 25									

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard	<u> </u>	Perce	ntiles	(days))			Averoge	Stondard	Γ	Percer	ntiles	(days)	
Potient chorocteristics	Number of dischorges	stay (doys)	deviation (days)	10th	25th	50th	75th	90th	Patient chorocteristics	Number of dischorges	stay (duys)	deviation (doys)	10th	25th	50th	75th	90th
OISEASES OF THYROID GLANO (250-254)	4,495	10.2	8,4	3	5	7	12	19	CHRONIC BRAIN SYNOROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Age: 65 to 74 years 75 to 84 years 85 years ond over	3,205 1,130 160	9.3 12.0 14.1	7.3 9.5 14.0	3 3 2	4 5 5	7 9 8	11 15 18	16 21 28	Totol	8,300 3,030 3,795	15.3 14.9 15.6	14.0 13.6 13.9	3 2 3 2	5 5 6 5	10 10 10	20 19 20	32 32 32
One diagnosis	2,020 2,475	8.5 11.5	6.2 9.5	3	4 5	6 9	9	15 21	One diagnosis	1,475 2,380 5,920	15.2 14.0 15.8	14.9 14.6 13.7	2 2 3	5 5 6	10 8 11	19 17 21	36 29 34
With surgery	2,145 2,350	9.4 10.8	7.7 8.9	4 2	5 4	7 8	10 14	15 21	With surgery	650 7,650	19.8 14.9	14.1 13.9	6 3	9 5	15 10	27 19	38 32
Total	49,405	12.2	10.4	3	5	9	15	23	PSYCHOTIC AND PSYCHOPHYSIOLOGIC OISORDERS (318-323)								
Age: 65 to 74 years	29,790 16,855 2,760	11.9 12.6 12.6	9.9 11.2 10.6	3 3 2	5 5 5	9 9 9	14 15 16	22 23 25	Total	3,510 2,600	17.5 17.6	16.3	3	5	11	24	39 39
One diognosis		10.5 12.8	8.8 10.9	2 3	4 5	8 9	13 16	20 24	75 to 84 years	795 115	17.5 15.8	17.9	3 2 2	5 5 5	10	22 19	38 37
With surgery	5,755 43,650	18.5 11.4	14.0 9.6	4 3	8 5	15	23 14	37 21	One diognosis	1,715	19.7 15.3	17.7 14.5	3	6 5	9	28 21	44 35
MALNUTRITIONAL DEFICIENCY STATES (286)									With surgery Without surgery PSYCHONEUROTIC DISOROERS (324)	335 3,175	18.0 17.4	16.6 16.3	4 2	7 5	10 11	22 24	47 38
Total	3,430 1,540	12.8	11.3	2 2	5	9	15	26 25	Tatal	11,960	13.2	12.6	2	4	8	17	29
65 to 74 years	į	13.2 11.8 9.9	11.7 10.0 8.7	2 2	5 4	10 9	17 15 12	27 26 19	65 to 74 years 75 to 84 years 85 years and over	8,450 3,175 335	13.6 12.5 10.8	12.8 12.4 9.6	2 2 2	5 4 3	9 8 7	17 16 12	30 28 22
Two or more diagnoses	2,655	13.6	11.8	3	5	10	17	28	One diagnosis	5,450 6,510	15.6 11.3	14.8 10.1	2 2	5 4	10 8	22 14	35 23
With surgery	185 3,245	19.2 12.4	15.5 10.9	3 2	8 5	9	30 15	37 24	With surgery	485 11,475	16.9 13.1	14.8 12.5	3 2	5 4	10 8	25 16	37 29
TotolAge:	2,375	9.1	6.8	3	5	7	11	15	CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
65 to 74 years	1,365 860 150	9.2 8.9 10.3	7.5 5.5 6.4	3 3 3	4 5 5	6 7 8	10 11 14	17 14 17	Total	49,565 19,945	14.7	14.2	1	4	10	19 19	33 32
One diagnosis	750 1,625	7.6 9.8	5.3 7.2	3 3	4 5	6 7	9	12 16	65 to 74 years	21,550 8,070	15.0 15.2	14.4	i 1	4 4 4	10 11	20 20	34 33
With surgery	155 2,220	16.5 8.6	11 7 5.9	3	7 4	13 7	22 10	35 14	One diognosis	23,785 25,780	13.5 15.8	14.0 14.3	1 2	3 5	9 11	17 21	33 34
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)									With surgery	2,145 47,420	21.7 14.4	16.1 14.0	1	9	18 10	30 19	45 32
Totol	2,170 920	12.3	9.1	3	6	10	14	24 27	CEREBRAL EMBOLISM AND THROMBOSIS (332)								
75 to 84 years	990 260	11.6	8.5 8.9	4	5 7	10	14 15	22 26	Total	21,045 8,760	16.2 16.4	14.2 14.2	2 2	6	12	21 21	35 34
One diognosis	800 1,370	8.8 14.3	6.8 9.6	4	3 7	11	11 18	15 30	75 to 84 years	9,325 2,960	16.0 16.4	14.1 14.3	2	5 6	12	21 22	36 35
With surgery	315 1,855	14.9 11.8	11.0 8.6	3	6	9	19	37 23	One diagnosis	7,370 13,675	14.8 17.0	13.6 14.4	2 2	5 6	10	20 22	32 36
IRON OEFICIENCY ANEMIAS (291) Totol	4,340	10.2	7.5	3	5	8	13	18	With surgery	1,390 19,655	21.1 15.9	17.1 13.9	5 2	8 5	15 12	29 21	49 34
Age: 65 to 74 years 75 to 84 years 85 years ond over	1,800 2,020 520	10.4 9.8 11.2	8.1 6.9 7.7	3 2 3	5 4 5	9 8	13 12 15	17 18 21	CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIEO) (334.0) Total	25,605	11.2	10.2	2	4	8	13	23
One diognosis	1,035 3,305	8.5 10.7	7.6 7.4	2 3	4 5	7 9	10 14	14 18	Age: 65 to 74 years	10,105 12,000	10.3 11.8	9.0 11.1	2 2 2	4	7 8	12 14	21 23
With surgery	690 3,650	13.4 9.6	10.8 6.6	4 2	7 4	10 8	16 12	23 17	One diagnosis	3,500 8,730 16,875	9.5 12.0	10.6 8.6 11.0	2 2 3	4 5	8 7 8	14 11 14	26 19 25
OTHER AND UNSPECIFIED ANEMIAS (292,293)									With surgery	2,015 23,590	15.7 10.8	11.5 10.0	5 2	8 4	12 7	19 13	27 22
Totol	12,785 5,420	10.3 10.0	10.2 9.4	1	3	7	12	22 21	PARALYSIS AGITANS (350)	23,370	10.0	,0.0		_		·Ŭ	
75 to 84 years	5,815 1,550	10.0 10.2 12.0	10.2 12.2	1 2	3 4	7 8	12 12 14	22 27	Total	7,060 4,310	16.4 16.4	12.9 12.1	4	7 8	13 13	21 20	31 30
One diognosis	4,700 8,085	8.0 11.7	7.6 11.2	1 2	2 4	5 8	9 14	18 24	75 to 84 years	2,565 185	16.3 19.2	14.0	4	7 8	13	20 25	31 41
With surgery	1,490 11,295	14.1 9.8	12.2 9.8	2	5 3	10	19 12	30 21	One diagnosis	3,240 3,820	15.9 16.8	11.1 14.2	4	8 7	13 12	20 21	29 31
									With surgery	335 6,725	23.1 16.1	15.8 12.6	6	10	19	30 20	41 30

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Averoge	Standard		Perce	ntiles	(days)		Potient	Number of	Averoge	Standard		Percer	ntiles	(days)	
chorocteristics	dischorges	(days)	deviation (days)	10th	25th	50th	75th	90th	characteristics	dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)									ALL OTHER MYOCAROIAL DEGENERATION								
Totol	7,290	10.7	9.0	2	4	7	13	21	(422.0,422.9) Totol	4,790	12.1	10.8	2	4	9	15	24
Age: 65 to 74 years	4,595 2,240	10.4 11.6	8.8 9.9	2	4 5	7 8	13 14	21 25	Age: 65 to 74 years	2,190	11.2	9.4	2	4		14	21
85 years and over	455	9.0	5.5	2	4	8	11	17	75 to 84 years	1,940 660	11.8 15.7	10.4 14.7	3	4 5	8 9 10	15 20	22 38
One diagnosis	3,205 4,085	9.4 11.6	7.7 9.8	2 3	4	8	11	17 25	One diagnosis	1,345 3,445	11.3 12.4	12.0 10.3	2 3	4 5	8 9	13 16	21 24
With surgery	1,130 6,160	12.7 10.3	11.7 8.4	3 2	4 4	9 7	16 13	27 20	With surgery	180	19.1	16.2	3	8	17	23	32
CATARACT (385)									Without surgery	4,610	11.8	10.4	2	4	9	14	23
Total	48,510	7.5	4.1	3	5	6	8	12	Total	19,705	9.9	8.8	1	3	7	13	20
65 to 74 years	24,730 20,795	7.2 7.7	3.7 4.2	3 4	5 5	6	8	11 12	Age: 65 to 74 years	10,310	9.0	8.1	1 -	3	6	11	18
	2,985 39,175	8.2 7.3	5.5 3.5	3	5	6	9	13	75 ta 84 years	7,400 1,995	10.8 10.8	9.5 9.6	1	3	8	14 15	21 23
One diognosis	9,335	8.4	6.0	3	5	6	9	14	One diognosis	6,020 13,685	8.1 10.6	7.0 9.4	1 2	3 4	6	11 14	16 21
With surgery	46,490 2,020	7.5 6.9	4.0 6.2	4	5 2	6	8	12 13	With surgery	3,030	13.0	9.6	3	6	10	16	24
GLAUCOMA (387)									CONGESTIVE HEART FAILURE (434.1)	16,675	9.3	8.6	1	3	6	12	19
Totol	4,340	7.6	5.7	2	3	6	9	14	Total	42,015	11.8	10.5	2	4	8	15	24
65 to 74 years	2,415 1,670	7.6 7.6	5.7 5.7	2 2	3	6	9	14 14	Age: 65 to 74 years	17,630	11.4	10.0	2	4	8	14	23
85 years and over	255	7.9 6.8	5.2	2 2	3	5	11	13	75 to 84 years	18,190 6,195	12.4 11.5	11.0 10.5	1	5 4	9 8	15 15	25 24
Two or more diognoses	1,650	8.9	6.1	2	4	7	11	16	One diagnosis	17,815 24,200	10.6 12.7	9.7 11.0	2 2	4 5	8 9	13 16	21 26
With surgery	3,435 905	7.6 7.5	5.3 6.9	1	2	5	10	14 15	With surgery	1,785	19.0	14.1	3	8	16	25	36
CHRONIC RHEUMATIC HEART DISEASE (410-416)									Without surgery	40,230	11.5	10.2	2	4	8	14	23
Total	2,115	12.0	9.9	2	5	9	16	24	Total	34,065	11.7	10.2	2	5	8	14	23
Age: 65 to 74 years	1,465	12.2	9.3	3	5	9	17	24	Age: 65 to 74 years	17,410	11.1	9.5		4	8	14	22
75 to 84 years	550 100	11.1	11.2 9.8	1 2	4	14	13	19 27	75 to 84 years	13,535 3,120	11.9 13.6	10.5 12.8	2 2 3	5	9	14 18	24 27
One diognosis	315 1,800	11.8 12.1	7.7 10.2	2	5 5	11 8	17 16	20 24	One diagnosis	5,915 28,150	9.4 12.2	8.9 10.4	2 3	3	6 9	11 15	19 24
With surgery	170 1,945	12.6 12.0	8.8 10.0	2 3	5	10	20 16	23 24	With surgery	1,910 32,155	17.0 11.4	13.6 9.9	4 2	7	13 8	21 14	33 23
ARTERIOSCLEROTIC HEART DISEASE SO	1,743	12.0	10.0	,]	1	10	24	OTHER HYPERTENSIVE DISEASE (446,447)	32,133	11.4	7.7	-	-	J	"	25
DESCRIBED (420.0)	-				_				Total	23,870	9.7	9.2	2	4	7	12	19
Total	74,110	11.5	9.8 8.9	2	5	8	14	23 21	Age: 65 to 74 years	13,335 8,520	9.1 10.2	8.4 9.7	2	4	6 7	10 12	18 20
65 to 74 years	32,355 11,495	11.8 12.5	10.2 10.8	3 2	5 5	8 9	15	24 25	85 years and aver	2,015	12.2	11.4	2 3	4	8	15	26
One diagnosis	20,225	9.9	8.8	2	4	7	12	19	One diognosis	6,915 16,955	7.9 10.5	7.3 9.7	2 2	3 4	5 7	9 12	15 21
Two or more diagnoses	53,885	12.1 16.6	10.1	3	5	13	15	33	With surgery	1,900 21,970	15.3 9.3	13.7 8.5	3 2	6	12 6	19 11	27 18
Without surgery	69,665	11.1	9.5	2	4	8	14	22	GENERAL ARTERIOSCLEROSIS (450)								
ACUTE CORONARY OCCLUSION (420.1)	54550	15.0	11.7	1.		14	21	29	Total	28,830	13.7	12.7	2	5	9	17	30
Totol	54,550 30,935	15.2 15.6	11.7	1	5	14	21	28	65 to 74 years	10,015 13,045	12.9 13.9	11.8 12.8	2 3 2	4 5	9	16 17	27 30
75 to 84 years	19,350 4,265	15.0 12.6	12.4 12.8	1	4	13 8	21 18	29 29	85 years and aver	5,770	15.0	13.7		5	10	19	34
One diagnosis	26,630 27,920	14.1 16.2	10.9 12.4	1	4 6	13 14	20 23	27 31	One diagnasis	5,790 23,040	13.4 13.8	12.8 12.6	2 2	5	9	18 17	29 30
With surgery	1,890	19.5	15.2	3	7	16	27	40	With surgery	5,100 23,730	20.3 12.3	14.7 11.7	6 2	10 4	15 8	25 15	39 27
Without surgery	52,660	15.0	11.6	1	5	14	21	29	AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)									Total	3,690	12.2	11.3	1	3	10	17	25
Total	74,725	11.2	9.9	2	4	8	14	23	Age: 65 to 74 years	2,095	12.7	10.9	1	3	11	17	26
65 to 74 years	39,360 27,720	10.6 11.6	9.1 10.5	2 2 2	4 4	7 8 9	13 15 16	21 23 27	75 to 84 years	1,380 215	11.7 10.1	12.0 9.6	1	3	8	16 14	26 22
85 years and over	7,645 23,710	12.6 9.5	11.4 8.8	2 2	3	6	12	20	One diognasis	1,875 1,815	11.4 13.0	10.3 12.1	1	2 3	9 10	16 18	23 28
Two or more diognoses	51,015	11.9	10.3		5	8	15	24	With surgery	1,915	15.9 8.1	10.5	2	9	15	20 9	28 18
With surgery	3,380 71,345	17.7 10.9	13.1 9.6	3 2	7	15 8	23 14	34 22	Without surgery	1,775	0.11	10.6	' '	-	4 1	41	18

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard		Perce	ntiles	(doys))			Averoge	Standard		Percer	ntiles	(doys)	
Potient choracteristics	Number of discharges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	Patient charocteristics	Number of discharges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)									ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	3,585	13.6	11.5	2	5	11	17	27	Tatol	12,720	8.6	7.1	2	4	6	10	15
Age: 65 to 74 years	1,175	13.6 13.4 13.9	12.2 10.1 11.8	2 2 1	5 6 2	10 11 12	17 16 21	26 30 32	65 to 74 years	7,100 4,310 1,310	7.9 9.4 9.5	6.0 8.2 7.7	2 2 2	4 4	6 7 7	9 11 11	14 17 16
One diagnosis		12.3 14.8	9.9 12.8	2 2	4 6	9 12	16 18	25 29	One diagnosis	4,065 8,655	7.1 9.3	5.7 7.5	2 3	3 4	5 7	8 11	13 16
With surgery		15.9 9.6	11.3	4	9 2	13	19 12	30 20	With surgery	705 12,015	11.4 8.4	9.5 6.9	2 2	4	9	15 10	23 15
GANGRENE OF LOWER EXTREMITY (455.0)	1,555								INFLUENZA (480-483)						7	11	
Total	2,640	21.4	15.0	4	10	18	28	41	Total	23,110 14,835	9.1 8.6	6.9	3	4	7	10	16 15
65 to 74 years	1,065	21.7 22.2 19.0	15.4 15.7 11.9	5 4 2	10 9 11	19 18 18	29 29 25	40 46 37	75 to 84 years	6,870 1,405	9.8 10.9 7.7	7.5 10.3 5.0	3	5 4 4	7 7	11 12 9	18 20 13
One diagnosis		20.6 22.3	14.7 15.3	4 5	10 10	17 19	27 29	38 46	One diagnosis	12,040	10.4	8.1	3	5	8	12	19
With surgery	720	23.4 16.1	14.6 14.9	7 2	13 5	20 12	31 21	44 31	With surgery Without surgery LOBAR PNEUMONIA (490)	22,740	14.6 9.0	9.5 6.9	3	8 4	12 7	18 10	24 16
VARICOSE VEINS OF LOWER EXTREMITIES (460)									Total	2,025	13.5	9.1	4	7	11	16	25
Total	4,795 3,285	14.2	12.1	3	5	10	18	31 28	Age: 65 to 74 years	1,095 655 275	13.1 13.1 16.2	8.8 8.8 10.0	4 4 6	7 7 9	11 10 12	15 16 18	22 23 32
75 to 84 years	1,335 175	16.9 18.5	13.2 15.0	3	6	13	21 30	33 38	One diognosis	825 1,200	11.3 15.0	7.5 9.7	3 4	6	9	13 18	18 29
One diognosis	2,215	11.8 17.0	10.1 13.6 12.5	3 4 3	5 7 5	8 12 8	14 21 17	25 34 33	With surgery	115 1,910	20.6 13.1	10.6 8.8	4 4	11 7	17 11	28 16	34 23
Without surgery		14.8	11.5	4	6	ıĭ	19	30	8RONCHOPNEUMONIA (491)								
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)									Total	18,395 8,315	12.0	9.9 8.5	3	5	9	14	22 20
Total		8.9	6.1	3	5	7	10	15	75 to 84 years	6,960 3,120	12.5 13.1	10.6 11.6	3 3 2	5 5 6	9 10	15 16	23 27
65 to 74 years 75 to 84 years 85 years ond over	1,595	8.4 10.1 10.8	5.3 7.7 8.5	3 3 2	5 5 4	8 8	10 12 13	13 19 19	One diagnosis	6,225 12,170	9.6 13.2	7.0 11.0	3	5	7 10	11 16	18 25
One diognosis		8.1 9.8	4.8 7.3	3	5	8	10 11	13 18	With surgery	695 17,700	18.7 11.7	12.8 9.7	5	9 5	15 9	26 14	34 21
With surgery	5,565 1,390	9.5 6.4	5.9 6.2	4	6 2	8	11 7	15 13	PRIMARY ATYPICAL PNEUMONIA (492)	15 005	,,,	0.1	2			,,	01
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)									Total	15,825 8,215	11.4	9.1 8.5	3	5	8	13	21 20
TotolAge:	7,775	12.6	8.0	4	7	10	15	22	75 to 84 years	5,630 1,980	11.9 12.7	9.3 10.0	3	6	9 10	14 15	21 25
65 to 74 years		12.4 12.7 14.2	7.7 8.2 10.6	4 4 3	7 7 6	10 10 11	15 16 18	21 25 27	One diagnosis	5,740 10,085 730	9.5 12.4 17.3	7.1 9.8 14.9	3 4 4	5	7 9	11 15 21	16 23 36
One diognosis		10.9 13.9	6.6 8.8	4 5	6 7	9	13 18	18 26	With surgery	15,095	11.1	8.5	3	8 5	12 8	13	20
With surgery		18.7 12.1	11.5 7.5	8 4	11 7	16 10	22	29 21	PNEUMONIA, OTHER AND UNSPECIFIED (493)								
PHLEBITIS AND THROMBOPHLEBITIS OF	7,200	12.1	,.5				13		Total	31,420	12.5	10.2	3	6	9	15	24
OTHER SITES (464) Total	3,540	12.5	9.6	4	6	10	15	22	65 to 74 years	14,750 11,995 4,675	12.0 12.8 13.5	9.3 10.5 12.0	3 3 2	6 5	10 10	14 15 17	22 25 29
Age: 65 to 74 years	2,270	12.1 13.6 10.1	9.7 9.5 8.9	4 4 3	6 6 4	10 11 8	14 16 11	20 27 16	One diagnosis	12,900 18,520	10.6 13.8	8.0 11.4	3 3	5 6	8 10	13 17	19 27
One diognosis	2,090 1,450	11.0	7.2 12.1	3 4	5 7	9	14 17	19 25	With surgery Without surgery	1,650 29,770	19.6 12.1	14.5 9.8	4 3	9 6	15 9	26 15	38 23
With surgery	260 3,280	18.0 12.1	14.9 9.0	5 4	8 6	13 10	19 14	40 21	ACUTE 8RONCHITIS (OR SUBACUTE) (500)	15,775	9.6	7.1	3	5	7	11	17
PULMONARY EM80LI5M ANO INFARCTION (465)									Total	9,340	9.2	6.6		4	7	11	16
Totol	4,690	14.3	11.1	2	6	12	18	28	75 to 84 years	5,215 1,220	10.0 11.0	7.7 7.6	3 3 3	5	8 9	12	18 19
65 to 74 years	2,510 1,755 425	14.2 14.3 15.0	10.0 11.0 16.2	3 1 1	7 6 3	12 12 9	17 19 18	28 26 40	One diagnosis	5,025 10,750	7.9 10.4	5.6 7.6	3	4 5	6 8	9 12	13 19
One diognosis	1,370 3,320	11.9 15.3	8.9 11.7	1 2	5 7	10	15 20	23 30	With surgery	600 15,175	12.2 9.5	8.7 7.0	3	5	10 7	15 11	22 17
With surgery	540	19.4 13.6	12.4 10.7	6 2	10	16 11	25 17	37 26									
Surgery	4,130	13.0	10.7	2	, 0			20									

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Perce	ntiles	(áays))	Potient	Number of	Averoge	Standard		Percer	tiles	(doys)	
chorocteristics	dischorges	stoy (doys)	deviation (days)	101h	25th	50th	75th	90th	chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIEO (501)									ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Totol	12,255	9.7	7.5	3	4	7	111	18	Total	1,455	14.4	10.B	3	7	12	19	26
65 to 74 years	7,605 3,720 930	9.2 10.5 10.4	7.1 8.1 7.7	3 3 3	4 5 5	7 B B	11 12 12	16 20 19	Age: 65 to 74 years 75 to 84 years B5 years ond over	90S 460 90	1S.S 12.1 14.7	11.3 8.4 14.2	4 2 2	8 4 5	13 10 B	19 17 17	28 24 31
One diagnosis	5,020 7,235	B.1 10.8	6.6 7.9	2	4 5	6 B	13	13 20	One diagnosis	620 835	13.2 15.2	7.4 12.7	3 2	B 6	11	18 20	22 29
With surgery	845 11,410	11.6 9.5	B.5 7.4	2 3	4 5	9 7	16 11	22 17	With surgery	440 1,015	20.3 11.8	11.1	9 2	12	1B 9	23	32 21
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)									ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE	1,0.5		1	-				
Total	B,19S	10.8	8.7	3	5	В	12	21	(541.0)	14 705	,,,	7.0			_		
65 to 74 years	5,620 2,250 325	10.7 11.2 10.0	8.4 9.6 7.6	3 3 2	5 5 4	8 7	12 12 14	20 23 21	Total	16,735 11,275 4,655	9.5 10.8	7.9 7.6 B.S	2 2 2	4 4	7 7 B	13 12 14	19 1B 22
One diognosis	2,930 5,265	9.1 11.8	6.3 9.6	3 3	. S	7 9	11 14	16 23	8S years and over	805 6,780	11.4 B.B	7.9	3	3	10	15	22
With surgery	665 7,530	13.7 10.6	10.6 B.5	3	6	10 B	17 12	28 20	One diognosis	9,955 2,380	10.B 17.0	8.3 10.3	2 2	10	6 B	14	21 30
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)		ĺ							With surgery	14,355	8.B	6.B	5 2	4	7	ำำ	16
Total	3,640	10.0	7.7	3		7	12	19	ULCER OF OUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
6S to 74 years	2,300 1,110 230	9.S 10.7 11.2	7.3 B.6 7.7	3 4	4 6	7 B B	12 13 14	17 21 19	Total	7,440	12.6	9.3	4	6	10	15	23
One diognosis	1,100 2,540	8.0 10.B	7.1 7.9	2 3	3 5	6 B	9 13	14 20	65 to 74 years	4,420 2,575 445	12.1 13.5 13.2	8.6 10.0 10.4	4 3	6 7 S	10	15 16 1B	21 25 28
With surgery	61S 3,02S	9.S 10.1	B.3 7.6	2 3	4 5	6 7	13 12	17 19	One diognosis	3,550 3,890	10.8 14.3	7.4 10.4	3 4	S 7	9 11	14 18	18 27
PULMONARY CONGESTION AND HYPOSTASIS (S22)							1	:	With surgery	1,420 6,020	18.6 11.2	12.3 7.7	6 3	10 6	16 9	23 13	34 20
TotalAge:	3,650	12.0	12.0	1	4	8	15	25	ULCER OF STOMACH & OUOOENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
65 to 74 years	1,650 1,470 530	10.7 12.6 14.7	9,9 12.4 15.4		4 4	9 9	13 16 21	21 25 36	Total	1,090	15.7	11.3	2	9	12	20	29
One diognosis	1,020 2,630	12.0 12.1	11.2 12.2	2	4 3	B 8	14 15	24 25	65 to 74 years	685 340 65	15.4 17.4 10.0	11.0 12.1 B.7	3 2 1	10 1	12 14 9	19 22 12	30 31 21
With surgery	130 3,520	20.4 11.7	15.0 11.7	5 1	11 4	15 B	24 15	36 25	One diagnosis	\$10 580	14.4 16.8	9.4 12.7	3	B 9	12 14	19 21	25 32
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)									With surgery	B10 280	16.7 12.7	10.B 12.4	5 1	10 3	13 8	21 18	30 27
Total	21,325	10.B	9.6	2	4	8	13	21	GASTRITIS AND DUODENITIS (543)								
75 to 74 years	13,550 6,735 1,040	10.7 10.8 12.5	9.S 9.2 12.5	2 2 2	4 4	B B 8	13 13 14	20 21 25	Total	14,715 B,775	7.4	6.5 5.9	2	3	5	9 B	14 13
One diognosis	6,430 14,895	9.4 11.5	8.0 10.2	2 3	4 5	7 8	12	17 22	75 to 84 years	4,895 1,04S	8.0 8.1	7.1 7.3	2 2	3	5	10	16
With surgery	1,400	16.4	14.4	4 2	7 4	13 B	19	30 20	One diagnosis	S,755 B,960	5.6 B.6	4.7 7.1	1 2	2	6	6 10	10 16
DISEASES OF ESOPHAGUS (539)	,,,,,		,						With surgery	935 13,780	11.7 7.2	9.5 6.1	2	3	B 5	15 B	26 14
Totol	\$,250	B.3	7.9	1	3	5	10	17	APPENOICITIS (550-553)								
65 to 74 years	2,940 1,900 410	B.0 B.4 10.0	7.6 8.2 B.3	1 1 2	2 4	5 6 7	10 10 12	17 17 20	Total	1,930	13.6	9.3 9.2	5	7	10	15	25
One diognosis	1,690 3,560	6.5 9.2	7.1 B.1	1 2	2	4 6	B 12	13 19	75 to 84 years	900 185	13.8 17.1	B.9 11.1	5 3	7 8 7	11 14	17 23	24 30
With surgery	1,855 3,398	9.B 7.5	9.6 6.7	1	3	6 S	13 9	21 16	One diagnosis	1,850 1,165 2,575	11.9 16.4 14.3	7.3 11.2 9.2	5	B	14	14 21 18	21 29
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)									With surgery Without surgery	2,5/5 440	9.7	9.2	1	4	6	10	25 23
Total	6,49\$	12.5	10.5	2	5	10	16	24	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)	20 00F	B.9	6.3	4		7	10	12
65 to 74 years 75 to 84 years BS years ond over	4,235 1,985 275	12.5 12.8 11.3	10.6 10.8 7.9	2 3 2	5 5 S	10 9	16 16 14	23 25 21	Total	20,985 14,240 5 875	B.5 9.5	5.1 4.B 5.3	4 4	5	7 7 8	9	13 13 14
One diagnosis	2,615 3,880	10.4 14.0	B.9 11.2	2	4	В 11	14 1B	20 26	7S to 84 years	5,B75 B70	9.5 11.2 B.2	6.6 4.2	5	5	9	13	20 11
With surgery	1,390 5,10S	18.4 10.9	11.B 9.5	6 2	11 4	16 B	21 13	33 21	One diognosis	6,B10	10.4	4.2 6.2 4.7	4	6	В	12	17
									With surgery	19,540 1,445	B.9 B.3	8.9	i	3	6	10	13 16

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

	Nont	Averoge	Standard		Perce	ntiles	(doys))		No.	Averoge	Standard		Percer	ntiles	(doys)	
Potient chorocteristics	Number of dischorges	stay (doys)	deviation (days)	10th	25th	50th	75th	90th	Potient characteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT									CHOLELITHIASIS (584)								
MENTION OF OBSTRUCTION (560.4) Totol	17,350	8.7	7.7	2	3	6	10	17	Total	27,405	13.4	9.4	3	7	11	17	24
Age:	11,495	8.3	7.5	ł	3	6	10	16	65 to 74 years	16,775 8,825	13.2 13.8	8.7 10.2	3 3 3	7 6 5	31 11	16 18	23 26
75 to 84 years	4,990 865	9.2 10.8	7.7 9.6	2 2 2	4	7	11	18 24	85 years and over	1,805	13.2	7.9	3	5 7	10	17 15	26 21
One diognosis	4,700 12,650	7.1 9.3	5.7 8.3	1 2	3 4	5	9	13 19	Two or more diagnoses	13,820	14.3	10.5	3	6	11	18	27
With surgery	3,155 14,195	14.4 7.4	10.4 6.3	4 2	7	11 5	17	28 13	With surgery Without surgery	10,710	16.6 8.3	7.1	2	10	6	20 10	27 16
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.13,.8,.9)									CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total,	7,020	10.5	6.6	4	6	9	12	17	Age: 65 to 74 years	16,315 8,580	11.2	9.0 8.8	2	5	8	14	22
65 to 74 years	4,935 1,875 210	10.1 11.4 9.9	6.2 7.4 7.1	4 4 2	6 6 5	8 9 7	12 14 12	17 20 21	75 to 84 years	5,925 1,810	11.4	9.4 8.6	3 2	5	8 9	14 15	22 22
One diagnosis	3,930	9.5	5.8	3	6	8	11	15	One diagnosis	8,095 8,220	10.0 12.4	7.7 10.0	2 3	4 5	7 9	13 15	19 24
Two or more diagnoses	3,090 5,625	11.7	7.3 6.3	5	7	10	13	19	With surgery	4,515 11,800	17.6 8.8	1D.2 7.1	7 2	10	15 6	22 11	29 16
Without surgery	1,395	8.0	7.1	ĭ	3	6	10	15	OTHER DISEASES OF GALLBLADDER AND BILIARY OUCTS (586)	11,000	0.0	7					
OBSTRUCTION (561)	4,855	,,,,	9.2	3	6	9	13	20	Total	4,390	11.3	10.5	2	4	8	13	22
Total	2,465	11.4	8.5	3	6	8	12	19	Age: 65 to 74 years	2,260 1,615	10.3 12.8	9.3 12.0	2 3	4 5	7	13 15	21 24
75 to 84 years	1,800 590	12.1 11.3	9.6 9.9	4 2	5	8	14	20 20	85 years ond over	515	11.0	9.6	2	4	7	14	21
One diognosis	2,795 2,060	9.4 14.0	5.8 11.8	3 4	5 7	8 10	11 17	16 25	One diagnosis	2,040 2,350	9.9 12.5	8.9 11.6	3	5	7 9	12	20 23
With surgery	3,835 1,020	11.9 9.3	8.6 10.7	4	7 2	9 6	13	21 18	With surgery	1,015 3,375	20.7 8.5	13.5 7.3	8	11	16	24 10	40 15
INTESTINAL OBSTRUCTION WITHOUT	,,,,,,	,,,,			_				OISEASES OF PANCREÁS (587)	2.440	12.7	12.5	2	c	10	17	24
MENTION OF HERNIA (570) Total	13,810	11.5	10.8	,	3	8	15	25	Age: 65 to 74 years	3,440 2,045	13.7	12.5	2	5 5	10	17	26 26
Age: 65 to 74 years	6,300	11.8	11.2	1	4	8	15	25	75 to 84 years	1,225 170	13.4 18.2	12.2 11.3	8	5	9	18 23	26 28
75 to 84 years	5,405 2,105	11.3	10.2 11.2	1	3	8 7	16 14	25 25	One diagnosis	1,370 2,070	10.7 15.6	9.8 13.6	2 3	5 6	8 12	12 20	20 31
One diognosis	6,580 7,230	10.1 12.7	10.0	1 2	3 4	7 9	14 17	22 27	With surgery	555 2,885	22.5 11.9	13.3 11.6	8 2	13 5	19 8	28 14	42 23
With surgery	4,605 9,205	17.6 8.5	11.7 8.9	5 1	9	15 5	23 10	32 18	NEPHRITIS, NEPHROSIS, AND HYORONEPHROSIS (590-594,601)								
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)									Total	4,010	13.8	11.8	3	5	10	18	31
Totol	31,710	7.7	6.9	2	3	5	9	15	Age: 65 to 74 years	2,215 1,345	13.2 14.8	11.5 12.1	2 3	5	10 10	17 19	26 33
65 to 74 years	16,830 11,740 3,140	6.9 8.2 9.9	6.0 7.4	1 2 2	3	5 6 7	8 9 12	13 16 21	35 years and over	450 1,315	14.0	11.9	3 3	5	9	17	33 32
One diognosis	14,325	6.0	5.2	1	2	4	7	11	Two or more diagnoses	2,695	14.9	12.5	2	5	11	19	23 33
Two or more diagnoses	17,385	9.2	7.8	2	5	7 9	11	18	With surgery	930 3,080	16.0 13.2	12,7 11.4	3 2	7 5	12	19 17	37 28
Without surgery DIVERTICULITIS (572.1)	30,170	7.5	6.6	2	3	5	9	14	INFECTIONS OF KIONEY (600) Total	17,690	11,1	9.0	3	5	8	13	21
Totol	29,735	8.9	8.2	2	3	6	11	18	Age: 65 to 74 years	8,400	10.4	8.3	3	4	8	13	20
Age: 65 to 74 years	16,155 11,035	8.3 9.5	7.5 8.9	2 2 2	3 4	6	10	17 19	75 to 84 years	6,890 2,400	11.5	9.2 10.6	3	5	8 9	15	22 23
85 years and over	2,545	10.2	9.2	2	4	7	12	18	One diagnosis	6,305 11,385	9.3 12.1	6.9 9.8	3 3	4 5	7 9	11 15	17 23
One diagnosis	12,405 17,330	7.4 10.0	9.0	2	3 4	5 7	12	20	With surgery	1,945 15,745	14.8 10.6	10.7 8.7	4 3	7 5	12 8	19 13	28 20
With surgery Without surgery	5,345 24,390	13.8 7.8	11.6 6.9	2	5 3	6	18	14	CALCULI OF KIONEY AND URETER (602)								
CIRRHOSIS OF LIVER (581)	2.500	,,,,	,,,,	_	,	,,	20	20	Age: 45 to 74 years	10,015 7,310	8.9 8.5	8.D 7.3	2	3	6	12	18 17
Total	3,580 2,655	15.0	11.8	3	6	11	20 19	30	65 to 74 years	2,435 270	10.3 10.3	9.8 7.3	2 3	3 3 4	7 7	13 13	21 22
75 to 84 years	840 85	15.2 15.5	12.4 10.6	3	6	11	21 19	31 27	One diagnosis	5,300 4,715	7.6 10.5	6.9 8.9	1 2	2	5	10 13	16 21
One diagnosis	1,305 2,275	14.1 15.5	12.4 11.5	3	5 6	10 12	19 21	28 31	With surgery	4,850	11.9	8.8 6.0	3	5 2	1D 4	15	21
With surgery	835 2,745	17.3 14.3	10.3 12.2	3 2	9	16 10	23 18	29 30	Without surgery	3,103	, 3.1	5.0		-			.2

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard	L	Perce	ntiles	(doys))	Potient	Number of	Averoge	Standard		Percer	ntiles	(doys)	
chorocteristics	dischorges	(doys)	deviation (days)	10th	25th	50th	75th	90th	chorocteristics	dischorges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th
DTHER DISEASES DF KIDNEY AND URETER (603,604)									DTHER DISEASES DF MALE GENITAL DRGAN5 (613-617)								
Totol	5,105	10.3	8.7	2	4	8	13	20	Total	4,555	8.2	6.9	2	4	6	10	15
65 to 74 years	3,255 1,520 330	9.6 11.2 12.6	8.1 9.0 11.6	2 2 3	3 4 5	7 9 8	13 14 16	19 21 24	65 to 74 years	3,045 1,280 230	7.6 9.5 9.7	6.0 8.4 6.8	2 2 2	3 4 4	6 6 8	9 11 13	13 20 19
Dne diagnosis	2,110 2,995	8.5 11.5	7.8 9.1	1 2	3 5	6 9	11 15	17 21	Dne diognosis	2,515 2,040	6.9 9.8	4.9 8.5	2 2	3 5	5 7	8 11	12 18
With surgery	2,930 2,175	11.9 8.1	8.0 9.1	3	6 2	10	15 9	21 18	With surgery	3,010 1,545	8.0 8.7	7.2 6.2	3	3 5	6 7	9 10	16 14
Total	12,785	9.1	8.3	2	4	6	11	17	Total	10,720	11.9	5.7	6	8	10	14	18
Age: 65 to 74 years	6,480 4,730 1,575	8.4 9.5 10.4	7.5 8.3 10.7	2 2 2	3 4 4	6 7 7	10 11 12	16 18 20	Age: 65 to 74 years	7,855 2,600 265	11.5 13.0 13.5	5.1 7.1 5.9	6 6 5	8 8 9	10 11 13	13 15 17	17 21 18
Dne diognosis	4,265 8,520	7.1 10.1	5.9 9.1	1 2	3 4	5 7	8 12	13 19	Dne diognosis	5,480 5,240	11.3 12.6	5.2 6.1	6	8	10 11	13 15	16 19
With surgery	4,650 8,135	8.8 9.2	8.1 8.4	2 2	3 4	6	11	18 16	With surgery	9,870 850	12.0 10.6	5.4 8.2	7 2	8	10 9	14 15	18 19
DTHER DISEASES DF 8LADDER (606)	1245	,,,	0.0		١.				INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Totol	4,345 2,365	11.1	9.3	2 2	4	8	13	23	Total	9,090	12.1	10.7	3	5	8	14	24
75 to 84 years	1,550 430	11.0 11.7	7.5 9.0	3 2	5	1	14 16	20 25	65 to 74 years 75 to 84 years 85 years ond over	4,675 3,440 975	11.2 12.8 14.4	9.8 11.4 11.4	3 3 4	5 5 6	8 9 10	13 15 18	21 25 29
One diognosis	1,735 2,610	9.8 12.0	9.2 9.2	3	5	7 9	11	18 24	Dne diognosis	3,640 5,450	10.2 13.5	10.3	2	4 6	7	12 16	20 26
With surgery	2,915 1,430	9.7	9.1 9.5	3 2	3	7	15	25 18	With surgery	2,045 7,045	15.0 11.3	14.4 9.2	2 3	5	10	20 13	33 21
URETHRITIS AND STRICTURE OF URETHRA (607,608)	4.450		4.0	,			,,,	,,	RHEUMATDID ARTHRITIS (722.0)	4 555	12.4	11.0	3		10	14	25
Totol	6,650 4,170	8.3 7.5	6.9	1	3	5	10	16	Age: 65 to 74 years	6,555 4,485	13.4	11.0	3	6	10	16 16	26
75 to 84 years	2,050 430	9.3 11.1	7.1 7.7	2 2	4 4	9	12 15	18 23	75 to 84 years	1,850 220	13.7 10.3	10.2 7.1	4 2	7 5	11 8	17	24 22
One diognosis	2,555 4,095	6.8 9.2	6.4 7.0	1 2	4		8 12	14 17	Dne diognosis	2,040 4,515	12.0 14.0	9.1 11.8	3	5 6	9 10	15 17	24 26
With surgery	5,185 1,465	8.5 7.3	7.1 6.0	2	3	6 5	11	17 15	With surgery	1,035 5,520	18.5 12.4	15.4 9.7	3	7	14 10	24 15	39 23
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)									OSTEDARTHRITIS (ARTHRDSIS) (723.0) Totol	13,985	11.8	10.1	3	5	8	15	23
Total	15,705	10.5	9.4	3	4	7	12	20	Age: 65 to 74 years	7,665	11.5	10.0	3	5	8 9	14	22
65 to 74 years	6,960 6,525 2,220	9.5 11.2 11.9	8.4 9.9 10.6	3 3	5 5	8 8	11 13 14	18 20 23	75 to 84 years	5,170 1,150	12.3 11.0	10.6 8.0	3	5 5	8	15	24 21
One diognosis	6,005 9,700	8.5 11.8	7.5 10.2	2 3	4 5	6 8	10 14	16 23	Dne diognosis	4,235 9,750	12.0 11.7	10.8 9.7	3	5	8	16	25 22
With surgery	3,540 12,165	11.1 10.4	10.1 9.2	2 3	4 4	7 7	14 12	22 19	With surgery Without surgery	2,515 11,470	18.7 10.3	14.3 8.1	3	4	15 8	23 12	36 19
HYPERPLASIA OF PRDSTATE (610)									SPONDYLITIS OSTEOARTHRITICA (723.1) Totol	9,655	10.2	7.9	3	5	8	13	19
Totol	39,355	12.4	8.4	4	7	10	15	22	Age: 65 to 74 years	5,700	9.8	7.6	3	4	7	12	19
65 to 74 years	22,440 13,900 3,015	11.6 13.2 14.4	7.7 9.0 10.2	4 4	6 7 7	9 11 11	14 16 17	20 24 27	75 to 84 years	3,255 700	10.6 11.0	8.5 7.4	3	5	8 9	13	20 20
One diognosis	20,850 18,505	11.2 13.7	7.2 9.5	4	6 7	9	13 17	19 25	Two or more diagnoses	2,250 7,405	8.8 10.6	7.1 8.1	3	5	6 8	11 13	17 20
With surgery	32,355 7,000	12.9 9.8	8.2 8.9	5 2	7 4	10	15 12	22 20	With surgery Without surgery	770 8,885	15.8 9.7	13.5 7.0	3	7	12 7	19	29 18
OTHER DISEASES OF PROSTATE (611,612)									ARTHRITIS (PDLYARTHRITIS), UNSPECIFIED (725)	0.005	100	0.0	_			,,	01
Total	4,460	9.5	8.6	2	4	7	11	18	Total	9,985 5,330	10.9	9.2 8.0	3	4	8	13	21 19
Age: 65 to 74 years	2,695 1,345 420	8.6 10.4 12.6	6.7 9.2 14.5	2 2 3	4 4 4	7 7 8	10 13 14	16 20 23	75 to 84 years	3,710 945	11.3 14.1	9.5 12.7	3	4 5	11	14	23 30
One diognosis	1,865 2,595	8.4 10.3	8.3 8.7	2 3	3 4	6 7	10	15 21	Dne diognosis	3,600 6,385	10.2 11.4	8.6 9.5	3	5	8	13	20 22
With surgery	1,840 2,620	10.6 8.7	9.7 7.5	2 2	5 4	8 6	13 10	19 16	With surgery	810 9,175	15.4 10.5	9.0	2	4	13	13	29 20

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard	l	Perce	ntiles	(doys)				Average	Standard	<u> </u>	Percer	ntiles	(doys)	
Potient choracteristics	Number of dischorges	stay (doys)	deviation (days)	10th	25th	50th	75th	90th	Potient chorocteristics	Number of dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)									SYMPTOMS REFERABLE TO								
TotalAge:	6,795	12.4	10.2	3	5	9	15	23	GENITOURINARY SYSTEM (786) Total	3,855	9.0	7.9	1	3	6	12	18
65 to 74 years	2,715 3,155 925	11.5 13.3 12.2	9.3 11.3 8.3	3 3 3	5 5 6	9 10 10	14 16 16	22 24 24	Age: 65 to 74 years	2,260 1,275	8.1 10.6	7.4 8.3	1 2	2 4 2	5 8 6	11 15	16 21
One diognosis	1,235 5,560	12.4 12.4	10.6 10.1	3	5	9	14 15	24 22	85 years ond over One diagnosis	320 3,280	9.2 8.9	9.0 8.2	1	3 3	6 8	11	20 18
With surgery	330 6,465	16.3 12.2	13.5 9.9	3	8 5	12	17 15	35 22	Two or more diagnoses	1,760	9.5	7.6	2	6	10	13	17 20
OISPLACEMENT OF INTERVERTEBRAL OISC (735)									OTHER GENERAL SYMPTOMS	2,095	6.9	7.5	1	2	4	8	15
TotolAge:	5,700	13.8	9.5	4	7	11	17	24	(780,781,787-789) Totol	11,345	8.9	8.2	2	3	6	11	18
65 to 74 years	4,390 1,175 135	13.8 13.8 14.9	9.7 8.9 8.0	4 5 5	7 8 8	11 12 12	17 16 20	24 24 27	Age: 65 to 74 years	6,335 3,830	8.2 9.8	7.3 8.3	2 2	3 4	6 7	10 13	17 20
One diognosis	2,805 2,895	13.9	9.8 9.2	4 4	7 7	11	17 17	24 24	85 years and over One diagnosis	1,180 9,015	10.0	11.2 7.9	1	3	7	13	19
With surgery	1,550 4,150	19.4	10.7	8 4	11 6	17	23	32 20	Two or more diagnoses	2,330 2,365	10.6	8.8	3	5	8	13 15	19
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)									Without surgery	8,980	8.5	7.4	ĩ	3	6	10	16
Total	4,100	7.3	6.2	1	2	5	9	14	Total	1,175	10.1	10.0	2	3	6	13	20
65 to 74 years 75 to 84 years 85 years and over	2,900 1,035 165	7.0 7.9 7.6	6.2 6.2 4.7	1 2 2	3 4	5 6 6	9 10 9	13 14 14	65 to 74 years	630 390 155	9.4 10.4 12.2	8.9 11.6 9.7	2 2 1	3 4 3	6 6 10	12 12 17	20 19 21
One diognosis	2,210 1,890	6.1 8.7	5.7 6.5	1 2	2 4	4 6	8 11	12 15	One diognosis	805 370	10.1 10.3	9.4 11.3	2 2	3 4	6	13 11	20 20
With surgery	1,805 2,295	5.9 8.4	5.8 6.2	1 2	2 3	3 6	7 10	13 14	With surgery	50 1,125	14.9 9.9	11.0 9.9	1 2	4 3	16 6	19 12	26 20
CONGENITAL MALFORMATIONS (750-759)									UREMIA (792)								
Total	1,815	9.7	9.2 9.7	2 2	3	7	12	19	Total	1,270 520	13.3	13.0	1	3	9	17 15	31 25
75 to 84 years	480 60	9.7 10.2	7.7 8.5	2 2	3	8	12 13	19 25	75 to 84 years	465 285	15.8 13.3	15.5 12.5	2	5 4	10 10	21 16	33 28
One diognosis	735 1,080	8.6 10.5	9.7 8.7	2 2	2 4	5 8	10 13	17 22	One diognosis	875 395	12.4 15.5	12.4 13.9	1	3 5	9 11	15 21	26 35
With surgery	735 1,080	10.2 9.4	10.3 8.3	2 2	3	6 7	13 12	20 19	With surgery	100 1,170	17.5 13.0	11.5 13.0	1	8 3	13 9	23 16	35 28
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)									SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Totol	3,130	6.9	7.1	1	2	4	9	14	Total	80	10.6	9.9 9.1	2	3	7	13	24 20
65 to 74 years	1,825 1,025 280	6.0 8.1 7.8	5.9 8.7 6.9	1 1 1	2 2 2	3 4 5	7 11 12	12 19 16	75 to 84 years	295 235	11.7 9.4	10.2 9.7	1	2	9	13 12	29 23
One diognosis	2,360 770	6.2 8.7	6.6 8.1	1	2 3	3 6	8 11	13 19	One diognosis	300 310	10.7 10.5	10.4 9.4	1	3	7	13	25 24
With surgery	300 2,830	9.4 6.6	7.7 7.0	1	2 2	8 4	12	19 13	With surgery	15 595	10.6	9.8	1	3	7	13	24
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)									OTHER AND ILL-OEFINEO DISEASES (791,793,795)								
Total	7,010	7.0	6.8	- 1	2	5	8	14	Total	4,505 2,980	8.3 7.9	8.1 6.9	1	3	5	10	18 17
65 to 74 years	4,420 2,020 570	6.3 8.0 8.2	6.2 7.4 8.5	1	3 2	4 5 5	8 9 10	12 17 15	75 to 84 years	1,235 290	9.3 8.1	10.0 9.4	1	2	6 5	10	22 16
One diognosis	5,900 1,110	7.0 6.7	7.0 5.7	1	2 2	4 5	8 8	14 13	One diognosis	3,670 835	7.9 10.1	7.8 9.1	1	4	5 8	10	18 21
With surgery	1,070 5,940	8.4 6.7	9.7 6.1	1	3 2	5 4	10	14	With surgery Without surgery	755 3,750	10.2 8.0	11.1 7.3	1	2	5 5	13	26 17
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)									FRACTURE OF VERTEBRAL COLUMN (805,806)						,-	00	
Total	10,580	8.0	8.1	1	3	5	9	, 17	Total	8,395 3,655	16.1	11.4	4	8	13	20	30
65 to 74 years	6,165 3,480 935	7.3 8.8 9.6	7.1 8.9 10.1	1 2 1	2 3 3	5 6 7	8 10 10	15 18 20	75 to 84 years	3,565 1,175	16.4 15.3	11.3 10.4	5	8	13	21 19	31 27
One diognosis	8,630	7.9 8.2	8.1 7.9	1 2	3	5	9	17	One diognosis	3,325 5,070	14.6 17.0	9.9 12.1	4 5	7 8	12 14	18 21	29 32
With surgery	1,240	12.4 7.4	10.3 7.5	2	4 3	8 5	18 8	26 14	With surgery Without surgery	525 7,870	22.7 15.6	15.1 11.0	5 4	10 8	19	31	42 29
	, ,,,,,,,,																

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Percer	ntiles	(doys)	Patient	Number of	Average	Standard		Percen	tiles	(doys)	
choracteristics	dischorges	stoy (days)	(days)	10th	25th	50th	75th	90th	characteristics	dischorges	(doys)	deviation (doys)	10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)									HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	5,960	12.6	11.5	2	5	9	15	27	Total	6,005	9.7	10.3	1	3	6	12	2
65 to 74 years	2,930 2,270 760	12.0 12.5 14.8	11.4 11.3 12.8	2 2 3	4 5 6	8 9 10	14 15 18	26 26 33	65 to 74 years	3,110 2,230 665	9.1 10.3 10.0	10.1 10.6 10.1	1 1 1	2 3 3	5 6 6	11 13 14	2 2 2
One diognosis	1,680 4,280	9.4 13.8	9.0 12.2	2 3	5	7 10	12 17	17 29	One diagnosis	1,705 4,300	9.7 9.6	11.4 9.8	1	2 3	5	13 11	2
With surgery	565 5,395	17.8 12.0	16.8 10.7	2 2	5	11 8	25 14	44 25	With surgery	1,350 4,655	13.2 8.6	13.1 9.1	1	2	8 5	20 10	3
FRACTURE OF PELVIS (808)	0.705	01.7	,,,	_					LACERATION AND OPEN WOUND (870-898)								
Total	3,785 1,375 1,605	21.7 21.8 21.5	15.4 15.6 14.6	5 5 5	10 10 10	18 18 18	28 28 28	41 43	Total	6,105 3,725	8.8 7.9	9.4 8.1	1	2	5	11 10	1
35 years and over	1,765	21.8	16.6	4	8	17	28 28 25	46 38	75 to 84 years	1,825 555	7.9 9.9 11.3	16.0 13.4	i 2	3	6	13 14	2
Two or more diagnoses	2,020	23.7	16.6	6	11	20	30	49	One diagnosis	2,380 3,725	7.0 9.9	7.3 10.3	1	3	6	8 12	1: 20
Without surgery	3,505	21.3	15.2	9 5	9	18	27	43	With surgery	3,040 3,065	9.5 8.1	11.2 7.1	1	3	5 6	12 10	10
Torol	6.715	12.9	12.5	2	4	8	17	28	SUPERFICIAL INJURY (910-918)								
Age: 15 to 74 years	2,835 2,900 980	11.9 12.8 15.9	12.0 12.5 13.6	2 2 2	4 4 5	7 8 12	16 16 21	26 28 35	Total	725 325 345	7.5 5.8 9.0	6.7 5.5 7.5	1 2	2 2 3	3 6	10 7 11	1 1
One diagnosis	4,100	10.4 16.9	10.5	2 3	3 5	7	12 23	21 36	85 years and over	55 150	7.9 5.7	5.2 4.9	2	3	5	10	1
Vith surgeryVithout surgery		13.0 12.9	12.2 12.7	2 2	4	9 8	17 17	28 28	Two or more diagnoses	575 55	8.0 8.7	7.0 8.4	2	3	5 6	10	1
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)									CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)	670	7.4	6.5	1	2	4	9	1
Total	5,335	7.7	9.2	1	2	4	8	17	Total	10,985	9.5	8.8	2	3	7	12	,
\$5 to 74 years	3,090 1,750 495	6.7 8.9 9.7	8.2 9.9 11.1	1 1 1	2 2 3	5 6	8 10 9	14 21 21	Age: 65 to 74 years	5,090 4,350	8.3 10.5	7.1 9.5	1 2	3 4	6	10 13	1 2
One diognosis	3,215 2,120	5.4 11.2	7.1 10.8	1	2 3	3 7	6	10 27	85 years and over One diagnosis	1,545 2,810 8,175	10.7 7.1 10.3	11.0 6.3 9.4	1 2	2 4	7 5 7	13 9 13	1 2
With surgery	3,720 1,615	6.9 9.7	8.0 11.3	1	2 2	5	7 11	15 22	With surgery	955 10,030	12.8	11.9 8.4	2	5	9	16	2
FRACTURE OF FEMUR (820,821) Totol	40,395	21.4	15.2	5	11	17	27	41	ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES								
Age: 65 to 74 years	11,975 18,650 9,770	21.9 21.6 20.6	15.8 15.1 14.5	5 5 4	11 11 11	17 18 17	28 27 26	42 42 38	(960-989) Total	4,375	7.9	7.9	1	3	5	9	1
One diagnosis	26,285 14,110	20.6 23.1	14.6	5 6	11 12	17	25 30	39 46	65 to 74 years 75 to 84 years 85 years ond over	2,495 1,590 290	7.5 8.3 9.4	7.8 8.0 7.8	1 1 2	2 3 4	5 6 6	9 10 10	1 1 2
With surgery	30,060 10,335	21.9 20.0	13.7 18.7	8	13 5	18 14	27 28	39 47	One diagnosis	1,660 2,715	5.6 9.4	5.1 8.9	1 2	2	4 6	6	1 2
RACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)									With surgery Without surgery	190 4,185	9.8 7.9	8.0 7.9	3 1	3	6 5	13	1
Total	8,905	13.8	12.6	3	5	9	17	29	COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
75 to 74 years	5,605 2,710 590	12.7 15.2 17.7	11.3 13.7 17.6	3 3 3	5 5 5	9 10 11	15 19 21	26 34 41	Total	4,915	10.0	10.8	2	3	6	12	2
One diagnosis	5,370 3,535	12.0 16.4	10.6 14.8	3	5	9 11	14 22	24 34	65 to 74 years	3,010 1,645 260	9.1 11.3 12.9	9.7 11.2 17.5	2 2 1	3 4 3	5 8 6	11 14 13	1 2 2
Vith surgery	4,980 3,925	14.2 13.3	12.7 12.6	3 2	6	10 8	17 17	28 30	One diagnosis Two or more diagnoses	2,970 1,945	9.2 11.4	9.7 12.1	2 2	3 4	5 7	11 14	2
SPRAINS OF BACK (846,847) Total	7,980	9.7	7.4	3	4	7	12	18	With surgery	1,550 3,365	12.3 9.0	12.7 9.6	2 2	3	9 5	15 11	1
Age: 55 to 74 years	4,815 2,610	8.6 11.5	5.9 9.3	2	4 5	7 8	11 14	15 22									
35 years and over	555 2,910 5,070	8.8 10.3	7.9 6.9 7.7	2 3	5 4 5	10 7 8	13 11 13	19 16 19									
Two or more diagnoses	5,070	10.3	7.7	3	3	30	10	22									

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

		Average	Standard		Perce	ntiles	(days))			Average	Stondard		Percer	ntiles	(days)	
Potient chorocteristics	Number of dischorges	stay (days)	deviation (days)	10th	25th	59th	75th	90th	Potient charocteristics	Number of dischorges	stay (days)	deviction (days)	10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC OISEASES (002-138)									MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
TotalAge:	4,405	10.8	11.6	1	3	7	13	23	Total	1,155	13.2	10.8	2	5	10	17	28
65 to 74 years 75 to 84 years 85 years and over	2,360 1,695 350	10.5 10.7 13.2	11.9 10.6 14.0	1 1	3 3 4	7 8 8	12 13 13	23 22 34	65 ta 74 years 75 to 84 years 85 years ond over	585 470 100	13.0 14.1 10.7	10.3 12.0 6.9	2 2 2	5 5 4	10 10 8	16 20 15	26 30 19
One diagnosis	1,640 2,765	9.7 11.4	11.8 11.4	1	2 4	5 8	11 14	20 23	Ore diagnasis	390 765	11.1 14.3	7.9 11.9	2 2	5	10 10	14 19	22 31
With surgery	890 3,515	12.0 10.5	12.1 11.4	1	3	8 7	16 12	26 22	With surgery	420 735	18.4 10.3	10.6 9.8	6	11	16	23 13	31 22
HERPES ZOSTER (088)									MALIGNANT NEOPLASM OF PANCREAS (157)			:					
Tatal	1,200	10.7	7 9 8.7	3	5	8	13	20	Total	1,200	14.9	11.6	3	6	12	20	28
75 to 84 years	550 170	10.5	7.5 6.6	3 4	5 5	8	13	20 21	65 to 74 years	650 485 65	14.9 13.8 22.0	11.5 11.5 11.5	3 3 6	6 5 15	12 10 20	20 17 25	28 25 33
One diognosis	400 800	8.9 11.6	6.1 8.5	2	5	7 9	11 14	18 21	One diagnosis	415 785	13.6 15.5	12.0 11.4	2 3	5	10	17 21	26 28
With surgery	70 1,130	14.6 10.5	9.4 7.7	5 3	7 5	12	15 12	29 20	With surgery	515	17.5	8.6	7	11	16	22	26 30
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)									MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)	685	12.9	13.1	2	4	7	16	30
Totol	1,215	11.0	13.7	1	3	6	12	23	Total	5,735	12.3	11.5	2	4	9	16	26
65 to 74 years 75 to 84 years 85 years ond over	795 365 55	9.0 20.4	13.6 9.2 28.1	1 2 2	3 4	6 6	12 10 14	26 16 51	Age: 65 to 74 years	4,195 1,325 215	12.6 11.6 11.7	11.7 10.4 14.3	2 2 1	4 4 3	9 8 6	16 15 12	26 27 20
One diagnosis	635 580	6.6 15.8	7.7 16.9	1 2	2 4	10	19	11 34	One diagnosis	2,290 3,445	11.4 12.9	11.0 11.8	1 2	3 4	7 9	15 17	23 27
With surgery Without surgery	820 395	8.5 16.2	9.0 19.2	1 2	4	8	10	19 42	With surgery	2,270 3,465	13.5 11.5	11.1 11.7	2	4 3	10 7	18 15	27 25
MALIGNANT NEOPLASM OF ESOPHAGUS (150)									MALIGNANT NEOPLASM OF BREAST (170)								
Totol	595	13.8	12.6	1	3	11	18	27	Total	4,215	11.1	8.8	3	6	9	13	20
65 to 74 years 75 to 84 years 85 years ond over	295 275 25	14.5 13.0	14.1	į	2 *	13	18	26 27 *	Age: 65 to 74 years	2,370 1,525 320	10.6 11.7 12.4	8.8 8.3 10.4	3 3	5 6 5	8 9 8	12 14 13	18 20 29
One diognosis	365	10.9 15.6	14.1 11.2	1 2	7	14	15 20	23 29	One diagnosis	1,810 2,405	9.2 12.6	5.4 10.4	3	6	8 10	11 14	16 23
With surgery	305 290	14.0 13.7	11.5 13.7	1	3 4	13	18	27 27	With surgery	2,705 1,510	10.0 13.1	6.7 11.4	3 2	6 5	8 9	11 16	16 25
MALIGNANT NEOPLASM OF STOMACH (151)									MALIGNANT NEOPLA5M OF CERVIX UTERI (171)	1,510	13.1					10	15
Totol	955	16.2 16.4	13.0	2	7	13	22	33	Total	1,290	7.5	8.3	1	2	4	8	15
75 to 84 years	860 225	15.9 17.0	13.2 15.2	2 2	6 5	13	21 28	32 38	65 to 74 years 75 to 84 years 85 years ond over	875 385 30	7.2 7.5 14.7	7.5 9.1 14.2	1 1 1	2 2 2	4 4 7	8 8 17	15 12 34
One diognosis	695 1,345	15.1 16.8	14.0 12.3	3	7	12	19 23	25 33	One diagnosis	775 515	6.4 9.2	7.8 8.7	1 2	2	3 6	6 10	11 19
With surgery	980 1,060	20.6 12.3	11.1 13.3	9	13	18	25 16	36 30	With surgery	915 375	7.4 7.8	8.1 8.8	1	2 2	4 5	8 9	14 17
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)									MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Totol	5,200 2,645	17.1 17.0	12.4	3	9	14	22	32 32	Total	1,780	9.1	8.7	2	3	7	10	17
75 to 84 years	2,130 425	17.7 15.2	12.6 10.2	3 4 3	9 7	14	23 20	34 27	75 to 84 years	1,200 480 100	8.1 11.3 10.7	7.0 10.5 13.3	1 3 2	3 5 3	6 8 5	10 13 10	15 21 18
One diognosis	1,570 3,630	17.3 17.1	13.2 12.0	3	9	14 14	21 22	35 31	One diagnosis	935 845	7.2 11.2	5.7 10.6	1 2	3 5	5 8	9	14 21
With surgery	3,200 2,000	19.7 13.0	11.9 12.1	8 1	11	16	24 18	34 29	With surgery	1,350 430	7.9 12.9	5.2 14.3	2 2	3 4	7	10 17	14 33
MALIGNANT NEOPLASM OF RECTUM (154)									MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)				_				
TotolAge:	2,165	16.7	12.5	2	6	15	22	32	Total	980	14.4	14.0	2	5	10	17	32
65 to 74 years	1,255 715 195	17.1 16.1 16.1	12.4 12.3 13.6	2 2 3	7 5 5	15 13 8	21 22 23	32 31 37	Age: 65 to 74 years 75 to 84 years	635 325 20	14.2 14.2	13.9 13.9	3 2 *	6 4 •	10 10	16 16	27 34
One diagnosis	945 1,220	15.8 17.3	11.2 13.4	2 3	6	14 15	22 22	28 33	85 years ond aver One diagnosis	20 220 760	13.0 14.8	9.0 15.1	3 2	7 5	11	14 18	29 32
With surgery	1,505 660	18.8 11.7	12.0 12.4	4 2	11	17	23 14	32 30	With surgery	485	14.9	9.1	7	9	11	19	23
									Without surgery	495	13.9	17.5	2	3	6	16	38

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of discharges	Average stoy	Standard deviation			ntiles			Potient characteristics	Number of	Averoge stoy	Stondard deviation		ercer	tiles	(doys)	_
choracteristics	discharges	(doys)	(doys)	10th	25th	50th	75th	90th	Characteristics	dischorges	(days)	(doys)	10th	25th	50th	75th	90
MALIGNANT NEOPLASM OF PROSTATE (177)	:								OTHER NEOPLA5M5 OF LYMPHATIC & HEMATOPOIETIC TI55UES (201-203,205)								
Total	6,865	10.3	9.2	2	4	8	13	20	Total	1,620	14.3	13.1	2	5	10	19	
75 to 74 years	3,275 2,745 845	9.8 10.9 10.5	9.8 8.7 7.7	2 2 2	3 5 4	7 8 8	12 14 13	18 21 22	65 to 74 yeors	870 655 95	13.6 15.2 14.9	13.0 13.7 7.4	2 2 5	5 5 8	9 13 12	16 20 20	
One diognosis	2,590 4,275	9.0 11.1	8.2 9.6	1 2	3 4	7 8	11 14	17 22	One diognosis	660 960	12.1 15.8	11.3 14.0	2 3	4 6	9 11	16 21	
Vith surgeryVithout surgery	4,085 2,780	10.1 10.6	7.4 11.2	2 2	4	8 7	13 12	19 22	With surgery	380 1,240	18.1 13.1	15.2 12.1	3 2	7 5	14 9	23 17	
MALIGNANT NEOPLA5M OF KIDNEY AND URETER (180)									8ENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Totolge:	935	13.1	8.8	2	7	11	16	24	Total	735	10.6	7.0	2	4	9	14	
5 to 74 years	615 265 55	13.2 13.9 8.6	8.8 9.1 6.7	3 3 1	7 8 2	12 11 6	15 16 12	22 29 17	65 to 74 yeors	475 245 15	10.4 10.7	6.9 7.3 *	2 2 *	5 3 *	9 10 *	13 15 *	
ne diognosiswo or more diognoses	295 640	12.1 13.6	7.2 9.4	2 2	7 7	11	15 16	18 26	One diognosis	265 470	9.4 11.2	6.9 7.0	2 2	3 5	8 10	13 15	
Nith surgery	480 455	14.0 12.2	7.4 10.0	4 2	10	13	16 15	23 25	With surgery	560 175	12.0 6.0	6.9 5.1	2 1	7 2	11 4	15 7	
MALIGNANT NEOPLA5M OF BLADDER (181.0)									8ENIGN NEOPLA5M OF RECTUM (211.4)								
Totol	4,305	9.1	9.2	1	3	5	11	20	Age:	645	6.6	6.4	1	2	4	8	
ge: 5 to 74 years 5 to 84 years	2,330 1,575	8.9 9.4	9.7 8.7	1	2 3	5	11 12	21 20	65 to 74 years	410 195 40	6.1 7.9 5.9	6.3 6.8 3.9	1 2	2 2 3	4 5 4	11	
5 years ond over	2,445	7.2	7.9	1	2	7	10	16	One diognosis	355 290	5.7 7.7	7.0 5.5	1 2	1 3	3 6	6 10	
wo or more diagnoses	1,860 3,335	11.5 8.4	10.5	2 1	3	5	15 10	25 18	With surgery	560 85	6.5 7.3	6.6 4.8	1 2	2 2	4 7	7 8	
Without surgery	970	11.4	12.2	1	3	6	14	28	8ENIGN NEOPLASM OF UTERUS (214,215)								
(190,191) Totol	2,430	6.9	9.0	1	2	3	8	16	Total	1,015	6.1	5.8	1	2	3	8	
ge: 5 to 74 years	1,195	7.2	9.9	1	2	3 3	8 7	16	65 to 74 years 75 to 84 years 85 years ond over	785 200 30	5.9 7.3 4.3	6.1 4.5 2.4	1 1 2	1 2 2	3 7 3	8 9 4	
'5 to 84 years	340	6.6	8.5 6.2	i	2	4	9	15	One diognosis	435 580	3.8 7.8	3.7	1	1 2	2 7	4	
One diognosis	1,430	5.2 9.4	7.3	1	2	5	14	20	Two or more diognoses	960	6.1	5.7	1	2 2	4	8	
Vith surgeryVithout surgery	2,070 360	11.6	7.9 12.6	1	3	8	14	15 24	LIPOMA (226)	55	6.6	6.6	'	2	3	7	
MAL. NEOPLA5M OF UN5PEC. PRIMARY SITE & OTHER & UN5PEC. SECONDARY 5ITE5 (199)									Total	815	4.2	3.6	1	1	2	5	
Totol	5,555	12.9	11.8	2	4	9	17	28	65 to 74 yeors	630 155 30	4.0 5.4 3.3	3.5 4.0 2.0	1 1 2	1 2 2	2 4 2	4 7 3	
5 to 74 years	3,295 1,875 385	13.3 12.6 11.1	12.3 11.5 8.8	2 2 1	4 4	9 8 8	17 17 16	28 28 22	One diognosis	565 250	3.4 6.0	3.0 4.0	1	1 2	2 5	3 9	
One diognosis	2,500	12.1	12.5 11.3	1 2	3 5	8	15 17	27 29	With surgery	765 50	4.3 2.8	3.7 1.0	1 2	1 2	2 2	5 3	
wo or more diagnoses	1,685	13.6	10.9	2	5 4	10	19 16		Without surgery	50	2.0	1.0			_	,	
Without surgery LYMPHOSARCOMA AND RETICULOSARCOMA (200)	3,870	12.6	12.2	<u>'</u>	"		10	20	Total	1,140	5.0	5.4	1	2	3	6	
Totol	1,190	12.6	11.5	2	4	8	17	25	Age: 65 to 74 years	595 460	5.1 4.9	6.4 4.0	1	1 2	3	5	
Age: 55 to 74 years	745 375	11.0 16.2	11.1 12.0	1 4	3 7	6	15 21	24 32	85 years and over One diagnosis	795	5.4 4.3	3.3	1	3	3	5	
35 years and over	70 640	9.7	7.0	1	3	6	15	19	Two or more diagnoses	345 1,045	6.7 4.8	7.5 4.5	1	2 2 2	3	8	
wo or more diagnoses	550 385	15.3 15.0	12.2	3 2	6	11	22 21	30	Without surgery	95	7.6	11.0	1	2	3	7	
Nithout surgery	805	11.5	11.2	2	3	7	15	24	Total	3,920	8.6	7.5	2	3	6	10	
Tatol	2,160	10.6	9.6	1	3	7	13	23	65 to 74 years	2,615 1,200 105	8.8 8.4 6.9	7.7 7.3 5.0	2 2 1	3 3 3	6 6 5	10 10 10	
Age: 15 to 74 years	1,045 950	10.1 11.2	8.9 10.1	1 2 1	3 4 3	7 8 6	14 13 11	23 22 21	One diagnosis	1,180 2,740	7.0 9.3	5.7 8.1	1 2	3 4	5 7	9	
35 years ond aver	165 860	10.5	10.3	1	2	7 7	13	23	With surgery	160	14.5 8.4	15.5	1 2	5 3	9 6	15	
Two or more diognoses	1,300 250	10.9	9.2 9.7	2	4	9	13	23	Without surgery	3,760 [0.4	0.9	Z	3	0	10	1

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard	Γ	Perce	ntiles	(doys)				Averoge	Standard		Perce	ntiles	(doys)	
Potient chorocteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	Potient choracteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
OISEASES OF THYROIO GLAND (250-254)									CHRONIC BRAIN SYNOROME ASSOCIATEO								
Totol	1,310	9.1	7.4	3	4	6	10	18	WITH SELECTEO OISEASES (313-317)	2055	,,,	,,,	,			,,	-00
Age: 65 to 74 years	945 340 25	8.4 10.4	6.8 8.2 *	3 3 *	4 5 *	6 7 *	13	16 20 *	Totol Age: 65 to 74 yeors 75 to 84 yeors 85 years and over	2,955 1,050 1,440	10.8 11.5 11.0	11.4 14.0 10.2	1 2 1	3 4 2	6 7	14 14 14	23 25 25 18
One diognosis	535 775	7.6 10.2	7.0 7.5	3 3	4 5	5 7	7 13	13 19	One diognosis	820 820	10.1	7.5	1	2 4	6	11	25
With surgery Without surgery	685 625	7.2 11.2	5.3 8.8	3	4 4	5 8	8 15	11 22	Two or more diognoses	2,135	20.2	17.7	3	8	12	27	22 44
DIABETES MELLITUS (260)									PSYCHOTIC AND PSYCHOPHYSIOLOGIC	2,785	10.2	10.6	1	3	6	13	20
Totol	14,880 8,380	10.5	9.4 9.4	2 2	4	7	13	20 19	OISOROERS (318-323) Total	1,410	14.4	13.8	2	4	9	20	34
65 to 74 years	5,585 915	10.6 11.8	9.0 10.7	2 2	4	8	13	21 24	Age: 65 to 74 years	1,075	13.5	12.4	2 2	4	9 11	18 22	31
One diognosis	3,175 11,705	8.8 10.9	7.7 9.7	2 2	3 4	6 8	10 13	16 21	75 to 84 years	260 75	17.1 18.4	17.3	2	4	13	24	38 37
With surgery	1,535 13,345	17.9 9.6	13.0 8.4	4 2	8	14 7	24 11	39 18	One diognosis	770 640	14.6 14.1	14.4	3	3 5	9	21 18	35 32
MALNUTRITIONAL DEFICIENCY STATES (286)									With surgery Without surgery PSYCHONEUROTIC DISORDERS (324)	130 1,280	27.0 13.1	19.1 12.4	3 2	4	21 8	41 19	50 27
TotolAge:	1,305	10.2	9.6	2	4	7	13	20	Total	3,710	9.7	9.7	1	3	6	12	22
65 to 74 years 75 to 84 years 85 years and over	570 575 160	9.1 10.4 13.3	11.7 6.1 10.7	3 2	2 5 6	5 8 11	10 14 16	18 20 24	Age: 65 to 74 yeors 75 to 84 yeors 85 yeors ond over	2,415 1,130 165	9.6 9.8 10.1	9.7 9.4 11.5	2 1 1	3 3 2	6 6 6	12 12 12	19 23 24
One diognosis	265 1,040	8.9 10.5	5.7 10.3	2 2	3 4	8 7	10 13	17 20	One diognosis	1,500 2,210	10.7 9.0	10.3	1 2	3	7 6	14 10	24 17
With surgery	80 1,225	14.6 9.9	16.9 8.8	2 2	7 4	11 7	15 13	18 20	With surgery	70 3,640	17.4 9.5	15.5 9.5	3 1	5	15 6	20 12	24 21
GOUT (288)	970	9.3	8.5	2	4	6	11	18	CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE								
Age: 65 to 74 years	545 345	8.7 10.3	7.2 10.6	2 2 2	4 4	6	11 11	16 21	(331,334.8) Total	17,960	12.7	12.6	1	4	8	16	28
85 years and over One diagnosis		9.1 7.9 9.9	4.7 6.0 9.3	2 2 3	5 3 4	5 7	11	14 16 19	Age: 65 to 74 yeors	6,450 8,325 3,185	12.4 13.2 12.0	13.1 12.7 11.1	1	3 4 4	8 9 8	16 17 16	29 29 26
With surgery	75 895	14.6 8.8	11,4 8.0	2 2	5 4	11 6	17 10	33 17	One diognosis	7,210 10,750	12.2 13.0	12.6 12.6	1	3 4	8 9	16 17	28 29
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)	0,3	0.0	0.0					.,	With surgery Without surgery	990 16,970	18.8 12.3	16.0 12.3	3	6	14	26 16	40 27
Totol	785	10.4	8.1	2	4	8	13	20	CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Age: 65 to 74 years	285 385 115	9.7 11.0	6.7 8.5 9.8	2 2 3	3 5 3	8 9 6	13 14 10	19 18 30	Total	7,230	13.7	12.2	2	5	10	17	28
One diognosis	1	7.3 12.4	5.2 9.1	1 3	3	6	10	12 23	Age: 65 to 74 years	3,000 3,290 940	13.4 14.3 12.5	12.3 11.8 13.3	2 3 1	4 5 3	9 11 8	17 18 16	28 28 26
With surgery	45 740	13.2	7.9 8.1	2 2	6 4	10	22	23 19	One diagnosis	2,240 4,990	12.6 14.2	11.0 12.7	2 2	4 5	9	15 19	28 28
IRON DEFICIENCY ANEMIAS (291)									With surgery	515 6,715	18.9 13.3	14.5 12.0	5 2	9	14	25 17	32 28
Totol	1,580	10.1	9.9	2	4	7	11	21	CEREBRAL ARTERIOSCLEROSIS (SO	3,713	13.3	12.0	2	4	,	.,,	20
65 to 74 years	675 705 200	8.3 11.1 12.5	6.3 12.5 8.5	2 2 2	3 4 6	7 7 9	10 12 19	14 24 25	SPECIFIEO) (334.0) Total	9,240	8.8	8.4	2	3	6	10	17
One diognosis	325 1,255	7.0 10.9	5.7 10.6	1 2	2 4	5 8	8 12	14 23	Age: 65 to 74 yeors	3,675 4,265 1,300	8.5 8.8 9.3	8.5 7.7 10.1	2 2 2	3 3 3	6 6 5	10 10 11	16 16 20
With surgery	210 1,370	11.6 9.9	8.7 10.1	1 2	5 4	9 7	14 11	24 19	One diagnosis	2,865 6,375	7.3 9.4	6.6	1 2	2	5 7	9 11	15 18
OTHER ANO UNSPECIFIED ANEMIAS (292,293)									With surgery	755	14.6 8.2	12.5 7.7	4 2	6 3	11	17	28 16
Totol		8.9	8.4	1	3	6	11	19	PARALYSIS AGITANS (350)	8,485	6.2	7.7	2	3	6	10	10
65 to 74 years		9.1 8.1 10.6	9.2 7.3 8.5	1 1 2	3 3 4	6 6 7	10 10 15	20 16 22	Total	2,460	13.4	10.7	3	6	10	18	25
One diognosis	1,080 2,815	6.7 9.8	5.8 9.0	1	2 3	4 7	8 12	14 21	65 to 74 years	1,525 880 55	14.2 12.0 15.9	11.6 8.4 15.9	3 3	6 5 4	10 9 9	20 16 15	26 24 35
With surgery	460 3,435	13.3 8.3	11.9 7.5	3	6 3	9	15 10	32 18	One diognosis	930 1,530	14.1 13.0	11.4 10.3	3 3	5 6	10 9	20 17	26 24
									With surgery	205 2,255	19.8 12.8	15.2 10.0	3 3	10 5	16 9	24 17	27 24

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard deviation		Percei	ntiles	(days)		Potient	Number of	Averoge	Standard	ı	Percer	riles	(doys)	
	dischorges	(days)	(doys)	10th	25th	50th	75th	90th	characteristics	dischorges	stoy (days)	deviation (doys)	10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)									ALL OTHER MYOCARDIAL OEGENERATION (422.0,422.9)								
Total	2,700	8.9 8.9	6.9	2	4	6	12	18	Total	1,180	10.4	9.0	2	3	7	14	22
65 to 74 years	1,580 960 160	9.3 7.6	6.7 7.3 5.1	2 2 2	4 4 3	6 7 6	13	18 18 17	Age. 65 to 74 years	480 485 215	9.5 10.8 11.8	7.9 9.2 10.4	2 2 2	3 4 4	6 8 8	13 14 14	20 23 22
One diognasis	1,175 1,525	8.0 9.7	6.7 6.9	2 3	3	6 7	10 13	15 21	One diognosis	210 970	8.2 10.9	7.1 9.3	2 2	3 4	5 8	12	14
With surgery	445 2,255	11.3 8.5	9.3 6.2	3 2	4	8	11	22 17	With surgery Without surgery	55 1,125	13.1	7.6 9.1	3 2	5	10 7	17 13	24 21
CATARACT (385)	21,500	6.1	3.2	3	4	5	6	9	FUNCTIONAL DISEASE OF HEART (433)								
TotalAge: 65 to 74 years	9,810	5.9	2.8	3	4	5	6	8	Total	8,970	8.2	7.8	1	3	5	10	17
75 to 84 years	9,595 2,095	6.3 6.5	3.5 3.7	3	4	5	7 7	9 10	65 to 74 yeors	4,250 3,690 1,030	7.7 8.4 9.6	7.á 7.7 8.8	1	3 3	5 6 7	9 10 12	15 18 19
One diognosis	15,950 5,550	5.8 7.1	2.4 4.5	3	4	5	6 7	8 11	One diognosis	2,360 6,610	7.0 8.6	6.6 8.2]	2 3	5 6	9	14 18
With surgery	20,710 790	6.1 6.1	3.0 7.1	3 1	1	5 4	6 7	9 12	With surgery Without surgery	1,785 7,185	11.2 7.5	9.2 7.3	2 1	4 2	8 5	14	24 15
GLAUCOMA (387)	1.670						_	,,	CONGESTIVE HEART FAILURE (434.1)								
TotolAge: 65 to 74 years	1,570	6.3 5.8	5.2 4.6	2	3	4	7	12	Total	15,675	10.5	9.3	2	4	7	13	20
75 to 84 years	615 115	6.3 9.3	5.4 7.5	3	3 4	5	10	11 17	65 to 74 years 75 to 84 years 85 years ond over	6,040 6,835 2,800	10.1 10.6 11.0	9.1 9.1 9.9	2 2 2	4 4	7 8 8	13 13 14	20 21 21
One diagnosis	835 735	5.2 7.5	3.9 6.2	1 2	3	5	8	8 15	One diognosis	4,750 10,925	9.5 10.9	8.5 9.5	2 2	3 4	7 8	12 14	19 21
With surgery	1,250 320	6.3 6.1	4.7 6.9	2 1	3 2	5	7 5	12 11	With surgery	805 14,870	17.1 10.1	10.7 9.1	5 2	9	15 7	22 13	30 20
CHRONIC RHEUMATIC HEART OISEASE (410-416)									HYPERTENSIVE HEART OISEASE (442,443)	,-						-	
TotalAge:	1,855	10.8	9.6	2	4	7	14	22	Total	8,995	9.6	8.6	2	4	7	12	19
65 to 74 years	1,310 485 60	9.8 8.0	10.0 8.5 4.5	1 2	4 4 3	8 7 7	14 13 11	25 18 14	65 to 74 yeors	4,320 3,625 1,050	9.1 10.1 9.8	7.9 8.8 10.2	2 2 2	4 4 3	7 7	11 13 12	18 20 17
One diognosis	230 1,625	10.2 10.9	10.4 9.4	2 2	3 4	6 8	11 14	20 22	One diagnosis	1,365 7,630	7.3 10.0	7.2 8.7	1 2	3	5 7	9 12	13 19
With surgery	260 1,595	17.9 9.7	14.5 7.9	2 2	5 4	16 7	23 12	39 19	With surgery	590 8,405	14.4 9.2	12.5 8.1	3 2	5 4	10 7	19 11	30 17
ARTERIOSCLEROTIC HEART OISEASE SO OESCRIBEO (420.0)									OTHER HYPERTENSIVE DISEASE (446,447) Total	5,740	7.7	7.8	1	3	5	9	15
TotolAge:	27,725	9.7	8.4	2	4	7	12	19	Age-	3,265	7.3	7.6	1	3	4	8	15
65 to 74 years	10,285 12,740 4,700	9.5 9.7 10.1	8.2 8.4 8.8	2 2 2	4 4	7 7 7	11 12 13	19 18 19	65 to 74 years 75 to 84 years 85 years ond over	1,980 495	7.5 10.6	7.3 10.1	1 2	3	5 7	9 12	15 19
One diognosis	t	8.4 10.1	7.2 8.7	2 2	3 4	6 7	10 12	16 20	One diagnosis		5.8 8.4	5.8 8.3		3	6	10	10 17
With surgery	1,825 25,900	15.8 9.3	11,4 8.0	3 2	7 4	13 7	21 11	30 18	With surgery Without surgery	425 5,315	12.6 7.3	11.2 7.3	3 1	5 3	10	13	28 15
ACUTE CORONARY OCCLUSION (420.1)									GENERAL ARTERIOSCLEROSIS (450)	9,275	11.0	11.3	2	3	7	14	23
TotolAge:	21,300	13.9	10.3	1	5	13	19	26	Total	3,405	10.7	11.3	1	3	7	14	22
Age: 65 to 74 years	12,225 7,490 1,585	14.4 13.4 11.9	10.0 10.4 11.4	1	6 4 2	14 12 8	20 20 18	26 26 25	75 to 84 years	4,100 1,770	11.3 11.1	10.7 11.9	2 2	4 3	8 7	13 14	23 24
One diognosis	8,990 12,310	12.8	9.3 10.9	1	4 5	12	18 20	24 27	One diognosis	1,555 7,720	10.6 11.1	13.5 10.8	1 2	3	6 7	12 14	20 23
With surgery	845 20,455	16.2 13.8	13.0 10.1	2	5	14 13	22 19	31 26	With surgery Without surgery	1,865 7,410	16.7 9.6	13.7 10.1	1	8	13 6	19	31 20
OTHER ISCHEMIC HEART OISEASE (420.2-420.4,422.1)									AORTIC ANEURYSM, NONSYPHILITIC, ANO DISSECTING ANEURYSM (451)								
Total	22,380	9.4	8.5	2	3	7	12	19	Age:	1,765 940	10.0	9.8	1	1	7	15	23
Age: 65 to 74 years	11,670 8,650 2,060	9.0 10.0	8.4 8.7	2 2 2	3 4 4	6 7 7	11 12 12	18 20 19	65 to 74 years	715 110	11.0 9.0 6.7	10.8 8.5 7.7	1	1	8 5 3	16 13 8	24 22 18
85 years and over One diagnosis	6,285 16,095	9.6 8.1 10.0	8.2 7.4 8.8	1 2	3 4	5 7	10	18 20	One diognosis	660 1,105	8.4 10.9	7.7 10.8	1	1 2	5 7	12 17	19 25
With surgery	1,085	13.8	10.4	3	5	11	19	25	With surgery	845 920	13.6 6.6	9.4 9.0	1	7	12 3	18	26 18

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard		Perce	ntiles	(doys)			Averoge	Standard		Perce	ntiles	(doys)	,
Potient chorocteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	Potient charocteristics	Number of discharges	stoy (days)	deviation (doys)	10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROM8OSIS (454)									ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Tatal	1,950	11.4	9.8	1	4	9	15	23	Total	2,810	6.8	5.5	2	3	5	8	12
65 to 74 years	1,135 650 165	10.6 13.0 10.5	8.8 11.6 8.0	1	3 4 3	9 10 9	14 17 15	21 25 20	65 to 74 years 75 to 84 years 85 years and over	1,420 1,075 315	6.6 6.8 7.9	4.8 5.8 6.6	2 2 2	3 3 3	5 5 5	8 8 9	11 12 15
One diagnosis	885 1,065	9.2 13.2	8.1 10.7	1	2 5	7 10	13 17	17 27	One diagnosis	910 1,900	5.6 7.4	4.0 5.9	2 2	3	4 5	7 9	9 13
With surgery	1,110 840	14.1 7.9	8.6 10.2	5 1	8	12 4	16 10	24 21	With surgery	190 2,620	8.6 6.7	10.7 4.8	1 2	2 3	6 5	11 8	15 12
GANGRENE OF LOWER EXTREMITY (455.0)									INFLUENZA (480-483) Total	5,035	7.4	6.2	2	3	5	8	14
Totol		19.B	15.9	4	9	15	22	42	Age: 65 to 74 yeors	2,895	6.9	5.4	2	3	5	8	12
65 to 74 years	250	18.7 16.6 28.2	14.5 11.7 21.7	4 4 7	9 8 12	15 15 16	22 19 40	41 29 66	75 to 84 years 85 years and over	1,730 410 2,060	8.2 7.4 5.8	7.1 6.9 4.6	1	3 3	6 5	9 9	16 12 9
One diognosis	235 395	19.4 20.1	13.3 17.3	4 5	10	16 15	23 21	32 47	Two or more diognoses	2,975	8.5	6.9	2	4	6	10	16
With surgery Without surgery	175	19.2 21.5	13.6 20.7	5 4	11 6	15 12	21 28	38 49	With surgery	105 4,930	13.9 7.2	9.6 6.0	2	5 3	11 5	21 8	27 13
VARICOSE VEINS OF LOWER EXTREMITIES (460)									Total	710	11.0	9.6	1	4	8	14	23
Totol	1	10.8	11.3	3	4	6	12	22	65 to 74 years	305 325	11.1 10.3	8.2 10.4	2	5 2	9 7	13 15	18 21
65 to 74 years	605	9.1 14.2 13.2	9.7 13.3 13.5	3	4 4	10 8	9 18 16	18 33 23	85 years and over	235	9.3	10.8	2	5	12 B	17	23
One diognosis	1,115	8.8	8.8	2 3	3 4	5 8	10	20	Two or more diognoses	475	11.9	10.8	i	4	8	15	24
Two or more diagnoses	1	13.1 8.8 14.2	9.4 13.3	3 3 2	4 5	5 10	9 17	18 32	With surgery Without surgery BRONCHOPNEUMONIA (491)	55 655	15.6 10.7	8.2 9.6	3	7	15	18 13	27 23
HEMORRHOIDS (WITH OR WITHOUT	700	14.2	10.5	^		"	l "	32	Total	5,615	11.0	8.8	2	5	8	14	20
ULCER) (461) Totol	2,460	7.2	4.5	3	4	6	8	12	Age: 65 to 74 years	2,460 2,230	10.5 11.4	7.9 9.2	3 2	5	8	13 15	19 21
Age: 65 to 74 years	1,690	7.0	4.2	l	4	5 7	8	11	85 years and over	925	11.1	10.0	2	4	8	14	22
75 to 84 years	115	7.7 6.7	4.6 5.4	3 2 2	3	5	7	13	One diognosis	1,385 4,230	8.7 11.7	6.2 9.4	3 2	5	9	10 15	15 22
One diognosis	1,130 1,330	6.4 7.8	3.6 4.9	3	4	5	7 9	11	With surgery	275 5,340	17.4 10.6	14.1 B.3	3 2	5	15 8	21 13	30 19
With surgery	2,015 445	7.3 6.4	3.9 6.3	3	4 2	6	8 7	12 11	PRIMARY ATYPICAL PNEUMONIA (492)	- 050							
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)				Ì					Total	5,350 2,485	9.3 8.8	7.2 5.9	3	4	7	10	17
Totol	2,855	11.1	8.0	4	6	8	13	19	75 to 84 years	2,100 765	9.7 10.0	8.1 8.1	3	4 5	7 7	11	18
Age: 65 to 74 years	1,830 870 155	10.5 11.9 13.4	7.5 7.1 14.9	4 4 2	6 6 5	8 10 7	12 15 13	18 21 37	One diognosis	1,530 3,820	7.6 10.0	4.4 7.9	2	4 5	6 8	9 12	13 19
One diognosis	1,310	9.3	5.6	3	5	7	11	16	With surgery	240 5,110	13.4 9.1	10.0 6.9	1 3	6	11 7	18 11	23 16
Two or more diagnoses	240	12.6	9.3	4	6	10	16	24	PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Without surgery		10.8	7.5	4	6	8	13	18	Total	8,710	11.4	9.2	3	5	8	14	22
OTHER SITES (464)									Age: 65 to 74 years	4,225 3,225	10.9 12.0	B.8 9.3	3	5	8 9	13 15	21 23
Total	1,120	11.4	8.7 8.4	3	5	8	13	23	85 years and over One diagnosis	1,260 3,095	9.2	10.3 7.0	2	5 4	7	14	21 16
75 to 84 years	455	11.3 17.4	8.4 11.0	3 3 6	5 8	9	13 23	23 33	Two or more diognoses	5,615	12.6	10.0	3	6	9	15	24
One diagnosis		10.2 12.2	8.4 8.9	3 3	5 6	8 10	11 14	21 25	With surgery Without surgery ACUTE BRONCHITIS (OR SUBACUTE)	580 8,130	1B.7 10.8	13.5 8.6	3	5	15 B	13	34 20
With surgery	110 1,010	19.0 10.6	11.7 7.9	4 3	8 5	14	28 12	34 20	(500)								
PULMONARY EMBOLISM AND									Tatal	3,875 2,220	8.3 8.0	6.3	2 2	4	6	9	15 15
INFARCTION (465)	2,220	13.9	10.7	2	6	11	18	27	75 to 84 years	1,310 345	8.8 8.4	6.7 5.9	2 3	4 4	6	10 10	16 15
Age: 65 to 74 years	1,320 710	13.9 14.7	10.0 12.1	3 2 1	7 7	12	19	26 29	One diagnosis	930 2,945	6.6 8.8	3.6 6.9	2 2	4 4	5	7 10	11 16
85 years and over	190	10.9	9.1	ŀ	5	7	13	25	With surgery	95	12.6 B.2	13.4 6.0	1 2	5 4	7 6	11	29 15
One diognosis. Two or more diognoses With surgery	690 1,530	12.4 14.6	9.7 11.1 12.9	2 2 5	5 7 9	10 12	15 18 24	28 27 34	Without surgery	3,760	D.Z	6.0		- 4	, 0	7	, 3
Without surgery		18.6 13.4	10.3	2	6	l ii	17	25									

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard deviation		Perce	Τ	(00)0		Potient	Number of	Averoge	Standard deviation			ntiles	(00,0)	
chorocteristics	discharges	(days)	(days)	10th	25th	50th	75th	90th	chorocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	901
8RONCHITIS, UNQUALIFIEO (501)									ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	3,400	8.4	6.4	2	4	6	10	16	Total	1,010	12.1	9.7	3	5	10	16	
65 to 74 years	1,925 1,175 300	7.6 9.1 11.0	5.7 7.1 7.1	2 2 3	3 4 5	6 7 10	9 11 14	14 17 21	Age: 65 to 74 yeors	615 285	11.0 14.2	7.7 10.5	3 2	5	9	14 18	
One diognosis	1,145 2,255	6.7 9.3	4.8 6.9	2 3	3 4	5 7	8	13 16	85 years and over One diagnosis	110 490	12.5	15.3 7.7	2	5	7	13	
With surgery	170 3,230	10.0 8.3	9.5 6.2	1 2	2 4	7 6	14	20 15	Two or more diagnoses	520 270	13.7	9.0	6	11	11	18	
CHRONIC BRONCHITIS WITH EMPHY5EMA (502.0)									Without surgery	740	10.2	9.3	2	4	7	12	
Total	2,720	9.8	8.0	3	4	7	12	18	PERFORATION & W/O HEMORRHAGE (541.0)								ı
65 to 74 years	1,650 930 140	10.0 8.9 13.2	8.1 6.9 11.1	3 2 3	5 4 6	7 7 9	12 11 15	19 15 32	Total	4,580 2,775	9.9 9.8	7.8 8.0	2	4	7	12 12	
One diognosis	820 1,900	8.4 10.4	6.6 8.4	2 3	4 5	6 8	10	14	75 to 84 years	1,605 200	10.4 8.2	7.6 5.5	3	4	8	14	
With surgery	165 2,555	11.1	8.9 7.9	2 3	4 4	7	15	23	One diognosis	1,565 3,015	8.3 10.8	6.0 8.4	3	3 5	6 8	10 13	
Without surgery	2,333	7.7	7.4	3	4	′		"	With surgery	1,125 3,455	14.8 8.3	8.3 6.9	6 2	9	12 6	18 9	
Totol	1,320	8.6	6.9	1	3	6	10	17	ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
65 to 74 years	830 440 50	8.4 8.8 8.9	7.1 6.6 7.0	1 2 2	3 4 3	6 7 7	10 11 10	18 16 14	Total	3,035	11.0	8.1	3	5	9	13	
One diognosis	405 915	6.5 9.5	5.1 7.4	1 2	2 4	5 7	9	13	65 to 74 years 75 to 84 years 85 years ond over	1,665 1,105 265	10.1 12.3 11.8	7.1 9.1 8.8	3 3 3	5 5 6	8 10 9	12 17 14	
With surgery	235 1,085	8.0 8.7	8.7 6.5	1 2	1 4	5 7	10 10	18 16	One diognosis	1,320 1,715	9.5 12.2	6.6 8.8	3	4 6	7 10	12 16	
PULMONARY CONGESTION AND HYPOSTASIS (522)									With surgery	655 2,380	17.3 9.3	8.9 6.9	7	11 4	15 7	22 11	
Totol	1,200	10.3	9.0	1	4	7	14	22	ULCER OF STOMACH & DUOOENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
65 to 74 years	540 490 170	9.8 10.2 12.1	7.5 9.3 11.9	1 1 2	3 4	7 6 7	13 14 14	20 22 28	Total	515	13.5	9.9	3	7	10	17	
One diognosis	330 870	7.5 11.4	5.4 9.8	2 1	3 4	5 8	9 15	16 25	65 to 74 years	255 230 30	15.0 12.1 10.5	11.7 7.9 2.2	3 3 8	8 7 8	12 9 9	18 15 11	
With surgery	35 1,165	12.9 10.2	9.2 9.0	4	4 3	6 7	21 14	24 21	One diagnosis	195 320	13.1 13.7	10.2 9.8	4 2	7 8	9 11	15 18	
EMPHYSEMA WITHOUT MENTION OF 8RONCHITIS (527.1)									With surgery Without surgery	330 185	14.5 11.6	8.9 11.4	6 1	8	11 10	19 15	
Totol	7,535	10.0	9.6	2	4	7	12	20	GASTRITIS AND DUGDENITIS (543)								
65 to 74 years	4,735 2,400 400	9.9 10.0 10.1	9.9 9.1 9.2	2 2 2	4 4	7 7 7	11 12 12	20 21 21	Total	3,795 2,280	6.7 6.2	5.6 5.4	1	2	5	8	
One diognosis	1,840 5,695	8.4 10.5	9.0 9.7	1 2	3 4	6 7	9	15	75 to 84 years	1,215 300	7.3 7.3	6.0 4.6	1	3	6	9	
With surgery	515 7,020	15.8 9.5	12.0 9.3	2 2	7 4	12	20	34 19	One diognosis	1,105 2,690	5.4 7.2	4.1 6.0	1	2	4 5	7	
DISEASES OF ESOPHAGUS (539)	,,520								With surgery	315 3,480	11.1 6,3	7.2 5.2	3 1	5 2	10	14 8	
Totol	1,975	8.2	9.2	1	2	5	10	18	APPENOICITIS (550-553)								
65 to 74 years	1,155 610 210	7.3 10.0 8.0	8.1 11.4 5.9	1 1	2 2 3	6 6	12 10	16 22 17	Totol	1,325 780	10.1	8.1 7.2	3	5	7	12	
One diognosis	675 1,300	6.4 9.1	6.2 10.2	1	2 3	4 5	8 11	14 20	75 to 84 years	435 110	12.6 14.4	8.0 11.6	5 3	8	10	16	
With surgery	910 1,065	9.0 7.5	9.4 8.8	1	2 2	4 5	11	23 14	One diognosis	750 575	9.6 13.5	6.6 9.2	4	6	10	18	
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)									With surgery	1,125 200	11.2 11.7	7.1 12.2	1	6 3	6	14	
Total	2,285	12.0	8.8	3	6	9	15	22	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
65 to 74 years	1,385 740 160	11.3 12.7 14.8	7.5 9.8 12.3	4 3 3	6 6 7	9 10 12	14 15 18	20 24 23	Total	10,830 7,135	6.7 6.1	4.0 2.8	3	4	5	7	
One diagnosis	835 1,450	10.7	6.9 9.7	3 3	5 6	8	14	19	75 to 84 years	3,195 500	7.6 8.9	4.7 8.8	3 2	4	6	10	
With surgery	610	15.1	8.6	6	9	13	18	28 20	One diagnosis	7,065 3,765	6.0 7.9	2.6 5.4	3	4	5	7 9	
Without surgery	1,675	10.9	8.6	3	5	l R	14	20	With surgery	10,225 605	6.6 7.7	3.5 9.0	3	4 2	5	7 8	

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Perce	ntiles	(doys)	Potient	Number of	Averoge	Standard designation		Perce	ntiles	(days)	
chorocteristics	dischorges	(doys)	deviation (doys)	10th	25th	50th	75th	90th	charocteristics	dischorges	(doys)	deviation (doys)	10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT									CHOLELITHIA5I5 (584)								
MENTION OF O85TRUCTION (560.4) Totol	5,080	8.3	7.1	2	3	6	10	15	Tatal	10,900	12.2	8.2	4	7	10	15	21
Age: 65 to 74 years		8.2	6.6	2	3	6	10	16	65 ta 74 years	6,880 3,355	11.5 12.9	7.3 8.4	4 3	7 7	9	13 16	20 22
75 to 84 years	1,610	8.2 10.3	7.5 9.2	2	3	6 7	12	15 21	85 years and over	665	15.6	13.1	3	6	11	20	34
One diognosis	1,105 3,975	7.6 8.6	6.3 7.3	1 2	3	6	9	13	One diagnasis	5,345 5,555	11.2	7.1 8.9	3	7	9 11	13 17	19 23
With surgery	1,430	12.3	8.2	4	7	10	14	21	With surgery	7,670 3,230	13.8 8.3	7.7 7.9	7 2	8 3	11 6	16 9	22 16
Without surgery HERNIA OF OTHER SITES W/O MENTION	3,650	6.8	5.9	2	3	5	8	12	CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
OF O85TRUCTION (560.13,.8,.9)	0.000					,	,,,	1.5	Total	4,295	9.7	7.1	2	4	7	12	19
Total	2,990 1,965	8.8	5.0	3	4	7	10	15	Age: 65 to 74 years	2,220 1,670	9.5 10.2	6 9 7.9	2	4 4	8 7	11 14	17 21
75 to 84 years 85 years and over	900	9.7 11.5	8.1 10.2	3 4	5	7 7	11	17 20	85 years and over	405	9.0	5.6	2 2	4	7	12	18
One diognosis	1,645 1,345	7.3 10.8	4.0 8.1	3 3	4 5	6 8	8	11 19	One diagnosis	1,920 2,375	8.3 10.8	5.9 7.9	3	5	7 8	10 14	16 20
With surgery	2,660	8.9	6.1	3	5	7	10	15	With surgery	1,490 2,805	13.4 7.7	7.0 6.4	7 2	8	11 5	16 9	21 16
Without surgery	330	8.0	8.2	'	2	6	9	17	OTHER DISEASES OF GALLBLADOER AND BILIARY DUCTS (586)								
O85TRUCTION (561)									Total	1,355	10.9	8.8	2	4	8	13	24
Total	1	9.4 8.0	7.3 5.8	3 2	4	6	11	18	Age: 65 to 74 years	655 545	10.2 11.2	8.4 9.3	2 2	4	7 8	13 15	22 26
75 to 84 years	840	10.1	8.3 7.7	3 4	5	7 9	11	20 21	85 years and over	155	12.3	8.5	4	6	10	14	20
One diognosis	1,070	8.4 10.6	6.0 8.5	2 3	4 5	6 8	9	15 21	One diagnosis	515 840	9.3 11.9	7.6 9.3	2	3 5	7 8	12 16	19 26
With surgery	1,685	9.7	7.0	3	5	7	11	18	With surgery	435 920	16.9 8.0	9.4 6.9	7 2	9 3	14 6	22 9	28 15
Without surgery INTESTINAL OBSTRUCTION WITHOUT	320	7.8	8.9	1	2	4	8	21	OISEASES OF PANCREAS (587)								
MENTION OF HERNIA (570)									Tatal	1,535	11.4	9.3	2	5	8	14	22
Total		10.2	10.4	1	3	7	13	22	65 to 74 yeors	880 575	11.4 11.5	10.1 8.4	2 2	4 5 7	8 9	14 14	23 21
65 to 74 years	2,665	10.8 10.0 9.0	11.0 9.8 10.5	1	3 3 2	7 7 5	13 13 10	23 21 19	85 years and over One diagnosis	455	10.7 9.0	4.5 6.5	6		7	13	15
One diognosis	2,575	8.3	8.1	1	2	6	11	16	Two or more diagnoses	1,080	12.4	10.0	3	5	9	14	24
Two or more diognoses		11.5	11.5	1 5	3	13	15	25	With surgery	285 1,250	17.4 10.0	9.2 8.7	5 2	11	16 7	23 12	29 18
Without surgery	4,355	7.5	9.3	ĭ	Ź	4	8	15	NEPHRITIS, NEPHROSIS, ANO HYORONEPHROSIS (590-594,601)								
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)									Total	1,430	12.1	12.1	2	4	8	15	26
Total	8,880	6.7	6.4	1	2	4	8	13	65 to 74 years	925 400	11.6 12.5	11.4 13.7	2 2	3	8	14 14	27 22
65 to 74 years	3,505	6.2	6.2 5.9 8.2	1 1	3 3	5 5	7 8 0	12 13 18	85 years and over	105 365	14.0 8.1	11.8	1	3	8 5	22 10	25
85 years and over One diagnosis	3,425	8.3 5.2	4.4	1	2	4	6	10	Two or more diagnoses	1,065	13.4	13.1	2	4	9	16	28
Two or more diognoses	5,455	7.7	7.2 11.9	1 2	3	5	9	16	With surgery	455 975	14.3 11.0	11.8 12.1	1	3	11 7	18 12	29 25
With surgery	8,550	6.5	5.9	1	2	4	7	12 12	INFECTIONS OF KIONEY (600)								
OIVERTICULITIS (572.1)	0.716		7.0				,,	,,,	Total	3,210	9.7	8.0	2	4	7	12	19
Age: 65 to 74 years	9,715 4,860	8.9 8.8	7.9 8.1	2	3	6	11	18	65 to 74 years	1,580 1,235 395	9.6 9.6 10.1	7.7 8.5 7.3	2 2 2	4 4	7 7 8	12 11 12	18 19 21
75 to 84 years 85 years and over	3,755	8.8 9.5	7.8 7.8	2 2 2	3	6 7	11	17 18	One diognosis	910	7.1	5.3	2 3	3	5	8	13
One diognosis	3,505 6,210	7.5 9.6	6.6 8.5	1 2	3	5	9	15 20	Two or mare diagnoses	2,300 455	10.7	8.6 8.8		5	8 10	13 16	21
With surgery	1,940	14.8	9.8	4	7	12	19	28	Without surgery	2,755	9.2	7.7	3 2	4	6	iĭ	23 18
CIRRHOSIS OF LIVER (581)	7,775	7.4	6.6	1	3	5	8	14	CALCULI OF KIONEY AND URETER (602) Total	2,735	8.2	8.1	1	2	5	10	17
Total	1,590	13.2	11.7	2	4	9	17	29	Age: 65 to 74 years	2,055	6.8	6.0	1	2	4	9	14
Age: 65 to 74 years	1,265 300	13.4 13.3	11.9 11.0	2	4	9	17 17	29 26	75 to 84 years	605 75	12.1 14.9	11.7 9.0	2	3 6	8 14	17 18	27 25
85 years and over	25	•	•	4.	5	9	•	*	One diognasis	1,460 1,275	6.2 10.4	5.8 9.6	1 1	2	4 8	8 13	13 23
One diagnosis	545 1,045	12.9 13.4	12.9 11.0	2	5	10	16 18	29 28	With surgery	1,240 1,495	11.4 5.5	8.1 7.1	2	5	9	14	23 11
With surgery	200 1,390	17.2 12.7	12.4 11.4	4 2	9	13 8	20 16	34 28		,,,,,							

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stoy	Standard deviation				(days)		Potient	Number of	Averoge stay	Stondard deviation		rercei	ines	(doys)	,
charocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	(days)	(days)	10th	25th	50th	75th	901
OTHER DISEASES OF KIDNEY AND URETER (603,604)									OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Tatal	2,040	9.2	8.5	1	3	7	11	20	Total	1,820	6.6	6.0	1	3	4	7	1
65 to 74 years	1,25\$ 640 145	8.5 10.6 9.3	8.1 9.6 6.2	1 1	2 4 3	6 7 8	10 15 13	18 22 16	65 to 74 years 75 to 84 years 85 years and over	1,270 450 100	6.3 7.4 7.0	5.8 6.4 5.9	2 2 1	3 3	4 5 6	7 9 8	1 1
One diognosis	805 1,235	7.1 10.6	6.7 9.3	1 2	2 4	7	9 14	14 21	One diognosis	995 825	5.9 7.4	5.5 6.5	1 2	3	4 5	7 8	1
With surgery	1,275 765	10.3 7.3	8.7 7.8	1	3 2	8 5	13	21 14	With surgery	1,325 495	6.0 8.2	S.6 6.7	3	2 4	6	6 9	1
Total	3,770	7.3	6.9	1	3	5	9	13	Total	4,695	9.7	4.7	s	6	8	11	ı
Age: 55 to 74 years	1,835	6.7	6.9	1	2	4	8	13	Age: 65 to 74 years	3,400	9.5	4.4	5	6	8	11	1
5 to 84 years	1,600	7.4 9.7	6.2 8.7	2	3 5	5 7	9	23	75 to 84 years	1,170	10.3	5.7 5.6	5 4	7	9	11	
One diagnosis	1,210 2,560	5.5 8.1	6.1 7.0	1 2	3	6	10	10 15	One diagnosis	2,295 2,400	9.2 10.3	4.0 5.3	5 5	7	9	10	1
Nith surgery	1,470 2,300	7.0 7.5	7.3 6.5	1 2	3	4 5	9 8	14 13	With surgery	4,445 250	9.8 8.3	4.6 6.4	5	6 4	8 7	11	1
OTHER DISEASES OF BLADDER (606)									INFECTIONS OF 5KIN AND 5UBCUTANEOUS TI55UE (690-698)								
Total	2,145	10.0	8.7	2	4	7	12	20	Total	2,780	106	9.5	2	4	7	13	
55 to 74 years	1,190 770	10.2 9.6	9.0 8.5	2 2 3	4	7	14	21 19	Age: 65 to 74 years	1,465	10.2	9.8	2	4	7	13	1
5 years and over	18S 765	10.9	7.6		5 3	8	11	20	75 to 84 years	1,000	10.4 13.2	8.9 9.9	3	S .	10	18	
wo or more diognoses	1,380	10.7	9.4	2 2	4	8	14	22	One diagnosis	980 1,800	7.6 12.2	5.7 10.8	2 3	3 5	6 9	10 15	:
Vith surgery	1,600 545	10.2 9.4	8.7 8.7	1	3	6	12	21 19	With surgery	680 2,100	12.7 9,9	12.S 8.2	2 3	4	8 7	16 12	:
URETHRITIS AND STRICTURE OF URETHRA (607,608)									RHEUMATOID ARTHRITIS (722.0)	, , , , ,							
Total	2,320	6.7	7.7	1	2	4	8	13	Tato!	2,345	13.4	12.2	2	5	9	17	3
75 to 74 years	1,31S 765 240	\$.7 7.8 9.2	6.9 6.6 12.8	1	2 3 2	3 6 5	7 9 12	11 15 19	65 to 74 years	1,580 665 100	13.2 14.8 6.4	11.9 13.2 4.1	2 3 2	5 6 2	9 11 5	17 19 8	1
One diognosis		4.7 7.9	6.9 8.0	1	1	2 6	5 9	10 15	One diagnosis	690 1,655	10.9 14.4	8.8 13.2	2 3	4 5	8 9	15 18	3
Nith surgery	1,960 360	6.6 7.6	7.3 9.9	1	2 2	4 5	8 9	14 13	With surgery	605 1,740	13.8 13.2	11.4 12.4	3 2	5 5	10	19 17	
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)		,	,		-				OSTEOARTHRITIS (ARTHROSIS) (723.0)	4,730	13.0	11.3	3	4	9	17	
Total	3,28\$	8.5	8.1	2	3	5	10	18	Totol	2,265	14.2	11.6		S	10	19	2
5 to 74 years	1,400 1,43S 450	7.9 8.9 8.9	8.0 8.5 7.3	1 2 2	2 3 3	5 6 6	9 10 12	17 18 17	75 to 84 years 85 years ond over	1,905 560	12.5 9.8	6.6	3 2 2	4	8 9	16 12	1
One diognosis		6.8 9.5	6.8 8.7	1 2	2 3	4 6	8	13 20	One diagnosis	1,625 3,105	15.1 11.9	11.7 10.9	3 2	S 4	12 8	20 15	
Vith surgery	1,015	7.9	8.5	1	2	4	9	17	With surgery	1,570 3,160	20.4 9.3	13.1 7.9	6 2	11 4	18 7	25 11	:
Without surgery	2,270	8.7	8.0	2	3	6	10	18	SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	17,140	9.9	7.2	3	5	8	12	18	Total	2,920	9.6	7.1	2	4	7	12	
Age: 55 to 74 years	9,865	9.0	6.1	3	5	7	11	15	65 to 74 years	1,540 1,050	9.2 10.0	7.1 7.1	2 2	4	7 8	12	
75 to 84 years	5,935 1,340	10.9 13.0	8.0 9.3	3 4	5	10	13	19 24	85 years and over One diagnosis	330 665	9.9 7.9	7.3 6.2	2	3	6	14	
ne diognosis		8.8 11.1	6.0 8.1	3	\$ 5	7 8	10 13	15 21	Two or more diagnoses	2,255	10.0	7.3	2 2	8	10	13 20	
Nith surgery	14,875 2,265	10.2 8.3	7.0 8.3	4	5 3	8 5	12	18 17	With surgery	2,690	9.1	6.8	2	4	7	12	i
OTHER DISEASES OF PROSTATE (611,612)									ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Totol	985	6.3	\$.7	1	2	4	8	11	Total	2,305	9.4	8.7	2	4	6	11	1
Age: 55 to 74 years	605	\$.9	5.7	1	1	4	7	11	65 ta 74 years	1,095 935	9.1 10.3	7.1 10.9	2 2 2	4	7 7	11 12	
75 to 84 years	325 25	6.9	5.7	!	2 2	5	9	12	85 years ond over One diagnosis	275 825	7.2 9.3	10.0	2 2 2	3	6	11	1
One diagnosis	355 600	4.8 7.2	3.5 6.5	1	2 3	3 5	6 9	10 12	Two or mare diagnoses	1,480	9.4	7.9 12.3	2	5	7	11	1 2
Vith surgery	420 535	7.0 \$.7	7.5 3.6	1	2 2	4 5	9 7	12 11	Without surgery		8.7	7.9	2	3	6	liö	:

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

	Number of	Average	Standard		Perce	ntiles	(days)		D. e'	N. at a s	Averoge	Standard		Percei	ntiles	(days)	
Potient chorocteristics	Number of discharges	stay (doys)	deviation (days)	19th	25th	50th	75th	90th	Patient charocteristics9720	Number of discharges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)	2,410	11.0	8.4	3	5	8	14	21	SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Age: 65 to 74 years 7S to 84 years 85 years and over	725 1,175 510	11.6 10.6 11.3	19.4 6.7 8.6	3 3 3	5 5 5	8 8 8	14 14 13	22 20 27	Totol	1,140 665 375	8.4 8.7 8.1	7.9 7.8 8.5	1	3 3 3	7 6	10 10 9	16 16 16
One diognosis	335 2,075	10.9 11.1	7.1 8.6	3 3	6 5	9	13 14	18 21	One diagnosis	890 250	7.6 7.8 10.4	7.1 10.4	1 1	3 2	4 6 å	9 14	16 15 21
With surgery	155 2,255	18.0 10.5	14.2 7.6	3 3	7 5	15 8	23 13	32 20	With surgery Without surgery	605 535	10.5 6.0	7.7 7.5	3	6 2	8 3	12	19
OISPLACEMENT OF INTERVERTEBRAL OISC (735) Totol	2,530	12.0	8.3	3	6	10	15	22	OTHER GENERAL SYMPTOMS (780,781,787-789)								
Age: 65 to 74 years 75 to 84 years 85 years ond over	1,855 560 115	12.1 11.0 14.9	8.4 6.9 11.4	3 3 4	6 5 6	10 9 11	15 14 19	23 21 28	Total Age: 65 to 74 years 75 to 84 years	3,005 1,605 1,135	6.3 S.9 6.7 7.1	6.8 7.1 6.5	1	2 2 2 2	4 4 5	7 7 8 9	13 11 14 15
One diagnosis	1,105 1,425	12.0 11.9	8.1 8.5	3	6 5	10 9	1S 15	21 23	One diagnosis	265 2,195 810	5.4 8.9	5.6 4.8 10.0		2 3	4 6	6	11 17
With surgery	1,920	17.5 10.2	9.3 7.1	7 3	11 5	15 8	21 32	29 19	With surgery Without surgery NERVOUSNESS AND OEBILITY (790)	465 2,540	6.1 6.4	6.7 6.8	1	2 2	4 4	7 7	12 13
Total	1,565	5.8	5.0	1	2	4	7	11	Total	305	6.1	6.7	1	2	3	6	18
65 to 74 years	1,065 430 70	5.4 6.0 9.8	4.6 5.1 6.8	3	2 2 4	3 4 7	7 8 11	11 12 17	65 to 74 years 75 to 84 years 85 years and over	170 90 45	5.2 8.4 4.8	4.7 9.7 4.6	1	2 2 1	3 2 3	14 4	11 21 8
One diognosis	830 735	3.8 7.9	3.2 5.7	1 2	3	6	10	7 17	One diognosis	225 80	6.0 6.4	6.5 7.5	1	1	3 2	6	13 19
With surgery CONGENITAL MALFORMATIONS (750-759)	1,025 540	4.2 8.7	4.0 5.3	2	4	7	11	8 16	With surgery	300	6.1	6.8	1	2	3	6	18
Total	810 515	8.S 8.1	8.2 8.3	1	2 2	5	11	18	Total	225 75	12.2 9.7	11.9 7.3	2	3	7	16 15	28 18
7S to 84 years	260 35	9.3 7.4	8.3 2.2	3	2 3 S	5 S 7	14 8	19 9	75 to 84 years	120 30	14.7 8.5	14.3 6.9	3	3	8 4	19 10	38 18
One diagnosis	335 475	10.1	9.3	1	3	7	13	20	One diagnosis	100 125	10.4	9.9	2	3 4	8 7	13	23 28
With surgery Without surgery SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC	415 395	9.9 6.9	9.4 6.2	1	3 2	6 4	14 8	20 16	With surgery Without surgery SENILITY WITHOUT MENTION OF PSYCHOSIS (794)	40 185	10.5 12.6	8.7 12.4	2	3	7	17	22 30
SYSTEM (782) Total	1,305	5.0	5.1	1	1	3	6	10	Age:	300 35	8.9	10.6	2	3	6 2	11	16
Age: 65 to 74 years	690 495 120	5.4 4.4 \$.0	5.0 \$.5 4.0	1 1	1 1 2	3 2 4	8 4 5	12 9 9	65 to 74 years 75 to 84 years 85 years ond over	130 135	5.3 9.8 8.9	6.1	3	4 4	6	9 12	16 15
One diagnosis	965 340	4.4 6.9	4.4 6.6	1	1 2	2 4	5 9	9 16	One diagnosis Two or mare diagnoses With surgery	145	10.7	14.2	2	3	6	13	18
With surgery	140 1,165	7.9 4.7	7.5 4.6	1	2	3	10 S	20 10	OTHER AND ILL-DEFINEO DISEASES	290	8.9	10.7	2	3	6	11	17
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)	2 270	4.0	5.0	,		2	5	9	(791,793,795) Total	1,760	6.4	7.8	ì	2	3	8	13
Total	685	4.8 4.5 4.9	5.2 5.1 5.2	1	1 2	3 3	5 5	9	Age: 65 to 74 years	1,200 450 110	6.6 6.1 6.2	8.5 5.7 6.6	1 1	2 2 2	3 4 3	7 8 7	14 11 19
85 years and over One diagnosis	7,770 500	5.7 4.1 7.1	5.8 3.6 8.4	1	1 1 2	3 3 4	7 5 8	13 8 15	One diagnosis	1,345 415	5.4 9.8	6.2 11.0	1	1 3	3 6	6 12	10 20
With surgery	315 1,955	4.9 4.8	3.9 S.5	1	2	3 3	6	11 9	With surgery Without surgery	470 1,290	6.0 6.6	7.6 7.9	1	2	2	8	14 12
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)									FRACTURE OF VERTEBRAL COLUMN (805,806)	3,640	14.2	11.3	3	6	11	18	26
Total	2,34S 1,270	6.2 6.0	6.8 6.1	1	2	4	7	12 12	Totol	1,480 1,665	14.3 14.7	12.5 11.0	3 4	6 7	11	17 20	26 26 26 21
7S to 84 years	830 245	7.1 4.6	8.1 4.5	i	1	3	6	13	85 years ond over	1,045	12.3	9.4	4	7	10	15	24
One diagnosis	\$75	6.0	7.0 6.0	1	2 2	5	8	11 16	Two ar more diagnoses With surgery	2,595 265 3,375	19.4	12.0 14.5 10.9	3 4 3	8	17	18 25 17	28 35 25
With surgery Without surgery	240 2,105	12.2 5.6	9.9 6.0	1	2	3	16 7	25 10	Without surgery	3,375	13.8	10.9	, 3	6		17]	23

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Average stoy	Standard deviation		Percer	tiles	(doys)		Potient	Number af	Average	Standard deviation		Percer	ntiles	(doys)	
chorocteristics	discharges	(doys)	(doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	stoy (doys)	(doys)	10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)									HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	2,525	9.9	8.0	2	4	7	13	21	Tatol	2,700	7.9	9.6	1	2	4	9	17
65 to 74 years	1,130 980 415	9.0 9.7 12.6	7.1 8.2 9.1	1 2 3	3 4 5	6 7 10	12 12 16	20 19 23	65 ta 74 years	1,355 1,010 335	7.7 7.4 9.9	10.0 8.7 10.5	1 1	2 2 2	4 4 6	9 9 13	17 16 23
One diognosis	545 1,980	7.2 10.6	5.8 8.4	1 2	3 4	5 8	9 13	13 22	One diagnosis	615 2,085	5.9 8.5	8.9 9.7	1	1 2	2 5	6 10	13 18
With surgery	125 2,400	14.5 9.6	9.3 7.9	2 2	5 4	12 7	21 12	27 19	With surgery	595 2,105	10.8 7.1	11.9 8.7	1	2 2	7	13 8	27 15
FRACTURE OF PELVIS (808)	1 045	10.2	140	2		,,		200	LACERATION AND OPEN WOUND (870-898)								
Total	1,845	18.3	14.9	3	8	14	23	39	Total	2,250	7.2	9.2	1	1	4	8	15
75 to 84 years	860 445	19.6 15.8	16.1 14.7	4 4 2	5	15 11	25 20	43 37	65 to 74 years 75 to 84 years 85 years ond over	1,370 675 205	6.7 7.3 10.2	8.7 9.2 11.1	1 1 1	1 1 3	4 4 5	8 8 13	15 15 22
One diognosis	660 1,185	16.7 19.1	15.1 14.7	2 5	6 9	13 15	21 25	39 39	One diagnosis	910 1,340	6.2 7.9	8.8 9.3	1	1 2	2 5	7 9	13 16
With surgery	105 1,740	29.1 17.6	18.5 14.4	3 3	11 8	27 13	47 22	53 35	With surgery	1,130 1,120	7.0 7.4	9.1 9.2	1	1 2	3 4	8 8	15
FRACTURE OF HUMERUS (812) Totol	2,945	11.5	12.0	2		7	14	24	SUPERFICIAL INJURY (910-918)								
Age: 65 to 74 years	1,275	9.9	10.1	1	3	6	12	20	Total	345	6.1	6.9	1	1	3	7	14
75 to 84 years	1,240 430	13.0 12.2	13.4 12.4	2 2	4	8 7	16 16	27 27	65 to 74 yeors 75 to 84 yeors 85 years ond over	165 135 45	5.5 6.8 6.3	8.0 5.5 5.9	1 1 1	1 3 1	3 4 3	6 9 9	10 14 14
One diognosis	1,490 1,455	8.7 14.5	7.5	3	5	5 9	11	31	One diognosis	75 270	3.9 6.7	2.8 7.5	1	1	3 3	4 8	6
With surgery	1,110 1,835	13.5 10.3	14.4 10.1	2 2	5 3	8 7	18 13	27 22	With surgery	25 320	* 6.0	7.0	;		3	6	14
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)									CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Totol	2,550	7.3	8.9	1	2	4	8	16	Total	4,365	7.3	6.8	1	2	5	9	15
65 to 74 years	1,250 980 320	5.7 8.9 8.1	6.3 11.1 9.4	1	2 2	3 5 5	7 11 9	13 19 18	Age: 65 to 74 years 75 to 84 years 85 years and over	1,745 1,865 755	6.0 8.2 8.1	5.1 7.8 7.2	1	2 3 3	5 5	8 11 11	13 17 16
One diognosis	1,385 1,165	4.5 10.5	5.0 11.2	1 2	3	2 7	5 13	9 20	One diognosis	920 3,445	5.2 7.9	6.2	1	1 3	3 5	6	11
With surgery	1,865 685	6.5 9.3	7.2 12.3	1	2 2	4	12	14 19	With surgery	275 4,090	9.4 7.2	6.9 6.8	1	3 2	8 5	13	18 15
FRACTURE OF FEMUR (820,821)									ADVERSE EFFECTS OF DRUGS AND								
Totol	16,205 4,305	19.9	14.5	5	10	16	24 23 25	37	OTHER CHEMICAL SUBSTANCES (960-989)	2 260	4.2	7.4	,	2		7	12
75 to 84 years	7,535 4,365	20.6 19.4	14.5 14.3	5 6 6	10	16 16	25	39 35	Total	2,350 1,380	6.3 5.7	7.6 6.6	1	1	3	7	13
One diognosis	9,135 7,070	18.3 22.0	12.8	6	110	15	27	31 42	75 to 84 years	755 215	7.9 4.5	9.5 4.4	i	1	3	6	9
With surgery	12,395 3,810	19.4 21.7	12.1 20.4	7	6	16 15	23 29	34 55	One diognosis	765 1,585	5.5 6.6	9.7 6.4	i	2	3	5 8	10 14
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)									With surgery	65 2,285	12.5 6.1	19.0 7.0	2 1	4 2	6 4	10 7	16 13
Total	4,300	11.1	10.5	2	4	8	13	23	COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
65 to 74 years	2,800 1,260 240	10.6 11.8 13.0	10.7 9.7 12.8	2 3 1	5 3	7 9 9	12 15 16	21 24 30	Total	2,410	8.1	8.9	1	3	5	9	17
One diognosis	2,520 1,780	9.6 13.1	9.3 11.8	2 2	4 5	6 9	11 16	19 26	65 to 74 years	1,585 680 145	8.0 8.2 9.4	8.7 9.4 8.7	1 2 2	3 3	5 4 5	8 9 15	17 18 18
With surgery Without surgery	2,560 1,740	11.7 10.1	10.5 10.5	2 1	5 3	8 7	14 12	24 22	One diognasis	1,400 1,010	7.0 9.7	7.6 10.2	1 2	2 3	4 6	8 10	16 23
SPRAINS OF BACK (846,847)									With surgery	905 1,505	9.0 7.7	9.6 8.4	1:	3	6	9 8	20 17
TotalAge:	3,055	9.8	7.4	2	4	7	12	20									
65 to 74 years	1,615 1,065 375	9.5 10.0 10.1	6.8 8.3 7.5	2 2 2	4 4 5	7 7 9	12 11 11	20 19 22									
One diognosis	1,005 2,050	8.7 10.3	6.7 7.7	2 2	3	6 8	11 12	17 21									
With surgery	130 2,925	17.8 9.4	13.4 6.9	2 2	6	16 7	30 11	33 18									

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

		Averoge	Standard		Percer	ntiles	(days)				Average	Standard	Γ	Percer	tiles	(doys)	_
Patient charocteristics	Number of dischorges	stoy (doys)	deviation (days)	10th	25th	50th	75th	90th	Potient charocteristics	Number of discharges	Averoge stay (doys)	deviation (doys)	10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)									MALIGNANT NEOPLASM OF BILIARY PASSAGES ANO OF LIVER (155,156)								
TotalAge:	1,235	15.0	14.8	1	4	11	18	36	Total	370	19.1	12.5	5	9	16	25	33
75 to 84 years	690 405 140	15.3 14.9 13.8	16.2 13.9 9.2	2 1 2	4 5 7	10 11 11	17 19 18	38 30 20	65 to 74 years 75 to 84 years 85 years and aver	185 160 25	18.5 19.5 *	14.1 10.7	3 8 *	6 11 *	17 15 *	25 25 *	32 38 *
One diognosis	485 750	13.1 16.2	13.9 15.3	1 2	3 6	9 12	17 19	29 37	One diognosis	160 210	18.5 19.6	10.7 13.8	4 5	8 10	20 15	24 26	33 33
With surgery	305 930	18.5 13.8	14.5 14.8	1 2	5 4	15 10	27 16	39 27	With surgery	170 200	22.1 16.7	12.9 11.7	6	14 7	21 13	26 23	35 33
HERPES ZOSTER (088)									MALIGNANT NEOPLASM OF PANCREAS (157)								
Totol	325 120	13.0	7.9 6.0	2	6	11	17	19	Total	350	21.1	16.9	3	7	18	29	42
75 to 84 years		15.5	8.4 6.9	5	8 7	14	22 12	27 19	65 to 74 years	205 115 30	18.9 24.6 22.7	12.6 22.3 15.3	3 1 3	6 10 3	18 16 23	25 33 30	31 46 39
One diognosis	160 165	10.4 15.5	7.1 7.7	3 5	5 8	8 14	14 21	16 27	One diagnosis	155 195	26.1 17.1	18.2 14.5	6	14	22 13	31 24	42 38
With surgery	15 310	12.8	7.9	4	6	11	17	23	With surgery	190 160	27.8 13.1	16.9 12.8	11	18	23	32 18	44 31
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)									MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)	100	13.1	12.0	<u>'</u>		,	10	J.
Total		16.3	18.7	2	4	10	19	36	Tatal	1,595	15.0	11.3	2	6	12	21	28
65 to 74 years	285 120 35	15.3 21.3 7.6	17.5 22.2 5.0	2 1 2	5 4 3	9 13 4	18 25 10	30 52 13	Age: 65 to 74 yeors 75 to 84 yeors 85 yeors and over	1,045 535 15	14.4 16.3	10.9 12.1	2 3 *	6	11 12 *	19 24 *	27 28 *
One diognosis	245 195	13.6 19.8	17.6 19.4	1 4	7	7 14	14 24	33 37	One diognosis	700 895	12.3 17.1	10.0 11.7	2 3	4 8	9	17 24	25 31
With surgery Without surgery MALIGNANT NEOPLASM OF ESOPHAGUS	280 160	14.6 19.4	16.8 21.3	2 2	5	8 13	16 20	30 42	With surgery	770 825	16.7 13.4	11.9 10.5	3 2	8 5	14 10	22 18	28 27
(150)				_					MALIGNANT NEOPLASM OF BREAST (170)								
Totol	250 135	16.7	13.7	3	5	12	24	30	Total	1,840	15.8	13.9	4	7	11	18	30
75 to 84 years	90 25	16.1	14.8	3 *	4	ii	23	25	65 to 74 years	1,045 680 115	15.3 15.9 19.1	14.8 11.4 18.2	3 5 3	7 8 5	11 12 8	17 19 26	28 30 51
One diognosis	145 105	12.9 22.0	12.0 14.0	3 4	9	8 22	17 28	26 31	One diognosis	920 920	13.6 17.9	11.7 15.5	4 3	7	10 13	16 22	23 38
With surgery	155 95	17.5 15.3	13.5 13.9	3 2	6	11	26 19	31 24	With surgery	1,255 585	14.0 19.6	9.3 20.0	5 2	8 5	11 12	17 28	24 50
MALIGNANT NEOPLASM OF STOMACH (151)									MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	735	18.9	14.1	2	7	16	26	38	Tatal	335	15.0	16.9	3	4	8	15	41
65 to 74 years	365 310 60	21.4 16.1 17.5	15.5 12.3 10.1	3 2 2	8 5 8	18 13 15	30 23 26	47 32 27	Age: 65 to 74 years 75 to 84 years 85 years and over	230 105	12.0 21.4	14.8 19.2 —	2 5 	3 6 -	7 11 —	11 30 —	24 43 -
One diognosis	350 385	20.0 17.9	14.0 14.1	3 2	8 5	17	28 23	38 40	One diognosis	210 125	9.1 24.9	9.0 21.6	2 4	4 5	7 13	10 41	15 55
With surgery	300 435	25.6 14.3	13.3 12.6	8 2	14 3	22 10	34 21	44 29	With surgery	235 100	14.7 15.7	15.7 19.2	2 3	4 5	9	15 12	34 45
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)									MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Totol	2,105 1,060	20.3	15.2	4	9	16	26	39	Total	555	12.1	9.5	3	5	9	17	23
65 to 74 years	915 130	20.1 20.4 20.8	15.1 15.5 14.4	4 4 5	11	16 16 15	27 28	39 39 37	65 to 74 yeors	335 205 15	12.0 11.5	10.0 8.0	3 2 *	6	9 9 *	14 18 *	21 21 *
One diagnosis	885 1,220	20.8 19.9	16.2 14.4	3 5	11 9	16 17	27 25	39 39	One diagnosis	325 230	11.2 13.4	7.3 11.9	3 3	6 5	9 10	14 19	21 24
With surgery		23.3 15.3	14.3 15.3	9	14 5	19 9	27 20	45 33	With surgery	420 135	11.9 12.7	7.4 14.2	3 2	6 3	10 8	17 15	22 23
MALIGNANT NEOPLASM OF RECTUM (154)									MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	930	23.5	15.2	4	12	20	30	41	Total	280	19.4	15.7	3	8	14	25	39
65 to 74 years	530 325 75	23.7 24.2 19.6	16.0 13.8 14.0	4 4	12 13 7	20 23 18	29 33 25	47 40 37	Age: 65 to 74 years 75 to 84 years 85 years ond over	165 105 10	18.4 22.0	14.9 16.8	6 2	8 6	13 17 *	24 32 *	28 41 *
One diognosis	450 480	23.7 23.4	13.2 16.8	5	14 11	22 19	31 29	40 46	One diognosis	90 190	19.8 19.2	13.5 16.6	2 5	5 8	16 12	30 24	35 39
With surgery	630 300	25.8 18.8	15.0 14.4	3	15	23 17	31 25	47 40	With surgery Without surgery	120 160	23.4 16.4	10.0 18.3	11 2	14 5	21 10	28 17	40 33

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Percei	ntiles	(days)		Potient	Number of	Averoge	Standard		Percer	ntiles	(doys)	
<u>chorocteristics</u>	dischorges	(days)	(days)	10th	25th	50th	75th	90th	characteristics	dischorges	stoy (days)	deviation (doys)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)									OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TI55UE5 (201-203,205)								
Total	1,870	14.9	12.2	3	7	11	20	29	Tatol	585	15.3	15.8	1	4	8	22	35
75 to 84 years	790 820 260	14.6 14.5 17.0	12.6 12.0 11.0	3 3 4	6 6 8	11 10 13	18 20 23	26 29 32	65 to 74 years	360 205 20	18.7 9.3	18.1 7.7 *	1 2 *	5 4	11 6 *	26 12 *	38 18
One diagnosis	780 1,090	13.5 15.9	12.1 12.2	3 3	6 7	9 13	15 22	27 30	One diagnosis	300 285	15.2 15.3	16.1 15.6	1 2	4 3	8 9	20 22	35 33
With surgery	1,145 725	15.6 13.8	11.7 13.0	4 3	8	12 8	21 18	29 29	With surgery	120 465	22.4 13.4	21.8 13.3	3	7	14 8	27 21	50 34
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)									8ENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Totol	255	14.1	10.0	3	7	12	17	26	Total	200	19.9	15.6	5	9	14	25	40
65 to 74 years 75 to 84 years 85 years ond over	125 130 —	11.8 16.3 —	8.5 10.8 —	2 5 -	9 -	9 13 -	15 17 —	24 33 -	65 to 74 years	125 75 	20.7 18.7 —	17.8 10.9 —	6	10 8 -	13 15 -	23 26 -	50 32
One diagnosis	100 155	13.8 14.3	7.1 11.5	2 3	8	13 10	16 16	23 30	One diognosis	110 90	14.7 26.4	8.2 19.6	4 6	8 10	12 18	17 36	28 56
With surgery	115 140	18.9 10.2	10.8 7.3	5 2	12 5	i6 9	23 12	31 15	With surgery	160 40	19.2 22.9	12.9 23.2	4 7	10 8	15 10	25 17	36 48
MALIGNANT NEOPLASM OF BLADDER (181.0)									BENIGN NEOPLA5M OF RECTUM (211.4) Total	205	8.6	8.1	2	3	5	10	18
Total	1,390	12.5	11.6	2	4	9	16	25	Age: 65 to 74 yeors	135	8.6	8.7	1	2	6	10	18
65 to 74 years	730 535 125	11.0 13.7 15.6	10.2 12.4 14.1	2 2 3	4 5 4	7 10 11	14 19 20	22 26 31	75 ta 84 yeors	65 5	8.2	6.9	2 *	3	4.	7	17
One diognosis	810 580	10.4 15.3	10.0 13.0	2 2	3	7 11	13 21	20 29	One diognosis	90 115	7.5 9.4	7.7 8.2	2	3	6	7 11	17 17
With surgery	1,155 235	12.0 14.9	11.4 12.4	2 2	4	8 12	15 19	25 28	With surgery Without surgery	180 25	7.8	6.4	2 *	3	5 *	*	14
MALIGNANT NEOPLASM OF 5KIN (190,191)									8ENIGN NEOPLASM OF UTERUS (214,215)	075	0.5						
Total	795	9.3	10.2	1	2	4	12	23	Total	275 180	8.5 8.2	7.4 5.7	2	3	6	10	17 17
65 to 74 years	345 345 105	9.4 9.3 8.9	11.7 9.4 7.3	1 2 1	2 3 2	4 5 4	11 10 14	24 23 17	75 to 84 years	95 -	9.1 -	9.8 	3	3	5 -	8	14
One diognosis	540 255	7.8 12.5	8.8 12.2	1	2	4 8	9	16 29	One diagnosis	130 145	5.0 11.7	2.6 8.8	3	5	9	13	9 21
With surgery	660 135	8.4 13.7	8.6 15.3	1	2 2	4 5	12 19	20 40	With surgery	260 15	8.5	7.4	2 *	3	6	10	15
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY									LIPOMA (226)	190	4.2	3.9	1	2	3	4	6
5ITES (199) Totol	2,065	16.1	14.8	2	5	13	20	36	Age: 65 to 74 yeors	165 25 —	3.6	1.0	1	2 *	3	4	5
75 to 84 years	1,180 765 120	15.2 17.7 15.2	14.2 15.3 16.6	1 4 2	4 8 5	10 13 11	21 21 16	36 35 34	One diognosis	150 40	4.5 3.1	4.4	1 2	2 2	3 2	5	6
One diagnosis	1,140 925	15.3 17.2	13.4 16.4	2 2	5	11 12	20 22	33 38	With surgery Without surgery	180	4.1	4.0	1	2	3	4	5
With surgery	590 1,475	18.4 15.2	13.8 15.1	3 2	7	14 10	27 18	36 35	NEOPLASMS OF UNSPECIFIED NATURE OF THE 8LADDER (236.2)								
LYMPHOSARCOMA AND RETICULOSARCOMA (200)									Totol	560	5.5	6.5	1	2	3	6	11
Total	285	18.5	13.1	3	6	15	28	37	65 to 74 years	305 210	4.9 6.8	5.1 8.5	1	2 2 2	3	6	9 22 7
Age: 65 to 74 years	120 135 30	18.9 19.7 11.5	13.5 13.5 4.7	4 2 3	6 6 5	13 18 10	28 31 13	35 38 16	85 years and over	425 135	4.0 5.0 7.1	2.0 6.4 6.6	1	1 2	2 4	5 8	9 17
One diognosis	140 145	15.5 21.4	12.2 13.2	2 4	5	10	21 29	36 43	With surgery	505 55	5.0	5.7 10.3	1	2 3	3 5	5 18	9 27
With surgery	90 195	23.2 16.4	14.0 12.0	6 2	9	19 13	31 22	44 36	ASTHMA (241)								
LEUKEMIA AND ALEUKEMIA (204)									Total	945	11.3	8.4	2	5	9	14	21
Total	655	13.6	12.8	1	3	9	20	33	65 to 74 years	700 215 30	9.6 14.0	8.4 8.5 5.7	1 5	6 4 8	10 7 12	14 12 19	22 15 20
65 to 74 years	355 235 65	10.9 15.9 20.3	10.7 13.5 16.6	1 2 2	1 4 7	9 11 12	14 24 23	24 38 40	One diagnosis	370 575	9.2 12.5	6.9 9.0	2 3	4 6	8	11 15	15 22
One diognosis	355 300	13.9 13.3	14.0 11.3	1	3 4	8 11	21 18	37 28	With surgery	45 900	16.2 11.0	12.4 8.1	5 2	6 5	10 9	16 13	38 21
With surgery	135	15.3	15.0 12.2	1	2 3	9	22	38 31									

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

D.:	N	Average	Stondard	1	Perce	ntiles	(days))	D. W. A		Averoge	Standard		Perce	ntiles	(doys)	
Potient characteristics	Number of discharges	stay (doys)	deviation (days)	10th	25th	50th	75th	90th	Potient characteristics	Number of dischorges	stoy (days)	deviation (doys)	10th	25th	50th	75th	90th
OISEASES OF THYROID GLANO (250-254)									CHRONIC BRAIN SYNDROME ASSOCIATED								
Total	465	11.8	10.7	3	5	8	13	24	WITH SELECTED DISEASES (313-317) Total	760	16.7	14.0	4	7	13	20	32
65 to 74 years	90	11.2 14.9	10.2 12.6	3 4	5 7	7 10	12 15	23 29	Age: 65 to 74 yeors 75 ta 84 yeors 85 yeors and over	285 360 115	18.3 14.7 19.3	17.1 8.7 17.9	3 5 3	7 7 8	14 12 14	21 20 24	39 25 33
One diagnosis	240 225	7.0 16.9	4.5 12.7	2 6	4 8	5 11	7 20	12 41	One diognosis	305 455	16.4	14.6 13.7	4 5	6 8	12	22 20	34 32
With surgery	170 295	9.1 13.3	9.1 11.2	3 3	6	6 10	8 14	17 27	With surgery Without surgery	30 730	21.0	7.7 14.2	12	13	18	25 20	32 32 32
DIABETES MELLITUS (260)	5.000							١	PSYCHOTIC AND PSYCHOPHYSIOLOGIC	/30	10.0	14.2	-	, ,	13	20	JZ
Totol	5,830 3,090	15.1	12.7	4	6	11	19	31 28	OISOROERS (318-323) Total	470	19.7	18.4	2	5	14	24	45
75 to 84 years	2,415 325	16.0 14.9	13.9 11.5	2	6 7	11	20 22	34 29	Age: 65 to 74 years	360 95	18.2 23.2	17.6 20.7	2 6	4 8	11 15	24 21	43 55
One diagnosis	1,465 4,365	13.6 15.6	11.3 13.2	3 4	6	9	17 19	28 31	85 years and over	15	*	*	*	*	*	•	•
With surgery	795 5,035	25.0 13.5	16.6 11.2	6 3	11	22 10	33 16	46 26	One diagnosis	235 235	23.3 16.0	21.5 13.7	3 2	4	16 10	36 22	51 37
MALNUTRITIONAL DEFICIENCY STATES (286)									With surgery	30 440	29.0 19.0	27.2 17.5	2 3	3 5	12 14	45 23	63 43
TotolAge:	280	12.9	9.7	4	6	10	15	26	PSYCHONEUROTIC DISORDERS (324)	1,460	12.7	11.6	3	5	9	17	25
65 to 74 years	125	14.0 13.0	10.4 10.6	3	6	11 9	16 15	30 27	Tatol	1,035	13.1	10.7	3	5	9	18	25
85 years and over One diagnosis	55 80	10.7	10.8	6 5	8	10	12	16 33	75 to 84 years	390 35	11.1	11.1 28.0	3	3	7 6	13 12	21 44
Two or more diagnoses	30	11.8	9.1	1	5	15	14	20 39	One diagnosis	640 820	13.4 12.2	13.1 10.2	3	5	9	18 14	27 24
Without surgery	250	12.0	8.5	4	6	9	14	20	With surgery	75 1,385	28.2 11.9	22.8 10.0	6 3	10 5	25 8	30 15	59 24
Total	235	10.5	7.1	3	5	9	12	19	CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE								
Age: 65 to 74 years	140 75	10.9 9.1	7.1 4.2	2	6	9	11 13	22 14	(331,334.8) Total	5,630	16.3	14.2	1	5	12	23	33
85 years and over One diagnosis	20 45 190	8.2 11.1	4.2 7.6	3 2	4 6	6 9	11 12	14 22	Age: 65 to 74 years	2,160 2,615 855	16.4 16.5 15.4	13.9 14.5 14.2	1 2	5 6 5	12 12 10	23 22 23	35 33 31
With surgery	30 205	11.7	12.0	2 3	2 5	5 9	14	28 18	One diagnosis	2,865 2,765	14.7 17.8	13.5	1 2	4 7	11	20 25	32 35
PERNICIOUS AND OTHER HYPERCHROMIC	205	10.4	0.1	3	3	,	12	10	Two or more diagnoses	345	25.3	20.9	2	8	21	33	58
ANEMIAS (290)	405	15.0	10.5	5	8	13	17	27	CEREBRAL EMBOLISM AND THROMBOSIS	5,285	15.7	13.5	1	5	12	22	32
Age: 65 to 74 years	150 200	12.7 16.6	8.1 12.6	3 6	7	10 13	16 18	20 31	(332)	2,605	17.3	14.6	3	6	14	22	35
85 years and over	55	15.5	5.9	6	10	14	18	20	Age: 65 to 74 years	1,115	16.4	14.6	3	6	12	20	33
One diagnosis	165 240	16.1 14.3	14.1 7.0	5 4	7 9	10	17 17	34 22	75 to 84 years	1,155 335	18.3 16.9	14.1 15.9	3 2	5	15 15	24 21	36 29
With surgery	55 350	16.3 14.8	7.2 11.0	7 5	10 8	12	17 17	22 27	One diagnosis	920 1,685	15.8 18.1	13.3 15.2	3	6	13 15	19 24	29 36
IRON DEFICIENCY ANEMIAS (291)	450	,,,,	0.1			,,	,,	00	With surgery	125 2,480	34.5 16.4	21.3 13.6	7	22 6	28 13	44 21	68 34
Totol	650	12.3	9.1 9.1	2	5	10	15 15	23 19	CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIED) (334.0)								
75 to 84 years	330 80	13.3 10.1	8.9 8.8	2	7	12 5	17 12	23 24	Total	2,250	12.4	10.0	2	5	9	16	24
One diagnosis	140 510	10.0 12.9	6.3 9.6	2	3 6	8 10	15 16	18 23	65 to 74 years 75 ta 84 years 85 years and over	810 1,120 320	11.7 13.1 11.3	9,2 11,1 7.5	3 2 2	5 5 4	9 10 10	16 17 16	23 29 23
With surgery	150 500	15.1 11.4	8.5 9.1	5 2	9 5	14 9	19 14	23 21	One diagnosis	725 1,525	10.6 13.2	7.7 10.9	3 2	4 5	8	13	22 28
OTHER AND UNSPECIFIED ANEMIAS (292,293)									With surgery	130 2,120	17.5 12.0	9.2 10.0	6 2	11	15	21 16	28 24
Totol	1,225	13.1	12.0	1	5	10	16	25	PARALYSIS AGITANS (350)	2,120	12.0	10.0	2	-4	1	10	24
65 to 74 years	520 565 140	12.7 12.4 17.1	12.0 11.3 13.4	2 1 3	5 3 7	10 9 16	15 16 21	21 26 26	Tatal	765	18.9	16.4	3	6	15	24	42
One diagnosis	400 825	11.7 13.7	11.2	1 2	4 5	8	15 17	25 25	65 to 74 years	540 220 5	19.6 17.6 *	17.9 11.8	3 5 *	5 7 *	15 15	24 22 *	46 38
With surgery	155	17.5 12.4	13.0	3	8 4	14	20	40 24	One diagnosis	335 430	17.8 19.8	17,4 15.5	3 4	5	13 16	20 26	32 43
Sur Surger F	1,070	12.4	17.7	13	-	.0	.01	24	With surgery	40	21.5	10.6	7	15	16	27	36
									Without surgery	725	18.8	16.6	3	6	14	23	43

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stoy	Standard deviation		rerce	ntiles	(doys)		Patient	Number of	Averoge	Standard deviation		Percer	ntiles	(doys)) T
chorocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th
NEURALGIA ANO NEURITIS (360-366)	575	10.0							ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
TotalAge:	575	13.0	9.9	3	5	9	17	28	Totol	355	12.6	9.8	1	4	9	18	25
65 to 74 years	330 195 50	12.6 14.7 8.4	8.6 11.8 8.6	2 4 2	5 6 3	9 9 5	17 19 8	25 31 16	Age: 65 to 74 yeors 75 to 84 years 85 years ond over	155 110 90	10.2 10.1 19.9	8.1 8.9 9.9	1 1 2	3 4 11	8 7 22	15 12 26	19 23 31
One diognosis	250 325	11.5 14.1	11.4 8.5	2 4	3 7	12	13 19	28 27	One diagnosis	70 285	13.3	6.2 10.5	6	8 3	10	16	24
With surgery Without surgery	90 485	20.4 11.6	14.1 8.2	3	5	18 8	25 16	44 26	With surgery	10 345	12.6	* 9.9	* 1	4	* 9	18	25
CATARACT (385) Totol	6,055	6.8	4.4	3	4	5	7	11	FUNCTIONAL DISEASE OF HEART (433)								
Age: 65 to 74 years	3,065	6.7	3.9		4	5	7	11	Total	2,200	10.4	8.5	1	4	8	14	2
75 to 84 years	2,565 425	6.7 9.3	3.7 8.2	3 3 3	4 5	5	7 11	11 14	65 to 74 yeors	1,000 935 265	8.9 11.1 13.5	7.9 8.5 9.4	1 1 3	3 4 6	6 9 11	12 15 17	18 24 25
One diognosis	5,020 1,035	6.5 8.7	3.6 6.7	3	4	5 6	7 10	11 15	One diognosis	770 1,430	10.0	8.8 8.4	2	3 4	7 8	13	19
With surgery	5,835 220	6.8 7.6	4.1 8.4	3	3	5 6	7 8	11 13	With surgery	460 1,740	14.2 9.4	9.9 7.7	4	6 3	11 7	20 13	26
GLAUCOMA (387)	205					١,	9	15	CONGESTIVE HEART FAILURE (434.1)								
Totol	395 255	8.0 7.4	6.3	2	3	6	8	15	Total	4,830	12.8	10.6	2	5	10	17	26
75 to 84 years	120 20	8.8	5.7	2 4 *	5	6 4	9	18	65 to 74 yeors	1,820 2,160 850	12.0 13.0 13.8	8.9 10.8 13.2	2 2 2	5 5 5	9 10 9	15 18 17	26 25 30
One diognosis	245 150	6.9 9.8	4.2 8.5	2 3	3 5	6	10	11 17	One diagnosis	2,255 2,575	11.3	9.5 11.3	2 3	4 6	8	14	23
With surgery	335 60	7.4 11.2	4.6 11.7	2 4	5	6	11	14 21	With surgery	275 4,555	19.4 12.4	12.0 10.4	6 2	10	16	28 16	37
CHRONIC RHEUMATIC HEART DISEASE (410-416)					_				HYPERTENSIVE HEART DISEASE (442,443)								
Totol	470	14.3	11.7	4	7	10	17	31	Total	3,075	12.3	9.4	3	6	9	15	23
65 to 74 years	330 120 20	15.0 13.9 *	12.1 10.9	3 *	7 6 *	10 9	18	31 33 *	65 to 74 years	1,425 1,355 295	11.9 12.7 12.5	9.7 8.8 9.7	3 4 2	5 6 5	10 8	14 16 19	22 22 27
One diognosis	75 395	11.7 14.8	9.4 12.0	3 4	5 7	7 11	13 17	28 31	One diognosis	715 2,360	11.4 12.6	8.5 9.6	4 3	5 6	8 10	14 16	22 23
With surgery	95 375	19.3 13.1	11.0 11.5	6 4	8	14 9	27 16	34 24	With surgery Without surgery	240 2,835	14.1 12.1	9.9 9.3	3	6	11 9	19 15	28 22
ARTERIOSCLEROTIC HEART DISEASE SO OESCRIBEO (420.0)									OTHER HYPERTENSIVE DISEASE (446,447) Total	2,010	9.7	8.2	2	4	7	12	22
Total Age:	10,585	13.5	11.1	3	6	10	17	26	Age: 65 to 74 years	1,140	8.9	7.8	1	3	6	10	20
65 to 74 years	3,805 4,960 1,820	12.3 14.1 14.2	9.6 11.7 12.0	2 3 2	5 6 6	9 11 10	15 18 18	24 28 28	75 to 84 years	730 140 580	10.7 11.4 7.7	7.7 11.9 6.8	2 1	3	7	13 11 9	20 22 25
One diognosis	2,835 7,750	11.7 14.1	9.4 11.6	2	5 6	9	15 18	23 28	One diagnosis. Two or more diagnoses With surgery	1,430	10.5	8.5 10.6	2	4	6 8 10	13	23
With surgery	860 9,725	21.5 12.8	16.9 10.1	4 3	8 5	16 10	29 16	46 24	Without surgery	1,820	9.3	7.7	2	3	7	11	21
ACUTE CORONARY OCCLUSION (420.1)									Total	2,450	15.6	13.7	3	6	11	20	30
TotolAge: 65 to 74 years	7,590 4,235	17.3 17.7	12.5	1	7	17	24	32	Age: 65 to 74 yeors	760 1,095	16.2 14.9	14.0 14.1	3	6	12 11	21 18	32 30
75 to 84 years	2,770 585	17.2 15.2	13.3	1	3	16	24 24	33 30	One diagnosis	595 460	16.0	12.4	3	7	13	20	30
One diognosis	3,725 3,865	16.2	11.7	1	7	15	22 26	31 33	Two or more diagnoses	1,990 565	21.5	13.7	8	12	11	20	39
With surgery	430 7,160	22.5 17.0	14.2 12.4	3	6	21 17	31 23	40 31	Without surgery	1,885	13.8	13.2	2	5	9	17	28
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)									Total	545	11.0	10.3	1 :	1	8	17	25
Totol	6,750	12.6	10.4	2	5	10	16	24	Age: 65 to 74 yeors	285	13.1	10.7	1	3	12	18	26
75 to 74 years	3,665 2,500 585	12.1 12.6 15.4	9.9 10.5 12.3	2 2 2	5 5 7	9 10 12	15 16 19	23 24 32	75 to 84 years	220 40	8.2 11.2	8.9 11.2	1	1	5 3	10 20	22
One diagnosis	2,370 4,380	10.7 13.5	8.2 11.2	2 2	4 6	8 10	15 17	21 27	One diognasis	280 265 270	9.2 12.9	9.9 10.5 10.7	1	5	3 9	15 18 20	23 27 28
With surgery	455	18.0	14.0		8	15	23	30	With surgery Without surgery		14.4 7.6	8.8	i	1	13	9	20

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Dationt	Number of	Averoge	Standard		Perce	ntiles	(days))	Potient	Number of	Average	Standard		Percer	ntiles	(doys)	
Potient choracteristics	discharges	stay (doys)	deviation (days)	10th	25th	50th	75th	90th	chorocteristics	discharges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)									ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	570	14.5	11.1	3	7	12	18	26	Total	735	9.5	9.9	2	4	7	11	16
65 to 74 years	350 165 55	12.8 17.8 14.5	10.0 13.5 7.1	2 2 7	6 9 8	11 14 10	16 23 20	22 35 24	65 to 74 years 75 to 84 years 85 years ond over	425 200 110	8.5 12.0 9.0	6.4 15.7 6.6	2 2 3	4 3 4	7 6 6	11 13 8	14 23 17
One diognosis	250	12.9 16.4	10.4	6	5 10	13	18 18	28 24	One diagnasis	185 550	5.6 10.9	10.9	3	5	5	7 13	10 19
With surgery	335 235	17.4 10.2	12.2 7.6	1	9	14	20 13	31 21	With surgery	675	20.6 8.6	25.4 6.2	1 2	2	7	24 11	52 15
GANGRENE OF LOWER EXTREMITY (455.0)								:	INFLUENZA (480-483)	705					,	,,	
Totol	460	27.3	18.6	9	13	21	35	57	Age: 65 to 74 years	725	9.9	8.1 8.4	3	4	7	13	21
65 to 74 years	195	29.2 27.8 22.0	22.9 16.1 11.1	7 10 8	13 14 13	20 28 18	33 36 31	62 50 36	75 to 84 years 85 years and over	245 50 255	8.3 13.9 8.5	6.9 9.3 7.4	2 2 2	3 3	6 14 6	9 16	18 29
One diognosis	265 195	22.4 33.9	16.5 19.2	5 14	10 19	16 29	33 41	38 60	Two or more diognoses	470	10.7	8.4	3	4	7	14	22
With surgery	105	30.8 15.5	18.7 12.5	11 2	15 5	28 14	37 18	58 27	With surgery Without surgery LOBAR PNEUMONIA (490)	25 700	9.7	8.1	2	4	7	13	21
VARICOSE VEINS OF LOWER EXTREMITIES (460)									Total	160	14.7	8.5	3	8	14	18	25
Total	450	14.2 13.5	10.6	3	5	8	21	26 29	65 to 74 yeors 75 to 84 years 85 years ond over	80 65 15	13.1 15.5	5.7 11.0	1 3 *	8 5 *	14 12	16 20 *	19 34 *
75 to 84 years	240 70	14.7 17.4	8.1 10.6	3	8	16	22 25	24 29	One diognosis	50 110	12.9 15.5	3.2 9.9	6	11 7	14 14	15 21	15 27
One diognosis	395	12.8 15.6 13.6	10.1 10.8 12.0	3 3	5 6	8 13 8	21 21 20	23 27 28	With surgery	5 155	14.5	8.5	3	7	14	* 17	25
With surgery	385	14.8	8.9	3	7	12	22	25	8RONCHOPNEUMONIA (491)								
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461) Total	835	9.0	6.9	3	4	7	10	16	Total	1,880 770 800	14.1 13.1 15.7	11.2 10.3 12.2	3 4 2	7 6	11 11 12	18 16 23	27 23 32
Age: 65 to 74 years	620	9.3	7.3	3	4	7	11	16	85 years and over	310	12.2	10.0	1	4	10	16	23
75 to 84 years 85 years ond over	30	8.5 5.8 8.4	5.4 3.0 6.6	2 2 3	5 3	7	6 9	17 10	One diagnosis. Two or more diagnoses	565 1,315	10.5 15.6 20.5	6.3 12.4	3 9	5 6 11	9 12 18	13 21 24	18 32 35
Two or more diagnoses	355	9.9	6.9	3	4	7	14	19	Without surgery	1,770	13.7	ii.i	2	6	iĭ	17	26
With surgery	670 165	9.7 6.4	6.9 5.7	3 2	3	5	7	17	PRIMARY ATYPICAL PNEUMONIA (492) Total	1,420	12.3	8.3	3	6	10	15	22
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)	915	16.4	10.1	6	9	14	21	28	Age: 65 to 74 yeors	730 560 130	11.8 12.2 16.0	8.0 8.5 8.2	3 3 4	7 5 8	10 11 14	14 15 20	21 25 26
Totol	515	14.6	7.8	6	8	12	18	26	One diognosis	500	9.9	6.6	2	4	9	12	18
75 to 84 years	40	18.5 19.9	12.1	5 9	10 9	16 18	22 21	41 31 23	Two or more diagnoses	920 75 1,345	13.7 16.5 12.1	7.3 8.2	7 3	7 9 6	11 14 10	17 22 15	25 27 21
One diognosis	475	14.0 18.5	9.6	8	111	16	18 23	30	PNEUMONIA, OTHER AND UNSPECIFIED	,,,,,,	12.1	3.2		3	'	, 3	21
With surgery		20.3 15.8	8.7 10.1	6	10 9	13	26 18	30 27	(493) Totol	2,805	13.9	11.7	3	6	10	16	28
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)	420	14.4	10.3	5	8	11	17	24	Age: 65 to 74 years 75 to 84 years 85 years ond over	1,220 1,085 500	13.9 14.3 13.0	10.8 13.7 8.5	4 3 1	6 6	10 10 11	17 16 16	28 28 25
Totol	245	13.8	9.0	5	8	11	16	23	One diagnosis	1,165	11.7	7.9	4	6	10	14	21
75 to 84 years	135	15.9 13.5	13.2 4.9	5	7 9	11	17 16	32 19	Two or more diagnoses	1,640	15.5 21.6	13.6	6	13	11	18 28	30 38
One diognosis	190	11.7 17.8	7.0 12.4	4 8	7 10	10 12	14 19	21 38	ACUTE BRONCHITIS (OR SUBACUTE)	2,595	13.3	11.4	3	6	10	15	26
With surgery	40 380	26.2 13.2	15.4 8.7	8 5	12 7	22 11	30 15	48 21	(500) Total	975	10.8	8.9	3	5	8	13	18
PULMONARY EMBOLISM AND INFARCTION (465)									Age: 65 to 74 years	525 335	10.3 11.7	7.5 10.0	3 4 2	5 6 5	8 8	13 12	18 18
Totol		17.5	12.2	3	9	15	24	31 29	85 years ond over One diognasis	115 270	10.9 8.6	10.9	2	4	6	11	14
75 to 84 years	440	19.0 16.4	13.7	3 2 2	10 7	16	25 24	33 34	Two or more diagnoses	705 55	11.7	9.4	4	6	9	13 17	18 22
One diagnosis		15.8 18.0	11.0 12.5	2 3	6 9	14 15	23 24	28 32	With surgery Without surgery		10.6	8.9	3	5	8	12	18
With surgery	135 835	21.9 16.8	13.7 11.8	2 3	12	21 14	29 22	37 30									

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stoy	Standard deviation		1	1	(doys		Patient	Number of	Average stay	Standard deviation		Perce	ntiles	(doys)	
chorocteristics	dischorges	(doys)	(days)	10th	25th	50th	75th	90th	chorocteristics	dischorges	(doys)	(days)	10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)									ULCER OF STOMACH W/O PERFORATION								
Total	795	10.1	7.9	2	4	7	12	21	& WITH HEMORRHAGE (540.1) Total	270	17.8	10.2	6	11	17	22	26
65 to 74 years	440 300	8.6 12.3	7.1 8.7	3	5		18	14 25	Age: 65 to 74 yeors	200	17.2	8.0	6	11	17	22	26
85 years ond over	55 445	9.6 8.0	5.8	3 2	3	1	10	17	75 to 84 years	65 5	19.9	15.2	8	10	17	21	24
Two or mare diognoses	350	12.7	8.7	4	7	9	17	25	One diognosis	90 180	16.8 18.3	7.9 11.2	7 6	11 11	15 17	20 23	26 26
With surgery	85 710	16.9 9.3	13.0 6.6	2 2			28	33 18	With surgery	80 190	21.7 16.2	6.8 11.0	11 5	17 10	20	24 19	32 24
CHRONIC 8RONCHITI5 WITH EMPHY5EMA (502.0)			:						ULCER OF DUODENUM W/O	170	10.2	1		.u	.5		
Total	795	12.8	10.1	3	7	10	16	21	PERFORATION & W/O HEMORRHAGE (541.0)								
65 to 74 years	490 255	13.1 11.5	9.9 10.1	3	7 6	9	17	23 19	Total	1,305	11.8	8.7	3	5	8	15	24
85 years and over		17.0	6.6	9	10		17	19	65 to 74 years	820 420 65	11.7 12.1 10.2	8.5 9.4 5.0	3 3 2	5 6 5	8	16 15 13	22 26 15
Two or more diognoses	560	13.2	11.3	3	7	10	16	23	One diognosis	525	10.3	7.5	2	4	7	14	21
With surgery	50 745	26.8 11.9	24.0 7.5	3	12			73 20	Two or more diognoses	780 255	12.8	9.3	5	11	10	16 25	26 29
CHRONIC 8RONCHITIS WITHOUT EMPHYSEMA (502.9)									Without surgery	1,050	9.9	7.0	3	5	Ϊź	13	19
TotolAge:	365	9.7	6.6	3	5	7	12	18	ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
65 to 74 years	90	8.4 10.7	5.0 6.2	3 2	4		11 14	14 20	Total	970	14.9	10.5	4	7	11	19	29
85 years and over	25 85	6.6	3.3	3	4	5	7	12	Age: 65 to 74 years	560 360	14.2 15.5	10.5 10.6	4 5	6 8	10 12	19 18	27 31
Two or more diognoses	280	10.6	7.1	3	5	8	13	20	85 years and over	50	18.0	8.8	Š	ıĭ	15	20	28
With surgery	60 305	9.4	6.7 6.6	3	5	11 7	14	18	One diognosis	465 505	14.3 15.4	11.0 10.0	5	8	10 12	17 21	29 29
PULMONARY CONGESTION AND HYPOSTASIS (522)									With surgery	230 740	22.0 12.7	12.6 8.7	5 4	12 7	22 10	29 15	37 22
TotalAge:	880	13.6	11.6	1	5	11	19	25	ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
65 to 74 years	370 335	12.6 14.1	8.2 13.6	2	5	9	18 20	23 26	Total	120	13.2	10.1	1	3	12	19	22
85 years and over		9.9	13.1		3		19	26	Age: 65 to 74 years	70 35	17.2 8.9	10.5 6.6	1	10	18	20 14	26 17
Two or more diognoses	555	15.7	13.2	i	7	12	21	28	85 years ond over	15	•	*			•	•	•
With surgery		22.0 13.1	12.0	1	11	10	19	39 24	One diagnosis	55 65	14.2 12.3	5.7 12.6	5 1	7	16	19 16	20 26
EMPHYSEMA WITHOUT MENTION OF 8RONCHITIS (527.1)									With surgery	65 55	18.6 6.7	9.1 7.1	6 1	11	17 3	20 8	26 19
Totol	2,045	12.1	11.0	2	5	9	14	25	GASTRITIS AND OUOOENITIS (543)								
65 to 74 years	665	12.5 11.3	12.0 9.2	2 2 6		9	13 14 12	26 21 25	Age:	960 525	8.5 8.5	6.5 6.9	2	3	6	11	16
85 years and over		9.0	7.1	2	4	ľ	12	15	65 to 74 years 75 to 84 years 85 years ond over	365 70	8.3 10.1	4.9 9.4	2	4	7 5	11	14 22
Two or more diognoses	1,345	13.7	12.0	3	6		32	29	One diagnosis	335 625	6.7 9.5	5.1 6.9	1 2	2	5 7	8 12	14 19
With surgery	175 1,870	22.3 11.i	10.0	6 2			13	46 20	With surgery	85	12.9	8.2	4	5	8	22	25
OISEASES OF ESOPHAGUS (539)	450	10.2	10.4	1	3	7	12	25	Without surgery	875	8.1	6.1	2	3	6	10	15
Totol	260	11.5	12.1	i	3	7	15	29	Total	265	13.1	12.0	3	7	10	15	22
75 to 84 years	155 35	8.7 7.1	7.7 2.6	1 4	3		10 7	20 10	Age: 65 to 74 years	150 90	13.2 11.8	14.5 7.8	4	7	10 9	13	20 22
One diagnosis	195 255	10.4 10.0	11.5 9.4	1 2	3	7 6	12 11	20 25	75 to 84 years	25	•	•		•	•	15	•
With surgery		12.1 8.0	12.2 6.9	2	3 2		18	29 15	One diagnosis	135 130	10.6 15.7	5.6 15.7	2	8	9 12	12 16	18 25
ULCER OF STOMACH W/O PERFORATION			5						With surgery	200 65	14.2 9.5	13.1 6.7	6	8	10 10	14 15	25 16
& W/O HEMORRHAGE (540.0) Totol	820	12.4	9.4	2	5	10	16	24	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Age: 65 to 74 years	535	12.8	10.2	3	6	10	16	24	Total	2,695	9.8	6.2	4	6	а	10	16
75 to 84 years	250 35	11.6	7.5 7.8	4	5	10	16	23 20	Age: 65 to 74 years	1,800 810	9.5 10.6	6.1 6.5	4	6	7 8	10 11	15 20
One diognosis	355 465	10.4 13.9	8.1 10.0	2	7	11	14	21 25	85 years and aver One diagnosis	85 1,820	10.9	4.0 4.1	6	8	10 7	13	15 12
With surgery	270 550	14.7 11.3	8.1 9.8	5 2	9 4	14	17 15	23 24	Two or more diognoses	875	12.8	8.3	5	7	10	15	25
									With surgery	2,570 125	10.0 6.8	6.2 4.1	1	3	8	10	16 11

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Average	Stundard		Perce	ntiles	(days))	Potient	Number of	Average	Standard		Percer	ntiles	(doys)	
choracteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	charocteristics	dischorges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th
QIAPHRAGMATIC HERNIA WITHOUT									CHOLELITHÍASIS (584)								
MENTION OF OBSTRUCTION (560.4)	1,685	10.6	9.1	١,		7	14	20	Totol	3,160	15.2	9.6	5	8	13	19	26
Totol		10.5	9.1	2 2	4	' 8	14	19	65 to 74 years	1,900 1,030	14.3 16.6	8.6 10.8	6	8 9	12 14	17	24 30
75 to 84 years	580	11.1	9.8 5.8	2 3	4 5	8 7	14	21 17	85 years ond over	230	16.2	11.1	4	6	13	21 22	32
One diognosis	470	8.0 11.6	7.6 9.4	1 3	3 4	5 9	10 15	15 20	One diognosis	1,690 1,470	13.7 16.9	7.9 11.0	5 4	8 9	11	17 22	23 32
With surgery	400	15.2	9.6	3	8	14	19	28	With surgery	2,160 1,000	17.4 10.4	9.5 8.1	8 2	10 4	15 8	21 13	28 19
Without surgery HERNIA OF OTHER SITES W/O MENTION	1,285	9.2	8.5	2	3	6	11	18	CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
OF OBSTRUCTION (560.13,.8,.9) Total	880	12.2	8.2	4	6	9	15	23	Total	1,625	13.5	9.7	3	7	11	16	25
Age: 65 to 74 years 75 to 84 years	1	12.2	7.5	4	7	10	15	23	65 to 74 yeors	805 665	12.0 14.8	7.8 10.4	3 5	6 8	10 12	15 18	23 27
75 to 84 years	255 50	12.3 11.5	10.0 4.5	6	5 7	9	16 15	24 18	85 years and over	900	15.8 12.3	13.3	3	7	12	15	31 21
One diagnosis	450 430	10.8 13.6	6.5 9.4	4 4	6	9 10	13 17	19 24	Two or more diagnoses	725	15.0	11.0	4	7	12	19	28
With surgery	735 145	13.4	8.2 4.1	5	7 2	10	16	23 11	With surgery	695 930	16.6	9.4 9.2	7 3	10	14 8	20 14	28 20
HERNIA OF ABOOMINAL CAVITY WITH 08STRUCTION (561)									OTHER DISEASES OF GALLBLAOOER AND BILIARY DUCTS (586)								
Total	810	13.0	9.6	5	7	10	15	24	Total	480	17.6	15.2	4	7	14	21	28
Age: 65 to 74 years	390 320	12.6 13.6	11.0 7.8	4 6	6 8	9	13 16	25 23	65 to 74 years	200 210 70	15.3 21.2 13.3	8.4 20.4 7.4	5 3 3	8 6 7	15 14 12	20 25 16	25 46 25
85 years and over	100	12.3	8.9	ĭ	2	11	19	26	One diognosis	225	15.0	12.5	4	6	13	20	24
One diognosis	435 375	10.3 16.0	5.7 12.0	6	7	12	12 18	17 29	Two or more diagnoses	255	20.0	16.8	10	15	18	24	45 36
With surgery	685 125	13.6 9.5	9.2 10.9	6	7 2	11 7	15 10	25 19	Without surgery	255	12.6	13.3	3	5	7	14	22
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)			1						DISEASES OF PANCREAS (587) Total	430	13.2	9.9	3	6	10	18	26
Totol	1,505	14.1	14.1	2	4	9	18	30	Age: 65 to 74 years	275	12.2	10.2	2	5	9	15	24 27
Age: 65 to 74 years	630 645	14.0 15.0	14.0 15.1	1 2	4 5	11 9	17 18	27 34	75 to 84 years	135 20	14.1	8.9	3	6	11	20	2/
85 years and over		11.9	10.6 9.9	1 2	3	7	18	28	One diagnosis	170 260	11.6 14.2	8.1 10.9	2 3	5	11	14 20	26 26
Two or more diagnoses	750	16.1	17.1	١ '	4	10	19	37	With surgery Without surgery	85 345	22.9 10.8	13.1 7.2	4 2	11 5	25 9	26 14	30 21
With surgery	665 840	20.4 9.1	16.6 8.9	1	3	16	26 11	38 19	NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)									Total	430	17.1	15.0	4	7	12	20	36
Total	1,805	9.1	9.0	2	3	6	10	18	Age: 65 to 74 years	215 185	16.9 17.8	12.6 17.4	4	7 8	13	21 19	31 43
65 to 74 years	725	9.2 9.1	9.4 9.1	2	3	6	10 11	16 20	85 years and over	30	13.2	14.0	2	4	6	12	32
85 years and over		9.3 7.2	8.3	1	3	5	10	18	One diagnosis	115 315	17.3 17.0	14.2 15.3	3	6	11	18	29 37
Two or more diognoses	1,100	10.2	9.2	2	4	7	12	20	With surgery	160 270	22.4 13.9	15.4 13.8	4 3	11	17 10	28 16	47 25
With surgery	150 1,655	15.9 8.4	11.8 8.4	2	3	6	23 10	38 16	INFECTIONS OF KIDNEY (600)								
OIVERTICULITIS (572.1)	3,660	10.9	10.0	2	4	7	14	22	Total	700 375	13.8 12.6	9.7 8.7	4	7	!1 11	17	23 21
Totol		10.9	9.6	2	4	7	14	21	75 to 84 years	245 80	13.7 19.6	10.0 10.9	5 7	8	10	16 21	22
75 to 84 years	1,550	10.6 12.5	10.2 10.5	2 3	4 5	7 8	13	21 23	One diognosis	220	10.1	5.4	4 5	6 9	8 12	13 18	19
One diagnosis		9.6 11.8	9.2 10.3	1 3	3 5	6 8	12 15	20 23	Two or more diognoses	130	15.4	6.9	4	5	10	13	27 19
With surgery	970	15.2 9.4	11.7 8.8	2 2	5 4	13	20 11	28 18	Without surgery	570	14.4	10.1	5	8	11	18	24
CIRRHOSIS OF LIVER (581)	2,070	7.4	0.6	'	•			"	Total	770	9.8	9.3	2	4	7	11	19
Total	705	177	16.5	3	6	13	24	35	Age: 65 to 74 years	560 180	9.2 11.9	9.2 10.1	2 3	3 6	7 8	10	19 22
Age: 65 to 74 years	125	17.2 19.8	16.7 16.2	3 2	6	11 17	22 25	35 37	75 to 84 years	30	8.2	5.2	1	1	10	15 12	13
85 years and over	10	14.6	10.5	3	6	10	20	30	One diagnosis	365 405	8.0 11.4	6.2 11.2	1 2	5	8	11	16 24
Two or more diagnoses	480	19.2	18.5	2	7	14	25	39	With surgery	410 360	13.2 5.9	10.8 5.1	5 1	7 2	9	15 7	25 10
With surgery	90 615	23.6	23.9 14.9	3	6	12	26 23	66 34									

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stoy	Standard deviation		Percer				Potient	Number of	Average stoy	Standard deviation		rercer	tiles	(aoys)	
chorocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	(days)	(doys)	10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)									OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	585	12.0	9.8	2	4	9	16	24	Total	500	7.8	6.8	2	3	5	8	16
65 to 74 years	400 155 30	11.6 13.7 9.0	8.5 12.9 4.1	2 1 1	5 3 5	10 6 9	15 22 11	22 30 12	65 to 74 years	370 100 30	6.9 9.1 14.7	4.5 11.0 7.7	2 1 5	3 2 5	5 6 15	8 9 18	14 19 24
One diagnosis	230 355	10.2 13.2	9.9 9.4	1 2	3 6	6 10	14 19	19 25	One diognosis	245 255	6.7 8.9	4.2 8.5	2 2	3	5	8 9	10 18
With surgery	415 170	12.3 11.4	9.1 11.3	2 1	5 3	10 7	15 17	25 22	With surgery	355 145	8.6 5.9	7.5 3.9	2 2	3	6	9 7	17
Totol	1,045	9.7	7.5	2	3	7	13	20	Total	1,355	11.6	5.0	6	8	10	13	17
Age: 65 to 74 years	450 435 160	7.5 12.0 9.4	5.6 8.6 7.6	2 2 2	3 5 3	6 9 8	9 17 13	14 22 16	Age: 65 to 74 yeors	990 340 25	11.4 11.8	4.8 5.3	6	8	10 11	13 13	17 18
One diognosis	370 675	5.7 11.9	4.6 8.0	1 2	2 5	4 10	7 15	10 22	One diognosis	800 555	10.6 12.9	3.2 6.6	6	8	10 10	12 16	14 24
With surgery	525 520	8.5 10.8	7.9 7.0	1 3	2 4	6 9	11 14	18 21	With surgery Without surgery	1,235 120	11.6 11.4	4.7 7.9	7	8 5	10 9	13 13	17 24
OTHER DISEASES OF BLAODER (606) Totol	445	13.0	12.3	3	6	9	15	23	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)	1,000	10.4	,,,,		7	10	,,	0.4
Age: 65 to 74 years 75 to 84 years 85 years ond over	190 225 30	11.4 14.3 13.2	9.5 14.6 5.7	3 4 7	6 5 7	9 9 11	14 17 15	19 27 20	Total	1,020 575 320	13.4 13.5 14.3	10.1 10.6 10.3	4 5	7 6 7	10 10 11	16 15 17	24 24 27
One diagnosis	175 270	12.8 13.1	13.5	3 4	5 6	9	14	23 24	85 years and over	125	10.4	5.1	5	6	8	12	19
With surgery	280 165	14.7	14.2	3 4	6 5	10	17	24	Two or more diagnoses	600 275	14.2	9.7	5	8	11	17	24
URETHRITIS AND STRICTURE OF URETHRA (607,608)									Without surgery	745	11.9	8.0	4	6	10	14	22
Totol	745	9.0	8.0	1	3	6	12	20	Total	625	16.1	15.4	3	7	11	19	30
65 to 74 years	445 240 60	8.4 8.8 14.1	8.2 7.2 8.0	2 1 3	3 2 6	5 7 15	9 12 19	19 17 25	65 to 74 yeors	385 210 30	14.5 20.3 6.8	9.9 22.1 1.4	3 3 4	7 7 5	12 12 6	19 20 7	24 47 8
One diognosis	370 375	6.8 11.2	5.8 9.2	1 2	2 4	4 9	8 16	13 21	One diognosis	240 385	15.3 16.5	15.5 15.3	3	6 8	11 11	17 19	24 32
With surgery	595 150	9.6 6.6	8.3 6.2	2 1	3 2	6	13	21 17	With surgery	135 490	19.3 15.2	18.7 14.2	3 3	7	13 11	19 19	42 26
OTHER OISEASES OF URETHRA AND URINARY TRACT (609)									OSTEOARTHRITIS (ARTHROSIS) (723.0) Total	1,150	15,1	13.7	4	6	10	16	33
Totol	1,075	11.9	10.4	2	4	9	16	25	Age: 65 to 74 years	510	17.0	15.4	3	6	11	21	38
65 to 74 years	420 495 160	10.8 12.0 14.7	9.3 11.4 9.5	2 3 4	3 5 6	8 9 12	16 14 24	23 22 27	75 to 84 years	525 115 380	13.4 14.3	12.0 12.4	5 4	5	8 11 10	14 15	26 25
One diognosis	375 700	10.3 12.8	11.3 9.8	2 3	3 5	6 10	10 17	25 25	One diognosis	770 275	14.2	12.3	4	6	10	16 37	28 54
With surgery	370 705	10.3 12.8	7.3 11.7	2 3	3 5	9	15 17	18 26	Without surgery	875	11.7	9.5	4	6	9	13	22
HYPERPLASIA OF PROSTATE (610)					_				Total	600	11.1	8.5	3	6	8	13	19
Total	4,750 2,805	14.4	9.5 8.6	3	7	12	18	26 23	Age: 65 to 74 years	295 235	10.9 10.8	8.1 8.5	3 2	6	8	13 12	20 17
65 to 74 years 75 to 84 years 85 years ond over	1,615	15.4 17.8	10.2	4	8 7	12 16	21 25	26 33	85 years and over	70	12.8	9.6 5.1	4	6	8 8	15	19 16
One diognosis	2,625 2,125	13.4 15.5	8.1 11.0	4	7	11 13	17 21	23 28	Two or mare diagnases With surgery	465 75	11.6	9.2 9.3	3	6	8 11	14	22 23
With surgery	4,005 745	- 14.8 11.9	9.3 10.2	5 3	8 4	12 7	19 16	25 27	Without surgery ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)	525	10.5	8.2	3	6	8	12	18
(611,612)			0.5				,.	01	Total	785	11.9	11.2	3	4	8	14	23
Totol	165 105 50	10.0 10.5 9.0	9.8 11.1 7.3	2 2 2	2 2 2	5 5 6	14 14 12	21 23 18	Age: 65 to 74 years	395 315 75	12.8 10.6 12.9	12.1 8.8 14.6	3 3 3	5 4 5	10 8 7	15 13 9	24 18 29
85 years ond over One diagnosis	10 85	8.5	10.6	2	2	4	11	18	One diognosis	305 480	10.5 12.8	7.7 12.9	3	5	8 9	14 14	19 26
Two or more diognoses	120	11.6	8.6 10.9	2	3	7	15 15 7	23	With surgery	65 720	21.8 11.0	13.6 10.5	5	10	17 8	30 13	41 19

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	5tandard		Perce	ntiles	(doys))	Potient	Number of	Averoge	Standard		Percer	tiles	(doys)	
chorocteristics	dischorges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th	characteristics	discharges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)									SYMPTOMS REFERABLE TO								
Total	545	14.3	11.3	4	6	12	18	25	GENITOURINARY SYSTEM (786) Total	555	11.8	8.8	3	5	9	15	21
65 to 74 years	305	11.8 16.8 9.4	7.1 13.4 5.7	2 4 2	5 7 5	11 14 7	17 21 11	22 34 17	Age: 65 to 74 years	275 255	12.1 11.7	8.8 9.1	4 2	7	9	14	21 21
One diagnosis	135	16.9 13.4	9.9	6 3	8 5	14	22 17	29 23	75 to 84 years 85 years and over	25 505	11.9	8.9	3	*	9	15	21
With surgery	95	16.6 13.8	19.1 8.8	1 4	3 6	11 12	18	34 23	Two or mare diagnoses :	50 340	10.6	7.9	2	5 3 8	7 12	17	24
DISPLACEMENT OF INTERVERTEBRAL DISC	!	13.0	0.0	-	°	12	10	23	Without surgery	215	8.1	8.2	î	3	5	9	13
(735) Total	555	17.3	9.5	6	10	15	21	30	OTHER GENERAL SYMPTOM5 (780,781,787-789)								
Age: 65 to 74 years	425 115	16.6 19.3	8.7 12.3	5 4	10	15 16	21 23	29 38	Tatal	1,045	9.8	9.0 9.7	2	3	7	14	20 20
75 to 84 years		17.2	8.5	6	10	15	21	29	75 to 84 years	325 130	9.7 11.5	7.0 9.9	2 2 1	4 2	7 10	14 15	19 22
Two or more diagnoses	340	17.4	10.1	13		15	22	30	One diagnasis	870 175	9.4 12.6	8.8 9.4	2 3	3 5	6 8	13 16	19 24
With surgery		13.5	8.4	4	7	12	15	22	With surgery	310 735	10.7 9.6	9.1 8.9	2 2	3	8	15 13	20 20
5YNOVITIS, 8URSITIS ANO TENOSYNOVITIS (741)			;						NERVOUSNESS AND DEBILITY (790)								
Totol		7.7 6.9	7.3	1	2 2	5	8	17	Total	105 70	10.1	9.7 11.0	1 2	3	6	12 18	28 29
75 to 84 years	115	8.9 9.3	6.6 4.5	i 3	2 5	6 7	14 10	17 14	75 to 84 years	20 15	*	*	*	*	*	*	
One diognosis	225 200	5.6 10.0	6.5 7.5	1 3	2 5	3 7	6	14 21	One diagnosis	75 30	9.0 12.8	9.1 10.9	1 3	2	5 7	11 15	23 24
With surgery		7.1 8.6	8.2 5.4	1 2	2 5	3 7	8 8	16 17	With surgery	5 100	10.4	9.8	1	3	6	12	28
CONGENITAL MALFORMATIONS (750-759)									UREMIA (792)								
Total	,	8.0 7.5	5.7	2	4	5	10	18	Age:	105	12.2 14.2	8.4 9.7	2	5	9	18	21 27
65 to 74 years	60	7.4	5.2 5.5	1 *	2	5	9	16 16	65 to 74 years	60 15	11.0	7.5	6 2 *	4	6	18	21
One diognosis		6.5 9.7	4.8 6.2	1 3	2	5 7	8 15	10 20	One diognosis	65 40	9.2 17.0	5.3 10.0	2 2	4 5	7 16	13 21	17 27
With surgery	100 120	8.7 7.5	6.6 4.7	2 2	3 4	5	11 9	20 15	With surgery	10 95	12.3	8.7	2	4	* 9	18	* 21
5YMPTOM5 REFERABLE TO CARDIOVASCULAR AND LYMPHATIC									5ENILITY WITHOUT MENTION OF P5YCH05IS (794)								
5Y5TEM (782) Total	340	6.6	5.8	1	2	4	7	14	Total	40	13.6	11.4	1	4	8	16	32
Age: 65 to 74 years	225	6.5 6.6	5.6 4.1	1 2	2 3	4 5	8 6	14 12	65 to 74 years 75 to 84 years 85 years ond over	10 15 15	:	*	:	:	•		*
85 years and over	30	7.7	9.9	i,	1	2	6	20	One diagnosis	20 20	:		:	:			*
One diagnosis	120	6.2 7.5	6.2 5.0	i	4	6	9	13	Two or more diognoses	10							•
With surgery		6.5	5.8	1	2	4	7	14	OTHER AND ILL-DEFINED DISEASES	30	. 11.5	10.4	1	3	7	"	25
SYMPTOMS REFERABLE TO RESPIRATORY 5YSTEM (783)									(791,793,795) Total	585	7.6	7.9	1	2	4	9	19
Totol		6.5	6.1	1	2	4	8	15	Age: 65 to 74 years	340 200	5.6	5.1	1	2	4	6	11
65 to 74 years	235	6.4 6.9 4.6	5.1 7.7 2.4	1 2	1 2	5 3 3	8 7 5	12 17 8	75 to 84 years	45	7.6	10.5 6.6	2	2	8	14	24 15
One diognosis	560	6.4 7.2	6.0 6.9	1 2	2 3	4 5	8 7	15 14	One diagnosis	500 85	7.6 7.5	8.2 6.2	1	3	4	10	19 17
With surgery	140	6.5 6.5	6.4 6.0	1	2 2	4	8 8	13	With surgery	250 335	4.9 9.6	5.5 8.9	1 2	3	6	5 12	11 22
SYMPTOMS REFERABLE TO	300	0.5	0.0	ľ		,	0	1	FRACTURE OF VERTEBRAL COLUMN (805,806)								
GASTROINTESTINAL SYSTEM (784,785) Total	750	10.3	9.8	1	3	6	12	24	Total	945	16.9	12.8	5	7	13	21	34
Age: 65 to 74 years	355 295	8.9 11.5	8.8 10.3	1	3 4	6 7	10 15	17 25	65 ta 74 years	365 440 140	15.6 19.0 13.4	12.0 14.1 7.7	5 5 5	7 8 6	14 14 12	17 26 16	27 39 26
85 years and over	100 565	11.7	11.4	1	3	6	14 13	32 27	One diagnosis	415 530	14.0 19.1	9.5 14.4	5	7	11 15	17 24	26 39
Two or more diognoses	185	9.7	7.7	2	4	7	23	18	With surgery Without surgery	65	27.2	20.4	8	10	18 13	40 21	61 32
With surgery	165 585	16.9 8.4	11.6 8.4	1	3	6	9	18	Triniout surgery	000	, 10.1	11.7	, ,	,	13		J.

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient charocteristics	Number of dischorges	Average stoy	Standard deviation				(days)		Potient chorocteristics	Number of	Averoge stoy	Standard deviation			tiles (uoys	Γ.
characteristics	uisciloi ges	(doys)	(days)	10th	25th	50th	75th	90th	Chorocieristics	dischorges	(doys)	(days)	10th	25th	50th	75th	90
FRACTURE OF RI8(5), STERNUM AND LARYNX (807)									HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	645	13.3	9.2	3	6	11	18	23	Total	1,000	9.5	9.2	1	3	6	13	
55 to 74 years	265 275 105	9.2 16.3 15.7	5.7 9.9 10.0	3 5 4	4 9 6	15 13	11 19 25	19 26 28	65 to 74 years	490 375 135	8.1 10.1 13.2	8.6 9.5 9.4	1 1 3	2 3 5	5 7 11	10 13 17	
one diognosis	205 440	11,4 14.2	7.2 9.8	2 4	4 6	10 11	16 19	20 27	One diognosis	245 755	7.7 10.1	6.9 9.8]	2	5 7	12 13	
Vith surgeryVithout surgery	40 605	15.6 13.1	8.5 9.2	7 3	8 5	111	22 18	29 22	With surgery	135 865	11.6 9.2	10.0 9.1	1	2	8	16 12	
FRACTURE OF PELVIS (808)									LACERATION AND OPEN WOUND (870-898)								
Totol	540	20.2	13.0	5	11	17	25	38	Total	535	9.9	10.7	1	3	6	12	
55 to 74 years	180 230 130	19.3 23.7 15.5	14.8 12.3 9.1	8 2	10 14 7	15 22 15	23 31 22	38 41 28	Age: 65 to 74 years 75 to 84 years 85 years ond over	310 180 45	8.8 11.3 12.6	11.0 10.3 8.8	1 2 2	2 3 4	5 6 8	10 14 16	
ne diognosis	280 260	15.7 25.1	8.5 15.1	4 6	13	15 22	21 35	26 45	One diognosis	230	9.0	11.4	1	2	6	9	
With surgery	30 510	21.8 20.2	12.0 13.0	5 5	12 10	19	22 25	36 38	Two or more diognoses	305 300	10.6 9.6	10.2	2	2	6	15	
FRACTURE OF HUMERUS (812)									Without surgery	235	10.4	8.4	2	3	5 7	15	
Total	950	12.4	8.5	2	6	10	17	24	SUPERFICIAL INJURY (910-918)	0.6	5.0	2.2		2			
Age: 55 to 74 years	415 390	12.8 11.7	9.3 7.9	2	6 5	10 10	16 17	26 22	Total	85 40	5.0 2.2	3.3 1.0	1	2	4	8	
35 years and over	145	12.9	7.7	2 2	7	11	19	22	75 to 84 years 85 years and over	40	7.6	2.8	3	4	2 8 *	9	
One diognosis	495 455	10.3 14.6	7.3 9.2	1 4	7	11	13	20 26	One diognosis	5 80	5.2	3.3	1	* 2	4	* 8	
Nith surgery	300 650	13.0 12.1	10.0 7.7	2	5	10 10	17 17	27 23	With surgery Without surgery	10 75	4.5	2.8	•		3	7	
FRACTURE OF RAOIUS AND ULNA (EITHER OR BOTH) (813)	635	5.9	6.4	1	,	3	7	13	CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)	,3	4.3	2.0		•	J		
Age: 55 to 74 years	315	4.6	4.4	1	1	3	5	12	Totol	970	9.8	9.8	1	3	7	13	
75 to 84 years	260 60	6.5 10.0	7.1 9.8	1 2	3	3 5	10	13 28	65 to 74 years	405 370 195	9.1 8.7 13.3	9.3 6.7 14,2	1 1 3	2 3 4	6 6 9	12 13 18	
One diagnosis	420 215	4.3 9.0	4.9 7.8	1 2	3	7	11	11 15	One diognosis	225 745	7.6 10.5	6.3 10.6	1	2	5 7	11	
With surgery Without surgery	435 200	4.9 8.2	4.2 9.2	1	1 2	3 4	7 12	11 17	With surgery Without surgery	85 885	8.1 10.0	7.2 1G.0	2	2	6 7	8 13	
FRACTURE OF FEMUR (820,821)									AOVERSE EFFECTS OF ORUGS AND	0.5	10.0	10.0		J			
Totol	4,960 1,345	24.9	15.9	7	14	21 20	31 29	47	OTHER CHEMICAL SUBSTANCES (960-989)								
75 to 84 years	2,365 1,250	24.8 25.7	15.5 17.4	8 6	14	22 22	31 34	44 50	Age:	560	11.0	12.4	1	3	7	12	
One diognosis	2,915 2,045	23.1 27.4	13.5 18.7	7 8	14 14	21 22	28 35	39 52	65 to 74 years	225 275 60	10.1 10.5 16.8	12.8 11.0 15.5		2 2 6	6 6 9	10 14 18	
Nith surgery	3,725 1,235	24.1 27.3	13.4 21.7	10 2	15 9	21 22	29 39	40 59	One diognosis	235 325	6.7 14.1	5.3 15.0	1 2	2	5 8	9 18	
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)									With surgery	40 520	27.4 9.7	17.6 11.0	10 1	15 2	18	28 10	
Total	1,085	15.4	13.8	2	5	31	21	34	COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Age: 55 to 74 years	655 330	15.7 16.0	14.7 13.5	2	5	10	20 23	35 31	Total	500	10.1	9.9	1	3	6	12	
35 years and over	100	11.6	7.1	2	5	9	18	20	Age: 65 to 74 years	285 190	9.3 10.8	9.7 9.3	1 2	3 5	5	10 13	
Two or more diognoses	440 525	18.4	15.5 15.2	3	6	14	25	36	85 years and over One diagnosis	300	8.3	8.2	1	3	5	9	
Without surgery	560	14.2	12.3	2	5	9	20	34	Two or more diagnoses	200	12.7	11.6	i	4	5 8 6	15 12	
Total	645	10.8	7.3	3	5	9	14	19	Without surgery	295	9.9	9.7	2	3	6	12	
Age: 65 to 74 years	370	9.5	6.0	2	5	8	13	18									
75 to 84 years	230 45	13.2 9.0	8.7 5.7	4	6	6	16 11	25 15									
One diognosis	235 410	7.8 12.5	5.3 7.7	2	3 6	11	10 16	16 21									
With surgery	25 620	10.7	* 7.1	2	5	9	14	* 19									

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

		Average	Standard	_	Perce	ntiles	(days)				Average	Standard	Γ	Percer	tiles (doys)	
Potient chorocteristics	Number of discharges	Average stoy (days)	deviation (days)	10th	25th	50th	75th	90th	Potient choracteristics	Number of dischorges	Averoge stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)									MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	B,665	16.4	15.5	2	6	11	22	34	Total	2,B25	20.1	15.1	3	9	17	26	39
Age: 65 to 74 years	4,880 3,120 665	15.9 17.4 15.1	15.4 16.0 13.0	2 2 2	5 6 6	11 12 11	21 24 19	33 36 29	Age: 65 to 74 years	1,600 1,085 140	19.7 20.B 1B.2	16.1 14.0 10.3	3 3 7	B 10 11	16 19 14	26 27 24	40 38 30
One diagnosis	3,100 5,565	14.0 17.7	14.0 16.1	1 3	6	9	20 23	29 37	One diagnosis	1,150 1,675	19.4 20.5	15.5 14.B	3	B 9	16 17	26 27	38 39
With surgery	2,230 6,435	20.0 15.1	17.5 14.5	2 2	7 5	15 10	26 20	45 32	With surgery	1,200 1,625	26.4 15.5	14.2 14.0	11 2	15 5	23 11	33 20	44 32
HERPES ZOSTER (08B)									MALIGNANT NEOPLASM OF PANCREAS (157)								
Total		15.4	11.3 B.9	5	7	11	19	32 28	Total	3,410	20.4	14.6	4	В	17	27	39
75 to 84 years		17.1	12.6 12.9	5 5	8 B	13	21 21	42 34	65 to 74 years	1,965 1,205 240	19.5 21.3 23.7	14.5 14.4 15.6	3 5 5	7 10 12	16 1B 17	27 2B 33	38 37 43
One diagnosis	420 1,070	12.6 16.6	B.9 11.9	5 5	7 B	9 12	15 21	22 34	One diagnosis	1,190 2,220	17.9 21.B	12,4 15.5	2 5	7 9	16 19	25 30	33 42
With surgery	B5 1,405	20.2 15.2	13.B 11.0	4 5	7 7	15 11	27 1B	38 31	With surgery	1,660 1,750	26.1 15.0	13.1 13.9	12	16	23	33 20	42 34
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)									MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)	1,750	13.0	13.7			,	20	
Total	!	1B.0	1B.7	3	5	111	21	43	Total	12,955	17.9	14.6	3	7	14	24	38
65 to 74 years 75 to 84 years 85 years ond over	940	1B.5 1B.3 12.B	1B.5 20.2 9.9	3 2 3	5 4	11 12 9	23 21 1B	45 45 25	Age: 65 to 74 years 75 to 84 years 85 years and over	B,930 3,800 225	1B.3 17.1 16.2	14.7 14.3 14.B	3 3 1	7 7 5	14 13	25 22 18	38 37 33
One diagnosis	1,600 1,155	17.5 18.7	1B.1 19.4	3	5	11	21 22	41 47	One diagnosis	5,550 7,405	16.3 19.2	13.4 15.3	2 3	6 7	12 14	22 26	33 40
With surgery Without surgery	1,895 860	16.0 22.4	15.6 23.6	3	6	11	20 25	31 65	With surgery	5.685 7,270	20.7 15.B	13.5 15.0	6 2	11 5	17 10	27 21	39 37
MALIGNANT NEOPLASM OF ESOPHAGUS (150)		00.5	.70			,,,			MALIGNANT NEOPLASM OF BREAST (170)								
Totol	B75	20.5	17.8	3	8	15	28 30	46 50	Total	11,860	16.4	12.2	5	9	12	19	31
75 to 84 years	825 110	19.6 13.6	17.0 8.1	2 2	7	10	29 1B	43 24	65 to 74 years 75 to 84 years 85 years and over	6,895 4,190 775	16.5 16.3 16.9	12.6 11.5 12.4	5 5	9 9 B	12 13 12	19 19 21	31 30 32
One diagnosis	935	17.9 23.0	16.3 1B.7	4	7 B	13	35 35	37 50	One diagnosis	5,320 6,540	14.1 1B.3	9.7 13.7	6 5	8 9	11 14	16 23	23 35
With surgery	1,095 715	22.3 17.B	17.9 17.2	3	6 6	17	32 22	47 38	With surgery	B,065 3,795	15.3 1B.9	10.2 15.4	6 3	9 7	12 14	17 25	26 39
MALIGNANT NEOPLASM OF STOMACH (151)									MALIGNANT NEOPLASM OF CERVIX UTER1 (171)								
Totol		21.4	15.9	3	9	1B 1B	28	42	Total	2,020	16.B	17.5	3	5	10	18	43
75 to 84 years	2,275 470	21.9 16.7	15.B 12.6	5 2		1B 13	28 22	42 35	65 to 74 years	1,450 530 40	15.7 20.0 14.4	16.9 19.1 10.1	3 4 2	4 6 2	10 12 10	17 29 21	42 45 26
One diagnosis		20.1 22.2	14.1 17.0	4 4	9	1B 18	27 29	38 45	One diognosis	1,1B5 835	13.7 21.2	15.0 19.6	2 4	4 6	B 13	14 30	31 51
With surgery		25.6 17.7	15.2 15.6	B 2	15	12	33 22	45 38	With surgery	1,445 575	16.0 1B.B	17.9 16.2	3 3	5	9 13	17 26	42 44
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)						00	32		MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Totol	1	23.1	16.0	5	12	19	30	43	Total	4,060	14.5	12.7	3	6	11	17	28
75 to 84 years	5,860	24.1 21.5	16.0 15.6	6 5		21 19	31 27	45 40	65 to 74 years	2,620 1,335 105	14.3 14.3 22.0	12.7 12.4 13.5	3 3 5	6 6 9	11 11 19	17 1B 30	27 27 36
One diagnosis	5,540 9,020	22.0 23.8	15.1 16.4	5 5	11	1B 20	28 31	41 45	One diagnosis	2,245 1,B15	12.7	11.2 14.1	3 4	5	10 12	14 20	24 30
With surgery		26.1 1B.0	14.B 16.6	11 2	16	22 13	32 24	45 39	With surgery	2,955 1,105	14.4 14.B	11.9 14.6	3 2	6	11 9	17 19	27 30
MALIGNANT NEOPLASM OF RECTUM (154)									MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
TotalAge:	1	23.5	15.6	5	11	20	32	44	Tatol	2,025	19.4	14.9	3	9	16	25	37
65 to 74 years 75 to 84 years B5 years and over	2,440	23.9 22.9 22.6	14.5 17.0 16.6	6 5 3	9 9	21 18 19	32 32 32	42 47 48	Age: 65 to 74 years	1,385 565 75	1B.2 22.2 19.2	13.3 1B.6 B.1	3 3 9	9 B 11	16 16 17	23 30 24	34 49 30
One diognosis	3,040 3,685	22.5 24.3	14.1 16.7	5 5	11	20 20	30 33	40 46	One diagnosis	640 1,385	15.7 21.1	12.7 15.6	2 4	5 10	13	19 26	34 40
With surgery	4,970 1,855	24.7 20.2	14.6 17.6	6 3	14	22 14	32 28	45 43	With surgery	980	20.9	12.7 16.6	9	13	17	24 26	35 42

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stoy	Standard deviation		1 0.00	lines	(days)		Potient	Number of	Averoge stoy	Standard deviation		ei cer	ntiles	uoys
chorocteristics	discharges	(doys)	(doys)	10th	25th	50th	75th	90th	choracteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th
MALIGNANT NEOPLASM OF PROSTATE (177)									OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)							
Total	12,450	17.1	13.2	4	8	14	22	33	Total	3,280	20.2	17.3	2	7	15	27
5 to 74 years	5,995 5,315 1,140	16.2 17.6 19.5	13.1 13.1 14.0	4 4 5	7 8 9	12 14 15	20 22 27	31 33 39	65 to 74 years	2,070 1,0 2 5 185	20.5 18.6 25.0	17.6 15.6 20.6	3 1 6	7 7 9	14 14 19	29 24 26
ne diognosis	5,415 7,035	15.0 18.8	11.0 14.4	4 4	7 9	12 14	19 24	28 35	One diognosis	1,660 1,620	16.6 23.8	16.3 17.5	1 5	5 10	11 19	22 33
Vith surgeryVithout surgery	7,745 4,705	17.9 15.8	12.7 13.9	5 3	9 6	14	22 20	33 32	With surgery	830 2,450	23.4 19.1	17.3 17.1	5 2	10 7	20 13	29 26
NALIGNANT NEOPLASM OF KIONEY AND URETER (180)									BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)							
Totalge:	1,450	20.5	14.4	4	10	18	26	44	Total	1,540	15.8	11.0	3	8	13	21
5 to 74 years	905 495 50	20.1 20.9 22.1	15.5 12.7 8.8	2 5 6		17 19 18	25 27 29	45 36 31	65 to 74 years	1,130 370 40	15.2 18.4 11.5	10.2 13.2 7.7	2 3 5	8 7 5	13 15 8	20 25 12
ne diognosiswo or more diognoses	575 875	19.1 21.4	13.7 14.8	2	9 10	16 19	26 26	43 43	One diagnosis	895 645	13.9 18.5	10.0 11.8	2 5	5 9	12 16	18 23
fith surgeryfithout surgery	840 610	22.0 18.4	12.8 16.2	6 2	13 5	19 15	27 22	42 45	With surgery	1,315 225	16.3 12.9	11.1 9.9	3 2	9	14 10	21 19
MALIGNANT NEOPLASM OF BLAODER (181.0)									8ENIGN NEOPLASM OF RECTUM (211.4)							
Totol	10,870	13.3	13.1	2	4	9	17	27	Total	1,495	9.8	10.7	2	3	6	12
ge: 5 to 74 years	5,845 4,195	12.5 13.8	12.0 14.1	2 2	4 4	8 9	16 17	26 29	65 to 74 years	830 565 100	8.9 10.3 14.7	9.0 12.2 12.8	1 2 3	3 3 5	5 7 7	11 11 22
5 years and over	6,130 4,740	17.0 11.5 15.6	14.3 12.2 13.9	1 2	3	13 7 11	21 14 20	26 30	One diognosis	840 655	8.4 11.7	11.5 9.2	1 3	2 5	4 8	9 14
ith surgery	8,650	12.7	12.0	2	4	9	17	26	With surgery Without surgery	1,285 210	10.2 7.6	11.3 4.8	2 1	3	6	12 10
fithout surgery	2,220	15.8	16.6	2	5	10	19	41	8ENIGN NEOPLASM OF UTERUS (214,215)							
(190,191) Total	6,230	9.7	10.5	,	2	5	12	23	Total	2,245	8.7	7.9	2	3	6	11
ge: 5 to 74 years	3,170	9.0	9.2	1	2	5	11	22	65 to 74 yeors	1,660 510	8.3 9.7	7.5 9.2	2 2	3	6	11 12
5 to 84 years	2,375 685	10.4 10.4	11.7	1	2 2	5	13 12	25 24	85 years and over One diagnosis	75 965	10.6	4.2 7.7	4	6	9	13
ne diognosis	3,955 2,275	8.3 12.1	9.0 12.4	1	3	5 7	10 16	21 30	Two or more diognoses	1,280 2,030	10.1 8.5	7.6 7.1	2	4	8	13
Vith surgeryVithout surgery	5,210 1,020	8.7 14.6	9.6 13.3	1 2	2	5 10	10 20	21 31	Without surgery	215	11.0	12.7	2 2	3	7	14
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONOARY									Total	1,865	6.8	6.2	1	2	4	7
SITES (199) Totol	14,175	18.8	15.8	2	7	14	25	40		1,475 360	6.4 7.5	5.8 5.8	1 2	2	4 5	7 8
ge: 5 to 74 years	8,110 5,420	18.4 19.2	15.4 16.1	2 3	6 7	14	25 25	38 41	85 years and over One diagnosis	1,240	16.0 5.5	11.9 5.6	3	2	11 3	23 6
5 years and over	7,775	20.4 17.9	18.6 15.6	2 2	6	14	30	44 38	Two or more diagnases	625 1,800	9.2 6.7	6.5 6.0	3	4	7	11 7
wo or more diognoses	6,400 4,660	19.9	16.0	3		15	27	41	Without surgery	65	9.3	8.1	1	1	4	16
Vith surgeryVithout surgery	9,515	17.9	15.7	2		13	24	38	THE 8LA00ER (236.2)							
LYMPHOSARCOMA ANO RETICULOSARCOMA (200)		:							Total	4,040 2,380	8.8 7.6	9.5 8.3	1	2	5	10
Totalge:	2,665	19.3	16.3	3	7	14	26	41	75 to 84 years	1,450 210	10.5 10.0	11.4 7.0	1 2	2	6 8	13 12
5 to 74 years	1,720 850 95	17.1 23.8 18.2	14.5 18.8 15.4	3 4 1	6 9 5	13 18 11	23 31 29	34 53 42	One diognosis	3,110 930	8.1 11.1	9.0 10.8	1 1	2	5 8	9 13
ne diognosis	1,370 1,295	18.9 19.6	16.9 15.8	3 3	7 8	13 16	26 25	37 44	With surgery	3,555 485	8.6 9.7	9.6 8.6	1 2	2	5 6	10 11
fith surgery	930 1,735	21.0 18.3	16.2 16.4	4 2	8 7	17 13	27 24	42 38	ASTHMA (241)	F 005	10.7	0.4			10	14
LEUKEMIA ANO ALEUKEMIA (204)									Total	5,085 3,730	12.7	9.6 9.3	3	6	10	16 15
Totolge:	3,990	16.1	15.0	2	5	11	21	36	75 to 84 years	1,175 180	13.8 13.9	10.1 10.0	3 3 1	6	11 11	17 17
55 to 74 years	2,055 1,730 205	16.7 15.1 17.1	15.9 14.0 12.8	2 3 1	6 5 5	11 10 15	21 21 26	38 34 35	One diognosis	2,015 3,070	10.4 14.2	8.0 10.2	2 4	5 7	8 11	13 18
One diognosis	2,095 1,895	14.3 17.9	15.1 14.7	1	4 7	9	18 24	33 37	With surgery	270 4,815	17.5 12.4	10.8 9.4	5	9	14 10	25 15
With surgery	605 3,385	22.6 14.9	16.2 14.5	6 2	9	19 10	29 19	43 34								

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

March Marc			Averoge	Stondard		Perce	ntiles	(doys))	T		Average	Stondard		Percer	tiles	(days)	
The content of the	Potient charocteristics	Number of discharges	stoy	deviation	10th	25th	50th	75th	90th	Patient charocteristics	Number of discharges	stay	deviation	10th	25th	50th	75th	90th
Lange	DISEASES OF THYROIO GLAND (250-254)																	
4 for 12 septem 1		3,160	14.0	10.6	4	7	11	16	26		5.010	19.9	18.3	3	6	13	25	48
December 1.65	65 to 74 years	805	16.7	12.5	4 5 5	7	13	21	32	Age: 65 to 74 years	1,845 2,435	19.3 20.2	18.1 18.1	2 3	6	13 14	26 25	48 42
With Supply	One diognosis				4 5	6 8				One diagnosis	1,980	18.3	17.6	3		12	22	47
Desilication	With surgery					6 7				With surgery	355	31.9	22.8	6	13	27	47	70
Tarel	DIABETES MELLITUS (260)										4,655	18.9	17.6	3	6	13	23	44
72 to 18 years 14,000 16,00 13,00 14,00 13,00 14,00 13,00 14,00 13,00 14,0	Age:										3 370	22.7	17.1	_	0	10	31	16
No. of the reset diagneses	75 to 84 years	14,675	16.8	13.7	4	7	12	20	33	Age: 65 to 74 years	2,480	22.1	16.4	4	9	19	30	43
## MANUTERITIONAL GETCENCY STATES AMADURES 1004 3.256 18.9 15.3 3 8 14 25 36 37 48 37 48 37 48 38 38 48 38 38 48 38 3					3 5	6								2	7			
March Control Contro	With surgery	7,300	23.6	17.4	6		18			One diagnosis								
Page Page	MALNUTRITIONAL DEFICIENCY STATES	,,503	. 4.0											4 4	6 9			
65 10 74 years 975 174 129 3 8 16 22 34 Age, 7 years 1,000 194 150 4 8 10 16 25 30 100 year years 1,000 194 150 4 8 10 16 25 30 100 year years 1,000 194 150 4 8 10 16 25 30 100 year years 1,000 194 150 4 8 10 16 25 30 100 year years 1,000 year years 1,000 194 150 4 8 10 16 25 30 100 year years 1,000 year years 1,000 194 150 14 4 8 10 16 25 30 100 year years 1,000 year years 1,000 194 150 14 4 8 10 16 25 30 100 year years 1,000 year years 1,000 194 150 14 4 8 10 16 25 30 100 year years 1,000 year years 1,000 194 150 14 4 8 10 16 25 30 100 year years 1,000 year years 1,000 year year years 1,000 year year years 1,000 year year year year year year year year	Total	2,205	18.9	15.3	3	8	14	25	38									
See Segments 1,645 70.2 10.0 4 5 10.0	65 to 74 years				3 3					Age:		i						
No promore diagnoscies 1,645 202 10.0 4 9 15 20 40 0 0 0 0 0 0 0 0	85 years and over	350	19.9	18.4		5	15	27	47	75 to 84 years	1,780	19.4	14.6	4 2	8	16	25	36
Without surgery 1,960 18,4 15,5 2 7 14 23 38 With surgery 440 21,7 19,3 3 8 16 26 52	Two or more diagnoses	1,645	20.2	16.0	4		15	28	40					5				40 37
COUT (1288) 1,385 14,1 11,5 4 6 11 17 26 Age	With surgery				6 2					With surgery				3 4	8			52 38
Age for 74 years		1 205	,,,	,,,,		,	,,	17	٠,	CEREBRAL HEMORRHAGE,	0,010	.,,,						
B\$ years and over 60	Age: 65 to 74 years	875	12.9	9.0	4	5	10	17	26	(331,334.8)								
Dec diagnosis 330 11.2 8.0 3 5 9 13 23 27 55 64 64 67 7 17 17 18 5 17 25 42	75 to 84 years				5					Age:				1	5			
Without surgery 1,275 13,4 10,0 4 6 10 16 25 15,0 17,7 17,1 17,7 17,1 17,7 18,1 13,4 10,0 18,1 17,7 18,1 18,4						5 6				75 to 84 years				1	5		25 25	42 42
Total 1,75 19,1 13,4 5 9 15 25 35 56 ERBRAL EMBOLISM AND THROMBOSIS (332) Graph diagnosis 630 17,7 13,1 5 8 15 24 33 7 101 17 26 37 101 17,7 10,1 1 5 1 1 5 12 24 42 101 101 101 101 101 101 101 101 101 10	With surgery													1	6			
Age: 6 5 to 74 years 6 630										With surgery					10 5	22 12		56 42
65 for 74 years 630 17.7 13.1 5 8 15 24 37 75 to 84 years 940 20.2 13.1 7 13.1 5 8 15 24 37 85 years and over 205 18.7 15.3 3 7 13 27 39 85 years and over 205 18.7 15.3 3 7 13 27 39 85 years and over 205 18.7 15.3 3 7 13 27 39 16.5 15.2 27 15 27 42 24 24 24 24 24 24		1,775	19.1	13.4	5	9	15	25	35									
One diagnosis 6.25	65 to 74 years	940	20.2	13.1	5 7	11	17	26	37	Total	19,050	19.7	16.5	2	7	15	27	42
With surgery 270 26.0 14.8 12 15 21 30 46 One diagnosis 5,180 18.9 16.7 2 6 14 25 41 Without surgery 1,505 17.9 12.8 5 8 14 22 34 Two or more diagnoses 13,870 20.0 16.4 3 7 15 27 42 17.770 17.770 17.2 2 5 10. 1 2 17 24 65 16 74 years 1,270 13.4 8.0 4 7 12 17 24 65 16 74 years 1,270 13.4 8.0 4 7 12 16 25 15 10. 1 10.	One diognosis	625	15.2	9.8	5	8	12	18	30	65 to 74 years	8,570	19.7	16.3	3 2	7	15	27	
Note Note		270	26.0	14.8	12	15	21	30	46	One diognosis	5,180	18.9	16.7	2	6	14	25	
Totol. 3,120 13.6 8.6 4 7 12 17 24 25 10 13 13 14 14 18.5 15 18 14 14 18.5 15 18 12 18 24 18 14 18 14 18 18 14 18 18	Without surgery	1,505	17.9	12.8	5	8	14	22	34		1,280	26.7	18.5	7	12	22	35	55
65 to 74 years 1,270 13,4 8.5 5 8 12 18 24 75 to 84 years 14.470 14.1 8.5 5 8 12 18 24 85 years ond over 380 12.7 10.6 2 6 9 15 25 Total 16.085 15.0 13.1 3 6 11 18 31 0ne diagnosis 705 11.0 7.1 2 5 10 14 19 65 to 74 years 7.5 to 84 years 8.5 to 74 years 8.8 to 74 years 8.8 to 74 years 8.8 to 74 years 8.8 to 74 years 8.8 to 74 years 8.8 to 74 years 8.8 to 74 years 8.8 to 74 years 8.8 to 74 years 8.8 to 74 years 9.8 to 74 years	Total	3,120	13.6	8.6	4	7	12	17	24	Without surgery				2				
One diagnosis 705 11.0 7.1 2 5 10 14 19 65 fo 74 years 6.590 13.8 11.9 3 6 10 17 27 Two or more diagnoses 2,415 14.4 8.8 5 8 12 18 25 75 fo 84 years 7,505 15.6 13.3 4 6 11 18 33 With surgery 640 17.0 9.7 6 10 14 20 31 0ne diagnosis 4,100 13.3 11.9 3 6 11 18 33 OTHER ANO UNSPECIFIED ANEMIAS (292,293) 8.890 16.1 14.2 2 6 11 20 35 3 6 10 17 30 Age: 65 to 74 years 4.015 15.7 14.2 2 6 11 20 35 33 7 14.5 2 6 11 20 34 34 6 10 17 20	65 to 74 years	1,470	14.1	8.5	4 5	8	12	18	24	SPECIFIED) (334.0)	14.000	15.0	12.7	,	,	,,	10	21
Two or more diagnoses 2,415		705			2	5	10	14	19	Age: 65 to 74 years	6,590	13.8	11.9	3	6	10	17	27
Without surgery. 2,480 12,8 8.1 4 7 11 16 23 23 23 24 24 25 24 24 25 24 24	Two or more diagnoses	2,415	14.4	8.8	5	8	12	18	25	75 to 84 years	7,505			3		11		33 35
Total	Without surgery									One diagnosis							16 19	
Total. 8,890 16.1 14.2 2 6 11 20 35 PARALYSIS AGITANS (350) Age: 65 to 74 years 4,015 15.7 14.2 2 6 11 20 33 Total 6,070 20.9 14.6 6 11 17 26 39 85 years and over 975 17.7 16.7 3 6 12 20 38 Age: 65 to 74 years 3,890 16.1 13.5 3 6 12 21 36 Age: 65 to 74 years 3,890 16.1 17 26 39 8 Age: 70 Age:	(292,293)																	
One diagnosis	Age:						1											
One diagnosis 2,815 12.3 11.4 1 4 8 16 27 75 to 84 years 2,045 20.4 14.8 6 10 17 25 39 Two or more diagnoses 6,075 17.9 15.0 3 7 13 23 38 85 years and over 190 22.6 19.2 5 10 14 29 43 "h surgery 1,480 23.5 16.6 6 11 18 31 47 One diagnosis 2.870 20.8 13.5 7 12 17 25 37 hout surgery 7,410 14.6 13.2 2 5 10 19 32 With surgery 495 26.6 17.9 7 12 22 38 52	75 to 84 years	3,900	16.1	13.5	3	6	12	21	36	Age:								
hout surgery 7,410 14.6 13.2 2 5 10 19 32 Two or more diagnoses 3,200 21.0 15.4 5 10 17 27 41 With surgery 495 26.6 17.9 7 12 22 38 52	One diagnosis				1 3	4 7		16 23		75 to 84 years	2,045	20.4	14.8	6 5	10	17	25	39
With surgery	ጎት surgery									One diagnosis								
										With surgery					12 10	22 17	38 25	52 38

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

	Number of	Averoge	5tandard		Percei	ntiles	(days)		Patient Patient	Number of	Averoge	Standard		Percer	ntiles	(doys)
	dischorges	(days)	deviation (duys)	10th	25th	5Gth	75th	90th	choracteristics	dischorges	(days)	deviation (days)	10th	25th	50th	75th	9011
NEURALGIA AND NEURITIS (360-366)									ALL OTHER MYOCAROIAL DEGENERATION (422.0.422.9)								
Total	4,645	13.3	10.1	3	6	11	16	25	(422.U,422.Y) Totol	2,030	13.9	11.4	2	5	10	18	21
Age: 65 to 74 years	2,980 1,375	13.5 12.6	10.6 9.4	3 3 3	5	10 11	16 16	27 22	Age: 65 to 74 years	885	14.2	11.9		5	10	19	2
85 years and over	290	13.6	7.1		7	13	18	23	75 to 84 years	930 215	12.8 16.9	9.8 14.6	2 2 1	6	10	17 26	3
Une diagnosis	2,225 2,420	12.3 14.2	8.8 11.0	3	5	10	15 18	21 26	One diagnosis	460 1,570	14.4 13.7	11.8 11.3	3 2	6 5	10	17 18	21
With surgery	845 3,800	13.9 13.1	12.2 9.5	2 4	5 6	11	17	28 23	With surgery	155	17.3	11.2	2 2	8	16	26	3
CATARACT (385)									Without surgery	1,875	13.6	11.4	2	5	10	17	21
Torol	52,000	8.1	4.7	4	5	7	8	12	FUNCTIONAL DISEASE OF HEART (433)	16,385	12.8	11.8	1	4	9	17	2
Age: 65 to 74 years	26,285 22,055	7.8 8.2	4.1 5.1	4 4	5	6 7	8 8	12 13	Age:	7,810	11.7	10.6	'	4	8	14	2
85 years and over	3,660	8.9	5.7	4	5	7	9	14	65 to 74 years 75 to 84 years 85 years ond over	6,820 1,755	13.2 15.7	12.1 14.8	1 2	4 5	11	18	3
One diagnosis	39,920 12,080	7.8 9.1	4.0 6.2	4	5	6 7	10	11 15	One diagnosis	5,130 11,255	11.7 13.3	11.6 11.9	1 2	4 5	8 9	14	24
With surgery	49,930 2,070	8.1 7.9	4.5 8.1	4	5 2	7 6	8 9	12 16	With surgery	3,530	15.1	11.3	3	7	11	20	31
GLAUCOMA (387)	_,,,,								Without surgery	12,855	12.1	11.9	ī	4	8	15	26
Total	4,670	8.7	7.5	2	4	6	10	15	CONGESTIVE HEART FAILURE (434.1)	25 (05	15.0	12.4		,	12		
Age: 65 to 74 years	2,880 1,580	8.6 8.6	6.4 7.8	3	4 4	6	10	15 15	Age:	35,685 15,015	15.9 15.7	13.4	3	7	12	20	32
85 years and over	210	12.1	14.7	3	5	8	12	16	65 to 74 years 75 to 84 years 85 years ond over	16.185 4,485	16.0 16.0	13.6 14.3	2	6 5	12	21 21	30 31 32
One diagnosis	2,935 1,735	8.0 10.0	6.6 8.7	3	5	6 7	11	14 17	One diagnosis	16,065	15.4	12.9 13.7	2 2	6	12	20 21	31
With surgery	3,700 970	9.0 7.7	7.1 8.8	3	4 3	7 5	10	16 13	Two or more diagnoses	19,620 2,720	16.2 24.6	16.8	7	12	20	33	4
CHRONIC RHEUMATIC HEART DISEASE			0.0						Without surgery	32,965	15.1	12.8	2	6	12	20	30
(410-416)									HYPERTENSIVE HEART OISEASE (442,443)								
Total	3,045 2,375	16.1	14.1	3	7	12	21 20	32	Age:	22,765 11,060	15.1 14.6	12.0	4	7	11	19	29
65 to 74 years	2,373 570 100	15.9 13.7	14.2 14.3 11.0	4	6 3	12	21 19	25 28	65 to 74 years 75 to 84 years 85 years ond over	9,750 1,955	15.4 16.7	12.3 13.5	4 3	7 7 7	11	19 22	25 25 35
One diagnosis	465	12.7	12.7	2	4 7	7	16	31	One diagnosis	4,060	13.1	10.7	3	6	10	16	25
Two or more diagnoses	2,580 395	16.7 17.8	14.3	3	6	13	21	32	Two or more diagnoses	18,705	15.6	12.2 13.0	4 5	7	12	20	37
Without surgery	2,650	15.8	14.0	4	7	12	20	29	Without surgery	20,830	14.8	11.8	4	7	ii	19	28
ARTERIOSCLEROTIC HEART DISEASE 50 DESCRIBED (420.0)									OTHER HYPERTENSIVE DISEASE (446,447)	11,070	12.5	10.4	3	5	9	15	24
Total	72,300	15.3	12.8	3	6	11	19	30	Age:	6,580	12.3	9.4	3	6	9	15	24
65 to 74 years	27,375 34,310	14.4 15.6	11.5 12.8	3 3	6 7	11 12	18 19	28 31	65 to 74 years	3,755 735	13.0 13.0	11.7 11.7	3 2	6	9	16	31
85 years and over	10,615	16.6	15.3	2	6	12	21	35	One diagnosis	2,970	10.1	8.4 10.9	2	4	7 10	13 16	20
One diugnosis	18,285 54,015	15.8	13.0	4	7	12	20	31	Two or more diagnoses	8,100 1,380	13.4 14.7	10.9	4	7	12	19	25
With surgery	6,835 65,465	20.6 14.7	14.9 12.4	5	9	17 11	26 18	40 29	Without surgery	9,690	12.2	10.4	3	5	9	15	24
ACUTE CORONARY OCCLUSION (420.1)									GENERAL ARTERIOSCLEROSIS (450)	14.005	10.1	,,,,		_	,,		_
Total	57,630	18.4	13.3	1	7	18	25	34	Total	14,935 5,315	18.1 17.3	15.7 14.6	3	7	13	23	39
Age: 65 to 74 years	32,980 20,990	18.9 18.0	12.6 13.9	1	9 5	19 17	25 26	33 35	75 to 84 years	6,700 2,920	18.8 18.0	15.8 17.2	3	7	14 11	24 22	41
85 years and over	3,660	16.8	15.5	1	3	14	25	34	One diagnosis	2,880	15.9	14.8	3	5	11	20	33
One diagnosis	27,045 30,585	17.3 19.4	12.4 14.0	1	8	17 19	24 27	31 36	Two or more diagnoses	12,055 3,575	18.6 24.9	15.9	7	7 12	14	32	49
With surgery	2,745 54,885	25.3 18.1	16.8 13.0	4	12 7	23 18	35 25	46 33	Without surgery	11,360	16.0	14.6	3	6	ii	20	35
OTHER ISCHEMIC HEART DISEASE									AORTIC ANEURY5M, NON5YPHILITIC, AND 0155ECTING ANEURYSM (451)								
(420.2-420.4,422.1) Totol	49,940	14.9	11.7	3	6	12	19	29	Total	3,170	12.7	13.0	1	1	9	19	28
Age: 65 to 74 years	26,855	14.3	10.7		6	11.	19	27	65 to 74 years	1,820 1,170	13.7 11.1	13.9 10.9	1	1	10 8	20 16	30 24
75 to 84 years	19,185 3,900	15.6 16.2	12.3 14.1	3 3 3	6	12 12	20 20	31 34	85 years and over	180	12.7	15.1	1	1	6	20	25
One diagnosis	16,660 33,280	13.8 15.5	11.1 11.9	3	6 7	11 12	18 20	27 30	One diagnosis	1,545 1,625	13.6	12.0 13.8	1	i	9	18 19	31
t. more diognoses	33,200	21.2	15.0	5 3	10	16	28	42	With surgery	1,630 1,540	16.9 8.3	13.0 11.4	3	5	16 4	23 10	32

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard deviation		r er cei	ntiles	(ouys)		Potient	Number of	Averoge stoy	Standard deviation		ercel	ntiles	(doys,	_
chorecteristics	dischorges	(doys)	(days)	10th	25th	50th	75th	90th	choracteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90
ARTERIAL EMBOLISM AND THROMBOSIS (454)					:				ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	3,170	18.3	15.4	2	7	13	24	39	Total	2,475	11.1	9.3	3	5	В	13	
vge: 5 to 74 years	2,020 845 305	17.7 21.7 12.5	14.1 18.2 12.7	2 3 1	7 9 5	14 15 9	24 29 14	38 45 25	65 to 74 years 75 to 84 years 85 years ond over	1,395 910 170	11,1 11,1 11,3	9.2 10.0 6.5	3 3 4	5 5 6	B 7 9	13 13 14	
One diagnosis	1,645 1,525	15.2 21.6	13.B 16.4	1 4	5 9	12 16	20 32	30 45	One diagnosis	585 1,890	8.3 12.0	5.2 10.1	2 3	4 5	7 9	11 14	
Vith surgery	1,960 1,210	21.6 12.9	14.B 15.0	7	11	17 B	29 15	40 31	With surgery	175 2,300	10.3 11.2	8.B 9.4	2 3	3 5	6 8	13 13	
GANGRENE OF LOWER EXTREMITY (455.0)	1								INFLUENZA (480-483) Total	1,805	10.4	7.1	3	5	В	13	
Totolge:	2,715	2B.1	19.2	6	13	22	39	54	Age: 65 to 74 years	1,045	10.5	7.1	3	1	В	13	
5 to 74 years	1,135 1,215 365	26.2 30.4 25.9	18.0 19.4 20.7	6 8 1	13 14 9	21 26 22	35 43 35	51 57 57	75 to 84 years	670 90	10.4 8.6	7.1	3	5 5 4	6	12	
ne diognosis	1,265 1,450	25.9 30.0	17.1 20.6	6 7	13 14	21 24	37 41	52 56	One diagnosis	550 1,255	11.3	5.0 7.7	3 4	6	9	113	
With surgery	1,710 1,005	30.3 24.3	18.1 20.3	10 3	15 8	26 18	40 35	54 57	With surgery Without surgery LOBAR PNEUMONIA (490)	70 1,735	16.3 10.1	11.1 6.8	5 3	8 5	11 B	23 12	
VARICOSE VEINS OF LOWER EXTREMITIES (460)									Totoi	1,145	16.1	12.5	3	9	13	20	
Totol	4,560	17.2	14.9	4	6	12	23	35	Age: 65 to 74 years	615	14.7 17.4	9.2 14.1	3 2 2	9	13	19 21	
Age: 1.5 to 74 years	2,905 1,480 175	15.4 20.2 23.1	14.4 15.3 14.5	4 5 5	5 8 11	10 16 20	21 27 32	32 40 43	75 to 84 years B5 years and over	365 165 335	17.4 18.4 12.7	17.7	ł	5 9	13	21	
One diognosis	2,170	15.5	14.6	4	5	9	20	33	Two or more diagnoses	B10	17.4	14.0	2 3	9	14	22	
iwo or more diognoses	2,390 2,630 1,930	18.B 16.3 18.4	15.1 15.0 14.B	4 4	5 7	14 10 14	24 22 23	37 35 35	With surgery	75 1,070	25.9 15.4	13.5 12.2	5 2	19	12	32 18	
Mithout surgery HEMORRHOIOS (WITH OR WITHOUT	1,730	10.4	14.5	~	<i>'</i>	'*	23	33	Total	10,340	15.2	13.3	2	6	111	19	
ULCER) (461) Totol	4,640	9.8	7.6	3	5	7	11	17	Age: 65 to 74 years	4,245 4,380	14.1 15.6	11.2 14.0	3 2 1	6 6 5	111	1B 20	
Age: 15 to 74 years	3,330 1,165 145	9.5 10.1 15.4	7.1 7.6 14.9	3 3 6	5 5 6	7 B B	11 11 12	17 16 45	B5 years and over One diagnosis	1,715 2,525 7,815	16.7 12.7 16.0	16.0 11.8 13.7	2 2	5 6	12 9 12	14 21	
One diagnosis	İ	8.3 11.2	5.9 8.7	3 4	5 6	6 B	9 13	13 20	With surgery Without surgery	770 9,570	22.5 14.6	15.2 13.0	6 2	11 6	19	29 18	
With surgery	3,885 755	9.9 9.3	7.2	4 2	5	7	11	17 21	PRIMARY ATYPICAL PNEUMONIA (492)								
Without surgery PHLEBITIS AND THROMBOPHLEBITIS OF	/33	7.3	9.6		4	6	,	21	Total	6,935	14.9	11.6	4	7	11	18	
LOWER EXTREMITIES (463) Totol	5,085	15.4	9.5	6	9	13	18	26	65 to 74 years 75 to 84 years 85 years and over	3,380 2,715 840	13.8 15.5 17.6	9.5 12.7 14.9	4 5 4	7 7 7	11 11 13	17 18 23	
Age: 55 to 74 years	3,205 1,660	14.8 16.6	9.7 9.3	6	B 10		17 19	25 29	One diagnosis		12.7 15.7	10.7 11.8	4 5	6 7	10 12	14 20	
35 years and over	1,925	15.5	6.9 B.2	5	8	15	1B	26	With surgery	630 6,305	21.B 14.2	14.B 11.0	5 4	12 7	18 11	26 17	
Two or more diognoses	3,160	16.4	10.1	6 7	10	14 18	19	28 35	PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Without surgery	4,580	14.9	8.9	6	9	13	18	25	Total	14,140	15.7	12.3	3	7	12	20	
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)	2,755	15.3	9.4	5	8	13	19	27	Age: 65 to 74 years	6,440 5,690 2,010	14,9 16.2 17.3	11.4 12.1 15.0	3 2	7 B 7	11 13 13	1B 21 22	
Totol	1,665	14.9 15.6	9.7 9.1	5 5	B 6	12	1B 21	25 27	One diognosis	4,975 9,165	13.B 16.B	11.4 12.6	3 4	7 B	11 13	16 21	
35 years and over	145	19.1	B.1	9	12	17	25	29 29	With surgery	1,225	23.2	15.6 11.7	7 3	11 7	19	31	
One diagnosis	1,250	14.2	9.5 9.3	5 6	9	114	19 20	28	ACUTE BRONCHITIS (OR SUBACUTE) (500)	12,713	13.0	''		<i>'</i>	'-	''	
With surgery	295 2,460	14.3	12.9 B.3	13 5	15 8	12	29 18	24	Total	4,420	11.7	B.2	4	6	9	14	
PULMONARY EMBOLISM AND INFARCTION (465)							~~		Age: 65 to 74 years	2,585 1,495	10.7 12.5	6.B 9.4	4	6 6 7	9 9 13	13 14 18	
Total	6,060 3,265	17.0	12.B 12.4	3	B	14	22	33	B5 years ond over One diagnosis	900 3 520	15.3	6.B	3	5	13 B 9	1B 12	
75 to 84 years	455	16.7 15.5	13.3	1	5	14	22 24	33 34	Two or more diagnoses	3,520	12.1	12.4	6	10	15	2B	
One diognosis	4,300	16.7 17.1	12.4 12.9	2	8	15	22 22	30 34	Without surgery	4,050	10.9	7.3	1 4	6	1 9	13	
Nith surgery	790 5,270	21.3 16.3	13.3 12.6	6 2	12 7	17	28 22	37 32									

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Average stay	Standard deviation		Perce	ntiles	(days)		Patient	Number af	Average	Standard deviation		Percer	tiles	(days)	
characteristics	discharges	(days)	(days)	10th	25th	50th	75th	90th	characteristics	dischorges	(days)	(days)	10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)									ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Tatal	3,165	11.7	8.4	4	6	9	14	22	Tatal	1,500	16.3	10.5	5	8	14	21	29
65 to 74 years	1,880 1,025 260	11.1 13.0 10.4	7.7 9.8 5.4	3 4 3	5 7 6	9 9	13 15 14	22 24 19	Age: 65 ta 74 years	905 400	15.8 17.9	9.5 12.6	5	8 10	14 14	19 23	28 30 29
One diagnasis	1,095 2,070	9.6 12.7	6.9 8.9	3 4	5 7	8 10	12 15	17 24	85 years and aver One diagnasis	195 540	15.6	9.6 8.5	5 5	8	12	19	25
With surgery	320 2,845	12.6 11.6	10.1 8.1	1 4	3 6	9	22 14	28 21	Two ar mare diagnases	960 550	16.9	10.6	6	11	17	21	30 34 25
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)									ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE	950	14.6	10.0	5	8	12	17	25
Tatal	3,820	14.3	11.7	4	7		17	28	(541.0)	7 405				_		,,	
65 ta 74 years	1,295	13.9 15.2 14.3	11.0 12.7 11.9	4 4 6	7 7	11 11 11	17 18 15	27 30 18	Total	7,495 4,910	13.7	9.9	4	7 6 7	10	16	26 25
One diagnasis	1,345 2,475	12.8 15.2	9.6 12.6	4 4	6 7	10 11	15 18	23 28	85 years and over	2,240 345	14.5 18.6	11.4	4	6	11	18 21	27 41
With surgery	405 3,415	21.1 13.5	16.1 10.8	6 4	10 6	17 10	27 16	35 27	One diagnasis	2,855 4,640	12.1	10.1	3 4	7	11	17	23 27
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)									With surgery	1,600 5,895	20.4 11.9	9.6	3	6	17 9	26 14	36 20
Total		13.4	12.2	3	6	10	16	25	ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
65 ta 74 years	625	12.4 15.7 10.8	11.6 13.4 4.8	3 3 3	7 7	9 11 10	15 22 13	21 29 17	Tatal	5,965	15.6	11.2	5	8	12	19	28
One diagnasis	600	11.4	13.4	2 4	4 6	8	13	20 27	65 to 74 years 75 to 84 years 85 years and aver	3,365 2,170 430	14.9 16.1 18.9	10.7 10.9 14.6	5 5 4	8 8 9	12 13 15	18 20 23	26 29 33
With surgery	575	11.9	10.5	2 4	4 7	9	14 16	26 24	One diagnosis	2,320 3,645	14.7	10.6 11.5	5	7 8	12 13	18 20	26 30
PULMONARY CONGESTION AND HYPOSTASIS (522)									With surgery	1,460 4,505	21.7 13.7	13.9 9.3	8 5	11 7	18 11	26 16	39 25
Total	6,250	13.9	13.1	1	4	10	19	29	ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
65 to 74 years	2,705	13.7 13.6 16.1	12.3 12.3 18.2	1 1 1	4 4	11 10 11	19 19 20	28 30 36	Tatal	1,145	19.5	13.7	4	9	15	27	36
One diagnosis	2,430	14.0 13.9	13.1 13.2	1	3 4	10 11	21 18	29 29	65 to 74 years	690 375 80	19.9 20.3 13.1	12.5 16.0 9.3	7 2 2	11 8 4	15 14 7	25 32 22	35 38 25
With surgery	270 5,980	26.5 13.4	21.0 12.3	4	10	19 10	33 18	54 28	One diagnasis	475 670	18.6 20.2	12.8 14.2	7	9	14 16	23 28	32 38
EMPHYSEMA WITHOUT MENTION OF 8RONCHITIS (527.1)									With surgery Without surgery	755 390	21.1 16.6	13.7 13.1	7 1	11 7	17 14	27 22	39 34
Total	11,675	14.0	11.8	3	6	10	17	27	GASTRITIS AND DUODENITIS (543)								
65 to 74 years	7,635 3,600 440	13.5 14.9 15.8	11.7 11.4 16.0	3 4 2	6 7 6	11	17 18 20	25 28 32	Tatal	5,045 3,130		8.1 7.1					19 17
One diognosis	3,105 8,570	13.5 14.2	12.8 11.4	2 3	5	9 11	16 17	27 27	75 to 84 years	1,520 395	10.6	8.7 11.4	3	5	9	12 16	21 22
With surgery	1,275 10,400	17.3 13.6	13.5 11.5	3 3	8	13 10	23 16	32 25	One diagnosis	1,565 3,480	11.0	7.3 8.1	3	5	8	13	14 20
DISEASES OF ESOPHAGUS (539)									With surgery	585 4,460	16.3 9.2	11.6 7.1	5 2	4	12 7	19 11	32 17
Total	3,015	11.8	11.5	1 2	3	8	15	25 26	APPENDICITIS (550-553) Tatal	2,255	16.5	11.3	6	8	13	20	29
65 to 74 years 75 to 84 years 85 years and over	1,105	11.2	9.6 11.9	1 2	4	8	15	23 30	Age: 65 ta 74 years	1,475 645	15.3 18.7	10.7	6	8 10	12 15	19 21	27 37
One diagnosis	1,220 1,795	10.1 13.0	11,4 11,4	1 2	2 5	5 9	12 16	23 26	75 ta 84 years 85 years and over	135	18.1	7.1	7 9 6	12	15	2i	30 24
With surgery	1,475 1,540	13.7 10.0	12.6 10.0	1 2	4 3	9 7	19 12	34 19	Two ar mare diagnases With surgery	1,040	19.5	13.0	7	1Ó 9	17	22 20	31 29
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)									Without surgery	330	13.0	11.2	3	6	10	16	22
Tatal	4,175	16.7	11.6	5	8	14	20	31	OF OBSTRUCTION (560.0)								
65 ta 74 years	2,415 1,480 280	16.2 17.3 17.4	10.7 13.2 9.8	5 5 6	8 8 9	13 14 14	20 20 24	29 33 29	Tatal	13,810	9.9	5.9	5	6	8	11	16
One diagnasis	1,440 2,735	13.7 18.2	8.7 12.6	5 5	7 9	12 15	16 22	23 34	75 to 84 years	5,905 775	12.6 13.0	9.0 9.3	5	7	10 10	14	22 24
With surgery	1,335 2,840	22.2 14.1	13.3 9.6	9	13 7	18 11	26 17	42 25	One diagnasis	13,360 7,130	9.4 13.4	5.0 9.6	5 6	7	10	10	14 24
									With surgery	19,145 1,345	10.8 11.3	6.7 12.2	5	6 3	8	12	17 21

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient characteristics	Number of dischorges	Averoge stoy	Standard deviation			ntiles	_		Potient characteristics	Number of	Averoge	Standard deviation			tiles	.2073
charocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th	charocteristics	dischorges	(days)	(days)	10th	25th	50th	75th
OIAPHRAGMATIC HERNIA WITHOUT MENTION OF O8STRUCTION (560.4)									CHOLELITHIASIS (584)							
Total	8,180	11.9	9.3	4	6	9	14	23	Total	18,575	17.1	11.0	6	9	14	21
ge: 5 to 74 years	4,835	11.5	8.7	3	5	9	13	22	65 to 74 years	11,225 6,340	16.4 18.3	10.4 11.9	6	9 10	13 15	20 22
to 84 years	2,835 510	12.5 11.9	9.6 11.7	4	6 5	9 7	15 14	23 29	85 years ond over	1,010	17.0	10.7	4	8	14	22
ne diognosis	1,860 6,320	10.6 12.2	7.9 9.6	3 4	5	8 9	14 14	19 24	One diognosis	8,875 9,700	15.7 18.3	9.2 12.2	6	10	13 15	19 23
ith surgery	1,735	17.3	11.9	5	8	13	22	33	With surgery	13,060 5,515	19.1 12.4	10.7 10.1	9 3	11 6	16 9	22 15
thout surgery ERNIA OF OTHER SITES W/O MENTION	6,445	10.4	7.7	3	5	8	12	19	CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)							
OF OBSTRUCTION (560.13,.8,.9) Totol	6,620	12.1	7.9	5	7	9	14	23	Total	9,990	15.0	10.6	5	8	12	18
to 74 years	4,490	11.9	7.7	5	7	9	13	21	65 to 74 years	5,305 3,800	14.5 15.4	9.7 11.0	5 5	8 8	12 12	17 18
to 84 years	1,845 285	12.7 12.2	8.4 8.7	5	7	10	14	24 27	75 to 84 years	885	16.6	13.0	4	7	12	18 23
e diognosis	3,845 2,775	11.0 13.7	6.9 9.1	5	7 7	9	12 17	18 27	One diagnosis	4,850 5,140	13.8 16.2	8.8 11.9	5	8	12 12	17 20
ith surgery	5,730	12.5	7.9	5	7	10	14	23	With surgery	4,420 5,570	19.2 11.8	11.4 8.6	9	11	16 9	23 14
ithout surgeryHERNIA OF A800MINAL CAVITY WITH	890	9.6	7.5	2	4	7	11	18	OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)							
OBSTRUCTION (561)	C 456	12.4	10.2		7	10	16	24	Tatal	2,860	18.1	14.6	4	8	13	23
Totale: to 74 years	5,65 5 2,570	13.4	8.7	4	,	10	15	24	Age: 65 to 74 yeors	1,400 1,205	18.0 18.0	15.7 13.2	4 5	7 9	12 15	23 23
to 84 years	2,415 670	14.2 14.5	11.4 11.0	4 4	7 7	11	16 18	27 32	85 years and over	255	18.7	14.7	5	8	11	28
e diognosis	3,175 2,480	12.1 15.0	9.6 10.8	4 5	6 8	9	13 18	22 27	One diognosis	1,350 1,510	17.5 18.6	13.2 15.8	5	8 7	13	22 24
ith surgery	4,715 940	13.9	10.2	5	7	10	16 12	24 20	With surgery	1,130 1,730	25.6 13.1	16.2 11.0	10 3	14 6	22 10	31 15
thout surgery	940	10.5	10.0	'	4	'	12	20	DISEASES OF PANCREAS (587)							
MENTION OF HERNIA (570)									Total	2,210	15.6	12.3	3	7	12	20
Totalge:	11,540 5,205	15.1	13.5	2	6	11	19	32	65 to 74 years	1,355 685 170	16.4 14.8 11.9	13.5 9.6 10.8	5	7 8 2	12 12 9	21 19 15
i to 74 yearsi to 84 yearsi years ond over	4,875 1,460	15.5 13.6	14.1	2 2 1	6 5	11	20	33	One diognosis	900	14.3	11.7	3	6	11	18
ne diognosis	5,460 6,080	14.3 15.9	13.1 13.8	2 2	6	10 12	17 21	30 33	Two or more diagnoses	1,310	16.4 24.0	12.6 15.9	7	12	13 20	22
fith surgery	4,850	20.2	14.5	5	10	16	25	39	Without surgery	1,700	13.0	9.7	3	6	11	16
Tithout surgery	6,690	11.4	11.4	1	4	8	13	23	NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)							
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)			ļ						Total	3,375	17.4	15.8	2	5	14	22
Totalge:	9,280	10.6	9.3	2	4	8	13	21	65 to 74 years	1,960 1,135	17.4 17.8	16.2 15.8	2 2	5 5	13 15	22 24
to 74 years		10.2 10.6	8.9 9.4	2 2	4	7 7	12 13	19 23	85 years and over	280	16.5	12.0	3	6	14	22
5 years and over	880	13.1	10.7	3	5	10	16	29	One diognosis	1,065 2,310	15.6 18.3	14.1 16.5	2 2	5 6	12 14	19 24
ne diognosiswo or more diognoses	3,485 5,795	8.9 11.7	9.1 9.3	3	5	9	10 14	16 23	With surgery	1,200 2,175	20.0 16.0	15.9 15.6	4 2	10 4	16 10	23 22
ith surgeryithout surgery	1,040 8,240	16.8 9.8	12.0 8.6	5 2	8	13	22 12	30 19	INFECTIONS OF KIONEY (600)							
DIVERTICULITIS (572.1)									Total	5,570	15.7	12.4	5	7	12	19
Totalge:	19,845	12.8	10.7	3	6	9	15	25	65 to 74 years	2,855 2,130	13.9 16.7	9.8 12.8	4 5	7 8	11 12	17 21
5 to 74 years	10,515 7,685	12.6 12.8	10.5 10.7	3 3	5	9	15 15	25 25	85 years and over	585	20.9	18.8	5	7	14	27
5 years and over	1,645	13.4	12.0	3	6	9	16	26	One diognosis	1,770 3,800	14.0 16.5	12.0 12.6	4 5	6 8	11 12	16 20
e diognosisvo or more diognoses	7,350 12,495	10.6 14.0	9.1	3 4	6	10	12 17	20 28	With surgery	1,710 3,860	18.2 14.6	13.9 11.6	6	9 7	13 11	23 18
th surgeryth surgery	5,775 14,070	17.8 10.7	13.3 8.7	4 3	8 5	13 8	23 12	36 19	CALCULI OF KIONEY AND URETER (602)							
CIRRHOSIS OF LIVER (581)			i						Total	5,230	11.9	9.3	2	5	9	16
Totolge:	5,015	17.7	12.9	3	8	14	23	35	Age: 65 to 74 years	3,895 1,155	11.4 13.6	8.9 9.9	2	4	9 11	15 18
5 to 74 years	3,810 1,135 70	17.3 18.9	12.7 13.8	3	8	14 16	22 25	35 33	85 years and over	180	12.2	10.1	2	4	11 7	15
5 years and over	1,600	16.7	10.2	2	11	14	19	28 36	One diognosis	2,495 2,735	10.2 13.4	9.6	3	6	11	14 17
wo or more diognoses	3,415	18.1	12.6	4	8	15	24	34	With surgery	3,235 1,995	14.6 7.5	10.0 5.6	4 2	7	12 5	19 10
fith surgery	955 4,060	21.5 16.8	11.4 13.1	7 3	12	20 13	27 22	39 32								

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Perce	ntiles	(days)		Patient	Number of	Average	Stondard		Percer	ntiles	(days)	
chorocteristics	dischorges	(doys)	deviation (doys)	10th	25th	50th	75th	90th	characteristics	dischorges	(doys)	deviation (doys)	10th	25th	50th	75th	90th
OTHER OISEASES OF KIONEY AND URETER (603,604)									OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	3,935	13.9	12.8	2	5	10	17	27	Total	4,680	9.6	8.2	2	4	7	12	17
65 to 74 years	2,540 1,170 225	13.5 14.6 14.7	12.4 13.8 11.3	2 2 2	5 5 6	10 11 12	17 17 21	27 29 24	65 to 74 years	2,665 1,275 140	9.2 10.2 11.4	8.5 7.9 5.1	2 3 3	3 5 8	7 8 11	11 12 12	16 21 18
One diagnosis	1,725 2,210	11.0 16.1	10.8 13.8	2 4	3 7	8 12	14 19	23 33	One diagnosis	2,095 1,985	7.5 11.8	5.9 9.6	2 3	3 5	6 9	9 13	13 22
With surgery	2,780 1,155	14.9 11.5	12.5 13.2	3 1	6 3	11 7	18 14	31 22	With surgery Without surgery UTEROVAGINAL PROLAPSE (631)	2,945 1,135	9.7 9.4	8.7 6.9	2 3	4	7 8	12 11	19 15
Total	7,555	10.7	9.3	2	4	8	13	21	Total	9,730	12.8	6.9	6	8	11	14	20
65 to 74 years	4,080 2,835 640	9.3 11.5 15.6	7.7 9.6 13.6	2 2 4	4 5 7	7 8 10	11 14 18	18 23 31	65 to 74 years 75 to 84 years 85 years ond over	7,030 2,485 215	12.1 14.3 16.6	5.8 8.5 11.0	6 7 4	8 9 8	10 11 13	14 16 19	19 24 37
One diognosis	2,510 5,045	8.0 12.0	6.9 9.9	2 3	3 5	6 9	10 14	15 23	One diagnosis	5,215 4,515	12.0 13.7	5.8 7.7	6 7	8 9	10 11	13 16	18 23
With surgery Without surgery OTHER DISEASES OF BLADDER (606)	5,065 2,490	10.1 11.8	9.2 9.3	2 3	4 5	7 9	12 14	19 23	With surgery	9,100 630	12.8 12.1	6.6 10.0	7 2	8	11 9	14 15	20 21
Total	3,360	14.5	12.3	3	6	111	18	28	SUBCUTANEOUS TISSUE (690-698)								
Age: 65 to 74 years	1,900	13.1	11.0	2	5 7	10	16	26	Total	6,310	15.7	13.3	3	6	11	20	32
75 to 84 years	1,110 350 1,395	16.2 16.1	13.9 13.0 12.1	4 3 2	8	12 13	20 19 16	31 31 25	65 to 74 years	3,745 1,990 575	15.4 16.4 15.1	13.2 14.1 10.5	3 3 3	6 7	11 12 13	20 21 19	31 33 27
Two or more diagnoses	1,965	15.7	12.3	4	7	12	20	30	One diagnasis	2,500 3,810	12.7 17.6	11.2 14.2	2	5 8	8 13	16 22	27 36
With surgery	2,590 770	14.2 15.3	10.7	3 2	4	9	18	26 37	With surgery	2,185 4,125	17.1 14.9	14.6 12.4	3 4	6	13 11	23 18	37 29
URETHRITIS AND STRICTURE OF URETHRA (607,608)						_			RHEUMATOID ARTHRITIS (722.0)								
Totol	4,915 2,710	9.9	9.2	2	3	7	12	19	Total	3,490 2,205	19.7	16.1	5 4	8	15	24	43
75 to 84 years		10.7 11.3	9.2 9.3 8.1	2 2 2	4 5	6 8 9	14	21 22	75 to 84 years	1,125 160	18.5 27.8	14.4 22.0	5 5	7	14	23 41	34 62
One diagnosis	1,960 2,955	9.3 10.3	10.0 8.5	1 2	2 4	6 7	12 13	18 21	One diagnosis	1,180 2,310	18.1 20.6	14.3 16.9	4 5	7 8	14 15	23 26	36 48
With surgery	4,150 765	10.3 8.2	9.4 7.3	2 1	3	7 6	13	21 14	With surgery	640 2,850	22.5 19.1	18.9 15.3	4 5	6 8	16 15	29 23	56 36
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)									OSTEOARTHRITIS (ARTHRO5IS) (723.0)	7.500	17.4	12.9	5	8	14	22	32
Total	6,220	13.3	12.0	3	5	9	16	28	Total	7,520	17.4	13.0		8	14	22	33
65 to 74 years	3,100 2,460 660	12.2 14.4 14.6	11.3 11.9 15.0	3 3 2	5 6 5	8 10 9	15 18 19	25 30 29	75 to 84 years	3,060 590	17.4 14.9	12.9 11.3	5 5 5	8 7	14 10	22 18	33 29
One diognosis	2,405 3,815	10.3 15.2	10.6 12,4	2 3	4 6	7	11	21 31	One diognosis	2,535 4,985	18.5 16.9	13.0 12.8	5 5	8	12	24 21	34 32
With surgery	2,615 3,605	13.0 13.5	12.2 11.9	2 3	5 5	9	16 17	29 27	With surgery Without surgery SPONOYLITIS OSTEOARTHRITICA (723.1)	2,095 5,425	23.2 15.2	13.7 11.8	8 4	13	20 11	29 19	38 29
HYPERPLASIA OF PROSTATE (610)									Totoi	5,025	14.5	11.0	4	7	11	18	27
Total	37,135	16.4	10.9	5	9	14	20	29	Age: 65 to 74 years	2,655	13.5	9.9	4	7	11	17	23
65 to 74 years,	21,265 13,515 2,355	15.2 17.5 20.4	9.3 11.9 15.2	5 5 5	9 9 10	13 14 17	18 21 25	26 32 38	75 to 84 years	2,035 335 1,135	15.1 18.6 13.2	11.2 16.2	5 3	7 7	11	19 23	28 34 22
One diognosis	19,605 17,530	14.9 18.0	9.5 12.0	5 5	8 10	13 15	18 22	26 33	One diagnosis	3,890 665	13.2	10.3 11.2	4 4 5	6 7	11 11 19	17 18 30	28
With surgery	32,645 4,490	16.7 14.0	10.2 14.3	6 2	10 4	14 9	20 17	29 33	With surgery Without surgery ARTHRITIS (POLYARTHRITIS), UNSPECIFIED	4,360	13.4	9.9	4	7	11	16	23
OTHER DISEASES OF PROSTATE (611,612)									(725) Total	4,365	14.9	11.5	4	7	11	19	29
TotolAge:	1,720	12.5	10.8	2	5	9	16	23	Age: 65 to 74 years	2,290	14.3	11.8	3	6	11	18	26
65 to 74 years	990 635 95	10.7 14.6 17.4	9.4 11.7 12.9	2 3 6	4 5 7	11 12	14 18 19	19 33 31	75 to 84 years	1,745	15.4 16.8	11.0 12.7	5 2	8	12	20 22	29 36
One diognosis	795 925	11.0 13.8	9.3 11.7	2 3	4 6	8 10	15 17	22 27	One diognosis	1,580 2,785	13.9 15.5	10.5	3 4	7 7	11	17 20	27 30
With surgery	1,100 620	12.8 12.0	10.4 11.4	3 2	5 5	10	16 16	24 22	With surgery	680 3,685	19.5 14.1	10.8	4	8 7	16	25 17	36 27

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Average	Standard		Percer	ntiles	(days)		Patient	Number af	Average	Standard		Percer	tiles	(days)	
characteristics	discharges	stay (days)	deviation (days)	10th	25th	50th	75th	90th	characteristics	discharges	stay (doys)	deviction (days)	10th	25†h	50th	75th	90th
OSTEOPOROSIS ANO ATROPHY (733.3)									5YMPTOM5 REFERABLE TO								
Tatal	3,215	16.8	12.6	4	8	13	22	33	GENITOURINARY 5Y5TEM (786) Tatal	3,945	15.5	12,6	3	6	12	20	31
65 to 74 years	1,340 1,500 375	17.2 15.6 19.9	11.1 11.8 18.7	6 4 4	9 7 7	14 12 14	22 19 25	34 30 38	Age: 65 to 74 years 75 to 84 years 85 years and over	2,125 1,500 320	14.1 16.9 17.9	11.5 13.3 14.8	3 3 4	6 7 7	11 13 13	18 23 22	28 34 35
One diagnosis	500 2,715	13.6 17.4	9.8 13.0	4 5	6 8	10 13	18 22	29 34	One diagnasis	3,340 605	15.8 13.9	12.8	3 3	6 6	12	20	32 29
With surgery	270 2,945	20.9 16.4	16.1 12.2	4	8	16 13	30 21	37 31	With surgery	2,355 1,590	18.4 11.1	12.4 11.4	6	10	15	23	33 25
OISPLACEMENT OF INTERVERTEBRAL DISC (735)								1	OTHER GENERAL SYMPTOMS (780,781,787-789)	1,370		''."	'		ĺ ′	'~	23
Tatal	3,640	17.7	13.0	6	9	14	21	31	Tatal	6,500	12.8	13.1	2	4	8	16	27
65 ta 74 years	2,720 845 75	16.8 19.7 29.2	11.8 15.3 15.2	5 7 6	9 10 14	14 14 22	21 21 39	29 37 45	Age: 65 ta 74 years	3,285 2,550	12.0 13.7	12.3 13.4	2 2	4 5	8 9	14 18	23 30
One diagnosis	1,820	16.6 18.9	11.3 14.4	5 6	9	13 14	20 22	29 34	One diagnasis	665 4,995	13.3	15.2	1 2	4	10	17	27 26
With surgery	865 2,775	23.0 16.1	13.8 12.2	10 5	13	19	27 20	42 28	Two ar mare diagnases	1,505 2,335	14.2	13.6	2 2	5	10	17	28 28
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)									Without surgery	4,165	12.2	12.9	1	4	8	14	25
Tatal	3,115	8.0	7.4	1	2	5	10	17	Total	265	14.8	13.4	3	5	9	21	31
65 to 74 years	760	7.5 9.4 8.7	6.9 8.9 6.9	1 2 1	2 3 2	5 7 6	10 12 10	15 19 18	65 ta 74 years	135 100 30	14.6 15.5 13.7	10.8 17.2 9.2	3 2 3	5 4 5	9 7 11	20 20 12	32 30 25
One diagnosis		5.7 11.2	5.2 8.8	1 3	2 5	3 9	7 13	12 21	One diagnasis	120 145	9.0 19.6	6.4 15.7	2 4	4 7	6	13 29	18 34
With surgery		7.0 9.7	8.0 5.9	1 2	2 5	4 8	8 12	14 18	With surgery	15 250	14.7	13.7	3	5	8	20	32
CONGENITAL MALFORMATIONS (750-759)									UREMIA (792)								
Tota!	1,590	13.2	11.9	3	5	10	17	26	Total	910	16.6	15.1	2	6	11	22	35
65 to 74 years 75 to 84 years 85 years and over	1,030 465 95	11.9 16.1 13.9	9.5 15.9 8.8	2 3 3	5 6 6	9 10 9	16 17 23	22 36 26	65 ta 74 years 75 ta 84 years 85 years ond over	470 305 135	16.6 16.8 16.3	16.4 12.6 15.6	1 2 4	5 7 6	11 12 10	22 22 20	34 37 23
One diagnosis		10.9 14.8	8.4 13.5	2 4	4 6	8 10	15 17	21 28	One diagnasis	625 285	15.1 19.9	14.3 16.3	1 4	5 7	10 13	21 31	29 38
With surgery		13.0 13.4	11.9 11.8	3	5	9	17 17	28 23	With surgery	160 750	22.4 15.4	16.0 14.7	4 2	11 5	20 10	26 20	42 33
SYMPTOMS REFERABLE TO CAROIOVASCULAR ANO LYMPHATIC SYSTEM (782)									SENILITY WITHOUT MENTION OF PSYCHO515 (794)								
Tatal	1,895	9.6	10.5	1	3	7	12	20	Tatal	240	14.3	14.1	1	4	9	18	32
Age: 65 ta 74 years	725	10.2 8.7	11.7 8.4	1	3	7 6	12 11	22 18	65 ta 74 years	25 135 80	15.2 14.6	15.5 13.3	i	6	8	20 17	31 35
One diognosis	1,240	9.3	11.0	1	2	6 8	10	19	One diagnasis	150 90	13.6 15.5	10.7 18.5	1	7	11 7	14 25	26 38
Two or more diagnoses	295	10.3	9.4	2	3	9	16	20	With surgery	5 235	14.5	14.2	1	5	9	18	32
SYMPTOMS REFERABLE TO RESPIRATORY		9.0	10.0	1	2	6	11	18	OTHER AND ILL-DEFINEO DISEASES (791,793,795)								
5Y5TEM (783) Total	3,430	8.7	8.6	١,	3	6	10	17	Total	2,505	12.1	13.2	1	2	8	16	28
Age: 65 to 74 years	2,170	8.4	7.8	2	3	6	9	17	65 ta 74 years	1,595 780	11.4 13.0	11.7 13.9	1	3 2	8	13 18	24 31
75 ta 84 years	1,060	9.0 10.2	9.5 11.2	1	3 2	6 4	10 13	17 32	85 years and over One diagnosis	2,030	16.7 11.6	12.2	1 1	1 2	9	15	29
One diognosis	2,615 815	8.6 8.9	8.9 7.3	1 2	3 4	6 7	9 10	17 16	Two or mare diagnoses	475 765	14.4	16.7 15.2	i	3	8	17 20	35
With surgery	715 2,715	12.3 77	12.0 7.1	2 1	3	8 5	15 9	26 14	Without surgery	1,740	11.6	12.2	1	4	8	14	24
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)			K						(805,806)	,	,77	10.0		_	,,	22	~
Tatal	3,510	12.6	11.9	2	5	8	16	26	Tatal	6,290 2,850	17.6	12.4	5	8	14	23	32
Age: 65 to 74 years	1,375	12.5 13.2 10.9	11.9 12.0 11.4	3 2 2	5 4 4	8 8 7	15 19 12	25 28 24	75 ta 84 years	2,670 770	18.7 18.3	12.4 14.4	6 4	7	16 13	25 29	33 37
One diagnasis	2,675	12.7 12.5	11.7	2 2	5 4	8 8	16	27 24	One diagnasis	2,330 3,960	16.2 18.4	10.9	1	9	14	21 24	30
With surgery	700	17.7	12.7	4 2	8 4	15	24 13	31 23	With surgery	510 5,780	23.5 17.0	16.4	5	1 11	19	28 22	31

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Average stay	Standard deviation		Perce	ntiles	(days)		Patient	Number af	Average	Standard		Perce	ntiles	(days)	
characteristics	discharges	(days)	(days)	10th	25th	50th	75th	90th	characteristics	discharges	stay (days)	deviation (days)	10th	25th	50th	75th	901
FRACTURE OF RIB(5), STERNUM AND LARYNX (807)									HEAD INJURY (EXCLUDING 5KULL FRACTURE) (850-856)								
Tatal	3,595	13.6	11.1	3	6	10	17	28	Tatal	7,170	11.7	12.9	1	3	7	14	2
75 ta 74 years	1,595 1,475 525	12.2 14.0 16.5	9.9 11.5 12.4	3 3 5	5 6 7	8 11 13	16 18 19	27 27 34	65 ta 74 years 75 ta 84 years 85 years and aver	3,455 2,830 885	11.1 12.5 11.8	13.2 12.7 12.2	1 1 1	2 3 4	6 8 7	13 17 13	2 2 2
One diagnasis	890 2,705	9.7 14.9	8.8 11.4	2 4	4 7	7 11	11 19	19 29	One diagnasis	2,095 5,075	11.5 11.9	15.0 12.0	1	2 3	5 8	13 15	3 2
With surgery	430 3,165	19.3 12.8	13.6 10.4	3	6	16	30 16	39 25	With surgery Without surgery	1,225 5,945	17.3 10.6	17.0 11.6	1	3	11 6	24 13	2
FRACTURE OF PELVI5 (808) Tatal	3,550	24.0	17.2	6	11	19	33	46	LACERATION AND OPEN WOUND (870-898)								
Age:	1,150	22.8	16.1		11	18	32	45	Tatal	4,010	9.4	11.0	1	2	6	11	2
65 ta 74 years	1,620 780	24.5 24.8	17.3 18.4	5 7 5	11	20 20	33 32	46 49	65 ta 74 years	2,305 1,410 295	8.0 10.9 13.8	9.6 11.7 14.7	1 1 2	2 3 5	5 7 10	9 13 16	1 2 2
One diagnasis	1,620 1,930	21.9 25.8	15.9 18.0	6	10 12	17	29 35	45 47	One diagnosis	1,670 2,340	7.1 11.1	8.8	1	2	4 7	8 13	1 2
With surgery	260 3,290	33.4 23.3	20.1 16.7	11 6	16 11	30 18	46 32	63 45	Two or more diagnases	2,340 2,065 1,945	8.8 10.1	12.0 10.1 11.8	1 1	2 3	5 6	10 12	1' 2'
FRACTURE OF HUMERU5 (812)					١.				5UPERFICIAL INJURY (910-918)								
Tatal	6,475 2,925	13.7	13.4	2	4	8	18	31 27	Tatal	390	9.5	7.0	2	4	7	12	2
65 ta 74 years	2,640 910	14.4 17.3	14.4	2 3	4 6	9	19 23	32 38	65 ta 74 years	165 180	8.1 11.3	6.2 7.9	2 3 3	3 5 3	5 7 5	10 15	1.
One diagnasis	3,590 2,885	11.9 15.8	12.0 14.7	2 3	3 5	7	16 21	28 37	85 years and over	45 30	7.7 7.2	3.0		3		11	1:
With surgery	2,455 4,020	14.0 13.5	13.7	2 2	4 4	9 8	18	31 30	One diagnosis	360	9.7 7.7	7.2 3.2	3 2 3	3	8 7 7 7	12 9	1
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)									Without surgery	355	9.7	7.3	2	4	7	12	2
Tatal	4,510	8.9	11.3	1	2	4	10	20	Tatal	6,100	11.6	10.4	2	4	8	15	2
65 ta 74 years	2,235 1,855 420	7.4 10.7 9.1	9.2 13.6 8.2	1	2 2 3	5 6	8 12 10	16 26 21	Age: 65 ta 74 years	2,505 2,450	9.8 12.7	8.4 11.0	2 3 3	4 5 5	7 9	13 15	2
One diagnasis	2,535 1,975	5.8 12.8	7.5 13.8	1 2	1 3	3 7	6 15	12 33	85 years and aver One diagnasis	1,145 1,215 4,885	13.3 9.1 12.3	12.3 8.3 10.8	1 2	3 5	5 9	18 11 15	2 2
With surgery	3,390 1,120	8.2 11.0	9.7 14.9	1	2 2	5	10 11	19 30	With surgery	675 5,425	16.0	13.3 9.9	3 2	6	12	20	3
FRACTURE OF FEMUR (820,821)	33,805	28.1	18.7	7	15	23	36	55	ADVERSE EFFECTS OF DRUG5 AND OTHER CHEMICAL SUBSTANCES								
Tatal	9,350	28.2	19.1	7	15	23	35	55	(960-989)	0.005	100						
75 ta 84 years	16,280 8,175	28.9 26.5	18.7 18.1	8	15 14	23 21	38 34	57 53	Tatal	2,985 1,615	10.2 9.2	10.6 9.5	1	3	6	12	2
One diagnosis	19,975 13,830	26.9 29.8	17.8 19.7	7 8	15 15	22 24	34 40	53 59	75 ta 84 years	1,180 190	10.8 15.1	11.0 14.7	2 4	3 6	6 7 11	13 15	33
With surgery	25,335 8,470	28.3 27.6	17.0 23.1	11 2	16 8	23 21	35 41	53 63	One diagnosis	965 2,020	7.0 11.7	8.5 11.2	1 2	2 4	8	9 15	1: 2:
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)									With surgery	165 2,820	21.8 9.5	13.9 10.0	6 1	13 3	18 6	27 12	3:
TatalAge:	7,940	15.9	14,4	3	6	11	20	31	COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
65 ta 74 years	4,960 2,430 550	14.4 18.5 17.2	12.7 16.7 15.9	3 3 2	6 7 6	10 13 12	18 24 21	29 43 30	Tatal	3,385	12.4	12.2	2	5	8	14	2
One diagnasis	4,900 3,040	13.9 18.9	12.8 16.2	2	5 7	9 14	18 25	27 42	65 ta 74 years 75 ta 84 years 85 years and aver	2,140 1,035 210	12.0 12.2 18.2	11.9 10.9 18.7	2 2 2	4 5 4	8 9 11	13 13 21	2 2 5
With surgery	4,430 3,510	15.7 16.1	13.5 15.5	3 2	7 5	12 10	19 21	29 36	One diagnasis	2,010 1,375	10.6 15.2	10.6 13.8	2 3	6	7 10	12 18	3
5PRAINS OF 8ACK (846,847)									With surgery	1,635 1,750	13.0 11.9	12.1 12.3	2 2	4 5	9	16 12	20
TotalAge:	3,300	13.0	9.6	3	6	10	17	24	g-7	.,,50				لت	٢	لت	
65 ta 74 years	2,085 990 225	11.7 15.5 15.0	7.6 12.1 11.0	3 3 4	6 7 7	10 11 11	15 19 19	21 32 30									
One diagnasis	1,250 2,050	12.8 13.2	10.0 9.3	3	7 6	10 10	15 17	22 25									
With surgery	115 3,185	17.9 12.9	11.1 9.5	3	8	17 10	21 16	29 24									

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Part			Average	Standard		Perce	ntiles	(doys))			Average	Standard		Percer	tiles	(doys)	
Total Control Contro		Number af dischorges	stoy	deviation	10th	25th	50th	75th	90th	Patient chorocteristics	Number of dischorges	stoy	deviation	10th	25th	50th	75th	90th
The state of the	INFECTIVE AND PARASITIC DISEASES (002-138)																	
df. by Advance 3,770 11,25 22 by Advance 27 by Advance 1,000 10,25 13,5 2,6 by Advance 1,000 10,25 13,5 by Advance 1,000 10,25 2,7 by Advance		5,770	13.9	13.0	2	4	10	17	29		1,870	19.8	14.8	4	9	16	25	39
No express (1986) New Services (1986) New Serv	65 to 74 years	2,170	14.5	13.2		5	- 11	18	29	65 to 74 years	735	20.3	15.2	3	7	17	29	40
Milland Freedom 1,340 1,	One diognosis				1 2													
Table 1.36																		
## Series of the control of the cont	HERPES ZOSTER (088)																	
78. 10 May 1927 10 May 1927 10 May 1927 10 May 1928 Age:				1		10	ì			1,855	20.2	15.7	3	8	17	27	37	
Mile depress	75 to 84 years	540 105	12.2	8.9	3	5			23	65 to 74 years	690	20.6	13.1	4	12	18	26	36
Without surgery. 1,759 1,86 13, 2 8 11 10 12 14 15 15 16 15 16 17 15 15 16 15 15 15 15 15		435 905			2 3					One diagnosis	695	19.1	13.7	3	8	17	25	35
MALIGNAM REPREASA OF SIGNAL (AVITY AND PRIVAY) (1-16-18) 1.760 1.76										With surgery	855	25.6	13.1	12	17	22	31	42
Age 1 years	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)									MALIGNANT NEOPLASM OF BRONCHUS,	1,000	15.5	16.2	1	4	10	20	34
## System and over	Age:	i i									7,810	16.6	14.4	2	5	13	22	34
Disc degrees	75 to 84 years	520 140	16.6	14.4	2 4	5	- 11	22	37	65 to 74 years	2,355	16.9	14.3	3	6	13	22	37
MALIGNANT NEOPLASM OF ESOPHAGUS Totol		935 805			2 2			18 21		One diognosis				2 2	5	12 13	20 23	32 35
MALIGNAM FORDAM G RERAST 1/2	Without surgery													5 1			25 19	36 33
Age 5 12 Age 7 Age 8 Age 7 Age 7 Age 8 Age 7 Age 8 Age 7 Age 8 Age																		
Section Continue	Age:										6,615	16.0	11.5	5	9	12	19	29
Decomposis	75 to 84 years	510 50	13.7	12.2	2	4	9	18	32	65 to 74 years	2,300	15.6	10.5	5	9	13	18	27
Without surgery		620 590			2 3		13 14	26 22		One diognosis	2,580	13.8	8.9	6	9	12	16	22
MALIGNANT NEOPLASM OF STOMACH (151) Totol	With surgery				3 2					With surgery	4,115 2,500			6		12		25 36
Age: 65 to 74 years 1,420 17,7 13,0 2 8 14 2 35 68 96 17,7 13,0 2 8 14 29 3 7 17 26 3 4 9 15 31 75 to 84 years 1,005 18,4 12.9 2 6 17 2 48 7 17 2 48 7 18 18 18 18 18 18 18										MALIGNANT NEOPLASM OF CERVIX	2,555	5		J			20	
75 to 84 years — 1,005	Age:				l						1,580	13.2	12.6	3	4	9	15	31
Total	75 to 84 years	1,005 275	18.4	12.9	3	7	17	26 27	34 48	65 to 74 years	480	15.9	14.1			10		33
Without surgery					3													
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153) September 1,525 September 2,200 20.5 15.0 3 9 18 27 40		1,155 1,545								With surgery								
Age: 65 to 74 years	EXCEPT RECTUM (152,153)									MALIGNANT NEOPLASM OF UTERUS	403	15.0	13.7	J	,			O.
75 to 84 years	Age:										2,715	14.3	12.0	3	6	10	17	29
One diognosis 3,045 18.4 14.1 2 7 16 24 36 One diognosis 1,260 11.6 10.8 3 5 9 13 21 Two or more diognoses 6,185 21.6 15.3 3 9 19 29 41 One diognosis 1,260 11.6 10.8 3 5 9 13 21 With surgery 5,295 24.1 13.6 10 15 21 29 40 Without surgery 3,935 15.7 15.5 1 4 9 21 38 With surgery 2,015 13.5 11.4 3 6 10 16.2 25 MALIGNANT NEOPLASM OF RECTUM (154) 10.0 3,970 22.0 15.8 4 9 19 31 43 43 43 44 44 44 44 44 44 44 44 44 44 44 44 44 44 44	75 to 84 years	3,535	20.9	15.1	3	9	19	27	41	65 to 74 years	820	15.8	11.8	4	7	11	20	31
With surgery 5,295 24.1 13.6 10 15 21 29 40 Without surgery 3,935 15.7 15.5 1 4 9 21 38 Without surgery 2,015 13.5 11.4 3 6 10 16 25 MALIGNANT NEDPLASM OF RECTUM (154) 3,970 22.0 15.8 4 9 19 31 43 MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175) 19.3 14.0 3 8 17 27 37 465 to 74 years 2,200 22.8 16.0 4 10 20 31 42 Age: 7 19.3 14.0 3 8 17 27 37 465 to 74 years 2,200 22.8 16.0 4 10 20 31 42 Age: 7 19.3 14.0 3 8 17 27 37 465 to 74 years 1,252 16.1 15.5 5 7	One diognosis				3	9	19	29	41	One diognosis	1,260	11.6	10.8	3	5	9	13	21
MALIGNANT NEOPLASM OF RECTUM (154) Totol					10					With surgery	2,015	13.5	11.4	3		10	16	
Totol										MAL. NEOPLASM OF OVARY, FALLOPIAN								
75 to 84 years	Age:									Total	1,275	19.3	14.0	3	8	17	27	37
One diognosis 1,740 18.5 12.9 3 6 17 25 35 47 One diognosis 335 18.2 16.5 1 5 17 23 34 Two or more diognoses 2,230 24.8 17.2 5 10 22 35 47 One diognosis 335 18.2 16.5 1 5 17 23 34 With surgery 2,700 24.6 14.9 5 14 22 32 44 Without surgery 1,270 16.6 16.2 3 5 10 21 40 With surgery 645 22.5 12.4 9 13 19 28 38	75 to 84 years	1,525	21.6	15.4	4	9	18	31	45	65 to 74 years	440	19.1	15.8		4	15	26	41
With surgery	One diognosis				3 5	10	22			One diognosis	335	18.2	16.5	1	5	17	23	34
(minor or 3 / 1 / 1 / 1 / 1 / 2 / 2 / 2 / 2 / 2 / 2	With surgery				5 3	14	10	32 21			645	22.5	12.4	9 1		19	28	

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Perce	ntilas	(days)		Potient	Number of	Averoge	Standard		Percer	ntiles	(days)	
chorocteristics	dischorges	stoy (days)	deviction (days)	10th	25th	50m	75th	90th	choracteristics	dischorges	stay (doys)	deviation (days)	10th	25th	50th	75th	90th
MALIGNANT NECPLASM OF PROSTATE (177)									OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	8,325	15.8	12.5	3	7	12	19	32	Total	2,265	15.7	13.6	2	5	11	22	33
Age: 65 to 74 years	3,635 3,820 870	14.6 16.1 19.0	11.8 12.0 16.5	3 4 3	6 7 7	11 13 14	18 20 23	28 32 42	Age: 65 to 74 years	1,320 830 115	14.7 16.7 20.7	13.5 12.5 19.3	2 4 1	4 7 4	11 11 12	19 23 30	31 35 41
One diognosis		13.8 17.0	10.6 13.5	3 3	6 7	11 13	17 22	25 35	One diagnosis	945 1,320	14.3 16.7	13.5 13.6	1	4 6	9 12	19 23	34 33
With surgery	4,915 3,410	16.5 14.6	11.7 13.6	5 2	8 5	13 10	20 18	31 33	With surgery	520 1,745	18.8 14.8	15.4 12.8	3 2	8 5	14	24	39 32
MALIGNANT HEOPLASM OF KIDNEY AND URETER (180)									BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	945	19.6	16.3	2	6	17	26	40	Total	1,080	14.4	11.4	2	6	12	18	28
65 to 74 years	345	20.7 18.8 12.9	17.6 12.9 19.9	3 2 1	8 6 1	17 18 4	25 29 10	49 33 29	65 to 74 years	680 365 35	13.8 15.4 15.3	10.2 13.4 9.1	2 2 4	7 5 6	12 13 13	17 19 19	28 29 25
One diagnosis	310 635	17.0 20.8	12.7 17.7	2 2	7 6	16 18	21 29	34 45	One diagnosis	545 535	12.6 16.3	10.7 11.7	1 4	3	11	16 21	25 29
With surgery	550 395	22.2 15.9	17.5 13.7	3	11 4	18 12	27 23	49 34	With surgery	845 235	15.3 11.0	9.7 15.4	3 1	9 2	14	19 10	28 23
(181.0)									Total	1,100	8.3	8.1	1	3	5	10	16
Totol	3,300	12.3	12.1	1	3	7	16	28 26	Age: 65 to 74 years	725 315	7.2 9.4	6.8 7.6	1 2	2 3 7	5 7	9 12	14 18 19
75 to 84 years	460	12.4 17.0	11.6	3	7	12	16 22	27 37	85 years and over One diagnosis	60 545	6.7	15.7 7.5 8.2	1	2	9 4 7	16	14 17
One diagnosis	2,715	9.9 15.4	9.9 13.7	2	5	11	13	23 35	Two or more diagnoses	555 915	9.8 8.3	8.1	1	3	6	12	16
With surgery	4,840 1,340	11.7	11.5 13.8	1	3 4	10	19	27 35	Without surgery	185	8.3	8.0	'	3	5	9	18
MALIGNANT NEOPLASM OF SKIN (190,191)									(214,215) Total	1,515	8.0	7.1	1	2	5	11	16
Age:		8.9	9.1	1	2	5	10	20	Age: 65 to 74 years	1,090 380	7.5 9.0	7.0 6.8	1	2	4	11 13	15
65 io 74 years 75 to 84 years 85 years ond over	1,545	8.8 8.9 9.6	10.7	;	2 2 2	5 7	10	23 17 20	75 to 84 years 85 years and over	45 620	12.4	9.8	3	4 2	6 6	16	18 23 14
One diognosis	2,110 1,440	6.8 12.0	7.2 12.4	1 2	3	7	8 14	15 28	Two or more diagnoses	895 1,345	9.7 8.1	5.3 7.7 7.3	2	2	5	13	18 16
With surgery	2,795 755	8.2 11.5	9.7 10.6	1 2	2 4	4 8	9	17 27	Without surgery	170	7.2	5.7	ī	2	5	11	15
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONOARY SITES (199)									Total	1,205	6.3	5.9	1	2	4	7	13
Total	7,850	16.7	15.4	2	5	12	22	36	65 to 74 years	935 245 25	5.7 8.6	4.8 8.5	2	3	6	7 9	11 19
65 to 74 years	4,540 2,820 490	16.7 16.7 16.7	15.7 15.5 12.4	2 1 2	5 5 6	12	21 22 24	36 37 35	One diagnosis	665 540	5.2 7.7	5.0 6.6	1 2	2	3 5	6 8	10 17
One diagnosis	3,705	15.4 17.9	15.0 15.7	1 2	4 6	10 13	21 23	34 39	With surgery	1,105 100	6.2 7.5	5.7 8.1	1 2	2 2	4 4	7	13 13
With surgery	2,510 5,340	19.3 15.5	15.8 15.1	3	8 4	14 10	27 21	39 35	NEOPLASMS OF UNSPECIFIED NATURE OF THE 8LAODER (236.2)								
LYMPHOSARCOMA: ANO RETICULOSARCOMA (200)									Total	1,860	6.7	8.8	1	2	3	7	14
Toto!	1,685	18.1	14.7	3	6	13	26	37	65 to 74 years	1,065 615 180	6.1	8.2 8.3	1	1 2 3	3 5	6	13 14 30
Age: 65 to 74 years	595	17.9 18.9 14.8	14.1 15.7 13.0	2 3 3	6 7 5	14 15 9	26 24 15	35 38 34	85 years and over One diagnosis Two or more diagnoses	1,420 440	5.0 12.0	12.2 5.7 13.7	1	1 3	3 6	5 16	11 33
One diognosis	760	15.3 20.4	13.3 15.4	2 3	5 8	11 16	21 29	32 42	With surgery Without surgery	1,635 225	6.6 7.4	8.5 10.9	1	2 2	3 4	7 5	14 19
With surgery Without surgery	605	20.1 17.0	12.7 15.6	3 2	10	18	29 23	35 40	ASTHMA (241)								
LEUKEMIA ANO ALEUKEMIA (204)	,,,,,		.5.0						Total	4,250	11.3	9.0	3	5	9	14	22
Total	3,620	13.9	13.7	2	5	9	17	30	65 to 74 years	2,650 1,465 135	10.7 12.2 11.7	8.2 10.2 9.2	3 2 1	5	8 9	13 14 14	20 27 27
65 to 74 years	1,785 1,520 315	14,1 12.8 18.4	14.0 12.2 17.4	3 2 2	5 4 6	9 9 12	17 16 24	32 26 37	One diagnosis	1,235 3,015	9.5 12.0	7.5 9.5	2 3	4	7 9	11 15	18 23
One diagnosis	1,540 2,080	13.0 14.6	14.5 13.0	2 3	4 6	7 10	15 19	29 31	With surgery Without surgery	225 4,025	14.6 11.1	11.0 8.8	3	6 5	12 8	19 13	32 22
With surgery	430 3,190	19.0 13.2	13.2 13.6	6 2	10	16	23 15	33 29									

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Averoge stoy	Standard deviation		- ei ce	innes	(days)	,	Potient	Number of	Averoge stoy	Standard deviation		reicei	ntiles	(uoys,	
chorocteristics	dischorges	(doys)	(days)	10th	25th	50th	75th	901h	choracteristics	dischorges	(duys)	(doys)	10th	25th	50th	75th	901
OISEASES OF THYROIO GLANO (250-254)									CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED 015EA5ES (313-317)								
Total	2,420	11.4	8.8	3	5	8	13	21	Total	3,815	17.8	14.6	4	7	14	23	3
65 to 74 years	1,715 625 80	10.8 12.4 13.9	8.2 9.5 13.1	3 4 5	5 6 7	8 9 10	13 15 12	20 24 20	Age: 65 to 74 years 75 to 84 years 85 years ond over	1,485 1,670	19.1 16.9	16.1 12.6	5 3 3	8 7	14 14	24 22	4
One diagnosis	885 1,535	9.1 12.7	6.1 9.8	3 4	5 6	7 9	10 15	17 23	One diognosis	1,095 2,720	17.5 16.2 18.5	15.5 13.7 14.9	4 4	6 7	15 12 14	23 21 23	3
With surgery	895 1,525	10.4 11.9	7.1 9.6	4 3	6 5	8 9	12 15	17 23	With surgery	310 3,505	20.7	14.9	3 4	7 7	16	30 22	4
OIABETES MELLITUS (260) Totol	30,285	13.9	11,7	3	6	10	17	27	PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISOROERS (318-323)						ļ		
Age: 65 to 74 years	18,095 10,760	13.4 14.5	11.1 12.4	3 3	6 6	10	17 17 17	27 27 29	Total	2,270	19.5	16.6	3	6	14	28	4
85 years and over	1,430	14.9	12.4	3	6	11	18	31 23	65 to 74 years	1,660 560 50	19.7 18.5 22.7	16.8 15.7 19.4	3 2 1	7 6 3	14 13 8	28 26 37	4
Two or more diagnoses	24,375 3,975	14.3	12.1	3	6	10 17	18	28 43	One diagnosis	1,205	20.4	16.6	3	7	15	31	4
With surgery Without surgery MALNUTRITIONAL DEFICIENCY STATES	26,310	12.7	16.2 10.4	5 3	6	9	15	24	Two or more diognoses	1,065	18.4 23.4	16.6 19.5	3	6	11	26 36	4
(286)									PSYCHONEUROTIC 0150R0ERS (324)	2,095	19.2	16.3	3	6	13	27	4
Total	1,485	17.0	15.7	3	6	12	20	36	Total	6,295	15.1	13.5	3	5	10	20	3:
65 to 74 years	660 605 220	15.1 19.7 15.1	14.9 16.5 14.4	3 5 2	6 9 5	10 14 9	17 24 21	28 39 33	Age: 65 to 74 yeors	4,595 1,595 105	15.1 15.3 10.5	13.0 14.8 9.5	3 3 2	5 5 3	11 10 6	20 20 11	3: 3: 2:
One diognosis	230 1,255	17.3 16.9	15.3 15.7	2 4	8	12 12	21 20	41 34	One diognosis	2,520 3,775	15.3 15.0	13.2 13.7	2 3	5 5	11 10	21 19	3 3
With surgery	150 1,335	22.1 16.4	20.1 15.0	4	7 6	11 12	38 20	49 32	With surgery Without surgery	480 5,815	18.5 14.8	15.1 13.3	3 3	5	14 10	28 19	3
GOUT (288) Total	1,220	10.7	8.7	3	5	8	13	19	CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE	3,212							
Age: 65 to 74 years	800 365	9.7 13.1	8.4 9.2	2 3	5 6	7	11 16	16 26	(331,334.8) Total	28,030	16.1	15.2	1	5	11	22	3
One diagnosis	320	8.6	7.9	2 3	5	6	9	14	Age: 65 to 74 years	10,665 12,975	16.6 16.1	15.8 15.2	1 1	5	12 11	22 22	3 3
Two or more diagnoses	900	11.5	8.8 8.3	3 3 3	8	15 7	19	21 28 17	85 years ond over One diognosis	4,390 11,530	14.7	13.3	1	4	10	20	3
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)	1,115	10.3	8.6	3	5	′	12	17	Two or more diagnoses	16,500 1,540 26,490	16.9 23.8 15.7	15.1	3	9 5	12 18 11	23 34 21	3 5 3
Totol	1,710	14.0	10.3	3	6	11	19	28	Without surgery	20,490	13.7	14.8	'	3	"	21	3
Age: 65 to 74 years	695 745	13.4 13.7	9.5 10.9	3 2	6	10 11	17 19	28 27	(332) Total	12,495	17.3	14.9	3	6	13	23	3
85 years and over	270 580 1,130	16.1 12.3 14.9	10.2 8.8 10.8	3 2 3	5 7	14 10 12	20 16 20	32 26 30	Age: 65 to 74 years 75 to 84 years 85 years ond over	5,100 5,725 1,670	17.8 16.9 17.3	15.4 14.6 14.0	3 2 2	ó 5 7	13 13 13	22 23	3
Two or more diagnoses	240 1,470	16.2 13.6	11.3 10.0	3 3	7 6	12	21 18	32 26	One diognosis	3,535 8,960	15.8 17.9	14.2 15.1	2 3	5	11 14	25 20 24	3.
IRON DEFICIENCY ANEMIAS (291)	1,470	13.0	10.0	3			13	20	With surgery	840	22.0	15.2	5	10	18	29	4
Total	2,565	11.7	7.9	3	6	9	15	21	Without surgery	11,655	17.0	14.8	3	6	13	23	3:
65 to 74 years	990 1,205 370	11.7 11.9 11.2	7.1 8.4 8.4	4 3 2	6 6 5	9 10 8	14 15 14	20 22 26	5PECIFIEO) (334.0) Total	12,155	12.4	10.2	3	5	9	15	2:
One diagnosis	525 2,040	10.2 12.1	7.3 8.1	2 4	4	8 9	13 15	19 22	Age: 65 to 74 years 75 to 84 years	4,660 5,720	11.8 12.8	8.8 10.6	3 3 3	5	9	15 16	2
With surgery	465 2,100	13.8 11.3	8.8 7.7	3	6	11 9	18 14	27 21	One diagnosis	1,775 3,500	13.1 11.1 13.0	12.0 8.8	3 3 3	5	9 8 10	15 14 15	20
OTHER AND UNSPECIFIED ANEMIAS (292,293)									With surgery	8,655 1,130 11,025	16.8 12.0	10.7 11.5 9.9	5	8 5	13	22 14	3:
Totol	6,035	12.0	11.7	1	4	8	15	27	PARALYSI5 AGITAN5 (350)	11,023	12.0	9.9	3	э	y	14	22
65 to 74 years	2,595 2,510 930	12.0 12.2 11.0	11.5 12.8 9.1]]]	3 4 4	8 8 8	15 15 15	28 26 23	Total	3,860	19.7	15.1	5	8	16	25	40
One diognosis	2,165 3,870	8.9 13.7	9.1 12.7	1 2	2	6 10	12 17	19 29	65 to 74 years 75 to 84 years 85 years ond over	2,540 1,230 90	19.1 20.0 29.2	14.4 15.9 20.8	4 5 5	8 8 8	16 15 23	24 25 37	30 4 5
With surgery	1,015 5,020	16.9 11.0	14.4 10.9	2 1	5	13 7	24 14	37 23	One diagnosis	1,700 2,160	18.6 20.5	12.7 16.8	5 4	9	16 15	23 27	33 44
									With surgery	330 3,530	22.7 19.4	17.2 14.9	4 5	7 8	18 16	33 24	4:3

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Average	Standard		Perce	ntiles	(days)		Patient	Number of	Averoge	Standard		Percer	tiles ((days)	
charocteristics	discharges	(doys)	deviation (days)	10th	25th	50th	75th	90th	charocteristics	dischorges	(doys)	deviation (doys)	10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)									ALL OTHER MYOCAROIAL DEGENERATION (422.0,422.9)								
TotolAge:	3,550	12.5	9.9	3	5	9	15	23	Total	1,865	13.4	11.9	,	5	10	17	28
75 to 84 years	2,075 1,310 165	11.8 13.4 14.5	8.7 11.1 13.6	3 3 4	5 6 5		15 16 16	22 25 30	Age: 65 to 74 years 75 to 84 years	790 850	14.8	11.5	3	6	12	18 16	29 27
One diagnosis	1,295 2,255	10.4 13.7	8.4 10.5	3 4	4 6	8	13 17	20 25	85 years ond over	225 450	10.6	13.4 9.5	1 2	5	9 5 9	14	24
With surgery	570 2,980	13.6 12.3	11.1 9.6	3 3	6 5	10 9	17 15	25 23	Two or more diognoses	1,415	13.7	12.5	1	5	10 15	17 20	29 30
CATARACT (385)									FUNCTIONAL DISEASE OF HEART (433)	1,785	13.3	11.9	1	5	10	16	27
TotalAge:	27,420	8.3	4.9	4	5	7	9	14	Total	9,805	11.2	10.3	2	4	8	14	23
65 to 74 years	13,705 11,865 1,850	7.9 8.6 8.9	4.5 5.3 5.6	4 4 4	5 5 5	7 7	9 10	13 14 14	Age: 65 to 74 years	4,950 3,765	10.5 12.0	9.3 10.2	1 2 2	3 5	8 9	14 15	22
One diagnosis	19,505 7,915	7.9 9.2	4.1 6.4	4 4	5 5		9	13 15	One diognosis	1,090 2,705	12.0	13.9	1	3	7	14 13 15	20
With surgery	26,140 1,280	8.3 7.8	4.8 7.4	4	5	7 6	9	14 15	Two or more diagnoses	1,725	11.7	11.0	3	6	12	19	30
GLAUCOMA (387)									CONGESTIVE HEART FAILURE (434.1)	8,080	10.5	9.9	•	4	7	13	21
Total	2,235	7.8 7.1	5.6 4.5	2 2	4		9	14	Total	20,840	13.9	12.2	2	5	10	17	28
65 to 74 years	875 170	8.4 9.1	6.6	3 2	4 4 5	6	10 10	13 15 19	Age: 65 to 74 years 75 to 84 years 85 years and over	8,465 9,150 3,225	14.0 13.9 13.5	12.6 11.6 13.2	2 2 1	6	10 11 10	17 18 17	28 28 29
One diagnosis	1,245 990	6.9 8.8	5.0 6.2	2 3	3 4		8	12 16	One diognosis	7,640 13,200	12.6 14.7	11.3 12.7	2 2	5 6	9	16	26 29
With surgery	1,705 530	7.9 7.2	5.4 6.2	2 2	3		10 7	14 14	Two or more diagnoses	1,240	21.6	16.6	3 2	9	17 10	28	42
CHRONIC RHEUMATIC HEART DISEASE (410-416)									HYPERTENSIVE HEART DISEASE (442,443)	19,600	13.4	11.7	2	5	10	"	21
Total	1,805	14.6	12.5	3	6	10	18	30	Total	15,520	13.3	10.8	3	6	10	17	26
Age: 65: to 74 years	1,315 445 45	14.3 15.1 18.2	12.4 13.2 7.4	2 4 10	6 5 12	10	18 21 21	28 37 30	Age: 65 to 74 years 75 to 84 years 85 years ond over	8,220 5,895 1,405	12.4 14.1 15.3	9.5 11.6 13.1	3 3 3	5 6 5	10 10 11	16 18 20	24 28 34
One diognosis	255 1,550	11.9	9.3 12.9	2 3	4 6	8	18	25 31	One diognosis	2,370 13,150	11.2 13.7	8.5 11.1	2 3	5	8 10	14 17	23
With surgery	275 1,530	16.8	15.9	1 3	7 6	13	22	33 29	With surgery	1,265 14,255	18.2 12.9	14.7 10.2	3	7	14 10	22 16	3:
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)									OTHER HYPERTENSIVE DISEASE (446,447)								
Tatal	47,065	13.6	11.5	3	6	10	17	27	Tatol	9,680	10.7	9.5	2	4	7	13	20
Age: 65 to 74 years	18,515 21,455	12.7 14.0	10.4 11.9	3	5	10	16 18	24 28	65 to 74 years 75 to 84 years 85 years ond over	5,650 3,340 690	9.8 11.7 13.2	8.3 10.6 12.0	2 2 2	4 5 5	7 8 9	12 14 16	18 23 25
85 years and over	7,095 10,385		9.8	2	5	9	19	23	One diagnosis	2,460 7,220	8.5 11.4	7.3 10.0	2	3 5	6 8	10 14	17
Two or more diagnoses	36,680 4,000	14.1	11.9	3 4	9	10	18	39	With surgery	1,075 8,605	12.9 10.4	10.5 9.3	3 2	6	10 7	15 13	23
Without surgery	43,065	13.0	11.0	3	5		16	26	GENERAL ARTERIOSCLEROSIS (450)	,,,,,	, , ,						
Totol	29,880	16.6	12.8	1	5	16	23	31	Total	14,770	15.7	14.4	3	6	11	19	3
Age: 65 to 74 years		17.0 16.5	12.2 13.4	1	6 4	17 15	23	31 32	65 to 74 years 75 to 84 years 85 years ond over	5,150 6,745 2,875	16.3 15.4 15.6	15.6 13.6 14.2	3 3 3	5 6 6	11 11 11	21 19 18	3: 3: 3:
85 years and over	2,245 13,500	13.9	13.1	1	4	9	22	30	One diognosis	2,285 12,485	14.7 15.9	13.4 14.6	2	5	11 11	18 20	32
Two or more diognoses	16,380	17.6 19.6	13.4 14.7	1 2	8	17	25 27	33 38	With surgery	2,860 11,910	23.9 13.8	16.8 13.0	6	12	19 10	31 17	48
OTHER ISCHEMIC HEART DISEASE	28,565	16.4	12.6	1	5	16	23	31	AORTIC ANEURYSM, NONSYPHILITIC, AND OISSECTING ANEURYSM (451)								
(420.2-420.4,422.1) Tatol	33,625	13.1	11.2	3	5	9	17	26	Total	2,430	12.2	11.8	1	2	9	17	27
Age: 65 to 74 years	17,705	12.6	10.4	3	5	9	17	25	65 to 74 years 75 to 84 years 85 years and over	1,380 870	13.1	12.3 11.6	1	3	10	18	28 27
75 to 84 years	12,730 3,190	13.8	12.2	3 2	5	10	17	28 27	One diognosis	1,195	11.2	7.8 11.0	1	2 2 2	6 8 9	15	16 22 28
One diagnosis	8,875 24,750	11.4	9.7	3	5	10	15	23 27	Two or more diognoses	1,235	13.2	12.6	1	9	15	21	33
With surgery	2,000 31,625	19.0 12.8	15.3 10.8	4 2	7 5	15	24 16	39 25	Without surgery	1,190	7.3	9.2	1 [1	4	8	18

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient charocteristics	Number of dischorges	Average stoy	Standard deviation			ntiles			Patient characteristics	Number of discharges	Averoge stoy	Standard deviation	-		ntiles		Т
charocteristics	dischorges	(doys)	(days)	10th	25th	50th	75th	90th	chorocteristics	aiscnorges	(doys)	(days)	10th	25th	50th	75th	91
ARTERIAL EMBOLISM AND THROMBOSIS (454)									ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	1,820	15.3	13.3	1	5	12	20	32	Tatal	4,090	10.0	8.7	3	4	7	12	
ge: 5 to 74 years	1,015 675 130	15.7 15.3 11.6	11.8 15.4 11.4	2 1 1	7 4 1	13 10 12	22 19 15	29 36 18	Age: 65 to 74 years	2,210 1,435 445	9.0 10.6 13.2	7.0 9.7 11.3	2 3 3	4 4 6	7 7 10	11 12 14	
ne diognosis	790 1,030	12.1 17.7	10.4 14.7	1 2	4 7	10 14	16 24	26 34	One diagnosis	850 3,240	8.1 10.5	7.5 8.9	2 3	3 5	6 7	9 13	
fith surgery	1,055 765	18.9 10.2	13.7 10.9	3 1	9 2	16 7	26 13	37 20	With surgery	275 3,815	11.5 9.9	13.8 8.2	1 3	2 4	7 7	12 12	
GANGRENE OF LOWER EXTREMITY (455.0)									INFLUENZA (480-483)	3,985	10.2	7.8	3	4	7	13	
Totol	1,335	25.1	17.1	5	13	21	32	50	Total	2,330	9.7	7.8	3	4	7	12	
5 to 74 years	480 535 320	23.8 24.9 27.4	16.6 16.0 19.1	5 5 8	12 13 13	20 23 22	31 33 34	45 45 58	75 to 84 years	1,380 275	10.8 11.5	8.1 9.8	3 3	5 4	8 7	14 14	
ne diognosis	495 840	22.9 26.3	15.3 17.9	5 7	12	21 22	28 33	43 52	One diognosis	1,295 2,690	7.9 11.3	.5.6 8.5	3	5	6 8	9 14	
Aith surgery	830 505	27.5 21.2	16.7 16.9	11	17	23 14	32 32	51 44	With surgery	205 3,780	13.3 10.0	9.4 7.7	3	5 4	11 7	20 12	
ARICOSE VEINS OF LOWER EXTREMITIES (460)									Total	925	13.2	10.7	1	5	11	18	
Totolge:	3,440	17.1	13.5	4	7	13	22	35	Age: 65 to 74 years	460 355	12.6 14.6	10.3 11.3	1	6	10 12	16 20	
5 to 74 years	2,110 1,120 210	14.7 20.6 23.4	12.0 14.5 16.1	4 5 3	9	11 17 19	19 27 29	31 42 47	85 years and over One diagnosis	110 360	10.9 9.9	9.2 8.7	1	3	7	17	
ne diagnasis	1,550	14.8	13.0	3 5	6 9	10 15	18 25	31 36	Two or more diagnoses	565	15.2 33.6	11.3 18.1	12	17	13	20 53	
Vith surgery	1,900 1,540	16.0 18.6	13.5 13.3	4 5	6 9	11	20 24	33 37	Without surgery	885	12.2	9.2	ī	5	10	17	
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)									Total	8,075	13.6	11.6	2	6	10	16	
Total	3,965	10.0	7.6	3	5	8	12	17	65 to 74 yeors	3,370 3,180 1,525	13.3 14.1 13.3	10.9 12.8 10.6	3 2	6 5 5	10 10 10	16 17 18	
ge: 5 to 74 years	2,700 1,135 130	9.4 11.3 10.7	7.1 8.6 7.8	3 3 4	5 5 6	7 9 8	11 13 10	17 19 22	One diognosis	1,975 6,100	10.7 14.5	7.0 12.6	3 2	5 6	9	13 18	
ne diognosiswo or more diognoses	1,650 2,315	8.1 11.3	4.1 9.2	3	5 5	7 8	9	12 22	With surgery	595 7,480	22.1 12.9	16.3 10.9	6 2	11 5	17 10	28 16	
fith surgery	3,130 835	10.6 7.6	7.7 7.0	4	6 3	8 5	12	18	PRIMARY ATYPICAL PNEUMONIA (492)								l
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)									Total	6,080 2,975	13.3	10.9	4	6	10	16 15	
Total	4,010	14.0	9.0	5	8	12	17	23	75 to 84 years	2,265 840	13.3 15.7	10.3 13.6	3	6	10	16	
ge: 5 to 74 years	2,590 1,175 245	13.8 13.3 18.4	8.7 8.7 11.2	5 5 6	8 7 9	11 12 17	17 15 22	23 22 30	One diognosis	1,660 4,420	10.2 14.4	7.9 11.6	3 4	5 7	8 11	12 17	
ne diognosis	1,635 2,375	12.3	7.3 9.8	5 5	7 8	11 12	15	20 26	With surgery	460 5,620	18.5 12.9	11.2 10.8	6	11 6	16 10	22 15	
wo or more diognoses	335	17.2	12.2	5	8	15	21	28	PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Vithout surgery	3,675	13.7	8.5	5	8	11	16	22	Totol	12,090	14.0	10.9	3	6	11	17	١
OTHER SITES (464)	1 445	12.4	0.5		7	,,	14	22	Age: 65 to 74 years	5,510 4,745 1,835	13.5 14.2 15.0	10.0 11.2 12.7	3 3 2	6 6 6	10 11 11	17 18 19	
Totalge: 5 to 74 years	1,465	13.6	9.5	5	7	11	16	23	One diognosis	4,020	12.9	10.5	3	6	9	16	
5 to 84 years	410 45	14.7	11.0 8.4	5	6	9	18	29 24	Two or more diagnoses	1,055	20.9	11.1	6	10	11	18 27	
ne diognosis	635 830	12.4 14.5	8.4 10.1	5	8	10	14	20 25	ACUTE BRONCHITIS (OR SUBACUTE)	11,035	13.3	10.5	3	6	10	16	
fith surgery	60 1,405	20.1 13.3	11.0 9.3	9 5	12	15	25 15	30 23	(500) Total	5,030	10.2	6.7	3	5	8	12	
PULMONARY EMBOLISM AND INFARCTION (465)									Age: 65 to 74 years	2,940 1,625	9.8 10.8	6.7 6.5	3	5	8 9	11	
Totolge:	3,145	15.9	12.8	2	7	13	20	31	85 years and over	1,250	10.6	7.5	3	5	9	13	
5 to 74 years	1,700 1,100 345	16.7 14.8 15.4	13.0 10.9 16.7	3 2 1	8 7 2	12 9	21 19 21	31 30 37	One diognosis	3,780	11.1	7.1	4	6	9	13	
ne diognosis	735 2,410	13.0 16.8	12.3 12.9	1	5 8	10 14	17 21	27 32	With surgery	285 4,745	13.6	8.8 6.5	3	5	10	12	1
Vith surgeryVithout surgery	ى 2,755	23.9 14.8	17.5 11.6	6	11 6	19	32 19	43 28									

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

D. Alica de	Number of	Average	Standard		Perce	ntiles	(days)		Destrue	N	Averoge	Standard		Percer	ntiles	(doys)	
Potient charocteristics	Number of discharges	stoy (doys)	deviation (days)	10ተስ	25th	50th	75th	90th	Potient chorocteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)		=							ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
TotalAge:	3,370	10.9	7.9	3	5	8	14	20	Total	1,015	17.6	12.9	5	8	15	22	34
6\$ to 74 years	2,035 1,100 235	10.4 11.6 10.9	7.2 8.3 10.0	3 3 3	5 5 4	10	13 15 10	19 21 28	Age: 65 to 74 years	440 440	14.9 20.6	11.9	5	7	11	18	27
One diagnosis	ł	9.1	6.5	3	4	7	11	16	75 to 84 years	135	16.6	13.9 10.4	6 2	10	16 16	26 23	42 27
Two or more diagnoses	2,305	11.6	8.3	3	5	9	15	21	One diagnosis	400 615	13.2 20.4	7.9 14.6	5 5	7 9	12 17	16 26	21 41
With surgery	250 3,120	12.6 10.7	7.9 7.8	3	5	8	16 13	24 19	With surgery	215 800	26.5 15.2	17.5 10.1	8 4	11	22 13	37 19	50 28
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)									ULCER OF OUODENUM W/O								
Total	3,095	12.5	9.8	3	6	10	15	24	PERFORATION & W/O HEMORRHAGE (541.0)								
65 to 74 years	1,995 990	13.1 11.7	10.1 9.6	3	6 5	10	15 14 12	25 23	Total	6,885	10.6	8.7	2	4	8	14	21
One diagnosis		9.6	5.0 8.2	3	5	9	14	20	65 to 74 years	4,550 2,025 310	10.2 11.3 13.5	8.5 8.4 11.6	2 2 3	5 5	7 9 9	13 15 17	20 22 28
Two or more diognoses	2,060	13.6	10.4	4	7	10	16	26	One diognosis	2,545	8.7	7.1	1	3 5	6 9	12	17
With surgery	2,895	14.9 12.4	9.6 9.8	3	6	12	20 14	29 23	Two or more diognoses	4,340 1,290	11.8	9.2	2	5 8	9	15	23
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)									Without surgery	5,595	9.4	7.5	3 2	4	7	12	18
Total	1,565	11.1	8.5	3	5	9	13	20	ULCER OF DUOOENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
65 to 74 years	495	10.1 12.7	7.1 10.5	3 3	5	8 10	12 14	18 23	Totol	4,110	14.9	11.3	5	7	11	18	28
85 years and over		14.9 9.5	8.0	7	9	11	15	29	Age: 65 to 74 years	2,285	14.5	11.3	5	7	11	17	27
One diagnosis	360 1,205	11.6	6.9 8.8	3	5	9	11	15 22	75 to 84 years	1,480 345	14.8 18.5	10.7 12.9	5 5 7	9	12	18 26	27 32
With surgery	355 1,210	11.5 11.0	8.8 8.4	3	5	9	14 13	23 19	One diagnosis	1,745 2,365	13.0 16.4	9.9 12.0	4 5	7 8	10 13	15 20	22 30
PULMONARY CONGESTION AND HYPOSTASIS (522)									With surgery	900 3,210	20.8 13.3	14.8 9.5	6	11 7	16 10	26 16	37 24
Total	2,425	13.2	11.9	1	4	10	18	28	UI.CER OF STOMACH & OUOOENUM,	·							
Age: 65 to 74 years	1,035	12.1 14.2	10.6 12.7	1	4 5	9	15 19	27 28	WITH PERFORATION (540.2,.3,541.2,.3) Total	735	16.9	12.0	2	8	14	23	33
85 years and over	390	13.8	12.7	'	4	10	17	30	Age: 65 to 74 years	360 330	17.6	13.3	3	8 7	15	20	34 31
One diagnosis	1,835	11.8 13.7	11.2	i	4	10	15 19	21 29	75 to 84 years	45 45	16.2 17.2	10.7 10.1	3	6	13 15	24 25	31 29
With surgery	165 2,260	19.6 12.8	13.2 11.7	1	5 4	19	29 17	37 25	One diognosis	325 410	14.1 19.2	10.3 12.7	3	7 10	12 17	17 26	27 35
EMPHYSEMA WITHOUT MENTION OF 8RONCHITIS (527.1)									With surgery	515 220	19.2 11.5	10.7 13.0	8	12	16 6	25 16	34 29
Total	9,550	12.6	10.4	3	5	9	15	25	GASTRITIS AND DUOOENITIS (543)								
Age: 65 to 74 years	6,015 3,140	12.4 12.8	10.7 9.7	3 3	5	10	15 15	25 24	Totoi	5,035	8.4	6.9	2	3	6	11	17
85 years and over	395		11.7	3	6	8	14	26	65 to 74 years	3,145 1,545 345	7.9 9.2 10.1	6.4 7.6 6.9	2 2 2	3 4 4	6 6 8	9 12 14	15 19
One diognosis		11.4 12.9	9.6 10.6	3	6	9	16	24 25	85 years ond over One diagnosis	1,540	6.0	4.5	1	2	4	8	18
With surgery	910 8,640	18.8 11.9	15.1 9.6	3	5	13	23 15	40 23	Two ar more diagnoses	3,495 485	9.5	7.5 11.4	2	4	7	12	19
OISEASES OF ESOPHAGUS (539)									With surgery	4,550	15.0 7.7	5.8	3 2	5 3	12	20 9	29 15
Age:	2,545	10.8	10.6	2	3	7	13	23	APPENDICITIS (550-553)	1 705	140	,,,,		7	12	17	20
65 to 74 years	1,425 920 200	10.1 11.5 12.9	9.2 12.4 11.0	2 2	3 4	7 9	13 13 16	21 24 32	Total	1,705	14.8	11.1	5	7	12	17	28
One diagnosis	910	10.2	11.0	2 2	3	6	12	21	75 to 84 years	525 150	17.3 14.3	13.2 9.5	6 3	8	13 14	21 16	29 27
Two or more diagnoses		11.2	10.3	2	5	11	14	24 27	One diognosis	1,035 670	12.2 18.9	8.2 13.6	4 6	6 10	9 15	14 24	22 33
Without surgery		8.9	9.3	Ī	3	6	ii	16	With surgery	1,395	15.6 11.3	10.7 12.3	6 2	8	13	19	29 19
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)									INGUINAL HERNIA WITHOUT MENTION	310	11.3	12,3	2	5		14	19
Total		14.3	10.8	3	6	12 11	19 19	27 26	OF OBSTRUCTION (560.0) Total	12,890	10.0	6.1	5	6	8	11	14
65 to 74 years	1,895 1,245 265	14.1 13.8 17.9	11.2 10.1 10.1	3 3 3	-6 5 8	12 19	18 25	26 31	Age: 65 to 74 years	8,575	9.3	5.3	4	6 7	8	10	16
One diagnosis	1,125	12.7	8.7 11.6	2 3	5	11 13	18 20	25 29	75 ta 84 years	3,730 585	11.1 12.1	7.1 7.3	5 5	7	9	12 13	18 20
Two or more diagnoses	2,280	15.1 21.2	12.8		12	19	26	38	One diognosis	7,665 5,225	8.7 11.8	4.1 7.7	4 5	6	8 9	10 13	12 20
Without surgery		12.0	8.9	3	5	10	16	22	With surgery	11,995 895	9.9 10.1	5.7 8.9	5	6	8	11	15 20

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Averoge	Standard		Perce	ntiles	(doys)		Patient	Number of	Averoge	Standard		Percer	tiles	(days)	
characteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	stay (days)	deviation (days)	10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT									CHOLELITHIASI5 (584)								
MENTION OF DB5TRUCTION (560.4)	7,175	9.9	8.3	2		7	12	20	Total	17,295	15.0	10.3	4	8	12	19	28
Total	4,430	9.5	7.9	2	4	6	12	19	65 ta 74 yeors	10,755 5,570	14.3 16.2	9.5 11.4	3 4	8	12 13	18 20	26 31
75 to 84 years	2,315 430	10.2	8.7 9.4	2 4	4 5	7 9	12	22 24	85 years and over	970	16.4	11.8	5	8	12	21	32
One diognosis	1,465 5,710	8.7 10.2	8.4 8.2	1 3	3	5 7	11 12	18 21	One diagnosis	7,800 9,495	13.7 16.1	8.5 11.4	4	8 7	12 13	17 20	24 32
With surgery	1,580 5,595	15.5 8.3	11.0 6.6	3 2	7 4	13	19 1D	30 15	With surgery	1D,665 6,630	18.1 1D.1	9.8 9.2	8 2	11	15 7	22 12	31 19
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.13,.8,.9)									CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	4,020	12.1	8.1	4	7	10	14	21	Total	6,855	12.4	10.0	3	5	9	15	23
Age: 65 to 74 years	2,760 1,125	11.5 13.3	7.7 9.1	4 5	6 8	9	14 15	21 21	65 to 74 years	3,705 2,480 670	12.0 13.1 12.3	9.8 10.6 8.9	3 3	5 6 5	9 10 1D	15 16 16	23 23 23
85 years and over	135	13.3	7.5	4	7	11	17	20	One diagnasis	2,860	10.7	7.6	2	5	9	14 17	20
One diognosis	1,97D 2,050	10.8	6.9 9.0	4	7 7	11	13	17 23	Two or more diagnoses	3,995 2,035	13.6	11.3	8	10	10	21	26 29
With surgery	3,375 645	12.6 9.2	7.9 8.4	5 2	7 3	10	15 !!	21 20	OTHER DISEASES OF GALLBLADOER AND	4,820	1D.3	8.9	3	4	7	12	19
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)									BILIARY DUCTS (586)								
Totol	3,085	12.9	9.4	4	7	10	16	22	Total	2,290 1,140	13.9	12.4	2	5	9	18	29
65 to 74 years	1,445 1,290	13.0 12.8	9.4 9.1	5 4	7 7		16 15	23 21	75 to 84 years	920 23D	13.4 18.D	11.8	2 3	5	9	17 26	26 37
85 years and over One diagnosis	1,565	12.8	10.3	1 4	6	11 9	16	19	One diagnosis	765 1,525	12.8 14.5	12.8 12.1	2 3	4 5	9	16 19	29 29
Two or more diagnoses	1,520	15.1	11.1	5	8	12	18	25	With surgery	730	22.9	14.4	6	13	19	29	43
With surgery	2,610 475	13.1	8.7 12.6	1	3	10 7	15	21 25	Without surgery	1,560	9.7	8.5	2	4	7	12	19
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)									Totol	1,860	13.7	10.4	2	6	11	18	27
Total	7,495	12.6	11.1	1	4	9	17	26	Age: 65 to 74 years	1,120 635	13.7 13.4	10.5 9.9	3 2	7	10 12	18 19	24 28
65 to 74 years	3,285 3,235	12.1 13.0	10.5	2	4	9	16 17	24 28	85 years and over	105	16.2	12.4	3	6	13	20	23
85 years and over One diagnosis	975 2,745	12.8	9.4	1	3	10	18	27	One diagnosis	640 1,220	12.4 14.4	9.8 10.6	3	5 7	9 12	16 19	24 28
Two or more diagnoses	4,750 2,640	13.4	11.9	2	9	10	18	29 33	With surgery	335 1,525	20.5 12.3	12.5 9,3	3 2	12	19	26 15	33 22
Without surgery	4,855	10.2	10.2	i i	3	7	13	21	NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)		į							Total	2,240	13.9	11.3	2	5	11	19	27
Total	10,180	8.7	7.7	2	3	6	10	17	65 to 74 years	1,150 905	12.6 15.1	10.3 12.3	2 2	6	11	17 21	23 29
65 to 74 years	5,270 3,955 955	7.9 9.3 10.4	7.0 8.1 8.9	2 2 2	3 4 4	6 8	10 11 12	15 17 23	85 years and over One diagnosis	185	15.8	10.8 9.6	1	5	13	24 17	31
One diagnosis	3,470 6,710	6.3 9.9	5.0 8.5	1 2	2	4 7	8 12	12 20	Two or more diagnoses	1,730	14.2	11.7	2	7	11	20	28 30
With surgery	840	12.7	10.1	2	5	9	17	29	Without surgery	1,550	12.8	11.3	i	4	10	18	25
OIVERTICULITIS (572.1)	9,340	8.3	7.3	2	3	6	10	16	INFECTIONS OF KIONEY (600) Total	5,D50	13.1	10.7	3	6	9	16	26
Totol	16,300	9.8	9.6	2	3	6	12	20	Age: 65 to 74 yeors	2,360	11.9	9.4	3 4	5	8	15	24
Age: 65 to 74 years	8,660 6,245	9.4 10.3	9.6 9.7	2 2	3	6 7	11 12	20 20	75 to 84 years	2,105 585	13.9 14.9	11.7 11.1	4	6	10 11	15 20	26 30
85 years and over One diagnosis	1,395	10.5	9.2	2	5	5	13	19	One diagnosis	1,290 3,760	11.1 13.7	9.3 11.0	3	5 6	8 10	13 17	21 27
Two or more diognoses	5,085 11,215	8.2 10.6	9.9	2	4	7	13	22	With surgery	1,D25 4,025	15.5 12.4	11.0 10.5	4	6 5	13 9	20 15	31 24
With surgery	3,940 12,360	14.6 8.3	13.2 7.6	2	3	10	19 10	30 16	CALCULI OF KIDNEY AND URETER (602)								
CIRRHOSIS OF LIVER (581)	0.505				_	,,	~	21	Age:	4,330	9.5 9.1	8.2	2	3	7	12	19 19
Total	2,505 1,895	17.1 17.6	12.7	5	8	14	22	31	65 to 74 years	3,150 1,000 180	10.5 9.7	7.3 10.6 7.5	2 2	3 4 4	7 7 7	12 12 12	21 21
75 to 84 years	565 45	15.8 12.3	13.3	2	5	12	22 16	29 18	One diagnasis	1,965 2,365	8.4 1D.4	7.9 8.5	1 2	3	6 7	1D 13	16 21
One diognosis	655 1,850	15.3 17.7	12.1 12.8	3 4	7 8	12 15	20 23	28 33	With surgery	2,285	12.0	9.4	3	5	9	15	23
With surgery	565 1,940	20.9 15.9	13.5 12.2	7	11 7	18 13	25 21	36 30	Without surgery	2,045	6.7	5.5	11	3	5	8	13

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

					Porce	ntiles	(days)		I	I				Doroor	atilos :	(doys)	
Patient characteristics	Number af dischorges	Averoge stoy (doys)	Standard deviation (days)	10th				90th	Potient characteristics	Number of dischorges	Averoge stoy (days)	Standard deviation (doys)	10th			75th	90th
OTHER DISEASES OF KIONEY AND		(45)5)	(02/0)			50	75	7011	OTHER DISEASES OF MALE GENITAL		(duys)	(00)37	10	20111		/3111	
URETER (603,604)	0.715	,,,,	,,,,		_				ORGANS (613-617)	0.050							
Total	2,715 1,545	12.9	10.8	2	5	9	17 15	26	Total	2,850 1,885	9.1 8.1	8.2 7.7	2	3	6	10	17 14
75 to 84 years	995 175	15.0 13.1	11.8 7.9	3 4	6	11	20 18	29 25	75 to 84 years	850 115	10.7	9.0 7.8	3	5	8 9	12	20 23
One diognosis ,	795 1,920	10.4 13.9	8.8 11.4	2 2	3 5	7 10	13 19	22 27	One diagnasis	1,375 1,475	6.9 11.1	5.3 9.8	2	3 5	5 8	8 12	12 21
With surgery	1,740 975	14.0 10.9	10.4 11.3	3 2	3	6	19	26 24	With surgery Without surgery UTEROVAGINAL PROLAPSE (631)	2,035 815	9.0 9.2	9.1 5.7	3	3 5	6 8	10 11	17 16
Totol	6,620	9.8	8.7	2	4	7	12	19	Total	6,430	12.3	6.5	6	8	11	14	18
65 to 74 years 75 to 84 years 85 years and over	3,505 2,540 575	8.9 10.1 13.3	7.9 8.9 10.3	2 2 3	3 4 6	6 7 10	11 12 16	17 20 27	65 to 74 yeors 75 to 84 yeors 85 years ond over	4,730 1,600 100	11.9 13.3 13.2	5.3 8.2 15.1	6 6 5	8 8 6	10 11 9	14 15 13	17 21 16
One diognosis	2,000 4,620	7.0 11.0	7.3 8.9	1 2	3 5	5 8	8 14	12 21	One diagnosis	2,780 3,650	11.3 13.0	5.0 7.3	6 6	8 9	10 11	13 14	16 20
With surgery	3,720 2,900	9.3 10.4	8.5 8.8	2 2	3 4	6 7	11 12	19 20	With surgery	5,935 495	12.2 13.3	5.6 13.0	6 4	8	11 10	14 14	18 25
OTHER DISEASES OF 8LAOOER (606)					}				INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	2,730	15.5 15.6	13.2	2	6	12	20 19	32	Tatal	4,540	14.6	12.7	3	6	10	17	30
65 to 74 years	1,405 1,015 310	16.0 13.0	14.2 12.6 9.4	2 2 2	6 6	13 10	21 19	32 24	Age: 65 to 74 years	2,460 1,675	14.5 14.1	12.2 12.1	4	6	10 10	18 17	30 28
One diognosis	855 1,875	11.9 17.1	10.5 14.0	2 3	4 7	8	14 22	28 33	One diagnosis	1,425	17.2	17.2	3	6 5 7	11 8	20	37 23
With surgery	2,085 645	15.2 16.2	10.5 19.5	4	7	12 8	20 18	29 41	Two or more diagnases	3,115 1,140	16.0	13.2 16.1	2	6	11	19 21	35 43
URETHRITIS AND STRICTURE OF URETHRA (607,608)								- 1	RHEUMATOIO ARTHRITIS (722.0)	3,400	13.7	11.3	4	6	10	16	27
Totol	3,985	9.5	7.8	2	3	7	13	20	Total	2,785	15.4	11.3	3	6	12	21	30
65 to 74 years 75 to 84 years 85 years and over	2,260 1,350 375	8.8 10.3 10.7	7.4 8.5 6.9	2 2 2	3 4 5	6 7 9	11 14 14	20 20 19	Age: 65 to 74 years	1,890 815 80	15.2 16.1 12.4	11.5 10.7 11.1	3 4 1	6 7 2	12 13 8	20 22 21	29 30 26
One diagnosis	1,380 2,605	7.3 10.6	5.9 8.4	1 2	2 4	5 7	9 14	16 22	One diognosis	815 1,970	14.3 15.9	11.1 11.3	3	5 7	11 13	20 21	29 30
With surgery	3,430 555	9.5 9.4	7.8 7.6	2 2	3 3	7 6	12 13	20 18	With surgery	565 2,220	18.4 14.6	13.5 10.5	4 3	8	14 12	24 20	38 28
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)									OSTEOARTHRITIS (ARTHROSIS) (723.0)						11	20	20
TotalAge:	4,780	11.1	10.1	2	4	7	14	22	Total	6,755 3,395	15.3	13.6 14.2	3	6	11	21	32 36
65 to 74 years	2,075 1,915 790	9.7 11.6 13.5	9.5 10.1 11.0	2 3 3	3 5 5	6 8 10	11 14 18	20 21 26	75 to 84 years	2,720 640	14.6 14.0	13.0 12.4	3	6 5	10 11	18 18	29 26
One diognosis	1,520 3,260	9.2 12.0	8.1 10.8	2 3	4 4	6 8	11 15	20 24	One diagnosis	1,930 4,825	15.6 15.2	13.9 13.5	3	5 6	11 10	20 19	33 32
With surgery	1,725 3,055	11.0 11.1	11.0 9.6	2 3	3 4	7	13 14	25 22	With surgery	1,670 5,085	22.3 13.0	16.9 11.4	5 3	10 5	18 9	28 16	43 26
HYPERPLASIA OF PROSTATE (610)	.,								SPONOYLITIS OSTEOARTHRITICA (723.1)	5 400				_		,,	
TotalAge:	21,770	14.8	9.9	4	8	12	18	26	Total	5,430 2,975	11.3	9.6 9.4	3	5	8	13	23 22
65 to 74 years	11,930 8,245 1,595	13.5 15.8 18.6	9.1 10.5 11.6	4 5 7	7 8 10	11 13 16	16 20 24	24 29 32	75 to 84 years	2,035 420	11.0 13.6	9.4 11.5	3	6	8 10	13 16	23 29
One diagnosis	10,050 11,720	13.0 16.2	8.7 10.7	4 5	7 9	11 13	16 20	23 29	One diagnasis	1,135 4,295	9.4 11.8	8.7 9.8	2 3	4 5	7 9	10 14	17 24
With surgery	18,650	15.1 12.9	9.6 11.5	5 2	8 4	12	18 17	26 28	With surgery	585 4,845	17.4 10.6	14.5 8.6	4 3	6 5	11 8	25 12	38 20
OTHER OISEASES OF PROSTATE (611,612)	3,120	12.9	11.3	2	•	0	.,	20	ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	1,575	9.4	7.9	2	3	7	12	19	Total	3,920	12.8	10.4	3	5	10	16	25
Age: 65 to 74 years	830 595	8.2 11.0	6.5 9.0	1 3 2	3	6	10 14	17 21	65 to 74 years	2,035 1,455 430	11.6 14.4 12.9	9.3 11.7 10.0	2 3 2	5 6 5	9 11 10	14 18 16	22 29 25
85 years and over	150 660	9.7 7.7	9.0 6.3	1	2	5	11	22 17	One diagnosis	1,350 2,570	12.2 13.1	10.6 10.3	3	5	9 10	15 16	24 25
Two or more diagnoses,	915 945	10.7 10.5	8.6	2	4	8	13	20	With surgery	410 3,510	18.6 12.1	14.4 9.6	4 3	6	15	25 15	38 23
With surgery	630	7.7	6.2	2	3	6	10	13	Timilout surgery	3,310	12.1	7.0	3		1	.5 1	2.0

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard	Ι	Perce	ntiles	(days))			Averoge	Standard		Percer	ntiles	(days)	
Patient charocteristics	Number of discharges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th	Potient characteristics	Number of dischorges	stoy (doys)	deviation (days)	10th	25th	50th	75th	90th
OSTEOPOROSIS ANO ATROPHY (733.3)									SYMPTOMS REFERABLE TO								
Total	2,910	14.3	11.3	4	6	11	17	27	GENITOURINARY 5Y5TEM (786)	1.740	10.0	7.0				,,,	10
Age: 65 to 74 years	1,065 1,335 510	14.1 14.1 15.3	11.6 10.1 13.1	3 4 5	6 7 7	11 11 11	18 17 17	27 26 27	Total	1,740 980 570	10.2 10.5 9.3	7.9 8.5 6.9	2 2 2	4 4	8 8 8 9	13 13 13	19 21 17
One diognosis	410 2,500	13.3 14.5	8.7 11.6	3 4	6 7	11	18 17	24 27	One diognosis	1,435	11.8	7.1	2	6	8	16	21 19
With surgery		24.0 13.5	20.9 9.5	3 4	8 6	15 11	38 17	52 25	Two or more diognoses	305 950	11.4	8.1 8.3	3	7	9 11	14	19 23
OISPLACEMENT OF INTERVERTEBRAL OISC (735)									OTHER GENERAL SYMPTOMS	790	7.1	6.2	1	2	5	9	14
Totol	2,515	14.8	11.2	3	7	11	19	28	(780,781,787-789) Total	3,755	10.5	10.6	2	3	7	12	22
65 to 74 years 75 to 84 years 85 years and over	1,885 570 60	15.3 12.8 18.8	11.7 8.5 13.6	3 4 8	6 7 10	12 11 15	19 16 18	29 22 25	Age: 65 to 74 yeors 75 to 84 yeors	2,170 1,250	10.2 10.7	10.9 9.8	2 2	3 4	6 7	11 14	20 21
One diognosis	1,090	14.3 15.2	11.0 11.3	3 4	6 7	11 12	17 19	28 28	85 years and over One diognosis	2,760	9.5	9.1	2	3	8	14	28
With surgery	610 1,905	21.5 12.7	12.8 9.6	8 3	12	19	26 16	38 24	Two or mare diagnases	1,030	13.5	13.7	2 2	5 3	7	16 12	28 25
5YNOVITIS, BURSITIS AND TENOSYNOVITIS (741)	1,,,,,,								Without surgery NERVOUSNESS AND DEBILITY (790)	2,725	10.3	10.4	2	3	6	13	20
Total	1,920	8.7	7.9	2	3	5	11	18	Total	335	12.2	11.3	2	5	9	13	24
Age: 65 to 74 years 75 to 84 years 85 years ond over	540	7.9 9.9 18.8	7.4 7.3 13.7	1 2 2	2 4 4	5 7 16	10 14 24	16 22 36	65 to 74 yeors	120 150 65	10.8 14.3 10.0	9.2 13.8 6.5	3 2 1	5 5 4	7 10 8	12 15 10	20 33 20
One diagnosis	1,000 920	6.8 10.9	6.6 8.5	1 2	2 4	4 8	8 15	15 23	One diognosis	185 150	14.4 9.5	13.4 7.0	3 2	5 4	10 8	14 10	35 16
With surgery	1,055 865	8.0 9.7	8.3 7.1	1 2	2 5	4 7	10 13	19 18	With surgery	15 320	12.4	11.4	2	6	9	13	* 26
CONGENITAL MALFORMATIONS (750-759)									UREMIA (792)								
Total		11.8	9.9	2	4	8	16	22	Total	480	13.5	11.0	2	5	10	17	31
65 to 74 years 75 to 84 years 85 years ond over	825 305 45	11.8 11.3 16.4	8.9 12.0 10.8	2 2 2		9 7 12	16 14 27	22 22 29	65 to 74 yeors 75 to 84 yeors 85 years ond over	235 130 115	12.4 15.9 12.8	9.6 12.2 11.7	3 3 1	5 6 2	9 11 9	15 19 15	28 36 29
One diagnosis	355 820	9.7 12.8	8.5 10.3	1 2	2 5	6 10	14 16	22 22	One diagnosis	275 205	11.4 16.2	9.3 12.4	1 4	6	9 13	15 20	23 36
With surgery	480 695	13.9 10.4	10.7 9.0	2 2	4 4	12 8	19	28 20	With surgery	50 430	18.6 12.9	12.2 10.7	1 2	9 5	15 10	24 17	37 30
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								:	SENILITY WITHOUT MENTION OF PSYCHOSIS (794)	265	15.7	17.9	1	3	10	18	37
Total	1,235	7.6	7.9	1	2	4	9	16	Age: 65 to 74 years	25	*	17.7	Ċ	*	•	*	*
65 to 74 years 75 to 84 years 85 years ond over	395	7.8 6.4 10.3	7.7 6.4 11.8	1 1 1	2 2 2	5 3 3	9 8 12	17 12 29	75 to 84 years	100 140	16.2 15.6	17.5 19.0	1	3	10 9	21 13	38 35
One diognosis		7.2 8.5	7.8 8.1	1	2 3	4 5	9	16 19	One diagnasis	145 120	12.3 19.7	10.5 23.3	1	5	9	16	68
With surgery		12.0 6.8	10.1 7.1	2	3 2	9 4	16 8	26 14	With surgery	260 260	15.8	18.1	1	3	10	19	37
5YMPTOMS REFERABLE TO RESPIRATORY 5YSTEM (783)									OTHER AND ILL-OEFINEO 015EA5E5 (791,793,795)			10.6				,,	
TotolAge:	2,505	6.6	6.2	1	2	4	8	13	Age: 65 to 74 years	2,065 1,205	8.7	10.2	,	1	4	10	20 16
49e: 65 to 74 years 75 to 84 years 85 years ond over	895	6.2 7.2 6.6	5.4 7.5 4.5	1	2 2 3	4 4 5	7 8 8	12 15 12	75 to 84 years and over	710 150	9.5 8.9	11.0	1	2	5	11	25 19
One diognosis	1,930	5.8 9.1	4.7 9.1	1 1	2 3	4 6	7	12 21	One diagnosis	1,605 460	7.9 11.3	9.3 12.5	1	3	7	10	18 25
With surgery	310	6.2 6.7	4.1 6.4	2	3 2	5 4	8 8	12 13	With surgery	530 1,535	7.8 9.0	9.9	1	2	3 5	9	21 19
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)									FRACTURE OF VERTEBRAL COLUMN (805,806)	4.40	17.0	10.7		C	1.4	23	22
Total	2,995	9.5	8.8	2	3	6	12	20	Total	2,015	17.8	12.7	5	8	14	23	33 31
Age: 65 to 74 years 75 to 84 years 85 years ond over	925	9.3 10.0 9.2	8.9 8.8 7.7	2 2 1	3 3 4	6 7 7	12 13 12	20 19 17	75 to 84 years	1,780 665	18.6 19.3	12.4 12.3	5 5	9	16 17	24 25	35 37
One diognosis	2,255	9.2 10.3	8.7 8.9	1 2	3 4	6 7	12 12	19 22	One diognosis	1,405 3,055	14.9	10.4	5	7 8	12 16	19 25	27 36
With surgery	520	12.4 8.9	10.2 8.2	1 2	3	9 6	18 11	26 17	With surgery	295 4,165	23.2 17.4	17.2	8	12	17	28 23	38 32

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

D-AiA	Number	Averoge	Standard		Perce	ntiles	(doys))	D. Alica	Number	Averoge	Stondard		Perce	ntiles	(days)	
Patient charocteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	Potient choracteristics	Number of dischorges	stoy (doys)	deviation (days)	10th	25th	50th	75th	90th
FRACTURE OF RI8(S), STERNUM AND LARYNX (807)									HEAO INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	2,845	12.9	11.0	2	5	9	17	28	Total	4,130	11.3	13.4	1	3	7	14	26
65 to 74 years	1,305 1,160 380	11.7 13.4 15.5	10.8 10.9 11.6	2 3 4	4 5 7	8 10 10	15 17 21	25 28 31	65 to 74 years	1,915 1,685 530	10.8 12.0 10.6	11.0 12.0 10.1	1 1 1	2 3 3	7 8 5	14 15 15	26 26 26
One diagnosis	600 2,245	9.3 13.9	8.2 11.4	2	3 5	10	12 18	20 29	One dingnosis	935 3,195	10.2 11.6	10.2 11.7	1	2 3	6 7	14 14	25 27
With surgery Without surgery	250 2,595	20.9 12.1	16.6 10.0	3 2	7 5	17 9	30 15	44 26	With surgery	920 3,210	17.7 9.4	14.1 9.7	2 1	6 2	14	27 12	35 19
FRACTURE OF PELVIS (808)	2 710	22.4	15.0	,	11	20	31	45	LACERATION AND OPEN WOUND (870-898)						İ		
Tatal	2,710 825	23.6	15.8	6		i	ì	45	Total	2,680	9.5	11.0	1	2	5	11	23
75 to 84 years	1,265 620	23.1 22.2	15.4 16.4	8 5 4	13 12 9	22 20 17	34 30 30	41 46	65 to 74 years 75 to 84 years 85 years ond over	1,440 940 300	8.8 10.0 11.4	10.3 12.3 10.0	1 1 1	2 2 5	5 6 9	10 11 14	23 23 20
One diagnosis	1,085 1,625	20.8 25.5	13.8 16.8	6 7	10	18 22	27 34	38 47	One diagnosis	985 1,695	7.4 10.7	9.7 11.6	1	2 3	4 6	9	15
With surgery Without surgery	210 2,500	32.5 22.9	17.8 15.4	13 6	20 11	27 19	40 30	56 44	With surgery Without surgery	1,255 1,425	10.8 8.4	11.8 10.2	1	2 2	6 5	14	25 16
FRACTURE OF HUMERUS (812) Total	4 755	141	13.5	2		9	18	33	SUPERFICIAL INJURY (910-918)								
Age:	1,915	14.1	12.1		4	8	15	29	Total	355	11.7	14.8	1	2	7	13	19
65 to 74 years	2,165 675	14.7 16.6	13.9 14.9	2 2 2	5	10	19 23	34 37	65 to 74 years 75 to 84 years 85 years ond over	175 130 50	9.1 11.1 22.2	9.2 11.7 27.8	2 1 2	2 5 3	5 8 9	12 11 16	18 16 53
One diagnosis	2,305 2,450	11.0 17.0	11.0	3	6	12	14 22	25 39	One diognosis	20 335	* 12.2	* 15.1	*	* 3	* 8	13	25
With surgery	1,550 3,205	16.1 13.2	15.0 12.5	2 2	4	11 9	21 17	37 29	With surgery Without surgery	45 310	5.7	3.6 15.6	2 1	2 3	4 8	7	11 33
FRACTURE OF RADIUS AND ULNA (EITHER OR 80TH) (813)	2 475	0.2	10.4	,	2	4	10	20	CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	1,955	8.2 6.5	7.9	1	1	3	7	15	Total	5,600	10.7	10.3	2	3	7.	13	22
75 to 84 years	1,310	9.9 11.1	12.5 13.0	i 1	2 2	5 6	12 15	24 24	65 to 74 yeors	2,205 2,355 1,040	8.4 11.0 14.6	8.4 10.0 13.2	1 2 2	3 4 5	5 8 10	10 14 19	17 22 32
One diognosis	2,015 1,660	4.7 12.5	4.9 13.5	1	3	7	16	10 28	One diognosis	1,105 4,495	7.6 11.4	6.2 11.0	1 2	3 4	6 8	10 14	15 23
With surgery Without surgery	2,480 1,195	8.4 7.9	11.4 8.4	1	2 2	4 4	11	21 17	With surgery Without surgery	395 5,205	13.3	12.8 10.1	3 2	6 3	10 7	15 13	25 21
FRACTURE OF FEMUR (820,821) Total	22,745	26.1	17.2	7	14	22	33	50	ADVERSE EFFECTS OF ORUGS AND OTHER CHEMICAL SUBSTANCES								
Age: 65 to 74 years 75 to 84 years	6,160 10,725	25.6 26.6	16.8 16.8	7 8 7	14	22 22	33 33	47 50	(960-989)	2,330	9.1	10.8	1	2	5	11	19
85 years and over One diagnosis	12,510	25.7	15.8	8	13	20	32	51	Age: 65 to 74 years	1,350 885	8.4 10.2	9.9 11.8	1	2 2	5	10 13	16 20
Two or more diagnoses	10,235 17,055 5,690	28.3 25.9 26.8	18.6 15.3 22.0	10 2	15 8	22 22	36 32 39	55 45 59	85 yeors ond over One diognosis	755 1,575	5.9 10.6	6.5 12.0	1	1 3	3 7	10 7 12	17 13 22
FRACTURE OF LOWER EXTREMITY EXCEPT	3,670	20.6	22.0	2	"	22	37	37	With surgery	135	22.9	20.0	3	4	16	32	47
FEMUR (822-826)	E 440	150	14.4	2		11	20	33	Without surgery	2,195	8.2	9.3	1	2	5	10	16
Totol	5,460 3,220	15.8	14.4	3	6	111	19	33	PROCEDURES (997,998)								
75 to 84 years	1,865 375	15.8 18.7	14.5 15.0	3	6	10	20 23	33 38	Totol	2,700	11.6	11.4	2	4	7	14	23
One diognosis	3,005 2,455	13.7 18.4	12.6 15.8	2	5 7	9	17 23	29 38	65 to 74 years 75 to 84 years 85 years and over	1,665 890 145	10.6 12.6 15.4	9.6 12.8 17.4	2 2 3	4 4 5	7 7 8	13 16 16	21 27 35
With surgery	2,980 2,480	16.3 15.2	13.2 15.6	3	7 5	12	20 19	32 34	One diagnosis	1,605 1,095	9.9 14.0	9.3 13.5	3	4	7 9	11 18	20 28
SPRAINS OF 8ACK (846,847)									With surgery	1,150 1,550	11.7 11.4	9.1 12.8	3 2	5 4	8 7	15 13	23 22
Total	2,720	11.4	9.3	3	5	8	13	22	•						لنسا	لت	
65 to 74 years	1,575 990 155	11.4 11.5 10.3	9.4 9.6 6.6	3 3	5 5 4	9 8 8	13 14 16	22 26 21									
One diognosis	885 1,835	10.5 11.8	9.1 9.4	3	4 5	8 9	12 14	20 23									
With surgery	105 2,615	18.4 11.1	13.2 9.1	7	8 5	12	28 13	30 21									

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

	Γ	T	Canada	Ι	Percei	ntiles	(doys)			l		Standard .		Percen	tiles ((doys)	
Potient chorocteristics	Number of dischorges	Averoge stuy (doys)	Standard deviation (doys)			· ·	75th	90th	Patient chorocteristics	Number of dischorges	Averoge stoy (doys)	Standard deviation (dcys)					90th
INFECTIVE AND PARASITIC DISEASES (002-138)									MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Totol	2,435	12.6	13.5	2	4	8	15	27	Total	675	20.4	16.0	5	9	15	26	43
65 to 74 years	870	12.7 12.1 13.0	13.8 13.3 12.6	2 2 1	4 3 4	8 7 8	16 14 17	27 27 27	65 to 74 years	295 305 75	21.6 20.5 15.5	16.8 16.3 9.6	5 4 4	10 8 7	16 14 13	26 27 18	45 43 27
One diognosis	970 1,465	10.2 14.1	11.4	1 2	3 4	6 9	13 17	22 28	One diognosis	275 400	19.1 21.3	17.0 15.3	4 6	6 11	12 16	24 27	44 42
With surgery	410 2,025	16.2 11.8	13.4 13.4	3 2	6	14 7	2ī 14	32 26	With surgery	285 390	22.6 18.8	14.5 16.9	8 3	12 7	18 13	27 23	41 44
HERPES ZOSTER (088)									MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	1	13.7	10.9	3	6	10	17 15	27 21	Tutol	970	17.7	13.3	3	7	13	26	33
65 to 74 years	445 90	14.1 18.7	10.6	4 3	6 8	10	19 27	29 36	65 to 74 years	445 410	17.3 18.7 16.0	12.0 15.0 10.9	3 4 2	6 7 6	14 13 12	26 27 22	33 38 30
One diagnosis	370 595	10.4 15.8	7.9 11.9	2 4	4 7	9 12	13 21	18 30	One diognosis	330 640	17.8 17.7	12.7	3	7	14	28 26	33 34
With surgery	45 920	14.3 13.7	13.9 10.7	3	5	8 10	16 17	26 27	Two or more diognoses	400	22.8	13.6	10	13	22	29	34
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)									MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)	570	14.2	13.9	2	4	9	18	32
Totol		13.7	13.6	1	3	9	18	33	Total	2,685	16.6	15.6	2	5	13	21	38
65 to 74 years 75 to 84 years 85 years ond over	210 110	13.5	11.3 18.9	3 2	5	14	17 25	32 36	65 to 74 years 75 to 84 years 85 years ond over	1,800 810 75	16.4 17.5 10.8	15.1 17.1 7.6	2 2 3	5 3	12 12 9	21 24 14	38 41 21
One diagnosis		10.9 17.7	9.6 17.1	2 2	3 5	11	15 22	25 39	One diognosis	1,095 1,590	14.4 18.1	14.6 16.1	2 2	4 6	10 13	17 25	33 40
With surgery	435 245	12.0 16.8	11.0 16.8	1	3 4	10	15 24	26 37	With surgery	950 1,735	18.0 15.8	14.3 16.2	4 2	8	14 9	22 20	34 40
(150)									MALIGNANT NEOPLASM OF BREAST (170)								
Total		18.0	16.0	2	8	14	26 27	38	Total	2,570	15.0	11.7	4	8	11	17	29
65 to 74 years	i	17.8	16.1	2	3	15	25	38	65 to 74 years	1,265 1,075 230	14.6 15.5 14.9	11.8 11.5 12.6	3 4 3	8 8 6	11 12 11	17 18 17	28 29 30
One diagnosis	140	16.4 19.6	13.6 17.9	1 2		13	22 27	33 42	One diognosis	1,095 1,475	12.3 17.0	7.3 13.9	4 4	8 8	10 12	15 20	22 33
With surgery	140 135	21.9 14.0	14.8 16.2	1	12	19	28 22	39 33	With surgery	1,640 930	14.6 15.7	9.8 14.5	5 2	9	11 11	17 19	26 32
MALIGNANT NEOPLASM OF STOMACH (151)	1.105	14.4	140	2	4	13	21	37	MALIGNANT NEOPLASM OF CERVIX UTERI (171)					1			
Totol		16.6	14.8	1	3	11	20	33	Total	565	15.3	14,8	3	5	9	17	36
75 to 84 years	515 140	18.7 15.4	16.2 13.2	3	5 7	14	28 17	42 24	65 to 74 years	360 155 50	13.9 17.7 17.5	12.7 18.1 15.4	3 3 2	5 5 8	10 8 11	16 22 17	32 49 39
One diognosis		17.7	12.2 16.0	2 2		10	19 23	37 37	One diognosis	325 240	14.0 17.0	13.9 15.7	2 4	4 6	8 11	17 17	36 44
With surgery		22.9 12.5	14.1 13.7	8	12	18 7	30 16	42 30	With surgery	345 220	13.3 18.5	13.1 16.5	2 4	4	9 11	15 23	35 48
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								07	MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Totol		18.8	14.7	2 2	8	16	24	37 30	Total	825	13.2	12.8	2	4	9	16	28
75 to 84 years 85 years ond over	1,240	20.7 19.8	16.6	3 2	8	16 18	28 26	40 40	65 to 74 years 75 ta 84 years 85 years and over	510 265 50	10.9 17.6 13.6	9.9 16.7 7.1	2 2 4	4 6	12 13	13 25 16	17 43 22
One diognosis		16.5 20.0	12.9 15.4	1 3	6 9	15 17	22 26	31 38	One diognosis	465 360	11.5 15.4	10.1 15.3	2	4 5	8 11	15 17	23 35
With surgery		21.4 15.7	12.7 16.2	9	14	18 10	25 22	36 38	With surgery	570 255	13.3 13.0	12.0 14.5	2 2	5	10 7	16 15	28 26
MALIGNANT NEOPLASM OF RECTUM (154)									MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
TotolAge:		22.0	16.6	3	8	18	31	47	Total	515	20.6	16.8	2	8	16	29	45
65 to 74 years 75 to 84 years 85 years ond over	530	21.5 22.8 21.7	15.6 17.3 18.1	3 3 2	10 7 8	18 18 17	30 35 28	42 48 50	Age: 65 to 74 years	340 140 35	18.1 24.9 27.7	16.7 16.0 16.1	2 4 1	7 12 9	13 20 26	22 34 40	42 51 45
One diagnosis		20.5 23.2	16.2 16.7	2 4	6 9	17 19	30 32	41 47	One diagnosis	105 410	24.2 19.7	15.7 17.0	6 2	11 7	19	31 27	41 45
With surgery	930 510	23.7 18.9	14.3 19.7	5	13 4	20 9	31 27	43 52	With surgery	245	20.8 20.4	13.0 19.7	8 1	11 4	17 12	26 30	40 50

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Stondard		Perce	ntiles	(days)	,			Averoge	Standard		Percer	tiles	(days)	
Potient chorocteristics	Number of discharges	stoy (days)	deviation (doys)	10th	25th	50th	75th	90th	Patient chorocteristics	Number of discharges	1 ctov	deviation (doys)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)									OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	3,860	14.3	13.0	3	6	10	17	29	Tatol	1,100	16.0	15.8	2	4	10	23	39
Age: 65 to 74 years	1,615 1,755 490	14.6 14.2 13.6	14.3 12.3 10.3	2 3 4	6 6 6	10 11 10	17 17 18	29 28 25	65 to 74 years	695 355 50	14.8 19.0 11.7	14.6 18.2 8.3	1 2 1	4 6 5	9 11 8	21 28 15	33 42 26
One diognosis		12.9 15.1	11.3 13.8	3 3	6	10 11	15 19	25 30	One diognosis	505 595	14.9 17.0	14.3 16.9	1 2	5	9 11	22 24	37 41
With surgery		14.6 13.9	10.7 15.3	4 2	8 4	11 8	18 16	28 31	With surgery Withaut surgery	300 800	17.3 15.5	12.9 16.7	2 1	6	13 9	26 19	34 40
MALIGNANT NEOPLASM OF KIONEY AND URETER (180)									8ENIGN NEOPLASM OF INTESTINE, EXCLUOING RECTUM (211.2,211.3)								
Totol		18.9	14.2	3	8	15	23	40	Total	460	9.7	9.3	1	3	8	11	18
65 to 74 years	175	19.1 18.6	11.6 17.2	2	13 5 *	16	23 22 *	37 47 *	65 to 74 years	310 135 15	8.7 11.2	7.5 11,4 *	1	3	8	11 13 *	13 20 *
One diagnosis	135 295	15.2 20.6	13.2 14.4	2 5	4 10	14 16	19 26	24 43	One diognosis	235 225	8.8 10.6	7.4 10.8	1	2	9 7	11 12	13 21
With surgery	220 210	19.1 18.8	12.1 16.2	3	13 5	17 13	22 23	32 45	With surgery	300 160	11.2 6.9	7.7 11.0	2 1	7	10 3	12 5	18 12
Totol	2,215	11.3	12.8	1	3	7	13	25	Total	445	7.3	7.1	1	2	4	9 7	18 17
Age: 65 to 74 years	915	10.4 11.9 13.7	12.2 12.1 16.8	1 2 1	3 4 4	6 8 9	12 14 11	24 25 26	65 to 74 years	310 95 40	6.8 8.0 10.4	7.3 6.2 6.4	2	2 3 3	4 5 9	12 17	16 18
One diognosis	1,275	9.4 14.0	11.1	1 2	3 5	5 9	11	20 32	One diognosis	235 210	6.2 8.6	7.5 6.3	1 2	2	3 6	6 11	13 19
With surgery Without surgery	1,680	10.1	10.4 17.7	1 2	3 4	6 8	11 19	23 40	With surgery	325 120	8.4 4.6	7.8 3.2	1	3 2	5	11 6	19 9
MALIGNANT NEOPLASM OF SKIN (190,191)	3.33	13.3	17.7	_			''	_~	8ENIGN NEOPLASM OF UTERUS (214,215)								
Totol	1,555	10.8	12.2	1	2	6	13	27	Total	425 305	8.1 8.2	6.6 6.7	1	2	6	10 11	16 15
65 to 74 years	665	11.3 9.4 13.4	13.0 11.1 12.1	1	2 2 3	7 5 11	14 11 18	27 22 29	65 to 74 years 75 to 84 years 85 years ond over	105 15	8.1	6.7	2	3	5	10	18
One diognosis	845 710	9.0 12.9	11.5 12.5	;	2 3	5 8	10 17	20 31	One diagnosis	175 250	5.7 9.7	6.5	2	5	8	12	12 18
With surgery	1,230 325	9.4 16.1	10.1 16.7	1	2 3	5 11	11 20	21 47	With surgery Without surgery	390 35	8.1 7.3	6.5 7.8	1	3 1	7 3	10	15 18
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONOARY SITES (199)									LIPOMA (226) Total	565	5.7	6.3	1	2	3	6	14
Totol	3,315	15.9	15.8	2	4	11	20	38	65 to 74 years 75 to 84 years 85 years ond over	365 170 30	5.7 5.3 8.5	6.2 6.3 7.0	1	2	3 2 5	5 5 13	13 12 16
65 to 74 years 75 to 84 years 85 years ond over	1,170	14.8 17.3 18.0	15.1 16.9 14.9	2 1 2	4 5 6	10 12 14	18 23 26	35 41 38	One diognosis	350 215	3.9	4.1 8.1	1	1 2	2 4	4	6 20
One diognosis	1,790	16.6 15.2	16.9 14.4	1 2	4 5	11	21 19	40 33	With surgery Without surgery	515 50	5.4 8.9	6.0 8.7	1	2 2	3 4	5	12 22
With surgery	980	17.5 15.2	17.6 14.9	2 2	4 4	12	23 19	42 36	NEOPLASMS OF UNSPECIFIED NATURE OF THE 8LAOOER (236.2)								
LYMPHOSARCOMA ANO RETICULOSARCOMA (200)									Total	625	7.3	10.8	1	2	3	7	15
Total	770	17.0	16.4	2	5	11	23	40	65 to 74 years 75 to 84 years 85 years and over	325 235 65	7.0 7.4 8.5	11.0 11.3 7.5	1	1 2 2	3 4 5	7 7 11	14 13 19
Age: 65 to 74 years	450 295 25	14.9 19.5	15.5 16.8	2 3	4 6 *	10 15	18 26 *	37 43	One diagnosis Two or mare diagnoses	460 165	7.2 7.5	12.0 6.7	1	2 2 2	3 6	6 12	16 14
One diognosis	405 365	18.0 15.8	17.2 15.4	2 2	5	11 10	23 23	41 36	With surgery Without surgery	575 50	7.4 5.8	11.2 3.7	1 2	2 2	3	7 8	16 11
With surgery	305 465	16.0 17.6	13.9 17.9	2 2	6	11 10	19 26	39 40	ASTHMA (241)								
LEUKEMIA ANO ALEUKEMIA (204)									Total	2,140 1,350	9.3 8.5	7.2 6.5	2 2	4	7	11	18 15
Total	1,500	12.2	13.0	1	3	7	15	28	75 to 84 years	705 85	10.1 15.3	7.3 12.4	3	5	8	12	19 35
65 to 74 years	670 675 155	12.2 12.8 9.6	10.1 16.0 8.7	2 1 1	2 2	7 6	16 15 13	27 29 19	One diagnosis	740 1,400	7.8 10.1	5.9 7.7	2 3	3 4	6 7	10 12	14 19
One diognosis	580 920	11.0 12.9	11.5 13.9	1	3 4	6 8	13 16	29 27	With surgery	75 2,065	11.9 9.2	9.6 7.1	1 2	3 4	7 7	17	26 17
With surgery	190 1,310	15.8 11.7	15.9 12.4	2	5 3	10 7	19 15	33 27									

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Average	Standard deviation		Perce	ntiles	(doys)		Patient	Number of	Averoge			Percer	ntiles	(doys)	
choracteristics	dischorges	(days)	deviation (days)	10th	25th	50th	75th	90th	chorocteristics	dischorges	(doys)	deviation (doys)	10th	25th	50th	75th	90th
OISEASES OF THYROID GLANO (250-254)									CHRONIC BRAIN SYNDROME ASSOCIATEO								
Total	98D	9.4	7.5	3	4	7	11	18	WITH SELECTED DISEASES (313-317) Total	2,145	15.8	15.D	2	5	11	19	36
65 to 74 years	220	9.2 9.4	7.9 6.0	3 2	4	6 7	9 12	17 18	Age: 65 to 74 years	755	14.7	13.1		5 6	11	19	28
85 years and over One diagnosis	385	12.4	7.7 6.1	3	6	9	16	25 15	75 to 84 years	1,015 375	17.D 14.5	16.5	2 2 2	4	10 10	21 16	39 34
Two or mare diagnoses	595	1D.0	8.2	3	4	7	11	20	One diognosis	585 1,560	13.0 16.8	13.5 15.4	2 3	4 6	9 11	15 21	26 37
With surgery	435 545	9.5 9.2	8.6 6.5	3	4	7	9 11	16	With surgery	225 1,920	19.8 15.3	16.5 14.7	2 2	5	17 10	29 18	37 36
DIABETES MELLITUS (260)						Ì			P5YCHOTIC AND P5YCHOPHY5IOLOGIC	1,720	15.5	14.7					30
Total	10,640 5,860	13.0	12.6	3 2	5	9	15	26 23	0/SORDER5 (318-323) Total	1,320	20.2	18.6	3	6	14	27	47
65 to 74 years 75 to 84 years 85 years and over	4,075 705	13.9	13.0 15.7	3 2	5 5		17	29 31	Age:	895	21.3	19.3	3	6	15	29	48
One diognasis	2,170	10.2	9.8	2	4	7	12	21	65 to 74 years	385 40	18.6 10.5	17.6 3.6	1 5	5	13 10	25 12	15
Two or more diagnoses	8,470 1,465	13.7	13.1	3	5	13	16	28 38	One diognosis	765 555	22.4 17.2	19.5 16.9	2 4	6	16 12	33 21	48 31
Without surgery	9,175	12.1	11.4	3	5	8	14	23	With surgery	110	27.5	21.0	4	11	21	39	49
MALNUTRITIONAL OFFICIENCY STATES (286)									PSYCHONEUROTIC DISOROERS (324)	1,210	19.5	18.2	2	5	14	26	46
Total	695	13.6	11.8	3	5	9	17	28	Total	3,740	12.8	12.8	2	4	8	15	28
65 to 74 years	300 320 75	13.1 13.6 15.9	11.9 11.4 13.2	3 2 5	6 5	9 10 8	16 18 23	29 27 36	Age: 65 to 74 years	2,450 1,090	13.1 12.6	13.2 12.4	2 2 2	4	8	16 16	29 29
One diognosis	135	13.5	11.2	1	4	11	18	30	85 years and over	200	9.5	8.0	2	4	7	9	21
Two or more diognoses	560	13.7	12.0	3	5	9	17	28 18	One diognosis	1,51D 2,230	13.4 12.4	14.1 11.8	1 2	3 5	8	18 14	29 26
With surgery	45 650	9.7 13.9	6.9 12.1	3	3 5	9	13 18	29	With surgery	165 3,575	18.0 12.6	16.0 12.5	3 2	5	11	27 15	42 28
GOUT (288)				_					CEREBRAL HEMORRHAGE,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
Totol	670 285	9.5 8.3	7.7 6.8	2 2	3	7	12 1D	20 16	NONTRAUMATIC AND STROKE (331,334.8)								
75 to 84 years	285 100	9.0 14.2	7.7 8.8	3	7	11	11	17 28	Total	11,565	16.3	16.2	- 1	5	11	21	38
One diognosis	220 450	6.0	3.6 8.7	2 3	3 5	5 8	7	10 25	65 to 74 years	4,125 5,275 2,165	16.0 16.7 16.2	16.3 16.2 15.7		5 4	11 11 10	20 22 22	35 39 38
With surgery	55	18.7	13.1	2	5	17	28	36	One diagnosis	4,680	14.6	15.1	1	4	9	19	33
Without surgery PERNICIOUS AND OTHER HYPERCHROMIC	615	8.7	6.5	2	4	6	11	17	Two or more diagnoses	6,885 450	17.5	16.7 19.4	2	5 7	12	23	40
ANEMIAS (290)									Without surgery	11,115	16.1	16.0	î	4	iĭ	33 21	37
Total	790	11.8	9.5	2	5	9	15	24	CEREBRAL EMBOLISM AND THROMBOSIS (332)								
65 to 74 years	270 415 105	10.5 12.9 11.1	7.2 10.6 9.5	2 3 2	5 3	10	14 16 16	21 25 26	Total	4,540	17.3	14.7	3	6	12	23	37
One diognosis		10.5	7.6	2	4	7	16	20	65 to 74 years	1,685 2,1D5	17.5 17.2 16.8	15.4 14.5 13.3	3 2 2	6	12 13 13	24 22 25	37 37 34
With surgery	130	12.8	10.5 8.5	3	5	11	20 :	25 26	Dne diagnosis	1,370	15.2	14.1	2 3	6	11	18	30
Without surgery	660	11.5	9.6	2	5	8	15	21	Two or more diagnoses	3,170	18.1	14.8		7	13	26	37
Total	1,050	12.2	11.3	3	5	8	15	25	With surgery	275 4,265	29.D 16.5	21.1 13.8	5 2	12	26 12	38 22	59 35
Age: 65 to 74 years	410	10.6	9.6	2	4	7	12	25	CEREBRAL ARTERIOSCLEROSIS (50 5PECIFIED) (334.0)								
75 to 84 years	490 150	12.8 14.5	11.3 14.6	3	5	7	16 20	25 25	Total	5,590	11.7	11.0	2	4	8	14	24
One diognosis	285 765	9.0 13.4	7.1 12.3	2	4 5	6 8	12 16	19 26	65 to 74 years	1,845 2,630	10.7 11.3	9.3 11.0	3 2 2	4	7	12 13	22 23
With surgery	180	14.0	11.3	2	6	11	17	26	85 years and over	1,115	9.3	13.0	2	5 3	9	18	33 20
OTHER AND UNSPECIFIED ANEMIAS	870	11.8	11.3	3	5	′	14	25	One diagnosis	3,995	12.6	11.8	3	5	8	15	27
(292,293)	0.000	0.7	0.0	,	_	,	,,	23	With surgery	445 5,145	14.7 11.4	12.9 10.7	4 2	6	11 8	18	29 24
Totol	1,055	9.7 9.4	9.8	1	2	7	11	21 19	PARALYSIS AGITANS (350)								
75 to 84 years	1,410 555	10.1 9.2	9.9 8.2	2	4 2	7 7	12 11	21 21	Age:	2,D15	18.2	13.5	4	8 8	14	24	35
One diognosis	975 2,045	8.6 10.2	9.2 10.D	1	2	6 7	10 12	17 22	65 to 74 years	1,355 570 90	18.5 16.1 26.6	13.2 12.2 20.2	4 4 5	8 7 11	15 13 15	24 20 41	35 32 56
With surgery	365	12.4	12.8	2	4	9	14	24	Dne diognasis	875	18.0	14.D	4	8	14	23	34
Without surgery	2,655	9.3	9.3	1	3	7	111	20	Two or more diagnoses	1,140	18.4	13.2	5 7	8 10	20	24	35 41
									Without surgery		17.9	13.5	4	8	14	23	35

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Stondard		Perce	ntiíes	(doys)		Potient	Number of	Averoge	Standard	!	Perce	ntiles	(days)	
chorocteristics	dischorges	(doys)	deviation (days)	10th	25th	50th	75th	90th	choracteristics	discharges	(days)	deviation (days)	10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)									ALL OTHER MYOCAROIAL DEGENERATION (422.0,422.9)								
Total	1,770	11.7	9.9	3	5	8	14	25	Tatol	890	12.8	12.2	2	5	9	15	23
65 to 74 years	1,010 620	10.7 13.0	9.2 10.5	2 3 3	6	10	13 15	24 27	Age: 65 to 74 years	380	13.1	10.9	3	5	10	16	24
85 years and over One diagnosis	720	13.4	10.5		7	10	16	23 26	75 to 84 years	420 90	13.4 8.8	14.1 6.4	1	5 3	7	15	24 18
Two or more diognoses	1,050	12.7	9.4	3	6	10	16	25	One diagnosis	185 705	10.8 13.3	8.7 13.0	1	3 5	8 9	16 15	20 25
With surgery	1,540	13.5 11.4	12.6 9.4	3	5	8	15 14	29 25	With surgery	50 840	13.7	11.8 12.3	1 2	5	10	15 15	. 26
CATARACT (385)									FUNCTIONAL DISEASE OF HEART (433)	640	12.0	12.3	2		,	13	23
Total		7.7	4.9	3	5	6	8	12	Total	5,130	10.4	10.0	2	4	7	13	23
65 to 74 years	4,330	7.1 8.0 8.9	3.6 5.4 6.8	3 3 4	5 5	6 7	7 8 9	11 13 14	Age: 65 to 74 years	2,360 2,195	9.4 11,3	9.5 10.0	1 2	3 4	6 8	11 14	20 24
One diognosis	6,750	7.2	3.7	3	4	6	8	31	75 to 84 years	575	10.8	11.5	1	3	7	12	24 23
Two or more diognoses		9.0 7.6	6.9 4.3	4	5	6	9	15	One diagnosis	1,420 3,710	8.5 11.1	7.6 10.7	1 2	3 4	7	11	18 24
Without surgery		10.2	13.5	ĭ	3	5	8	24	With surgery	615 4,515	14.5 9.8	11.0 9.7	2 2	6	11 6	20 12	29 21
GLAUCOMA (387) Totol	990	8.1		2	4	,	10	15	CONGESTIVE HEART FAILURE (434.1)								
Age: 65 to 74 years		7.9	6.2	2	3	5	10	14	Total	9,385	13.1	11.5	2	5	9	17	26
75 to 84 years	375	8.0 10.7	5.0 9.5	2 2	4	5 7 7	11	15 20	65 to 74 years	3,095 4,520	12.2 13.5	10.2 12.5	2 2 2	5 5 5	9	15 17	24 27
One diagnosis	535 455	6.6 9.8	4.0 7.7	2 3	3	5 8	9	11 18	85 years and over One diagnosis	1,770 2,925	13.5	11.0	2	5	8	18	28
With surgery	715	8.6	6.2	3	4	7	11	15	Two or more diagnoses	6,460	13.9	12.0	3	6	10	18	23 28
Without surgery CHRONIC RHEUMATIC HEART DISEASE	275	6.8	6.1	1	2	5	9	14	With surgery	540 8,845	17.6 12.8	14.0 11.3	2	8 5	9	21 16	34 26
(410-416)									HYPERTENSIVE HEART DISEASE (442,443)								
Totol		14.0	11.9	3	6	1	19	31	Total	5,060	11.9	10.7	3	5	8	15	24
65 to 74 years	670 95 10	12.6 23.1	11.0	3	5 8 *	20	31	27 38	65 to 74 years	2,170 2,320 570	10.7 12.6 13.9	9.8 11.0 11.6	3 2	5 5	7 9 10	13 16 18	20 25 30
One diognosis	90	16.1	12.7	3	6	11	22	36	One diagnosis	815	9.5	9.6	2	3	6	11	20
Two or more diagnoses	685	13.8	11.8	3	5	15	18	29 33	Two or more diagnoses	4,245 380	12.4	10.8	3	5	10	15 21	25 31
Without surgery	705	13.5	11.6	3-	6	9	17	29	Without surgery	4,680	11.6	10.3	3	4	8	14	23
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)									OTHER HYPERTENSIVE DISEASE (446,447)	£ 245	9.9	9.9	2	3		12	20
Total	16,310	12.5	10.9	2	5	9	16	25	Total	5,365 2,975	8.8	8.9	2	3	6	11	18
65 to 74 years		11.5 13.0	10.0 11.3	2 3 2	5	8 9	14 16	23 26	75 to 84 years	2,065 325	11.0 11.8	11.0 10.4	2 2	4	7 8	13 17	22
85 years and over One diagnosis		13.3	11.4 9.6	2	5	9	17	28	One diognosis	1,375 3,990	7.7 10.6	7.1 10.6	1 2	3 4	5 7	9	17 21
Two or more diagnoses	12,600	13.0	11.2	3	5	9	16	26	With surgery	495	12.4	11.6	2	5	8	16	26
With surgery Without surgery	1,195 15,115	18.9 12.0	13.7 10.5	2	8 5	16	24 15	39 24	Without surgery	4,870	9.6	9.7	2	3	6	12	20
ACUTE CORONARY OCCLUSION (420.1)									Total	6,895	14.0	14.0	2	4	9	17	32
Toto!	6,025	16.6 17.1	13.5 12.4	1	6	15	23	33	Age: 65 to 74 years	1,820 3,275	14.7 13.7	14.8 13.3	2 2	5 4	9	18 17	33 30
75 to 84 years	4,550	16.5 13.8	14.1 15.6	i	3	14	23	35 33	85 years and over	1,800	13.8	14.3	2	4	9	18	32
One diognosis	5,295	15.5	12.6	!	4	14	22	30	One diagnosis	1,045 5,850	13.1 14.1	15.0 13.8	1 2	3	6 9	17 17	33 31
Two or more diagnoses	6,420 520	17.5 19.5	14.0 15.7	1	5 8	16	25 26	34 34	With surgery	940 5,955	20.6 12.9	16.4 13.3	4 2	8	17 8	25 16	47 28
Without surgery	11,195	16.4	13.3	i	4	15	23	33	AORTIC ANEURYSM, NONSYPHILITIC, AND	.,							
OTHER ISCHEMIC HEART OISEASE (420.2-420.4,422.1)									DISSECTING ANEURYSM (451) Total	810	10.2	9.8	1	1	8	15	22
Totol	13,520	11.3	10.1	2	4	8	14	23	Age: 65 to 74 years	455	9.5	7.8	1	1	8	14	20
65 to 74 years	6,590 5,620 1,310	10.7 11.5 13.1	9.4 10.0 13.1	2 2 2	4 4	7 8 8	14 14 17	22 23 27	75 to 84 years	280 75	10.9 11.8	11.4 13.7	1	3	7 5	17 12	23 31
85 years and over	3,850	9.7	8.8	2 2	3	6	12	20	One diognosis	405 405	8.7 11.7	7.4 11.6	1	1 2	7 8	14 17	18 24
Two or more diagnoses	9,670	11.9	10.5		4	8	15	24	With surgery	430 380	13.7 6.3	10.2	1	6	13	18	23 15
With surgery	715 12,805	15.1 11.0	10.7 10.0	3 2	6	12	21 14	30 22	Without surgery	300	0.3	7.7			3 1	01	13

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Average stay	Standard deviation		Τ		(days)	Γ	Patient	Number of	Average stay	Standard deviation		ei cei	tiles	(ddys)	
characteristics	discharges	(days)	(days)	10th	25th	50th	75th	90th	churacteristics	discharges	(days)	(doys)	10th	25th	50th	75th	90
ARTERIAL EMBOLISM AND THROMBOSIS (454)									ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Tatal	820	13.9	12.2	1	5	11	17	28	Tatal	3,670	9.0	7.5	2	4	6	11	
55 to 74 years	455 320 45	14.1 -13.7 13.3	13.3 10.6 10.5	2 1 1	5 5 3	10 11 10	15 20 18	26 28 26	65 to 74 years 75 to 84 years 85 years and over	2,030 1,345 295	8.7 9.6 8.8	7.1 8.1 6.0	2 3 3	4 4 4	6 7 7	11 11 11	
One diagnosis	360 460	12.9 14.6	12.0 12.3	1 2	6	10 11	16 18	27 29	One diagnasis	845 2,825	7.7 9.4	6.3 7.7	2 3	3 4	5 7	9 11	
Vith surgeryVithout surgery	410 410	16.5 11.2	11.4 12.4	2	10	14	13	28 28	With surgery	175 3,495	10.2 9.0	8.1 7.4	1 2	2	8 6	13	
GANGRENE OF LOWER EXTREMITY (455.0)									INFLUENZA (489-463)	6,175	9.1	7.4	2	4	7	11	
Tatal	365	22.9	18.5	3	8	19	29	50	Age: 65 to 74 years	3,570	8.6	66	2	4	6	10	
\$5 to 74 years	95 195 75	31.2 22.6 13.3	19.4 16.6 16.8	9 4 1	16 9 3	25 19 7	38 29 17	57 40 21	75 ta 84 years	2,020 585	9.7 10.6	8.2 8.3	3	5	7 8	12	
One diagnosis	120 245	21.2 23.8	18.7 18.2	2 3	8 8	18 20	23 33	39 52	One diagnosis	2,465 3,710	7.1 10.5	4.7 8.5	3	3	8	12	
With surgery Without surgery	205 160	23.2 22.6	15.0 22.2	7 2	11	20	28 30	38 60	With surgery	155 6,020	12.3 9.0	13.7 7.1	2 2	5 4	9 7	13 11	
VARICOSE VEINS OF LOWER EXTREMITIES (460)			}						LOBAR PNEUMONIA (490) Tatal	695	14.3	13.3	2	6	9	18	
Tatal	1,375	16.4	13.7	4	7	12	22	34	Age: 65 ta 74 years	285	13.3	15.0	2	5	8	15	
Age: 55 to 74 years	780	15.2	13.9	3	6	10	19	34	75 ta 84 years	260 150	14.5 15.8	11.7 12.3	3	6 8	9 12	19 19	
75 to 84 years	530 65	18.6 12.9	13.5 9.9	5 2	6	16 8	17	34 29	One diagnasis	250 445	10.1 16.7	6.6 15.4	2 3	5 7	8 9	14 22	
One diagnosis	665 710	14.9 17.8	12.8 14.3	3 5	8	10	20 22	34 34	With surgery	40 655	31.1 13.3	22.5 11.8	14	15	23	29 17	
Vith surgery	610 765	14.2 18.2	11.8 14.8	4		10	19 23	27 35	8RONCHOPNEUMONIA (491)								
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)									Tatal	4,085 1,685	12.3 11.3	10.8 8.1	3	5	9	15 13	
Total	1,555	8.9	5.9	2	4	7	11	16	75 ta 84 years	1,675 725	13.0 12.8	11.7	3	5 4	9	16	
is to 74 years	990 490 75	8.9 8.9 9.3	5.5 6.5 8.0	2 2 1	4	7 7 8	11 11 10	16 15 13	One diagnasis	1,215 2,870	10.7 13.0	11.1 10.6	3 3	5 6	8 10	12 17	
One diagnosis	735 820	8.1 9.7	4.4 7.0	3 2	5	7 7	10 12	13 18	With surgery	155 3,930	20.6 12.0	15.4 10.4	5 3	8 5	17 9	24 14	
Vith surgeryVithout surgery	1,205 350	9.4 7.3	5.6 6.9	3	5	8 5	11 9	16 14	PRIMARY ATYPICAL PNEUMONIA (492)	4,095	11.6		3	5	9	14	
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)									Tatal	1,985	11,1	8.8 7.9	4	6	9	13	
Total	1,970	12.5	9.4	4	6	10	14	21	75 ta 84 years	1,590 520	12.1 11.8	9.6 9.4	3 3	5	9 8	14 15	
Age: 15 to 74 years	1,175 645 150	12.6 12.6 12.0	9.1 10.5 6.1	4 4		9 10 10	15 14 14	22 17 20	One diagnosis	1,290 2,805	9.4 12.6	6.6 9.5	3	5 6	7 10	11 15	
One diagnosis	830	11.4	7.9	4	6	9	14	19	With surgery	275 3,820	17.4 11.2	14.5 8.1	3	5 6	14 9	22 14	
With surgery	1,140	13.4	10.3	5 3		11	15	22	PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Nithout surgery	1,835	12.5	9.3	4		10	14	21	Tatal	6,645	13.4	11.1	3	6	10	16	
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)									Age: 65 to 74 years	2,690 2,785	12.3 14.0	9.å 11.6	3 4	6	10 10	15 16	
Total	675	12.0	8.0	4	i .	9.	16	21	85 years and over	1,170	14.5	12.7	3	6	11	18	
55 to 74 years	380 235 60	11.3 12.6 14.6	7.6 8.2 9.0	4 4 2		9	14 17 21	19 21 26	One diagnasis	2,355 4,290 400	15.1	8.1 12.2 14.5	4	5 7 10	8 11	12 18 27	
One diagnosis	315 360	11.6 12.4	8.1 7.9	4 4	6	9 10	15 16	23 20	With surgery Without surgery ACUTE BRONCHITIS (OR SUBACUTE)	6,245	12.9	10.7	3	6	10	15	
With surgery	60 615	18.0 11.5	10.2 7.5	2 4	7 6	16 9	24 14	33 19	(500)	3,030	9.5	7.8	3	5	7	11	
PULMONARY EMBOLISM AND INFARCTION (465)									Tatal	1,815 885	8.4 10.2	6.0 7.0	3 3 3	4 5	7 8	10 13	
TotalAge:	1,045	14.4	10.5	1	6	12	18	31	85 years and over	330	13.2	14.3		5	8	13	
Age: 55 to 74 years	460 465 120	15.5 14.2 11.4	9.8 9.1	3 1 1	7 7 2	12 12 12	18 21 15	35 28 19	One diagnasis	925 2,105	7.3	5.0 8.5	3	5	8	9	
One diagnosis	270 775	12.4 15.2	9.2 10.9	1 2	6 7	10 12	16 21	22 32	With surgery	85 2,945	13.6 9.3	11.6	3	5	7	16	
With surgery	115 930	13.6 14.6	10.8 10.5	1 2	2 7	12 12	19 18	26 31									

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	5tandard		Perce	ntiles	(doys)		Potient	Number of	Average	Standard		Percer	tiles	(doys)	
chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	choracteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
8RONCHITIS, UNQUALIFIED (501)									ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Totol	2,585	10.2	9.2	3	5	7	11	18	Total	365	16.6	10.5	5	9	14	21	28
65 to 74 years	1,605 750 230	9.4 10.2 16.0	6.8 7.3 20.3	3 3 4	5 5	7 8 7	11 12 14	16 19 39	Age: 65 to 74 years	170 165	14.2 18.6	8.5 12.4	5 6 14	6	12 15	18 21	26 29 27
One diognosis	850 1,735	9.2 10.7	6.6 10.1	3	5 5	7 8	11 12	16 19	85 years and over One diagnosis	30 125	19.5	6.2 5.5		15	15 17 13	21 19	21
With surgery	155 2,430	11.8 10.1	13.2 8.8	2 3	4 5	7 7	12 11	28 18	Two or more diagnoses	240 85	18.1 19.5	12.1 7.7	6 5 9	13	17	22	32
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)									Without surgery	280	15.7	11.1	5	7	14	20	24
Total	1,470	11.8	11,1	3	5	8	13	25	PERFORATION & W/O HEMORRHAGE (541.0)								
Age: 65 to 74 years	970 440	11.1 13.1	9.5 14.1	3 3 2	5 5 3	8	12	24 26	Total	3,560	9.9	8.7	2	4	7	12	19
75 to 84 years	60 525	13.4 9.4	9.9 7.5	l	3	10	20	29 21	65 ta 74 years	2,110 1,215 235	9.3 10.7 10.8	8.2 9.2 9.1	2 2 3	3 4 4	6 8 7	11 13 15	19 21 18
One diognosis	945	13.1	12.5	3	5	9	15	26	One diognosis	1,435	7.8	5.7	1	3	6 8	10	15
With surgery	50 1,420	15.3 11.6	13.7 11.0	3	3 5	12 8	18 13	26 25	Two or more diognoses	2,125	11.3	9.9	2	7	12	14	23
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)									Without surgery	2,960	8.9	8.0	2	3	6	11	17
Totol	765	10.1	8.0	2	5	8	13	19	PERFORATION & WITH HEMORRHAGE (541.1)								
65 to 74 years	370 300 95	9.1 10.8 12.1	6.2 9.7 7.4	1 3 4	5 6	8 11	11 13 14	18 19 18	Totol	1,735	13.6	9.8	3	7	10	17	28
One diognosis	250 515	8.5 10.9	6.0 8.7	1 3	3 6	6 9	13	18	65 to 74 years 75 to 84 years 85 years and over	985 615 135	13.3 13.6 15.3	9.3 10.4 10.9	3 3	7 7 6	10 10 13	16 17 20	27 27 27
Two or more diognoses	135	9.0	13.2	1	3	5 9	7	14	One diognosis	835	11.5	7.2	3 4	7	9	14	21
PULMONARY CONGESTION AND	630	10.4	6.3	2	6	"	13	19	Two or more diognoses	900	15.5	11.4	5 3	7	12	20	31
HYP05TASI5 (522) Totol	750	13.3	14.2	١,	3	8	16	32	ULCER OF STOMACH & DUODENUM,	1,455	12.5	9.1	3	6	10	15	24
Age: 65 to 74 years	280 285	14.0 15.2	15.5 14.4	1	3 5	9	17	29 37	WITH PERFORATION (540.2,.3,541.2,.3) Total	265	18.8	12.0	6	11	16	21	36
75 to 84 years	185	9.2	11.0	i	1	5	11	21	Age: 65 to 74 years	130	18.0	10.1	8	12	15	19	30
One diognosis	75 675	13.6 13.3	18.4 13.7	1	3	8	13 17	27 32	75 to 84 years	115	20.3	14.5	2	9	19	26	39
With surgery	65 685	20.6 12.6	14.2 14.1	3 1	10	16 8	27 15	32 31	One diognosis	160 105	16.4 22.6	10.4 13.3	9	11	13 18	20 26	34 36
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)									With surgery	155 110	20.1 17.1	9.5 14.7	9	12	17 13	24 19	36 32
Totol	3,900	12.2	11,4	2	5	8	15	25	GASTRITIS AND DUODENITIS (543)	0.070							
65 to 74 years	2,365 1,340 195	11.5 13.5 11.9	10.4 13.1 10.7	2 3 3	5 5	8 9 7	14 16 16	23 29 22	Total	3,270 1,830	7.2 6.7	6.7 6.7	1		5 4		14
One diognosis	935 2,965	9.3 13.1	8.9 12.0	2 3	4 5	6 9	11 16	17 26	75 to 84 years	1,160 280	7.7 8.4	6.6 7.5	2	3	5 5	10 10	16 20
With surgery	350 3,550	14.6 11.9	12.3 11.3	3 2	6	10	20	26 25	One diognosis	1,075 2,195	5.5 8.0	5.4 7.1	1 2	3	3 5	6 10	10 16
DISEASES OF ESOPHAGUS (539)	3,350	11.7	11.5	1		ľ	'-	23	With surgery	305 2,965	11.4 6.8	11.0 6.0	2 1	4 2	8 4	13 8	24 13
Totol	1,090	9.7	8.6	1	3	7	12	20	APPENDICITIS (550-553)								
65 to 74 years	585 405 100	9.4 9.3 12.6	9.1 7.6 9.4	1 2 2	3 3 5	6 7 9	12 12 15	20 17 30	Total	725 470	13.6 12.6	9.9 8.8	4	6	10 9	17	25 23
One diagnosis	420 670	8.1 10.6	6.9 9.4	1 2	2 4	6 7	11 13	17 22	75 to 84 years	215 40	15.0 18.0	11.4 12.4	3 7	7	13 15	18 18	28 31
With surgery	430	11.7	9.8	1 2	4 3	8	16	26	One diagnosis	390 335	10.9 16.7	6.7 12.0	3 5	5 8	13	15 20	19 29
ULCER OF STOMACH W/O PERFORATION	660	8.4	7.5	2	3	6	,	18	With surgery	595 130	14.7 8.3	9.9 8.2	5 1	7 2	13 6	18 10	26 19
& W/O HEMORRHAGE (540.0) Totol	1,480	12.0	9.6	2	5	9	15	23	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Age: 65 to 74 years	845 530	12.0 11.2	10.4	2	5	9	15	23	Total	4,905	9.4	6.0	4	6	8	10	15
85 years and over	105	16.4	9.6	3	7	15	14 22	20 27 21	65 to 74 years	3,225 1,395 285	8.6 11.0 12.1	4.4 8.0 7.8	4 5 4	6 6 7	7 8 10	9 12 16	12 17 20
One diognosis	635 845	10.7 13.0	7.5 10.9	3	5	10	16	25	One diognosis	3,090	8.4	4.9	4	6	7	9	12
With surgery	315 1,165	17.5 10.5	11.6 8,4	3 2	9	15	22 14	33 19	Two or more diognoses	1,815 4,555	9.3	7.1 5.1	5	6	8	13	19

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard		Perce	ntiles	(days))	<u> </u>		Averoge	Standard		Percer	ntiles	(doys)	
Potient chorocteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	Potient chorocteristics	Number of dischorges	stoy (days)	deviation (doys)	10th	25th	50th	75th	90th
OIAPHRAGMATIC HERNIA WITHOUT									CHOLELITHIASIS (584)								
MENTION OF OBSTRUCTION (560.4) Totol	3,315	8.5	7.5	2	3	6	10	17	Total	7,110	13.0	9.4	3	6	10	17	24
Age: 65 to 74 years	1,885	7.9	7.0		3 3	5	10	16	65 to 74 years	4,110 2,385	12.2 14.0	8.0 10.8	3	6	10 11	16 18	22 27
75 to 84 years	1,205 225	9.0 10.8	7.5	2 2 3	3 4	7	11	19	85 years and over One diagnosis	3,235	14.3	7.7	3	5	11	18 15	30 21
One diagnosis	770 2,545	6.9 9.0	7.2 7.6	1 2	2	4 6	7 11	14 18	Two or more diagnoses	3,875	13.9	10.5	3	6	11	18	26
With surgery	765 2,550	12.2 7.5	8.5 6.9	3 2	5	10	16	22 14	With surgery	4,300 2,810	15.8 8.6	8.9 8.5	2	3	13	19 10	26 17
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.13,.8,.9)									CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	1,620	10.8	7.1	4	6	9	13	19	Total	3,560 1,810	11.5 10.6	9.6 8.5	2 2	5	8	15	24
Age: 65 to 74 years	1,025 490	10.0 11.9	6.0 8.8	3 4	6	8 9	12 13	16 21	75 to 84 years	1,295 455	12.3 13.0	11.0 9.1	2 4	5	8 9	16 19	25 26
85 years and over		12.7	7.5 5.8	3	6	10	17	20	One diagnosis	1,400 2,160	9.6 12.7	7.9 10.4	2 3	4 5	7 9	12 17	18 25
Two or more diognoses	835	11.5	8.2	3	6	9	14	20	With surgery	920	18.0	11.4	7	9	15	23	31
With surgery Without surgery	1,320 300	7.8	7.1 6.3	5 2	3	5	13	15	OTHER OISEASES OF GALLBLADDER AND	2,640	9.3	7.7	2	4	7	11	19
HERNIA OF ABDOMINAL CAVITY WITH 085TRUCTION (561)									8ILIARY OUCT5 (586) Total	1,110	11.8	11.5	2	4	8	14	24
Totol	1,215	11.8	10.8	2 2	5	9	13	21	Age: 65 to 74 yeors	520 430	12.2 11.7	12.1 11.2	2 3	4	8	15 15	27 23
75 to 84 years	550	11.2 12.7	8.7 14.2	1	5 5	9 8	13	21 23	85 years and over	160	10.6	10.0	Ĭ	3	8	13	23
One diognosis		9.4 14.3	8.6 12.2	1 3	4 6	8	11 16	16 34	One diagnosis	350 760	11.5	11.4	2	3	8	16 14	25 24
With surgery	895 320	13.4 7.5	11.1 8.5	4	7	10	14	24 20	With surgery	285 825	19.9 9.0	12.2 9.8	5 2	12	18 6	25 11	37 16
Without surgery	320	/.3	6.5	'	'	"	,	20	015EA5E5 OF PANCREAS (587)								
MENTIGN OF HERNIA (570) Total	3,400	12.1	11.4	,	3	8	16	28	Age: 65 to 74 years	550 315	14,9	13.3	2 2	5	10	18	31 26
Age: 65 to 74 years	1,380	11.9	11.1	!	4 3	7 8	16	28	75 to 84 years	165 70	15.2 21.7	10.9 20.8	3	5 7 1	12 12	20 35	27 52
75 to 84 years	485	12.5 10.9	11.7	1	2	7	15	24	One diognosis	180 370	15.1 14.8	15.3 12.2	1 2	4	10 11	18 18	37 28
One diognosis	1,210 2,190	9.7 13.4	10.4 11.6	1	4	9	12 18	23 30	With surgery	125 425	22.0 12.8	14.5 12.1	4 2	12	18 10	27 15	43 25
With surgery	1,150 2,250	16.8 9.6	12.3 9.9	3 1	7 3	13 5	23 12	33 23	NEPHRITIS, NEPHROSIS, ANO								
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)									HYORONEPHROSIS (590-594,601) Tatol	865	14.1	13.8	3	5	10	17	30
Total	7,425	7.9	7.9	2	3	5	9	15	Age: 65 to 74 years	475 300	13.9 14.9	13.7 14.7	3	5 5 5	9	15 17	27 33
65 to 74 years	3,505 2,940	6.9 8.4	6.2 8.5	1 2		6	10	13	85 years and over	90	13.1 11.1	10.3	2	5	10	17	33 22
One diognosis		10.0	10.3	1	2	4	13	18	One diognosis	665	15.1	14.8	3	5	10	17	33
Two or more diagnoses	4,565	9.2	8.8 12.1	2 2	i	7	11	31	With surgery	210 655	17.2 13.2	17.5 12.2	4 2	5	9	18 16	34 27
Without surgery		7.6	7.3	î	3	5	9	15	INFECTIONS OF KIDNEY (600)	2,420	12.1	11.2	3	5	8	15	23
OIVERTICULITIS (572.1) Totol	7,750	8.6	8.8	1	3	6	10	18	Age: 65 to 74 years	1,165	10.5	9.6	2 3	5	7	13	19
Age: 65 to 74 years 75 to 84 years	3,730	8.0 8.8	8.1 9.2	1	2 3	5	9	17 18	75 to 84 years	980 275	12.5 17.6	10.8 15.7	3 4	5 8	13	15 20	25 29
85 years and over	800	10.6	10.5	2	4	7	13	20	One diagnosis	660 1,760	9.5 13.1	9.2 11.7	2 3	4 5	7 9	11 16	17 25
One diognosis	4,815	6.7 9.8	6.6 9.7	1 2	3	1	11	14	With surgery	325 2,095	14.0 11.8	15.2 10.4	2 3	4 5	9	15 14	29 22
With surgery	1,780 5,970	12.5 7.5	12.0 7.3	1	3	8 5	17	25 15	CALCULI OF KIDNEY AND URETER (602)								
CIRRHOSIS OF LIVER (581)									Total	1,660	8.5	8.4	1 ,	3	5	11	17 17
Total		13.9	11.8	3	5	10	19	28	65 to 74 years	1,215 400 45	8.1 9.5 11.9	7.7 9.8 7.5	2 5	3 6	5 6 8	11 12 16	17 17 20
75 to 84 years	215	12.0 14.6	14.4 8.1	3 2 3	8	14	13	24 21	One diagnosis	855 805	7.5 9.6	7.1 9.4	1 2	2 3	4 7	10 12	16 19
One diagnosis	270 475	11.6 15.2	9.0 13.0	2 2	5 6	8 11	16 20	22 29	With surgery	765	11.6	9.3	2	4 2	10	15	22
With surgery	140	16.0	11.2	2 2	5	13	23 18	31 27	Without surgery	895	5.9	6.5	1 1	1 2	4	7	10
	003	13.4			, ,		0										

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient chorocteristics	Number of		Standard			~	,		Potient	Number of	Avaroge	Standard					
	dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th	chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25tis	50th	75th	90th
OTHER DISEASES OF KIONEY AND URETER (603,604)									OTHER 015EA5E5 OF MALE GENITAL ORGAN5 (613-617)								
Total	1,230	10.6	9.2	1	3	8	14	22	Total	1,070	9.0	9.2	2	3	6	10	18
75 to 74 years	700 415 115	10.2 9.8 16.5	8.2 8.2 14.6	1 1 3	3 3 6	8 7 12	13 14 22	21 22 26	65 to 74 years	630 370 70	8.3 9.6 12.1	8.1 10.4 10.4	2 2 2	3 4 6	5 7 8	10 9 13	17 20 20
One diagnosis	400 830	8.0 11.9	7.7 9.6	1 2	2 4	5 9	11 16	17 24	One diognosis	475 595	7.0 10.6	6.2 10.7	1 2	3 4	5 7	9 11	12 21
With surgery	705 525	12.4 8.3	9.2 8.7	3	6 2	10 4	16 11	23 21	With surgery	735 335	8.3 10.5	8.8 9.7	3	3 4	5 7	10 11	16 22
Total	3,360	9.3	8.0	2	4	6	11	18	Totel	2,730	12.2	5.9	6	8	11	14	19
Age: 65 to 74 years 75 to 84 years 85 years ond over	1,535 1,400 425	8.2 10.0 11.5	7.4 7.9 9.4	2 2 3	3 4 5	6 7 10	9 13 13	16 20 18	Age: 65 to 74 years 75 to 84 years 85 years ond over	1,895 765 70	11.9 13.1 10.6	5.3 7.1 6.7	6 6 2	8 8 4	10 11 9	13 15 14	18 20 18
One diagnosis	975 2,385	7.3 10.2	6.2 8.5	1 2	3 4	5 7	9	15 20	One diognosis	1,335 1,395	11.6 12.7	4.5 7.0	6	8	10 11	14 15	17 21
With surgery	1,350 2,010	8.3 10.0	6.4 8.8	2 2	3 4	6 7	11	17 19	With surgery	2,480 250	12.4 10.2	5.3 10.1	7 2	8	11 8	14 12	19 15
OTHER DISEASES OF BLAODER (606)									INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	1,335	11.3	9.3	2	4	9	14	22	Total	1,960	11.5	10.2	3	5	8	13	22
65 to 74 years	575 610 150	10.7 11.9 11.4	9.3 9.6 8.2	2 2	4 4 5	10 8	13 15 15	21 23 25	Age: 65 to 74 years	950 850	10.8 12.6	9.6 11.1	3 3	5	8 9	13 15	19 25
One diognosis	525	8.7	7,7	1	2	6	10	18	85 years and over	160	9.9	7.6	2	4	7	13	18
Two or more diognoses	810 885	13.1 12.3	9.9 9.2	3	6	11	16 15	24	One diagnosis	640 1,320	9.3 12.6	8.0 11.0	2 4	5	7 9	11 14	17 25
With surgery	450	9.4	9.2	1	3	6	11	21	With surgery	395 1,565	12.8 11.2	11.6 9.8	3	4 5	8	17 13	26 20
URETHRITIS AND STRICTURE OF URETHRA (607,608)									RHEUMATOIO ARTHRITIS (722.0)								
Age:	1,800	8.5	7.9	2	3	6	10	18	Total	1,450	13.6	12.4	3	5	10	17	28
65 to 74 years 75 to 84 years 85 years ond over	850 745 205	8.6 8.7 7.6	8.3 8.0 5.2	2 2 2	3 4	5 6 5	11 11 10	19 17 14	65 to 74 years 75 to 84 years 85 years ond over	995 410 45	13.8 13.3 9.9	13.3 10.1 10.8	3 3 2	5 5 3	10 9 6	16 18 8	29 26 21
One diognosis	715 1,085	6.7 9.7	6.2 8.6	1 2	3	5	7 12	13 19	One diagnosis	390 1,060	12.0 14.2	9.1 13.4	3 3	5	10	16 17	25 31
With surgery	1,355 445	8.6 8.2	7.5 8.8	2	3	6 5	11 9	18 18	With surgery	205 1,245	17.8 12.9	16.0 11.6	4 3	6	13	25 16	36 27
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)									OSTEOARTHRITIS (ARTHROSIS) (723.0)		13.3		3	5	10 :	17	27
Total	2,590	10.8	10.4	2	4	7	12	21	Total	4,215 2,045	13.7	11.4	3	5	10	18	28
65 to 74 years	1,030 1,160 400	8.9 12.1 11.7	7.8 12.2 9.9	2 3 2	4 5 5	6 8 8	10 14 13	16 23 26	75 to 84 years	1,710 460	13.1 12.9	11.8 10.8	3	5	10	16 17	25 26
One diagnosis	985 1,705	8.2 12.1	7.1 11.5	2 3	3 5	6 8	10 13	16 26	One diognosis	1,270 2,945	15.1 12.6	11.6 11.3	2	5	12 9	20 15	30 25
With surgery	650	10.6	10.4	2	4	7 7	11	20	With surgery	1,080 3,135	19.1 11.4	13.6 9.8	4 2	9	17 8	24 13	37 23
HYPERPLASIA OF PROSTATE (610)	1,940	10.8	10.4	2	4	′	12	21	SPONDYLITIS GSTEOARTHRITICA (723.1)								
Total	8,925	13.1	9.7	3	7	10	16	24	Total	2,540	9,6	7.3	3	4	7	11	17
Age: 65 to 74 years	4,795	12.1	8.5	3	7	9	14	22	65 to 74 years	1,315 955 270	9.2 9.5 11.5	7.1 7.4 7.1	3 3	4 5	7 7 9	10 12 15	17 16 23
75 to 84 years	3,510 620	13.8 17.2	10.3 12.8	4	7	11	17 24	25 36	85 years and over	600	8.8	7.3	3	4	6	9	15
One diagnosis	4,005 4,920	11.5 14.4	8.2 10.6	3 4	7	9 11	13 18	19 26	Two or more diagnoses	1,940 215	9.8	7.3 8.1	3	4	7	12	18
With surgery	7,345 1,580	13.5 11.4	8.9 12.5	5	8	11 6	16 14	24 27	Without surgery	2,325	9.5	7.2	3	4	7	iĭ	17
OTHER DISEASES OF PROSTATE (611,612)									ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)	0.000	10.5	0.7		,		,,	-
Total	715	9.8	8.7	2	4	7	12	18	Total	2,390 1,140	10.5 9.6	9.7 9.0	2	3	7	13	22 18
Age: 65 to 74 years 75 to 84 years 85 years ond over	395 255 65	7.9 11.7 13.8	6.7 10.0 10.1	2 2 4	3 5 5	6 9 11	10 14 15	14 21 25	75 to 84 years	920 330	11.9 9.8	10.9 8.1	2 2	5	8 7	13	28 22
One diagnosis	230 485	7.9 10.8	5.0 9.8	2 2	4 4	6	10	14 19	One diagnosis	785 1,605	9.8 10.9	8.8 10.1	1 2	4	6 7	12 13	23 21
Two or more diognoses	460	10.6	7.5	2	4	7	12	15	With surgery	185 2,205	15.9 10.1	13.3 9.2	2	6	11 7	19 12	30 20

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

	<u> </u>	Average	Standard		Percei	ntiles	(days)				Augenga	Standard		Percer	ntiles	(days)	
Potient chorocteristics	Number of discharges	stay (doys)	deviction (days)	10th	25th	50th	75th	90th	Potient chorocteristics	Number of discharges	Average stoy (days)	deviation (days)	10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3) Total	1,550	13.7	11.4	3	6	10	17	30	SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Age: 65 to 74 years	530 770	10.3	7.0 12.4	3	6	8 10	11 20	18	Age:	685	8.4	9.4	1	3	5	11	15
75 to 84 years	250	15.3 16.3	13.9	3	6	11	21	36 34	65 to 74 years	415 205 65	8.2 8.6 8.4	7.3 13.4 3.6	1 3	3 2 5	5 3 8	11	15 16 12
One diagnosis	1,320	12.3 14.0	8.8 11.8	3	6	10 10	14	23 30	One diagnosis	525 160	7.6 10.8	9.3 9.2	1 2	2	4 8	10 13	14 19
With surgery	205 1,345	17.9 13.1	15.2 10.6	3	6	11 10	25 16	38 28	With surgery	250	10.6	5.0	3	7	10	13	16
DISPLACEMENT OF INTERVERTEBRAL DISC (735)									OTHER GENERAL SYMPTOMS	435	7.0	10.9	1	2	3	7	12
Total	1,125	13.5	10.3	4	6	11	17	25	(780,781,787-789)	. 740	3.6	0.5					
Age: 65 to 74 years	845 255 25	13.8 12.9	11.0 8.1	3 5	6	11 10	17 15	25 28	Total	1,760	8.5 8.8	8.5 9.5	1	3	5	10	17
85 years and over			•	'		*	18		75 ta 84 years	570 200	7.4 9.6	6.4 8.2	1 2	3	5 5 7	13	12 17
One diagnosis	500 625	14.8 12.5	10.9	3	5	10	16	29 22	One diognosis	1,355 405	7.9 10.4	8.0 9.6	1 2	3	5 7	9 12	16 22
With surgery	285 840	21.9 10.7	13.7 6.9	10 3	13 5	18 9	26 14	36 19	With surgery	380 1,380	9.8 8.1	11.4 7.4	2	3	5	10 10	22 16
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)									NERVOUSNESS AND DEBILITY (790)	1,300	3.1	/		J		.3	.5
Totol	785	8.8	7.9	1	3	6	11	18	Total	260	6.3	6.6	1	1	4	7	11
65 to 74 years	420 300	7.9 9.2	7.9 7.8	1 2 5	3	5	12	17 18	65 ta 74 years	140 70	5.8 7.3	5.7 8.1	1 3 1	3	3 5 3	8 7	11 8
85 years and over	325	12.2	7.4 6.8		6	10	15	13	85 years and over	50 200	6.2 5.4	6.4 4.5	1	2	4	8 7	13
Two or more diagnoses	325 460	10.5	8.1	2	5	7	15 7	23	Two or more diagnoses	60	9.2	10.5	1	1	5	10	26
With surgery	325 460	7.4 9.7	8.5 7.3	2	5	7	12	18	With surgery	250	6.1	6.6	1	1	4	7	11
CONGENITAL MALFORMATIONS (750-759) Total	405	9.1	8.6	,	2	6	13	18	UREMIA (792) Total	240	12,4	12.5	1	4	7	14	35
Age: 65 to 74 years	270	9.5	9.6	1	2	6	13	23	Age: 65 to 74 years	105	10.8	9.9	2	4	7	11	21
75 to 84 years	120 15	8.5	5.8	1	3	7	12	16	75 to 84 years	90 45	17.2 6.6	16.0 3.2	1	4	6	23 8	43 11
One diognosis	170 235	8.3 9.7	7.2 9.4	1	2	5 7	13 13	18 17	One diagnosis	130 110	11.3 13.6	11.8 13.2	1 2	4 5	6 8	12 15	32 33
With surgery	140 265	9.8 8.8	7.5 9.1	2 1	2 2	7 5	14 12	21 17	With surgery	20 220	13.0	12.8	1	4	7	14	38
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC									SEMILITY WITHOUT MENTION OF PSYCHOSIS (794)								
SYSTEM (782) Total	635	5.3	5.7	,	,	3	6	11	Total	135	12.9	15.9	1	3	6	13	28
Age: 65 to 74 years	290	5.1	4.4	1	1	3	7	11	65 to 74 years	5 60	16.0	21.6	1	2	5	16	41
75 to 84 years	285 60	5.1 7.2	7.0 3.9	1	2	8	5 11	12	85 years and over	70 100	10.1	8.5 17.9	2	4	6	11	35
One diognosis	485 150	4.8 6.9	4.0 9.1	1	1 2	3	6 7	10 14	Two or more diagnoses	35	12.3	7.7	2	3	11	16	21
With surgery	100 535	4.8 5.4	3.3 6.0	1	2	3	5	11 11	With surgery Without surgery	130	13.3	16.1	2	4	6	14	30
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)									OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	1,490	5.6	6.4	1	2	3	6	11	Total	1,070	6.8	6.9	1	2	4	9	17
Age: 65 to 74 years		5.1 5.8	5.2 6.6	1	2 2 2	3	6	9 13	65 to 74 years	630 395 45	6.4 6.9 10.7	6.9 6.3 8.3	1 1 2	2	3 4 9	8 9 13	15 17 20
85 years and over	205	6.9	9.3	1	2	4	7	11	One diognosis	875	6.9	7.1	1	2 2	3 5	8 9	18
One diognosis	1,080 410	5.3 6.4	6.9 5.0	1	2	3 4	7	10 15	Two or more diagnoses	195 285	6.2 5.8	5.1 6.8	1	1	2	6	13
With surgery	230 1,260	5.2 5.6	4.0 6.8	1	2	3	7	10 11	Without surgery	785	7.1	6.8	1	2	4	9	17
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)									FRACTURE OF VERTEBRAL COLUMN (805,806)								
Totol	1,545	7.7	8.2	1	2	4	9	18	Tatal	1,845 785	16.7 15.1	12.6	4	7	14	20	32 29
Age: 65 to 74 years	875 525	6.4 9.4	6.4 9.2	1	2 3 2	4 6	7 12	13 21	75 to 84 years	800 260	17.3 19.7	12.6 17.3	5	9 9	14	20 21	32 38
85 years and over One diagnosis	1,205	9.2 6.8	12.0 7.1	1	2	4	10	16 14	One diognosis	610 1,235	14.7 17.7	9.8 13.7	3 5	7	12 14	20 21	27 33
Two or more diagnases	340	10.8	10.6	2	3	6	14	22	With surgery	90	21.6	13.0	6	11	17	28 20	35 30
With surgery	250 1,295	11.2 7.0	11.0 7.3	1	3 2	5 4	16	26 14	Without surgery	1,755 !	16.5	12.6	41	8	14:	20	30

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stoy	Standard deviation		1	ntiles T	(23,0)		Potient	Number of	Averoge stoy	Standard deviation			ntiles		_
chorocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th	choracteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)									HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	1,535	12.4	10.8	2	5	9	16	25	Total	1,600	9.4	10.2	1	2	5	11	
65 to 74 years	710 615 210	11.7 12.1 15.6	9.3 11.5 12.2	2 1 2	6 4 5	9 9 11	13 16 22	21 24 33	65 to 74 years	865 525 210	8.9 10.4 9.2	10.2 9.9 11.2]]]	2 2 2	5 6 5	10 14 10	
One diagnosis	455 1,080	8.5 14.0	7.1 11.6	1 3	3 6	7 11	10 17	18 27	One diognosis	365 1,235	7.5 10.0	8.3 10.7	1	1 2	6	9 12	
With surgery Without surgery	110 1,425	19.0 11.9	16.8 9.9	4 2	8	11 9	26 15	40 24	With surgery	395 1,205	10.2 9.1	12.6 9.3	1	2	5	11 11	
FRACTURE OF PELVIS (808) Totol	1,160	24.6	15.0	7	13	22	33	47	LACERATION AND OPEN WOUND (870-898)								
Age:	375	25.5	16.0	6	13	22	34	49	Total	1,645	9.2	11.5	1	2	5	10	
65 to 74 years	530 255	23.3 25.9	14.2 14.7	7 8	13 14	22 22	37	45 43	65 to 74 years	835 560 250	7.3 10.8 11.6	7.5 14.6 13.8	1 1 1	2 2 2	5 5 7	9 12 14	
One diognosis	450 710	23.1 25.5	14.3 15.3	5 8	13	19 23	32 35	45 49	One diagnosis	480 1,165	6.8 10.1	6.4 13.0	1	2	4 6	9	
With surgery	90 1,070	25.8 24.5	16.6 14.8	1 7	14 13	22 21	36 33	48 46	With surgery	700 945	9.5 8.9	11.7 11.4	1	2 3	5 5	12	
FRACTURE OF HUMERUS (812) Totol	1,975	14.6	13.5	2	5	9	20	33	SUPERFICIAL INJURY (910-918)								
Age:		13.8	14.1	2	4	8	19	33	Total	260	6.5	6.8	1	1	3	8	
65 to 74 years	875 295	14.3 17.5	12.1 15.2	3	5 7	10	20 25	29 39	65 to 74 years 75 to 84 years	100 115	8.0 4.2 9.2	6.7 3.9	1	1	6 2 3	10 4 20	
One diognosis	1,090 885	12.3 17.4	11.9 14.7	2 3	4 6	8 11	16 23	27 43	85 years ond over One diagnosis	45 65 195	3.4 7.6	10.1 2.0 7.5	1	!	3 4	4 10	
With surgery	710 1,265	14.4 14.7	14.0 13.2	2 3	4 5	10 10	19 20	32 33	With surgery	25 235	6.3	6.6	1		3	. 8	
FRACTURE OF RACIUS AND ULNA (EITHER OR BOTH) (813)	1.770	7.5		,			9	,,	CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)	233	0.0	0.0		·		Ü	
Totol Age: 55 to 74 years	1,770 985	7.5 6.3	9.6 8.6	1	1	3	7	16	Total	2,935	10.0	9.4	2	3	7	13	
75 to 84 years	650 135	8.3 12.8	10.0 12.8	1 2	3	4	11	17 29	65 to 74 years 75 to 84 years 85 years ond over	1,050 1,330 555	8.4 10.7 11.5	7.9 9.6 10.8	2 2 1	3 4 4	5 7 7	10 13 15	
One diognosis	1,055 715	4.8 11.6	5.4 12.7	1	3	8	15 15	10 25	One diagnosis	635 2,300	7.9 10.6	7.2 9.8	2 2	3	5 7	9 13	
With surgery	1,220 550	7.1 8.5	9.4 10.2	1	2	5	10	15 18	With surgery	230 2,705	16.9 9.4	15.2 8.4	3 2	6 3	11 7	23 12	
Totol	9,995	25.8	18.4	4	12	22	35	53	ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
65 to 74 years	2,445 4,645 2,905	26.0 26.4 24.6	17.5 18.8 18.5	4 4 3	13 13 11	22 22 20	35 35 34	51 53 53	Total	1,020	8.0	7.9	1	2	5	9	
One diognosis	5,295 4,700	23.7 28.0	17.5 19.2	3 6	11 14	20	32 37	49 57	65 to 74 years	525 395 100	7.6 8.9 6.6	7.1 9.5 3.6	1 1 1	2 2 2	5 6 7	8 10 9	
With surgery	6,725 3,270	26.6 24.1	16.3 22.0	8 1	15 4	23 17	34 37	49 59	One diognosis	385 635	5.8 9.3	6.3 8.5	1 2	1	3 6	7 10	
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)									With surgery	45 975	10.7 7.9	12.4 7.6]]	2	5 5	11 9	
Total	2,350	15.1	15.1	3	5	10	18	31	COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
65 to 74 years	1,380 750 220	14.4 16.1 16.2	15.8 13.3 16.6	2 3 3	5 6 5	9 13 9	17 20 21	32 29 35	Total	1,500	12.0	14.0	2	3	6	15	
One diognosis	1,300 1,050	12.7 18.0	15.1 14.6	2 4	4 8	7 14	14 23	25 35	65 to 74 yeors	875 475 150	11.7 10.4 19.3	14.5 12.2 13.4	1 2 2	3 3 4	6 21	14 11 28	
With surgery	1,235 1,115	14.4 15.9	12.9 17.2	3 3	6 5	10 10	18 20	30 33	One diognasis	820 680	9.1 15.6	11.6 15.7	1	2	5 9	10 22	
SPRAINS OF 8ACK (846,847)									With surgery	475 1,025	15.8 10.3	17.1 11.8	2 2	4 3	9 5	20 12	
Totol	1,885	10.2	7.8	3	4	8	13	19	winiour surgery	1,023	10.3	11.6	2	3] 3	12	L
65 to 74 years	1,075 640 170	9.5 11.0 12.2	7.4 8.1 8.7	3 2 3	4 5 4	7 9 9	12 14 17	18 21 22									
One diognosis	605 1,280	8.4 11.1	5.6 8.5	2 3	4 5	7 8	11 14	15 21									
With surgery	70 1,815	11.6 10.2	7.4 7.8	2	6	8 8	15 13	23 19									

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

	I	Average	5tandard		Perce	ntiles	(doys)			Averoge	Standard	Γ	Percer	ntiles	(doys)	—
Potient chorocteristics	Number of discharges	stoy (doys)	deviation (days)	10th	25th	50th	75th	90th	Potient characteristics	Number of dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC OISEASES (002-138)									MALIGNANT NEOPLASM OF BILIARY PASSAGES ANO OF LIVER (155,156)								
Totol	5,195	12.2	11.5	2	5	8	15	25	Tatal	1,190	18.6	14.0	3	8	15	25	37
65 to 74 years	3,145 1,590 460	11.8 11.9 15.5	11.5 10.1 14.5	3	5 6	9 10	14 15 20	24 24 33	65 to 74 years	650 445 95	19.2 18.6 14.2	14.4 13.9 10.0	3 2 1	8 9 5	16 15 12	27 23 24	39 36 27
One diognosis	1,980 3,215	11.5 12.6	12.8 10.5	2 3	4 5	7 9	13 15	24 25	One diagnosis	475 715	17.5 19.3	11.B 15.2	2 3	8 7	15 15	24 26	33 40
With surgery	1,080 4,115	16.1 11.1	13.1 10.8	2 2	7 4	13	22 13	29 22	With surgery	505 685	22.0 16.0	13.6 13.8	7	13 5	18 12	28 23	38 35
HERPES ZOSTER (088)									MALIGNANT NEOPLASM OF PANCREAS (157)								
Totol	1,245	12.5	9.3 7.9	3	6	10	15	26 18	Tatol	1,705	18.6	14.7	2	7	16	25	38
75 to 84 years	490 135	13.1 14.9	10.4 10.0	3 3 3	6	9 12	15 1B	29 30	65 to 74 years 75 to 84 years 85 years ond aver	970 575 160	18.2 19.5 17.6	14.7 13.3 18.4	3 2	7 8 4	15 18 12	24 27 23	37 40 28
One diognosis		13.2 12.2	9.0 9.4	5 3	7 6	11 9	15 15	26 26	One diognosis	530 1,175	17.8 18.9	14.5 14.7	2 2	6 7	15 16	24 25	39 36
With surgery Without surgery	80 1,165	14.7 12.4	10.1 9.2	5 3	8	10 10	16 15	32 25	With surgery	770 935	23.0 15.0	11.4 16.0	9 2	15	20	29 20	39 37
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)	1.050	,,,,	140				15	20	MALIGNANT NEOPLA5M OF BRONCHU5, TRACHEA, AND LUNG (162,163)	733	13.0	16.0	2	•		20	37
Totol	İ	13.3	14.8	2	4	8	15	30	Total	5,575	15.2	13.5	2	5	11	20	33
65 to 74 years 75 to 84 years 85 years ond over	150	11.4 17.6	14.8 13.6	3	7	10	23	31 37	65 to 74 yeors	3,950 1,490 135	15.2 14.9 18.1	13.3 14.1 13.1	2 2 2	5 5 7	11 10 14	20 18 28	33 32 36
One diognosis	920 1,030	10.3 16.0	12.1 16.3	2 2	5	11	10 20	23 36	One diognosis	2,350 3,225	14.6 15.6	13.7 13.3	2 2	5	10 11	18 21	31 34
With surgery	1,240 710	13.4 13.1	14.2 15.7	1	3	7	15 16	28 33	With surgery	2,270 3,305	17.7 13.4	13.7 13.1	4	8	14 9	23 17	36 31
(150) Totol	680	17.8	16.1	3	5	11	26	40	MALIGNANT NEOPLASM OF BREAST (170)								
Age: 65 to 74 years	475	19.1 14.3	16.9 14.1	3 2	6 4	11 7	27 18	42 37	Total	4,065 2,475	14.5	10.1	4	8	12	17 17	27 27
85 years ond over One diagnosis	25	17,4	15.2	3	6	11	24	38	75 to 84 years	1,300 290	15.1 13.2	10.7 7.3	5 5	8	12 12	18 15	28 23
Two or more diagnoses	325	18.2	17.0	3	8	13	27	37	One diognosis	1,775 2,290	12.0 16.5	5.9 12.0	5 4	8	10 13	15 20	20 32
Without surgery	355	16.4	17.6	2	4	9	20	45	With surgery	2,710 1,355	13.8 16.0	8.1 13.0	6 3	8	11 12	16 21	23 33
(151)	1,850	16.6	12.9	2	6	13	23	33	MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Totol	865	16.7	13.3	2	6	13	25	35	Age:	1,770 1,190	10.1	11.2 11.5	2	3	6	11 10	23 21
75 to 84 years	255	17.0	13.2	2 2	7	11	22 25	32 29	65 to 74 years	455 125	9.6 11.1 10.5	11.6	2 3	3 5	5 7 8	12	32 19
One diognosis	1,200	15.4 17.2	10.7	2 2	6	13	22 25	30 34	One diagnosis	975 795	8.0 12.6	B.7 13.3	2 3	3 4	4 7	9 14	16 35
With surgery		13.3	9.9	8	13	20 9	27 16	33 31	With surgery	1,175 595	8.9 12.4	8.9 14.5	2 1	3 3	5 6	10 14	17 36
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)									MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Totol	5,310 3,130	19.0	13.7	3	9	16	25	38	Total	1,660	12.8	10.9	3	5	10	16	25
75 to 84 years	1,785	19.5 18.5	14.7	3 3	8 6	16 12	27 24	39 39	65 to 74 years	1,120 470 70	11.7 16.2 7.9	9.8 12.9 3.2	2 4 3	5 6 5	9 12 6	15 20 10	21 30 12
One diognosis	1,845 3,465	17.3 19.9	12.4 14.2	2 4	8 9	16 16	22 27	32 39	One diagnosis	745 915	11,2 14.1	10.2 11.2	3 2	5	8 11	13 18	21 27
With surgery		22.4 13.5	12.3 14.1	9 1	14 4	19 8	28 17	39 32	With surgery	1,225 435	12.5 13.7	9.2 14.6	3	6	10	16 17	22 32
MALIGNANT NEOPLASM OF RECTUM (154)									MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Totol	1,995	22.1	15.6	4	11	19	28	43	Total	880	17.7	14.5	3	7	13	23	40
65 to 74 years	1,150 695 150	20.6 23.3 28.5	15.3 14.5 19.4	3 5 5	10 11 14	17 22 24	27 29 35	42 42 50	Age: 65 to 74 years	550 320 10	17.6 18.2	15.3 13.2	3 3	7 11	12 15 *	23 22	41 36
One diognosis	870 1,125	20.8 23.1	14.5 16.2	3 4	10 11	17 20	28 30	38 45	One diognosis	265 615	13.3 19.7	13.3 14.6	1 4	3 10	9	1B 26	27 41
With surgery	1,420 575	23.9 17.7	15.0 16.2	6 2	13 4	22 13	30 25	43 40	With surgery Without surgery	405	20.8 15.1	14.1 14.4	7 2	12	16	24 1B	37 40

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of dischoraes	Average stoy	Standard deviation	_	Γ	1	(doys)		Potient sharacteristics	Number of	Averoge stoy	Standard deviation	 	_	tiles	_	
chorocteristics	aiscnorges	(doys)	(doys)	10th	25th	50th	75th	90th	characteristics	dischorges	(doys)	(days)	10th	25th	50th	75th	90t
MALIGNANT NEOPLASM OF PROSTATE (177)									OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Tatol	6,895	14.2	11.3	3	6	111	17	27	Total	1,605	16.1	14.7	2	6	11	21	3
Age: 65 to 74 years	3,215 2,915 765	14.1 14.4 14.1	11.8 10.6 11.5	3 4 4	6 7 6	10 12 10	17 17 19	27 27 31	65 to 74 years 75 to 84 years 85 years ond over	1,090 460 55	15.3 18.5 10.9	13.8 17.0 7.7	2 2 2	6 6 2	11 13 8	19 24 15	3 3 1
One diagnosis	2,880 4,015	13.1 15.0	10.0 12.0	3 3	6	10 11	16 18	23 31	One diagnosis	700 905	13.5 18.1	12.2 16.2	2 3	5	10 14	15 23	3
With surgery	4,155 2,740	14.4 14.0	10.2 12.7	4	7 5	11 10	17 17	26 30	With surgery	450 1,155	17.6 15.5	14.2 14.9	3 2	6	13 11	24 18	
MALIGNANT NEOPLASM OF KIONEY AND URETER (180)									8ENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	685	17.9	14.6	2	6	14	25	35	Totul	690	13.0	8.7	2	4	13	19	
55 to 74 years	470 185 30	16.9 19.7 22.0	15.0 14.2 6.9	2 3 10	5 7 15	13 14 21	23 30 25	37 35 29	65 ta 74 years 75 to 84 years 85 years and over	485 185 20	13.0 12.4	7.6 10.9	2 2	5 3 *	14 8 *	18 20 *	
One diognosis	255 430	15.2 19.5	9.5 16.7	3 2	6	14 14	22 27	29 43	One diognosis	340 350	13.0 13.1	9.4 8.0	2 2	4 4	11 14	19 19	
With surgery	325 360	21.6 14.6	13.7 14.6	5 2	11 4	19	29 21	40 34	With surgery	550 140	14.8 6.0	8.2 6.9	3 1	8 2	15 3	20 6	
MALIGNANT NEOPLASM OF BLAOOER (181.0)									8ENIGN NEOPLASM OF RECTUM (211.4)	71.6	2.5		2	3	5	11	
Totol	3,540	13.0	12.3	2	5	9	16	28	Age: 65 to 74 years	715 460	9.5	9.4	2	3	6	13	
55 to 74 years	1,950 1,350 240	12.8 13.4 12.8	13.0 11.0 12.4	2 3 2	6 5	10 10	16 16 14	29 27 20	75 to 84 years	245 10	8.8	8.1	2 *	3	5	10	
One diognosis	2,105 1,435	11.6 15.1	11.1 13.6	2 3	4 6	8	14 17	26 32	One diognosis	385 330	12.6	11.3	3	5	8	15	
Vith surgeryVithout surgery	2,770 770	12.2 15.8	10.7 16.5	2 2	5 4	9	15 18	24 42	With surgery	615 100	10.1 6.3	10.0 3.7	2 2	3	5	13	
MALIGNANT NEOPLASM OF SKIN (190,191)									8ENIGN NEOPLASM OF UTERUS (214,215)								
Total	3,925	8.3	9.6	1	2	4	10	19	Totol	800 625	8.4 7.6	7.1	2	2	5	12	
55 to 74 years 15 to 84 years 15 years ond over	1,985 1,390 550	7.5 8.7 10.0	8.8 9.3 12.7	1 1 2	2 2 3	5 6	9 10 10	17 21 22	75 to 84 years 85 years ond over	150 25	12.1	8.5	2	3	11	17	
One diagnosis	2,195 1,730	7.2 9.7	8.5 10.7	1	2 2	4 5	8	16 21	One diagnosis	380 420	7.2 9.5	6.8 7.3	1 2	3	8	11	
Nith surgery	3,480 445	7.6 13.5	8.6 14.5	1	2 3	4 8	9	17 37	With surgery Without surgery	725 75	8.3 9.0	6.9 9.1	1	2	5 4	12	
MAL, NEOPLASM OF UNSPEC, PRIMARY SITE & OTHER & UNSPEC, SECONOARY									Totol	825	5.7	5.6	1	2	3	7	
SITES (199) Total	5,680	16.2	14.3	2	6	12	21	34	Age: 65 to 74 yeors 75 to 84 years	630 185 10	5.2 7.3	4.5 7.9	1	2 2	3	6	
Age: 55 to 74 years 75 to 84 years	3,510 1,810 360	16.2 16.3	14.7 13.7 13.7	2 3	5 7 6	12	22 20 22	34 33 39	One diognosis	515 310	4.3 8.0	3.5 7.4	1 2	2	3 5	5	
35 years ond over	2,785	15.6 14.8 17.5	13.5 14.9	2 3	5 6	10	19 23	32 35	With surgery	780 45	5.7 6.8	5.6 6.6	1	2	3	6	
wo or more diagnoses	2,010	19.5 14.4	15.1	4 2	8 4	1	26 18	40	NEOPLASMS OF UNSPECIFIED NATURE OF THE 8LAODER (236.2)	45	0.0	0.0			J		
Without surgery	3,670	14.4	13.3		4	"	10	31	Total	980	7.0	7.5	1	2	4	8	
Totol	1,060	17.2	14.2	3	7	13	22	36	65 to 74 years	595 320	6.8 7.2	8.4 5.4	1	2	4 5	7 9	
Age: 15 to 74 years 75 to 84 years	640 400	14.9 20.7	12.7 15.8	3 5	6 8	12 16	19 27	29 43	85 years ond over	755 225	6.9	7.6 7.5	1	2	4 5	7 9	
15 years ond over	530 530	16.7 17.8	15.2 13.2	3 4	7 8	11 14	23	38 35	Two or more diagnoses	225 910 70	7.4 6.8 9.4	7.5 7.0 11.5	1 1	2	4 4	7 8	
Vith surgery	480	19.7	14.1	4	8	15	28	39	ASTHMA (241)	70	7.4	11.5	,		•	J	
Without surgery LEUKEMIA AND ALEUKEMIA (204)	580	15.2	14.0	3	6	12	19	29	Total	3,035	10.3	8.2	2	4	8	13	
Total	2,190	12.6	12.0	2	4	8	16	29	65 to 74 years	2,310 635 90	9.5 12.4 13.8	6.9 11.6 9.3	2 2 3	5	8 9 13	12 14 17	
ryc: 65 ta 74 years 75 to 84 years 85 years ond over	1,070 1,035 85	12.6 13.0 7.8	12.2 12.0 5.0	2 2 2	3 4 3	8 8 5	17 16 11	28 31 13	One diagnosis	1,055 1,980	9.3 10.8	7.4 8.6	1 3	3 5	6 8	12	
One diagnosis	840	10.6 13.9	10.4 12.6	1 2	3 4	7 9	14 19	24 31	With surgery	115	22.2 9.8	17.2 7.3	6 2	12	17	22 12	
With surgery		18.6	16.2 10.7	2 2	8	13	26 15	39 27									

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Description Property Proper			Average	Standard		Percer	ntiles	(days)				Average	Standard		Percer	ntiles	(days)	
The fire of the control of the contr		Number of discharges	stay	deviation	10th	25th	50th	75th	90th	Patient characteristics	Number af discharges	stay	deviation	10th	25th	50th	75th	90th
Total	OISEASES OF THYROIO GLAND (250-254)																	
\$\text{\$\t	Age:									Total	3,830	16.7	15.0	3	6	11	21	40
DAMES SERVICE 100 101 102 103 103 104 105	75 ta 84 years	545	13.3	11.4	4	5	10	16	23	65 ta 74 years	1,785	17.2	15.3	4	7	- 11	21	41
White Surgery 100 11	One diagnasis									One diagnasis	905	14.0	15.0	2	5	9	16	28
Designation Colum	With surgery									With surgery	370	20.8	14.9	6	9	16	27	41
March Marc										PSYCHOTIC AND PSYCHOPHYSIOLOGIC	3,460	10.2	15.0	3	٥	10	20	39
## 18 10 Septiment of the control of	Age:				i	١.					1,910	18.0	16.5	3	5	12	25	40
March Surprise 16,125 13.6 15.5 4 0 10 10 2 2 3 5 8 13 2 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 3 1 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 2 3 8 13 3 13 3 13 3 13 3 13 3	75 ta 84 years				3			17		Age: 65 ta 74 years				3	5		25 22	
Without surgery 1,000 12.4 10.3 3 6 7 15 27 15 15 15 15 15 15 15 1	One diagnasis									85 years and over	70	20.2	16.1	3	10	12	24	45
MANIMETRICHAL DEFICIENCY STATES 1,140 13.8 11,2 2 5 11 18 17 16 17 18 18 18 18 18 18 18	With surgery									Two ar mare diagnases	1,100	15.5	14.6			9	21	37
Age Torols										Without surgery				2	5			
Section Continue	Age:				1	5				Tatal	5,530	13.6	12.5	2	4	9	18	30
Over diognosis	75 to 84 years	445	14.8	10.6	3	6	13	20	27	65 ta 74 years				2 3	4			35
Without surgery 1,05 138 11.2 2 5 11 10 17 23 7 10 17 23 7 10 17 23 7 10 17 23 7 10 17 23 7 10 17 23 7 10 17 23 7 10 17 23 7 10 17 23 7 10 17 23 7 10 17 23 10 10 10 10 10 10 10 1										One diagnasis	2,240	16.4	14.5		5	11	24	35
COUT CASE 1,005										With surgery	265	16.3	13.7		5	10	25	38
Total										Without surgery	5,265	13.5	12.4	2	4	9	18	29
75 to 84 years	Age:				ĺ			1		NONTRAUMATIC AND STROKE								
Definition of the provision of the pro	75 ta 84 years	380	8.6	5.1	3	5	7	11	15	Age:				1				
Without surgery PERNICIOUS AND OTHER HYPERCHROMIC AHEMIAS (CPO) P. P. P. P. P. P. P. P	One diagnosis					4 5				75 ta 84 years	7,930	16.1	15.7		4	-11	22	38
Total	With surgery													1	3 5			34 38
Age:	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)		ļ							With surgery				4			31 21	46 35
75 to 84 years 470	Age:	Ì			3			1										
Den diognasis	75 ta 84 years	470	14.0	10.4	2	6	11	17	32				14.5			13	23	36
With surgery 155 17.5 11.3 3 9 14 22 37 One diagnosis 3.520 15.9 14.2 2 5 11 22 33 IRON OFFICIENCY ANEMIAS (291) 11.5 8.2 3 6 9 14 21 7.70 22.0 17.0 5 9 17 3.5 3.5 18.0 17.0 5 9 17 3.5 3.5 17.0 5 9 17 3.5 3.5 3.5 17.0 5 9 17 3.5	One diagnasis				2 5					75 to 84 years	4,905	16.9	14.4	3 2 2	6		23	37
IRON OFFICIENCY ANEMIAS (291) Total 1,960 11.5 8.2 3 6 9 14 21 21 21 21 22 23 23 35 23 23 35 24 24 21 21 22 24 8 14 22 21 24 24 24 24 24	With surgery	155	17.5	11.3		9 7	14			One diagnasis				2				
Total.														5 2				
85 years and over 225 12.4 9.3 2 5 9 18 25 25 25 12.4 9.3 2 5 9 18 25 25 25 12.4 9.3 25 25 12.4 9.3 2 25 12.4 9.3 2 25 12.4 9.3 2 2 4 7 13 21 10.5 11.5 10.4 3 6 9 13 17 75 10.5	Tatal									CEREBRAL ARTERIOSCLEROSIS (SO								
One diagnasis 390 11.5 10.4 3 6 9 13 17 65 to 74 years 3,950 10.7 9.D 2 4 7 13 21 Two ar more diagnases 1,590 11.6 7.6 3 6 9 13 17 65 to 74 years 4,520 12.7 11.4 3 5 9 15 26 With surgery 340 13.3 10.7 5 7 11 15 9 17 28 Without surgery 1,640 11.2 7.5 3 6 9 14 21 17 11.4 3 5 9 15 26 OTHER ANO UNSPECIFIED ANEMIAS 2 4 8 13 24 4 8 13 24 24 7 13 21 4 8 12 4 8 12 19 27 Total 5,195 11.2 10.5 2 4	/5 to 84 years	840	11.2	6.8	3		9	14	20	Tatal	9,660	12.0	10.5	3	5	8	14	24
With surgery 340 13.3 10.7 5 7 11 15 19 One diagnosis 2,655 10.3 8.5 2 4 7 13 21 OTHER AND UNSPECIFIED ANEMIAS (292,293) V<	One diagnasis									65 ta 74 years	4,520	12.7	11.4		5	9	15	26
OTHER AND UNSPECIFIED ANEMIAS (292,293) Total	With surgery					7 6				One diagnasis	2,655	10.3	8.5	2	4	7	13	21
Total										With surgery	735	14.4	8.8	4	8	12	19	27
75 to 84 years	Age:					4	8				0,723	11.6	10.7	2	5	в	14	24
One diagnosis 1,600 8,7 7,5 1 3 6 11 19 75 to 84 years 1,600 17,3 12,9 4 8 13 21 41 Two or more diagnoses 3,595 12,3 11,4 2 5 8 15 26 85 years and over 105 23,3 15,7 8 11 16 27 47 With surgery 845 13,7 12,3 2 4 9 18 29 One diagnosis 1,195 16,4 11,6 5 8 11 16 27 47 Without surgery 4,350 10,7 10,0 2 4 7 13 21 Two or mare diagnoses 1,700 18.8 16,2 4 7 13 24 39 With surgery 145 24.1 18.9 4 10 18 28 49	75 ta 84 years	2,255	11.8	10.9	2			14	25	Age:								
With surgery 845 13.7 12.3 2 4 9 18 29 One diagnosis 1,195 16.4 11.6 5 8 13 20 28 Without surgery 4,350 10.7 10.0 2 4 7 13 21 Two or mare diagnoses 1,700 18.8 16.2 4 7 13 24 39 With surgery 145 24.1 18.9 4 10 18 28 49	One diagnosis	1,600			1 2					75 to 84 years	1,100	18.2	16.6	4	8	13	21	41
With surgery 145 24.1 18.9 4 10 18 28 49	With surgery					4 4												
										With surgery Without surgery				4	10	18 13		

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of dischorges	Average stoy	Standard deviation		Perce	T			Patient chorocteristics	Number of	Averoge stay	Standard deviation		Percer			T
choracteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th	Chorocteristics	discharges	(doys)	(doys)	10th	25th	50th	75th	9
NEURALGIA AND NEURITIS (360-366)									ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	2,705	11.5	9.3	3	5	8	15	21	Total	1,625	12.6	1D.9	2	5	1D	15	
5 to 74 years	1,790 735 180	11.1 13.0 9.4	9.4 9.6 5.5	3 4 2	6 4		14 16 11	22 24 18	Age: 65 to 74 years	755 665	12.1 12.6	11.3 10.1	2 2	4	9 10	14 16	
ne diognosis	970	9.9	6.6	3	5	8	13	18	85 years and over	205	14.7	11.4	4	6	11	18	ŀ
wa or more diognoses	1,735	12.4	10.5	3	4	10	16	26	One diagnosis	280 1,345	13.1 12.5	13.D 10.4	2	5	10	14 15	
Vithout surgery	2,230	10.9	8.1	3	5	8	14	20	With surgery	65 1,560	17.8 12.4	9.6 10.9	7	9 5	14 10	23 14	
CATARACT (385) Totol	21,880	7.6	4.0	4	5	6	8	12	FUNCTIONAL OISEASE OF HEART (433)								l
ge: 5 to 74 years	11,245	7.3	3.5	3	5	6	8	11	Totol	8,660	10.7	9.6	2	4	8	13	l
5 to 84 years	9,365 1,27D	7.8 8.8	4.2 6.3	4	5	7	8 9	12 14	65 to 74 years	4,580 3,180 900	10.0 11.5 11.5	9.1 10.4 8.8	2 1 2	4 4 4	7 9 9	12 15 16	l
ne diognosis	17,315 4,565	7.3 8.7	3.5 5.6	4	5		8 9	11 14	One diognosis	2,015	9.0	7.5	1	3	7	11	
/ith surgery	20,905 975	7.6 7.2	3.9 6.2	4	5 2	6	8	12 13	Two or more diognoses	6,645 1,595	11.2	10.1	2	6	10	14	1
GLAUCOMA (387)	,,,,	,,,	0.2						Without surgery	7,065	10.0	9.2	Ĭ	3	7	12	
Totolge:	1,965	7.6	5.2	2	3	6	9	14	CONGESTIVE HEART FAILURE (434.1) Total	15,455	12.7	11.2	2	5	9	16	
5 to 74 years	1,155 680	8.0 7.2	5.9 3.9	2 3	3 4	6	10	16 13	Age: 65 to 74 yeors	6,975	12.3	10.8	2		9	16	İ
5 years and over	1,190	6.5	3.2	2	3	5	8	11	75 to 84 years	6,370 2,110	13.4 11.6	12.0 9.9	1	5 5 4	9	17 15	١
wo or more diognoses	775	9.0	5.9	3	5	١.	11	16	One diagnosis	5,400 10,D55	10.9 13.6	10.2 11.6	1 2	4 5	8 10	13 18	
fith surgery	1,665 300	7.7 7.2	5.0 6.0	1	3	5	10	13	With surgery	865 14,590	21.6 12.1	15.4 10.7	4 2	11 5	18	29 16	
CHRONIC RHEUMATIC HEART DISEASE (410-416)									HYPERTENSIVE HEART DISEASE (442,443)	14,570	12.1	10.7					١
Totolge:	1,075	12.5	9.9	3	5	9	17	25	Total	15,755	12.4	1D.5	3	5	9	15	
5 to 74 years	790 255	12.5 12.4	8.8 13.0	3 3		8	18 14	25 24	65 to 74 years	8,610 5,880	11.9 12.4	10.0 10.2	3 3 2	5 5 5	9	14 16	l
5 years ond over	130	14.2	9.1	2	4	8	17	27	85 years ond over One diagnosis	1,265 2,450	15.3	13.7 9.6		5	11	19	l
wo or more diognoses	945	12.6	10.0	3		9	18	24	Two or more diognoses	13,305	12.8	1D.6	3	5	9	16	١
fith surgery	80 995	10.4 12.7	10.1	3	5	9	10 17	23 25	With surgery	1,020 14,735	17.9 12.0	14.2 10.0	5 3	8 5	9	21 15	
ARTERIOSCLEROTIC HEART OISEASE 50 DE5CR18E0 (420.0)									OTHER HYPERTENSIVE DISEASE (446,447) Total	8,135	10.7	10.0	2	4	7	13	l
Totolge:	31,070	12.3	1D.3	3	5	9	15	25	Age: 65 to 74 years	4,900	10.7	8.9	2	4	7	12	١
5 to 74 years	12,920 13,615 4,535	11.2 12.9 13.6	8.7 11.2 11.7	2 3 2	5 5 5	8 9 10	14 16 17	22 26 26	75 to 84 years	2,615 620	11.3 12.8	11.2 12.4	3	4	8 9	13 15	l
5 years and over ne diagnosis	7,365	10.4	8.9	2	4	7	13	20	One diognosis	2,005 6,130	8.1 11.5	7.7 10.5	2	3	6 8	9 14	
wo or more diognoses	23,705	12.9	10.7	3	5	10	16 23	26 33	With surgery	880 7,255	16.8 9.9	14.5 9.1	4 2	6	13 7	21 12	
Vithout surgery	28,890	11.9	10.1	3	5		14	24	GENERAL ARTERIOSCLEROSIS (450)	.,							l
ACUTE CORONARY OCCLUSION (420.1) Totol	23,935	16.2	12.2	,	5	16	23	30	Total	11,820	15.3	13.7	3	6	-11	20	١
ge: 5 to 74 years	13,735	16.8	11.5	1	7	17	23	29	65 to 74 years	4,270 5,210	14.3 15.5	12.5 13.7	2 3 3	5	10 11	19 19	ı
5 to 84 years	8,435 1,765	15.9 13.7	13.0 12.7		2	15	22 21	30 29	85 years ond over One diognosis	2,340 2,020	16.7 15.8	15.3	2	6 5	11	21	ı
ne diognosis	10,100 13,835	14.6 17.4	11.2 12.7	1	3 6	14 17	21 24	27 32	Two or more diagnoses	9,800 2,605	15.2	13.7	3 7	6	11	19	
ith surgery	905 23,030	21.3 16.0	16.3 11.9	3 1	8 5	19	27 22	41 29	With surgery	9,215	13.5	12.6	2	5	17 9	17	l
OTHER ISCHEMIC HEART 015EA5E (420.2-420.4,422.1)									AORTIC ANEURY5M, NON5YPHILITIC, AND DI55ECTING ANEURY5M (451)								
(42U.2-42U.4,422.1) Totol	34,130	12.3	10.5	3	5	9	16	25	Totol	1,590	12.4	11.5	1	2	10	18	-
ge: 5 to 74 years	18,180	11.7 12.8	9.6 11.3	3 2	5	9	15 16	23 26	65 to 74 years	97D 515 105	12.3 13.4 8.6	11.0 12.5 9.4	1	3	10 10 6	18 19 11	
5 to 84 years	12,585 3,365	13.9	12.0	2	5	16	18	29	One diagnosis	755	11.1	11.D	į	1	9	16	
ne diognosis	8,445 25,685	10.2 13.0	9.1 10.9	2 3	5	7 9	13 16	20 26	Two or more diagnoses	835 835	13.6	11.8	1	8	10	19	
Vith surgeryVithout surgery	1,860 32,270	19.0 12.0	13.5 10.2	4 3	8 5	17	25 15	38 24	Without surgery	755	8.8	10.4	il	ĭ	5	10	-

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Average stoy	Standard deviation		Perce	ntiles	(days)	Patient	Number of	Average stoy	Standard deviation		Percei	ntiles	(doys)	
chorocteristics	dischorges	(days)	(doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	(days)	(days)	10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)									ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Tatol	1,430	14.1	11.7	2	6	11	18	30	Total	3,675	9.2	7.9	2	4	7	11	17
75 to 74 years	955 375 100	13.5 15.6 13.7	11.4 12.2 11.7	2 2 1	6 6 1	11 12 11	17 19 1B	25 33 31	65 to 74 years	1,320	B.0 10.6 11.0	5.B 9.9 B.B	2 2 3	4 5 4	6 B 7	9 12 13	14 19 26
One diognosis	620 B10	14.2 14.0	11.3 12.0	2 2	6	12 11	1B 17	2E 32		770 2,905	6.9 9.9	4.9 B.5	1 3	3 5	5 7	B 11	14 1B
With surgery	B70 560	15.5 11.9	9.B 13.9	3 1	B 3	13 B	19 15	31 23		270 3,405	11.6 9.1	10.0 7.7	2 3	4	7	14 10	27 17
GANGRENE OF LOWER EXTREMITY (455.0)									INFLUENZA (480-483) Total	7,255	9.6	7.4	3	5	7	11	17
Total	1,280	23.9	16.5	7	11	19	32	48	Age: 65 to 74 years	4,570	9.0	6.9	3	5	7	10	16
65 to 74 years	550	24.4 24.2 21.2	16.9 16.6 13.7	B 6 2	11 10 10	20 1B 20	32 35 28	47 51 41	75 to 84 years	2,165 520	10.5 10.1	7.7 9.7	3 3	5 4	B 7	12	20 1B
One diognosis	570 710	24.2 23.7	16.B 16.2	6	11 10	19 19	31 33	46 50		2,760 4,495	7.5 10.B	4.B B.4 9.9	3 3	4 5 7	6 B 13	9 12 20	13 20 25
With surgery	945 335	25.6 19.3	15.4 1B.4	B 2	14 6	20 13	35 26	48	Without surgery	7,100	9.4	7.3	3	5	7	11	17
VARICOSE VEIN5 OF LOWER EXTREMITIES (460)									Total	B50	14.0	9.6	4	7	11	16	27
Total		14.5	12.2	3	5	10	19	33	65 to 74 years	495 270	14.2 13.3	9.B 9.6	5 2 7	7	111	16 16	28 24
65 to 74 years	590	13.0 17.4 23.9	11.0 13.6 15.B	3 4 3	5 7 7	14 17	16 22 34	30 33 43			15.5	7.B B.B	6	10 7	13	17	27 1B
One diognosis	1,265 1,130	12.3 16.9	11.2 12.7	3 4	5 B	7 12	15 21	29	Two or more diagnoses	550	14.9	9.9	3	B 9	12 1B	1B 27	32 33
With surgery	1,490 905	14.0 15.2	12.2 12.1	4 3	5 6	B 12	19 19	33		785	13.5	9.3	5	7	11	15	24
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)									Total		13.0	10.B	3	6	10	16	25
Total	3,060	B.9	6.2	3	5	7	10	15		3,575 2,720	11.9 13.7	9.7 11.4	3 2 3	6	9 10 10	14 17 17	21 27 30
Age: 65 to 74 years	2,285 695 80	B.4 10.4 10.0	5.4 B.1 6.5	3 3 1	5 5 4	7 B 10	9 12 13	13 21 19	One dicgnosis		14.3 10.0 14.0	7.7 11.6	3 3	6 5 6	B 11	12 17	i9 27
One diognosis	1,600 1,460	7.B 10.1	4.4 7.5	3	5 5	7 B	9	12 19		335 7,230	20.7 12.6	12.2 10.6	6 3	11 6	20 9	2B 15	35 24
With surgery	2,565 495	9.2 7.4	5.7 B.2	4 2	5	B 5	10	15									
PHLEBITIS AND THROMBOPHLEBITIS OF									Total	5,745 3,110	12.1	9.6 9.3	4	6 5	9	14	22
LOWER EXTREMITIES (463) Total	3,645	13.2	B.1	5	7	11	16	23	65 to 74 years	1,950	12.9 12.5	10.2 9.1	4 3	6	10	16 15	23 24
Age: 65 to 74 years	1,115	13.3 13.3 12.5	B.3 B.0	5 5 5	7 7 7	11 10 11	17 16 16	22 25 21	One diognosis		9.9 13.0	7.1 10.4	3 4	5	7 10	12 15	17 24
One diognosis	1,340	11.4	7.1	4	7	10	13	17		260 5,485	21.0 11.7	17.7 B.B	6 3	9	15 9	26 14	41 21
Two or more diagnoses	2,305	14.3 1B.2	B.5 11.6	5 B	10	11	19	25	PNEUMONIA, OTHER AND UNSPECIFIED								
Without surgery	3,385	12.9	7.7	5	7	10	16	22	Total	12,105	13.6	11.2	3	6	10	16	26
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)	1,420	10.0	0.4		7	١,,	14	21	Age: 65 to 74 years	5,B55 4,625	12.B 13.9	9.4 11.6	4 3 2	6 6	10 10 11	15 17 20	24 27 32
Totol	1,430	13.3	9.6	5	7	11	16	21		4,235	15.B 11.2	14.9 7.B	3	6	9	13	20
75 to 84 years	365 50	13.5 14.5	6.3 13.3	5	9 5	12	16 15	20 31			14.9 21.7	12.4 14.B	3	7 9	11 1B	1B 29	30 42
One diognosis	775 655	11.9 15.0	6.5 12.1	4 5	6 B	11	15 17	19 25	Without surgery	11,390	13.1	10.7	3	6	10	15	25
With surgery	130 1,300	15.0 13.2	12.3 9.3	3 5	6 7	11	14 16	39 21	(500)	6,055	10.6	7.1	3	5	В	13	19
PULMONARY EMBOLISM AND INFARCTION (465)									Age: 65 to 74 years	3,795 1,870	10.3 10.B	7.1 6.9	3	5	B 9	12 13	1B 19
Total	2,495	14.7	11.9	2	6	12	1B	29	B5 years and over	390 1,390	12.4 B.3	B.2 4.5	3	5	7	16	24
65 to 74 years	1,380 915 200	14.6 14.3 17.0	10.4 11.B 19.2	3 1 1	6 5	12 12 7	1B 19 1B	29 26 52		4,665	11.2	7.7	4	5	9	13	20
One diognosis	610 1,885	11.2 15.9	B.4 12.6	1 3	4 7	10 13	15 20	22 32	With surgery	260 5,795	12.2 10.5	7.7	3	5	10 B	13	18
With surgery	315	19.5	13.6	5 2	10	16	24	38									

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Average stoy	Standard deviation		Perce	ntiles T	(days)		Potient	Number of	Averoge	Standard deviation		Percer	tiles ((doys)	
chorocteristics	dischorges	(days)	(days)	10th	25th	50th	75th	90th	choracteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th
8RONCHITIS, UNQUALIFIED (501)									ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	4,075	10.4	8.3	3	5	8	12	19	Total	710	15.8	11.8	3	8	13	20	29
65 to 74 years	2,640 1,150 265	10.0 11.4 10.9	7.6 9.8 7.6	3 3 3	5 5 5	8 8 9	12 13 12	18 22 21	Age: 65 to 74 years 75 to 84 years 85 years and over	415 260 35	18.0 12.8 11.6	13.3 9.0 3.5	4 2 9	9 5 9	14 10 9	21 17 13	30 26 16
One diagnosis	1,455 2,620	8.9 11.3	7.5 8.5	2 3	4 5	7 9	11 13	13 22	One diognosis	296	14.0	8.4	3	8	12	18	27
With surgery	265 3,810	11.4 10.4	9.6 8.2	1 3	3 5	9	17 12	23 18	Two or more diagnoses	420 205	17.0 21.8	13.6	9	13	13 19	22 26	30 36
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)									Without surgery	505	13.3	10.9	2	7	10	18	26
Total	3,390	11.2	8.3	4	6	8	13	21	PERFORATION & W/O HEMORRHAGE (541.0)								
65 to 74 years	2,445 850	11.3 11.0	8.i 8.9	4 3	5	8	13 12	21 22	Tatal	6,195	11.1	8.3	3	5	9	14	21
85 years and over	1,020	12.3 9.1	8.0 6.1	3	5	7	16	23 16	65 to 74 years	4,175 1,690 330	10.7 12.0 11.7	8.1 8.9 7.5	3 3	5 5 6	8 9 10	13 15 14	21 23 23
Two or more diagnoses	2,370	12.1 14.6	8.9 10.9	3	6	9	14	24 29	One diagnosis	2,065 4,130	9.8 11.8	7.1 8.8	2 3	4 5	7 9	13 15	18 22
Without surgery	3,080	10.9	7.9	4	6	8	13	20	With surgery	1,005	18.2	11.0	7	11	15 8	22	32
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)									ULCER OF DUODENUM W/O	5,190	9.8	6.9	3	4	8	12	18
TotalAge: 65 to 74 years	1,550	10.4 9.9	7.5	3 2	5	8	13	19	PERFORATION & WITH HEMORRHAGE (541.1)								
75 to 84 years	395 130	11.2 11.9	7.6 6.9 8.4	3 4	5 5	9	15 15	20 19	Total	3,120	14.1	9.7	4	7	13	18	25
One diagnosis	385 1,165	8.0 11.2	6.1 7.8	1 3	4 5	6 9	9 14	15 21	65 to 74 years	1,775 1,140 205	13.4 15.3 13.5	9.1 10.6 10.0	4 5 2	6 8 5	11 12 10	16 20 21	23 26 29
With surgery	310 1,240	10.1 10.5	9.4 7.0	2 3	4 5	6 8	12 13	22 19	One diognosis	1,320 1,800	11.8 15.8	8.0 10.5	4 5	6	10 13	15 20	20 31
PULMONARY CONGESTION AND HYPOSTASIS (522)									With surgery	660 2,460	20.2 12.5	13.0 7.9	7 4	11	17 10	23 16	39 22
Totol	1,690	12.3	11.1	1	4	9	16	27	ULCER OF STOMACH & OUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
65 to 74 years	820 645 225	10.9 12.9 16.0	9.3 12.2 13.0	1	3 3	10 12	14 17 25	25 26 36	Total	470	17.4	12.2	2	10	14	22	31
85 years and over	335	13.0	9.8	3	5	11	17	28	Age 65 to 74 years	260 180	17.1 19.2	10.3 14.3	4	10	14 18 3	21 22 13	31 37
Two or more diagnoses	1,355	12.2 19.1	11.4	4	8	15	16	26 37	85 years and over	30 175	9.3	9.4	6	10	13	21	19 28 32
Without surgery	1,625	12.1	11.0	1	4	9	16	26	Two or more diagnoses	295 360	17.5	12.6	8	9	17 17	22	32
8RONCHITIS (527.1)	8,210	11.9	10.0	3	5	9	14	23	Without surgery	110	14.6	16.5	1	1	7	18	33
Totol	5,090	11.8	9.7	3	5	9	14	22	Total	4,895	8.0	7.1	2	3	6	9	16
75 to 84 years		11.7 13.8	10.0 12.0	3 2	5 3	11	14 20	24 27	Age: 65 to 74 years	2,925 1,640	7.8 8.4	6.8 6.8	2 2	3	5 6	9 10	15 16
One diognosis	1,920 6,290	10.2 12.4	7.9 10.5	2 3	4 5	8 9	13 15	20 24	85 years and over	330 1,595	8.5 5.9	9.9 5.2	2	2	4	7	18
With surgery	525 7,685	16.4 11.6	12.9 9.7	5 3	7 5	13	20 14	32 22	Two or more diognoses	3,300	9.0	7.6	2	4	6	11	17
OISEASES OF ESOPHAGUS (539)		1							With surgery	370 4,525	12.7 7.6	10.6 6.6	2	5 3	11 5	16 9	26 15
Totol	1,225	9.1 8.5	8.2 7.7	1 2	3	6	12	17	APPENOICITIS (550-553) Totol	1,245	13.5	9.2	4	6	10	17	26
75 to 84 years	690 155	9.3 12.1	9.0 8.1	1 3	3	7	12 16	17 23	Age: 65 to 74 years	765	12.7	7.9	4	6	10	16	24
One diagnosis	650 1,420	7.3 9.9	8.3 8.1	1 2	2	4 7	9 13	13 20	75 to 84 years	420 60	13.8	10.0	3	5	10 21	17 28	25 36
With surgery	860 1,210	10.1 8.3	9.4 7.2	1	3	7 6	13 11	21 16	One diagnosis	750 495	12.2 15.4	7.7 10.7	4	6	10 12	15 21	23 29
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540,0)									With surgery	1,045 200	13.8 11.5	8.6 11.4	5 2	8	11 5	18 15	26 28
Total	2,880	13.6	10.3	3	6	11	17	25	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Age: 65 to 74 years	1,885 880	13.9 13.2	10.9 9.0	3 3 2	6	10 11	17 16	24 26	Total	9,835	8.9	5.1	4	6	7	9	13
85 years and over	945	13.7 12.0	10.0 8.7	3	5	9	20 16	25	65 to 74 years 75 to 84 years 85 years ond over	6,685 2,730 420	8.6 9.2 11.7	5.0 4.8 6.8	4 5 5	5 6 7	7 8 9	9 10 13	13 13 20
Two or more diagnoses	1,935 695	14.5 19.2	11.0 12.2	6	11	11	18	27 34	One diagnosis	6,505 3,330	8.0 10.6	3.6 6.7	4 4	5	7 8	9	11 19
Without surgery		11.9	9.0	3	5	9	15	24	With surgery	9,245 590	8.9 8.5	4.9 7.5	4	6	7 6	10	13 20

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Average	Standard		Perce	ntiles	(days))			Average	Standard	<u> </u>	Percer	ntiles	(days)	
Patient characteristics	Number of discharges	stay (days)	deviation (days)	10th	25th	50th	75th	90th	Patient characteristics	Number of discharges	stay (days)	deviation (days)	10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT									CHOLELITHIASIS (584)								
MENTION OF OBSTRUCTION (560.4)	4 700		7.0	2		,	11	,,,	Tatal	10,910	14.3	10.0	4	7	12	18	26
Total	6,780	9.6	7.9 7.B	!	4	7	11	18 1B	65 to 74 years	6,790 3,450	14.1 14.B	9.6 10.B	4	7 7	11 12	17	25 26
75 to 84 years	1,975 345	9.7 12.7	7.2 11.0	2 2 4	6	7 8	12 13	1B 28	85 years and aver	670	14.4	9.6	3	7	12	20	26
One diagnosis	1,560 5,220	7.2	5.0 B.4	2 3	3 4	5 7	9	14 20	One diagnosis	4,780 6,130	13.5 15.0	B.4 11.1	4	B 7	11	17 19	23 28
With surgery	1,275 5,505	14.0	9.4 7.1	4 2	7 4	11 6	17 10	26 15	With surgery	6,930 3,980	17.3 9.1	9.9 7.7	B 2	10	15	21 11	28 17
HERNIA OF OTHER SITES W/O MENTION	3,303	0.0	/					.5	CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (5B5)								
OF OBSTRUCTION (560.13,.B,.9) Total	3,130	10.3	6.2	4	6	9	12	17	Total	5,700	12.4	9.6	3	5	10	15	25
Age: 65 to 74 years	2,150 890	9.9 11.4	5.8 7.1	3 4	6 7	8 9	12	17 1B	65 to 74 years 75 to 84 years 85 years and over	3,050 2,065 585	12.6 12.6 10.9	9.5 10.4 7.7	3 3 2	5 4	10 9 B	16 15 15	26 26 21
85 years and over	90	90	6.2	2	3	6	12	16	One diagnosis	2,410	11.4	8.1	2	5	9	15	24
One diagnosis	1,620 1,510	9.3	5.2 7.1	4 4	7	ì0	11	14 1B	Two or more diagnases	3,290 1,865	13.2 19.2	10.6	3	11	10	16 25	26 31
With surgery	2,545 585	10.6 B.8	5.9 7.5	4 2	6 3	7	12	17	Without surgery	3,835	9.1	6.B	2	4	7	11	17
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)									8ILIARY DUCTS (586)								6:
Total	2,115	12.0	B.5	4	6	9	14	21	Total	1,480 720	12.4 11.B	11.3	3 2	5	9	15 14	24 25
65 to 74 years	1,075 B15	11.6 12.7	7.1 9.B	5 4	7	10	14	21 25	75 to 84 years	555 205	13.9 10.7	12.7 7.4	3	5	10	16 15	32 21
B5 years and over	1,130	11.2	B.9 5.1	2	5	B 8	16	20	One diagnosis	550 930	10.2 13.7	B.7 12.4	2 3	4 6	7 10	14 16	21 29
Two or more diagnoses	985	14.3	10.7	5	7	10	17	28	With surgery	315 1,165	22.3 9.7	14.9 8.2	9 2	13	19	26 12	37 18
Without surgery	365	10.4	10.0	Ĩ	4	В	13	18	DISEASES OF PANCREAS (587)	1,.05	7.5	0					
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)									Total	1,445	15.1	13.7	3	5	11	19	30
TotalAge:	5,320	12.1	10.6	1	4	8	16	26	65 to 74 years	940 450	15.4 14.4	14.5 12.6	3 2	6 4	110	19 20	28 31
65 to 74 years	2,450 2,140 730	12.9 11.3 11.4	11.4 9.9 9.5	2 i 2	5 3 4	7 8	16 16 16	27 25 25	B5 years and over	55 465	15.6	13.3	9	10	12 B	19 12	2å 23
One diagnosis	2,225 3,095	10.3 13.3	9.7 11.0	1 2	3 5	7 9	14 1B	23 27	Two ar mare diagnoses	980	16.6 26.0	13.6	3 B	16	13	22 32	31
With surgery	1,855	17.8	11.9	5	9 3	15	24	33	Without surgery	1,195	12.B	12.4	3	5	9	15	24
Without surgery	3,465	9.0	0.4		3	6	''	20	HYDRONEPHROSIS (590-594,601)								
ULCERATIVE (571)	0.055	B.	7.5	2	3	6	10	15	Total	1,545 950	15.3	12.5	3	6	11	20	36 36
Totol	9,B55 5,380	B.4 7.B	7.0	2	3	5	9	14	75 to 84 years 85 years and over	425 170	13.8 14.4	12.0 13.7	3 2	6 5	10	16 17	27 36
75 to 84 years	3,540	8.7	10.6	2 2	4	6 B	10 12	16 23	One diagnosis	415 1,130	11.9 16.5	9.3 13.3	2 3	5 7	9	16 21	23 37
One diagnosis			5.0 B.3	1 2	3 4		11	11 19	With surgery	405 1,140	19.6 13.7	13.7	5 2	9 5	16 10	25 18	39 28
With surgery	685 9,170		10.3 7.1	3 2	6 3	10	15 9	26 15	INFECTIONS OF KIDNEY (600)	1,140	13.7	11.7			.0		
DIVERTICULITIS (572.1)									Total	5,740	12.1	9.7	3	5	9	15	24
TotalAge:		9.B	9.3	2	1	7	31	19	65 to 74 years	2,920 2,190	11.7 12.7	9.5 10.1	3 3 3	5 5 5	B 9	14 16 14	23 25 25
65 to 74 years	4,170	10.6	7.7 10.6 11.4	2 2 3	4 5	å 7 9	11 12 14	17 21 26	B5 years and aver One diagnosis	1,595	9.6	9.0	3 3	5 5	7	12	18
One diagnosis	3,945		7.7 9.B	2 3		5	9	15 21	Two ar mare diagnoses	4,145 825	13.0	9.3	4	6	10	16 1B	27
With surgery	2,445	13.7	12.0	3	5	10	1B	27	Without surgery	4,915	11.B	9.7	3	5	8	14	23
Without surgery		B.7	B.0	2	4	6	10	16	CALCULI OF KIDNEY AND URETER (602)	4,480	9.5	B.2	2	3	7	12	19
Total	1,885	15.0	12.4	2	6	11	21	30	Age: 65 to 74 years		9.2	7.9 9.1	2 2 3	3 4	6 7	12 13	19 20
Age: 65 to 74 years	480	15.4 14.3	12.6 11.6	2 2	6		21 20	31 28	B5 years and over	100	12 4	7.1			10	17	23
85 years and over	25	*	14.0		1	*	19	25	One diagnosis	2,170 2,310	7.9 11.1	7.1 B.9	2		i	14	23
Two or more diagnoses	1,245	15.7	11.3	2 2	!	12	22	31	With surgery	2,345 2,135	12.1	B.5 6.9	1 1	5 2	10	16	11
With surgery		16.7	10.3	3 2	B 6		19	29									

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Average	Standard		Perce	ntiles	(doys)		Potient	Number of	Average	Standard		Percer	ntiles	(days)	
choracteristics	discharges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th	characteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
OTHER DISEASES OF KIONEY AND URETER (603,604)									OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	2,240	10.1	8.2	2	4	8	13	19	Total	1,990	8.3	6.2	2	3	6	10	15
65 to 74 years	1,400 ,720 120	9.4 10.6 15.5	6.6 8.5 16.5	2 2 2	3 5 5	8 8 12	13 13 18	18 19 25	65 to 74 years	1,425 485 80	7.6 9.8 10.5	5.4 7.7 6.2	2 2 2	3 4 4	6 7 9	9 12 16	14 21 19
One diagnosis	880 1,360	8.4 11.2	7.8 8.2	1 2	3 5	5 9	11 14	17 20	One diagnasis	1,065 925	7.1 9.6	5.3 6.9	2	3 4	5 7	9 12	13 18
With surgery	1,350 890	11.3 8.3	6.9 9.6	3	6 2	10 4	14 11	19 19	With surgery	1,385 605	7.9 9.0	6.5 5.4	2	3 5	5 8	10 11	16 14
Total	4,730	9.7	9.2	2	4	7	11	18	Total	4,665	12.2	5.7	7	8	11	14	18
Age: 65 to 74 years	2,495 1,790 445	8.9 9.9 13.2	8.2 7.7 16.0	2 2 3	4 4 4	6 7 8	11 12 14	16 19 25	Age: 65 to 74 years 75 to 84 years 85 years ond over	3,410 1,140 115	11.8 13.5 11.8	5.1 6.9 5.2	7 6 4	8 8 7	10 11 11	14 15 15	17 22 17
One diagnosis	1,465 3,265	6.9 11.0	5.4 10.1	2 3	3 5		9	13 20	One diagnasis	2,075 2,590	11.7 12.6	5.3 5.9	7 7	8	10 11	13 15	16 19
With surgery	2,210 2,520	9.0 10.3	7.9 10.1	2 3	3 4	6 7	11 12	18 18	With surgery	4,215 450	12.4 10.3	5.5 6.8	7 2	8	11 9	14 15	18 19
OTHER DISEASES OF BLADDER (606)									INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	910	12.5	10.0	2 2	5	9	16	26 29	Total	3,630	13.6	11.3	3	5	10	17	26
75 to 84 years	620 160	12.4 13.0	8.1 9.7	3 3	6 4	9	16 18	21 25	65 to 74 years	1,925 1,375 330	12.7 14.1 16.3	10.4 11.7 13.5	3 4 4	5 6 6	9 10 11	16 18 22	24 26 31
One diognosis	1,100	9.9 13.9	7.8 10.7	3	6	10	13 18	18 28	One diagnosis	1,245 2,385	10.6 15.1	9.5 11.8	3	4 6	7 11	12 19	21 29
With surgery	1,205 485	13.6 9.9	10.3 8.8	3 2	6 3	10 8	18 12	28 18	With surgery	870 2,760	16.6 12.6	13.6 10.3	3	6 5	11 9	21 16	35 24
URETHRA (607,608)									RHEUMATOIO ARTHRITIS (722.0)								
Total	2,975 1,920	8.4 7.5	6.9	2	3	5	10	16	Total	2,750 1,920	14.5	12.3	4	6	10	18	27 28
75 to 84 years	890 165	9.6 13.1	6.8 6.5	2 3	8	8	12 16	18 22	75 to 84 years	755 75	13.5	11.0 7.4	4	6 5	10 7	16 14	24 21
One diagnosis	1,060 1,915	7.0 9.2	6.2 7.2	1 2	2 4	5 7	8 12	13 17	One diognosis	760 1,990	13.4 14.9	11.2 12.7	3	5 6	9 11	18 18	27 27
With surgery	2,510 465	8.6 7.7	7.2 5.4	2 2	3	6	10 10	17 14	With surgery	505 2,245	20.0 13.3	18.5 10.0	4	6	12 10	26 16	53 25
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)									OSTEOARTHRITIS (ARTHROSIS) (723.0) Totol	5,540	12.2	9.8	3	5	9	15	23
Total	6,055	11.0	9.2	3	5	8	13	21	Age: 65 to 74 years	3,130	11.9	10.1	3	5	8	15	23
65 to 74 years	2,815 2,490 750	9.5 11.9 13.6	7.7 9.6 11.4	3 3 4	5 6	7 9	12 14 17	18 22 26	75 to 84 years	2,065 345	12.9 10.7	9.7 7.2	3	5	10	16	24 23
One diagnosis	2,060 3,995	8.6 12.3	7.1 9.8	3	4 5	6 9	10 15	16 23	One diagnosis	1,325 4,215	12.4 12.2	10.6 9.5	2	5	9	17 15	25 23
With surgery Without surgery	1,575 4,480	10.9 11.1	9.2 9.2	2 3	4 5	8 8	14 13	22 21	With surgery Without surgery SPONOYLITIS OSTEOARTHRITICA (723.1)	980 4,560	18.3 10.9	12.6 8.5	5	9 5	16 8	23	32 21
HYPERPLASIA OF PROSTATE (610)			0.7						Total	4,145	11.1	8.7	3	5	9	14	20
Total	9,795	13.0 12.1	8.7 7.9	4	7	11	16	23 21	Age: 65 to 74 years	2,505 1,395	10.8 11.4	8.1 9.6	3	5 5	8 9	13 13	19 21
75 to 84 years	5,985 1,200	14.1 14.6	9.5 9.6	4 5	7	11 12	17 18	26 27	85 years and over	245 835	13.0 9.7	7.7	4	6	11	16	25
One diagnosis	8,905 8,075	11.8 14.4	7.5 9.6	4	7 7	10 12	14 18	20 26	One diagnosis	3,310	11.5	9.0	3	5	9	14	18 21
With surgery	14,355 2,625	13.4 10.9	8.4 9.8	5 2	8 4	11 8	16 13	23 24	With surgery Without surgery ARTHRITIS (POLYARTHRITIS), UNSPECIFIED	3,745	16.9 10.5	7.5	3	5	13	20	29 19
OTHER OISEASES OF PROSTATE (611.612)									(725) Total	3,160	11.2	9.8	3	5	8	13	21
Total	1,600	8.8	6.6	2	4	6	10	19	Age: 65 to 74 years	1,975	10.9	9.4	3	5	8	13	19
65 to 74 years 75 to 84 years 85 years ond over	1,000 445 155	8.4 10.1 7.6	6.2 7.7 4.8	2 2 3	4 4	6 7 5	9 12 9	17 20 14	75 to 84 years	950 235	11.4	10.6	3	5	12	13	20 23
One diagnosis	580 1,020	7.6 9.5	5.5 7.0	2 2	3 4	6	10 11	15 20	One diagnosis	900 2,260	10.2	8.8 10.2	3	5	7 8	13	17 22
With surgery	740 860	9.9 7.8	7.1 5.9	2 2	4 4	7 6	14	20 13	With surgery	300 2,860	12.9 11.1	9.9 9.8	3	5	8	18	26 20

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

	<u></u>	A	Standard	Γ	Percei	ntiles	(days)					Chandand		Percer	ntiles	(days)	
Patient characteristics	Number af discharges	Average stay (days)	deviation (days)	10th	25th	50th	75th	90th	Patient characteristics	Number af discharges	Average stay (days)	Standard deviation (days)		25th		75th	90th
OCTTODOROGIC AND ATROPHY (722.2)									CVALDIDALS DEFEDABLE TO								
OSTEOPOROSIS AND ATROPHY (733.3) Tatal	2,605	13.9	11.2	3	6	11	18	27	SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Age: 65 ta 74 years 75 to 84 years 85 years and over	1,060 1,135 410	12.5 15.4 13.4	10.5 12.5 8.1	3 3 3	5 7 6	9 13 11	15 19 18	24 29 25	Tatal	995 485	9.0 8.1 10.7	7.1 6.8 7.4	1 1 2	2 5	6 5 8 9	13 12 16	18 16 21
One diagnasis	405 2,200	11.8 14.3	7.1 11.7	3 3	6	10 11	15 18	23 29	One diagnosis	130	9.3	6.6 7.2	1	2	6	14	19 18
With surgery	130 2,475	16.1 13.8	9.8 11.2	6 3	8 6	12 11	21 18	29 26	Two ar mare diagnases	295 760	9.7	6.1 7.2	2	5	9	13 16	18 21
DISPLACEMENT OF INTERVERTERRAL DISC	2,473	10.0							Without surgery	850	6.6	6.0	ĩ	2	4	8	15
(735) Tatal	2,350	15.3	10.9	4	8	12	19	27	OTHER GENERAL SYMPTOMS (780,781,787-789)								
Age: 65 to 74 years	1,795	15.5 14.3	11.5 8.6	4 5	8 8	12 12	19 17	27 25	Tatal	4,220 2,410	8.8	7.9 7.4	2	3	6	11	17 16
75 to 84 years	55	17.5	8.5	4	10	15	22	28	75 ta 84 years	1,435 375	10.0	8.2 8.4	2	4	8 7	13 13	20 18
One diagnasis	1,060 1,290	15.3 15.3	11.8	5	8	12 13	19	27 27	One diagnasis	2,995 1,225	7.9 11.0	6.8 9.6	1 3	3 5	5 8	10 13	16 19
With surgery	670 1,680	20.4 13.3	11.4 10.0	8 4	12	18 11	23 15	32 24	With surgery	925 3,295	9.7 8.5	9.4 7.3	2	3	6	13	21 16
SYNOVITIS, BURSITIS ANO TENOSYNOVITIS (741)									NERVOUSNESS AND DEBILITY (790)	3,273	6.5	/.3	· i	3			10
TatalAge:	1,710	7.2	5.9	1	2	5	10	14	Tatal	465	11.4	11.9	2	4	7	14	24
65 ta 74 years 75 ta 84 years 85 years and over	1,180 475 55	7.0 7.7 6.1	6.0 5.8 2.6	1 1 3	3 3	5 5 5	9 11 7	15 15 8	65 ta 74 years 75 ta 84 years 85 years and over	250 170 45	10.5 13.3 9.0	8.1 15.7 12.1	3 2 1	4	7 6 4	14 13 9	23 35 16
One diagnasis	875	5.7	5.5	1	2	3	7	12	One diagnosis	285	11.4	12.7	2	3	6	14	28
Twa ar more diagnases	835 825	8.7 6.0	5.9	2	4	7	11	16	Two ar mare diagnases	180	11.3	10.4	4	5	7	13	19
Without surgery	885	8.3	5.9	2	3	6	11	15	Without surgery	440	11.1	11.7	2	4	7	13	23
CONGENITAL MALFORMATIONS (750-759) Tatal	700	10.6	11.3	2	3	7	12	20	UREMIA (792) Tatal	430	11.6	11.7	1	1	7	15	30
Age: 65 to 74 years	500 175	10.8 10.1	12.7 6.7	2 2	3 5	6	12 13	22 17	Age: 65 ta 74 years	230 125	10.4 13.0	10.9 11.1	1	2 2	7 8	12	30 28
85 years and aver	25	*	*	٠ ا	•	*	*	*	85 years and over	75	12.7	14.6	i	î	3	17	31
One diagnasis	235 465	8.5 11.6	13.8 9.6	3	5	9	14	15 23	One diagnosis	225 205	8.1 15.4	9.0 13.2	i	4	10	11 26	22 36
With surgery	275 425	12.2 9.5	13.5 9.4	2 2	2	7	16 12	32 16	With surgery	45 385	18.3 10.8	13.7 11.3	1	6	11	32 15	36 27
SYMPTOMS REFERABLE TO CAROIOVASCULAR AND LYMPHATIC SYSTEM (782)					,				SENILITY WITHOUT MENTION OF PSYCHOSIS (794)	200	11.4	10.7	,	2	7	12	21
Total	1,130	7.3	6.9	1	2	4	9	16	Tatal	290	11.6	9.4	1	3 5	7 11	13	31 24
65 to 74 years	680 380 70	7.3 7.6 5.1	6.9 7.1 4.1	1 1	3 2	5 4 3	10	17 13 12	75 ta 84 years	115	12.4 10.0	12.1 9.5	1	1	7	13 12	32 23
One diagnasis	695	6.7	6.2	1	2	4	9	13	One diagnasis	125 165	12.2 11.1	11.3 10.2	1	4 2	9	13 13	31 27
Twa ar mare diagnoses	435 110	8.1 8.8	7.7 6.5	1	2	8	12	19	With surgery	5 285	11.7	10.8	1	3	* 8	13	* 31
Without surgery	1,020	7.1	6.9	,	2	4	9	14	OTHER AND ILL-DEFINEO DISEASES (791,793,795)								
SYSTEM (783)	2,455	6.4	6.6	,	2	4	7	11	Tatal	1,685	8.3	8.5	1	2	5	11	19
Tatal	1,700	6.0	6.3	1	2	4	7	10	65 ta 74 years	1,180 400	7.8 9.7	7.1 10.3	1	2	5 6 2	10 12	17 22
75 ta 84 years	555 200	6.7 9.0	5.6 9.5	2	3	6	10	12 16	85 years and aver One diagnosis	1,220	8.2 7.3	13.3	1	2	4	9	14 17
One diagnasis	1,910 545	6.5 6.2	6.8 5.6	1	2 2	4	7	11 12	Two ar mare diagnoses	465 345	10.8	9.0	2	2	8	13	22
With surgery	390 2,065	7.6 6.2	11.3 5.2	1	3 2	5	8 7	10 11	Without surgery	1,340	8.3	8.0	i	2	5	11	19
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)									FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	4,160	7.9	7.8	1	3	5	9	16		3,750 1,620	16.5	11.4 12.4	5	8	13 13	20	30 31
Age: 65 ta 74 years	2,565 1,250	7.3 8.3	6.7 7.3	1	2 3	5	9	14 18	65 to 74 years	1,625 505	16.2 15.8	11.0 9.2	5	9	14 14	19 22	29 25
85 years and over	345	11.1 7.6	13.9 7.5	1	3	5	9	23 15	One diagnasis	1,390 2,360	13.8 18.0	8.3 12.7	4	7 9	12 15	17 22	26 33
Two ar more diagnoses	1,125	8.6	8.7	2	3	6	9	18 24	With surgery	255 3,495	24.0 15.9	16.4 10.8	4 5	10	19 13	38 19	45 28
With surgery		7.4	7.3	i	3	5	8	14	Timour surgery	3,473	, 13.7	10.0	, ,	U		'''	20

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Average stoy	Standard deviation		rerce	inies	(doys)		Patient	Number of	Averoge stoy	Standard deviation		Perce	ntiles	(doys)	
chorocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75íh	90th	chorocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)									HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Torol	2,255	12.6	12.1	2	4	9	14	26	Total	2,370	9.9	9.8	1	3	6	12	2:
65 to 74 years	1,095 890 270	11.5 13.4 14.6	10.2 13.7 13.0	2 2 2	5 5	8 9 10	14 14 17	24 26 32	65 ta 74 years	1,240 895 235	8.9 11.1 10.1	8.5 11.5 8.4	1 1 1	3 3 3	6 7 7	11 15 15	21 25 19
One diagnosis	515 1,740	9.6 13.5	10.5 12.4	2 2	3 5	7 10	11 16	15 28	One diagnosis	455 1,915	10.2 9.8	11.6 9.3	1	2 3	5 7	12 12	23
With surgery	255 2,000	18.1 11.9	17.7 11.0	2 2	5 4	10 8	30 14	43 24	With surgery	540 1,830	13.9 8.7	13.5 7.9	1	3	6	20 11	3'
FRACTURE OF PELVIS (808) Total	1,730	21.9	15.2	6	11	18	27	43	LACERATION AND OPEN WOUND (870-898)								
Age: 65 to 74 years	585	23.4	15.2	8	12	20	29	39	Total	2,260	8.9	9.9	1	2	6	11	18
75 to 84 years	785 360	20.3 23.2	14.0 17,4	6 4	10	16 21	24 28	42 51	65 to 74 years	1,415 680 165	7.9 9.9 13.6	7.4 11.0 18.5	1 1 2	2 2 3	5 7 7	10 13 15	16 26 26
One diagnosis	755 975	18.9 24.3	12.9 16.4	6 7	12	16 20	24 31	33 51	One diognosis	775	6.7 10.1	7.3 10.9	1	1 3	4 7	8 13	16
With surgery	145 1,585	30.3 21.2	18.8 14.6	8 6	17 10	21 18	41 27	59 41	Two or more diagnoses	1,485 1,090 1,170	9.1 8.7	11.7	1	2 3	5 6	12 11	18
FRACTURE OF HUMERUS (812)	2,670	122	,,,			9	17	20	SUPERFICIAL INJURY (910-918)		3						
Totol	1,175	13.3	12.6	2	3	8	17	30	Total	240	6.5	4.4	1	2	5	8	13
75 to 84 years	1,145	13.6 13.6	12.6 12.2	2 2	4	8	17 18	30 34	65 ta 74 years 75 ta 84 years 85 years and over	115 110 15	6.0 7.2	4.1 4.6 *	1 2 *	2 3 *	5 5 *	8 9	11 14
One diognosis	1,495	10.4 17.3	10.7	3	5	13	12 24	22 34	One diagnosis	45 195	3.9 7.1	2.8 4.5	1 2	1	3 6	4 9	14
With surgery	1,015	13.3 13.3	11.8 13.2	2 2	5 4	8	18 17	29 31	With surgery	5 235	6.6	4.4	1	3	5	8	13
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)									CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)	235	0.0	4,4		3	3	0	
Total	1,980	8.3	9.0	1	2	5	9	19	Total	4,015	10.1	8.7	2	4	7	12	20
65 to 74 years	1,180 620 180	7.3 10.0 9.3	8.1 9.9 10.2	2 2	3 3	6 7	9 12 9	16 21 16	Age: 65 to 74 years 75 to 84 years 85 years and over	1,880 1,645 490	8.8 11.6 10.3	7.0 9.9 9.4	2 3 2	4 5 3	6 9 6	11 14 15	17 22 23
One diagnosis	1,090	5.5 11.8	4.9 11.4	1 2	3	3 8	7 15	11 29	One diagnosis	810 3,205	7.0 10,9	4.8 9.3	2 2	3 4	5 8	8	12 22
With surgery	1,365 615	7.7 9.8	8.8 9.4	1	3	7	8 12	16 22	With surgery	410 3,605	12.9 9.8	11.2 8.3	3	6	10 7	16 12	21 20
FRACTURE OF FEMUR (820,821)			,,,,		,,				ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES								
Total	16,370 5,230 7,300	23.0 22.8 23.3	15.5 16.1 15.4	6 7	12 12 13	19 18 20	29 30 29	43 44 44	(960-989)	1,885	8.2	7.5	2	3	5	10	17
85 years and over	3,840	22.6	15.0	6	12	19	29	42	Age: 65 to 74 years	1,070	7.9	8.0	1	3	5	9	15
One diognosis	10,030 6,340	22.0 24.5	15.9	6 7	12	20	31	41 47	75 to 84 years	645 170	8.2 10.1	6.2 8.8	1	3	6	11	16 22
With surgery	12,195 4,175	23.0 22.8	13.9 19.6	9	13	19 17	28 32	40 51	One diognosis	530 1,355	6.0 9.1	5.3 8.1	2	3	6	11	12 19
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)									With surgery	100 1,785	9.7 8.1	8.2 7.5	2 2	4	6 5	12 10	21 16
Total	3,865	13.3	11.6	2	5	9	17	27	COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
65 to 74 years	2,435 1,205 225	12.4 14.3 18.3	10.0 12.3 19.4	2 2 3	5 5 6	10 9 11	15 19 20	24 34 53	Total	1,890 1,080	10.4 9.7	10,3 9,4	2	3	6	13 13	22
One diagnosis	2,150 1,715	11.5 15.5	9.6 13.5	2 3	4 5	9	14 21	22 31	65 to 74 years	690 120	11.6 10.2	11.3 11.7	2 1	3	6 8 5	15 9	25 25
With surgery	2,155 1,710	13.7 12.8	11.4 11.9	3 2	5 4	10 9	17 17	27 27	One diagnosis	1,115 775	9.8 11.2	10.9 9.4	2 2	3 4	5 8	13 14	22 23
SPRAINS OF BACK (846,847)			8						With surgery	660 1,230	11.4 9.9	8.6 11.1	2 2	4 3	9 5	16 12	23 22
Totol	2,475	10.2	7.3	3	5	8	13	19							لـــــــ		
65 to 74 years	1,445 870 160	9.5 11.0 12.1	6.6 8.2 6.8	2 3 4	4 5 7	7 8 11	12 14 13	17 22 20									
One diognosis	800 1,675	9.0 10.8	6.7 7.5	2 3	4 5	7 9	12 13	16 21									
With surgery	125 2,350	13.8 10.0	9.2 7.1	3	6 5	12 8	18 12	22 19									

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Property Property			Average	Standard	<u> </u>	Perce	ntiles	(doys)				Averoge	Standará		Percer	ntiles	(doys)	
Taylor 1	Potient chorocteristics	Number of dischorges	stoy	deviation	10th	25th	50th	75th	90th	Potient characteristics	Number of dischorges	stoy	deviation	10th	25îh	50th	75th	90th
## 1																		
9 of the former 196 113 113 124 125		2,490	12.1	13.0	2	4	7	14	27		420	16.3	13.6	3	6	12	22	32
The price degrees 1.46 1.47 1.28 1.1 2 4 8 14 2 5 5 2 4 17 2 3 3 Without unitary 2008 1.5 1.2 2 3 1.5 2 3 3 Without unitary 2008 1.5 1.5 2 3 3 3 3 3 3 3 3 3	65 to 74 years		13.0	15.3	1		7	13	36	65 to 74 years	165			3 2				33 26
Member September One diagnosis				1 2					One diognosis			12.6 14.2			13 10	23 20	32 32	
Part	With surgery					4				With surgery						21 9		
## Separation 15.0 10.2										MALIGNANT NEOPLASM OF PANCREAS (157)								
25 16 16 17 18 18 18 18 18 18 18	Age:		l				1				760	18.6	15.6	4	10	15	23	29
March Marc	75 to 84 years	220	12.0	6.9	4	8	10	13	20	65 to 74 years	290	17.4	11.3	4	9	15	24	27
Weishour Surgery	One diognosis									One diognosis	335	18.9	16.1	4	10	16	22	27
MALIGNAT NORASM OF SILCAL CAVITY AND PLANS OF SI	With surgery									With surgery	370	22.9	15.5	10	13	19	26	37
Age Color	CAVITY AND PHARYNX (140-148)									MALIGNANT NEOPLASM OF BRONCHUS,	390	14.5	14.5	3	3		"	20
S Del Hyeris	Age:			i	1	'				Total	2,265	15.9	14.1	2	6	11	21	36
Well surgery 425 148 151 20 31 64 67 74 75 75 75 75 75 75 7	75 to 84 years	235 95	15.5 14.4	17.1			12	20 19	32 24	65 to 74 years	635	14.8	12.8	2 2 2	5	10	18	34
MALIGNATI NEPLASM OF ESDMACUS MALIGNATI NEPLASM OF ESDMACUS Totol	Iwo or more diagnoses	320	15.7				12	20	31	One diognosis					5			36 35
Totol	Without surgery									With surgery				3 2	8 5			38 33
Age	(150)											:						
25 to 84 years 120 17.0 16.3 1 4 9 22 34 65 to 24 years 960 15.2 11.1 5 8 12 17 73 Free Grand dorse 15 7 18 18.3 2 7 14 28 28 18 28 28 28 28 28	Age:				ì						1,545	15.2	11.8	5	8	12	17	27
Prof. diagnosis 175 19,8 16,3 2 7 14 28 18 18 18 18 18 18 18	75 to 84 years		17.0		1	4		22	34	75 to 84 years	450	15.8	13.5	6	8	-11	17	31
Without surgery. 155 19.6 12.4 2 7 18 30 35	One diagnosis			16.3 12.8	2 1					One diognosis			12.5	3 6				25 30
MALIGNANT NEOPLASM OF STOMACH (151) Totol	With surgery				2 1					With surgery				7 2				24 34
Age: Age: Comparison Com	(151)									MALIGNANT NEOPLASM OF CERVIX								
75 to 84 years	Age:					7				Total	765	10.1	9.5	2	4	6	12	20
One diagnosis 165 167 14.1 3 7 12 20 38 Two or more diagnoses 295 11,7 13.2 3 7 12 20 38 With surgery 270 21.2 14.1 6 11 17 25 33 7 12 20 34 7 12 22 4 5 12 17 With surgery 270 21.2 14.1 6 11 17 25 33 33 8 15 27 With our surgery 445 10.7 10.4 3 4 7 12 20 With surgery 445 10.7 10.4 3 4 7 12 23 7 20 4 5 12 17 Totol 2,200 18.8 13.4 3 9 16 23 36 Age 7 7 2 4 5 12 19 16	75 to 84 years	145				6		23		65 to 74 years	225	8.4	6.2			6		16
With surgery	One diagnosis					7 7				One diagnosis	415	9.0	7.9	2 2				17
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153) Totol	With surgery					11		25 15		With surgery	445	10.7	10.4		4	7	12	19
Age: 65 to 74 years	EXCEPT RECTUM (152,153)							~		MALIGNANT NEOPLASM OF UTERIJS	920	7.2	,					2,
75 to 84 years	Age:				3						445	12.4	9.3	3	6	9	16	22
One diognosis 910 18.5 14.6 2 7 16 22 38 0 ne diagnosis 205 9.2 5.9 3 5 8 11 15 Two or more diagnoses 1,290 19.1 13.2 3 8 17 26 37 One diagnosis 205 9.2 5.9 3 5 8 11 15 With surgery 1,250 21.0 10.2 8 14 18 26 37 With surgery 340 11.8 7.0 4 7 9 15 21 Without surgery 340 11.8 7.0 4 7 9 15 21 MALIGNANT NEOPLASM OF RECTUM (154) 105 4 7 9 15 21 Age: 575 22.3 15.7 3 11 21 29 36 65 to 74 years 370 22.5 17.3 3 8 21 28 36	75 to 84 years	745	17.7	13.6	2	5	16	23	37	65 to 74 years	155	14.0	11.7	3	7	9	16	22
Without surgery 950 16.1 17.1 1 4 9 22 39 With surgery 330 11.8 7.0 4 7 9 15 21 MALIGNANT NEOPLASM OF RECTUM (154) 575 22.3 15.7 3 11 21 29 36 MAL. NEOPLASM OF OVARY, FAILDPIAN TUBE & BROAD LIGAMENT (175) 12.0 5 8 14 23 32 65 to 74 years 370 22.5 17.3 3 8 21 28 36 Age: 305 17.7 12.0 5 8 14 23 32 65 to 74 years 370 22.5 17.3 3 8 21 28 36 Age: 305 17.7 12.0 5 8 14 23 32 75 to 84 years 20 14.0 10.8 3 3 8 20 30 36 65 to 74 years 220 18.1 12.7 5 7 13 24 <t< td=""><td>Two or more diagnoses</td><td>1,290</td><td>19.1</td><td>13.2</td><td>3</td><td></td><td>17</td><td>26</td><td>37</td><td>One diagnosis</td><td>205 240</td><td></td><td></td><td></td><td>5 9</td><td></td><td></td><td></td></t<>	Two or more diagnoses	1,290	19.1	13.2	3		17	26	37	One diagnosis	205 240				5 9			
MALIGNANT NEOPLASM OF RECTUM (154) Total	Without surgery				8					With surgery				4 2			15 19	
Total										MAL. NEOPLASM OF OVARY, FALLOPIAN					Į.			
75 to 84 years 155 24.8 11.4 14 17 22 30 38 65 to 74 years 220 18.1 12.7 5 7 13 24 33 85 years and over 250 14.0 10.8 3 3 8 20 30 75 to 84 years 80 15.8 9.5 2 8 14 22 25 8 25 8	Age:							- 1		Total	305	17.7	12.0	5	8	14	23	32
One diognosis 250 21.1 15.1 2 8 20 27 36 Two or more diognoses 325 23.3 16.0 4 12 22 30 35 One diognosis 100 20.2 15.8 4 6 12 27 45 With surgery 410 24.3 13.4 7 16 22 30 35 100 20.2 15.8 4 6 9 14 22 26 Without surgery 410 24.3 13.4 7 16 22 30 35 With surgery 165 20.3 11.3 8 12 17 24 31	75 to 84 years	155	24.8	11.4	3 14 3	17	22	30 !	38	65 to 74 years	80		12.7 9.5	5 2		13		33 25
With surgery 410 24.3 13.4 7 16 22 30 35 Without surgery 165 17.5 19.4 1 3 8 24 43 With surgery 165 20.3 11.3 8 12 17 24 31	One diognosis									One diognosis	100				6		27	
	With surgery						22 8		35 43	With surgery	165	20.3	11.3	8	12	17	24	31

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stoy	Standard deviation		rercer	ntiles T	(aoys)		Potient	Number of	Averoge stoy	Standard deviation		Percer	itiles	(aays)	
chorocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	(doys)	(days)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)									OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	2,875	12.7	10.6	3	6	10	15	24	Total	665	15.9	16.4	2	4	10	21	35
65 to 74 years	1,255 1,320 300	12.8 12.7 12.5	10.9 10.5 9.5	4 3 2	6 6 5	10 10 10	14 15 15	24 23 23	65 to 74 years	425 200 40	15.9 16.1 15.1	17.2 15.2 12.4	1 2 2	4 4 3	9 11 8	18 22 23	38 32 33
One diagnosis	1,095 1,780	10.8 13.9	8.0 11.7	2 4	6	9	12 16	20 26	One diognosis	305 360	12.7 18.6	14.6 17.3	1 2	3 5	8 11	15 29	26 39
With surgery	1,625 1,250	13.4 11.9	9.5 11.8	6 2	8	10	15 14	23 26	With surgery	150 515	23.1 13.8	20.9 14.1	2	8 4	15 7	29 18	49 33
MALIGNANT NEOPLASM OF KIONEY AND URETER (180)									8ENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	350	16.4	11.1	3	6	14	25	32	Total	350	12.4	9.8	2	5	10	17	21
65 to 74 years	190 155 5	18.6 13.2	11.1	5 2 *	10 3 *	15 9 *	26 20 *	34 28 *	65 to 74 years	265 70 15	12.8 10.4	10.9 5.4	3 *	5 *	10	17 14 *	23 17
One diognosis	160 190	13.2 19.0	8.8 12.1	3 3	5 7	11 17	16 28	26 35	One diognosis	150 200	12.6 12.2	12.0 7.9	1 3	3 5	10 10	16 17	19 22
With surgery	175 175	20.6 12.1	11.0 9.4	9 2	12 4	17 7	28 17	36 27	With surgery	270 80	13.6 8.4	10.2 7.1	3	6 2	11 5	17 12	22 19
(181.0) Totol	1,130	11.5	10.8	2	4	9	15	23	Total	195	6.8	4.9	1	2	6	9	13
Age: 65 to 74 years	565 445	10.6 11.9	10.3 11.5	1 2 3	4 3	8	13 17	20 23	65 to 74 years	130 55 10	5.5 7.7 *	3.5 4.8	1 2 *	2 2 *	5 6 *	7 11	10 13
85 years ond over	120 615 515	9.5 13.9	9.3 8.7 12.4	1 3	7 2 5	6	18 12 17	28 22 23	One diognosis	105 90	5.5 8.4	4.6 4.7	1 2	1 4	4 7	7 12	11 14
With surgery	850 280	11.5	11.0	2 2	4 4	8	15 16	23 24	With surgery	150 45	6.2 9.0	4.2 6.0	1 2	2 2	5 8	7 13	12 15
MALIGNANT NEOPLASM OF SKIN (190,191)									8ENIGN NEOPLASM OF UTERUS (214,215)								
Total	1,940	7.5	9.0	1	2	4	8	17	Total Age: 65 to 74 years	275	8.5 8.7	5.3 5.5	2 2	3	7	12	15
75 to 84 years	900 795 245	7.7 7.5 6.6	9.3 8.5 9.1	1 1 1	2 2 1		9 8 7	16 17 14	75 to 84 years	45 -	7.3 —	4.2	-	3 -	- 6	9	13
One diognosis	1,145 795	6.6 8.8	8.2 9.8	1	2 2	3 4	7 10	14 22	One diognosis	100 175 250	8.8 8.3	4.9 5.6 5.5	2 2 2	3	8 5 7	11 12 12	13 16
With surgery	1,705 235	6.9 11.9	8.1 13.1	1	2 2	3 8	7 14	16 31	With surgery	25	8.6	3.3	*	3 *	•	*	15
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONOARY SITES (199)									Total	295	5.0	3.2	1	2	4	6	9
Totol	2,185	16.4	14.5	2	6	11	21	36	65 to 74 years 75 to 84 years 85 years ond over	245 50	5.1 4.1 —	3.3 2.2	1 1	2 2	4 3 -	7 5 —	10 7
Age: 65 to 74 years	1,175 775 235	17.4 14.8 17.0	14.7 14.5 13.0	3 2 2	7 5 6	io	23 18 24	39 30 33	One diognosis	185 110	5.1 4.7	3.5 2.4	1	2 2	3 4	7	9
One diognosis	1,175 1,010	13.7 19.6	11.1 17.1	2	5 7	10	17 25	30 45	With surgery	295 -	5.0 —	3.2 -	1	2 -	4	6	9
With surgery	590 1,595	17.7 15.9	14.9 14.4	2 2	7 6	13 11	23 19	39 35	NEOPLASMS OF UNSPECIFIED NATURE OF THE 8LADDER (236.2)								
LYMPHOSARCOMA ANO RETICULOSARCOMA (200)									Total	190	7.3	6.6	1	2	5	8	19
Total	400	15.3	11.8	4	7	11	19	31	65 to 74 years	115 25 50	6.9 9.7	5.9 8.1	2	2 * 2	5	7 * 15	17 * 21
75 to 84 years	295 75 30	14.4 17.3 20.2	11.3 11.4 15.3	4 5 8	6 7 8	11	18 26 18	29 31 39	One diognosis	155 35	6.7 9.7	6.7 5.0	1 2	2 4	4 7	7	18 15
One diognosis		14.6 16.1	9.4 13.9	4 4	7 7	n	21 19	27 34	With surgery	175 15	7.0	6.6	1	2	4 .	8	19
With surgery	145 255	16.4 14.8	10.1 12.6	5 4	7 7	13 9	25 18	31 29	ASTHMA (241)		15.5					10	
LEUKEMIA ANO ALEUKEMIA (204)									Tatal	1,460 975	10.2 8.9	6.2	2	4	8 7	12	19
Total	1,150	12.0	13.1	2	4		15	24	75 to 84 years	415 70	12.4 15.0	11.9 10.0	3 2	5 5	8 11	14 23	29 29
65 to 74 years		9.6 15.4 10.1	7.1 14.8 6.2	1 3 2	4 4 5		13 20 14	19 32 18	One diagnosis	525 935	9.2 10.7	8.4 8.7	2 2	4 5	6 8	10 13	18 19
One diognosis	595 555	10.4 13.7	9.6 12.3	1 2	4 5	7 9	13 19	20 29	With surgery	90 1,370	19.3 9.6	16.0 7.5	6 2	7 4	15 7	22 11	39 18
With surgery	115 1,035	17.0 11.4	9.6 11.2	4 2	7 4	15	25 14	28 21									

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	5tandard	l	Perce	ntiles	(doys)				Averoge	Standard	Γ-	Percer	ntiles	(doys)	
Potient charocteristics	Number of dischorges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th	Patient charocteristics	Number of dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th
015EASES OF THYROIO GLAND (250-254)									CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Tatal	820 600	11.7	8.8	3	5	8	15	22 23	Total	1,410	14.0	12.6	3	5	10	17	30
65 to 74 years 75 to 84 years 85 years and over	200 20	14.1	8.3	4	7	13	17	20	65 to 74 years 75 to 84 years 85 years ond over	500 670	14.6 14.0	12.9 12.9	3 3 3	6 5 5	10	17 18	34 29
One diognosis	340 480	8.5 14.0	5.8 9.7	3	5 6	6 13	9 17	14 24	One diagnosis	240 430 980	13.0 14.2 14.D	11.4 14.6 11.7	2 3	5	10 8 10	15 16 17	24 32 29
With surgery	440 380	10.8 12.8	9.D 8.3	4 2	5	12	12 17	19 24	With surgery	90	18.8 13.7	12.2 12.6	1 3	6	18 10	28 16	30 30
OIA8ETES MELLITU5 (260)									P5YCHOTIC AND P5YCHOPHY5IOLOGIC	1,320	13.7	12.0	3	,	10	10	30
Total	9,150 5,460	11.9	9.8	3	5	9 8	15	23	0150R0ER5 (318-323) Total	375	17.5	13.7	3	6	13	26	34
65 to 74 years 75 to 84 years 85 years ond over	3,170 520	12.6 10.5	11.0	3 2	5	9 8	16	24 21	Age: 65 to 74 years 75 to 84 years	295	17.3	12.5	3	6	13 17	26	33
One diagnosis	2,225 6,925	10.2 12.5	8.9 10.1	2 3	4 5	7 9	12 16	20 24	85 years and over	55 25	24.0	18.2	2 *	11	*	31	34
With surgery	1,130	18.1	13.2	4 3	8	14 8	24	35	One diagnasis	215 160	18.8 15.9	15.0 11.5	4 2	6 5	14 13	29 25	37 33
Without surgery	8,020	11.0	8.9	3	5	°	13	21	With surgery	15 360	18.D	13.8	3	6	14	26	34
(286)	560	12.7	11.4	2	5	9	16	27	PSYCHONEUROTIC 0150R0ER5 (324)								
Age: 65 to 74 years	225	14.4	9.4	5	7	10	20	30	Total Age:	1,640	12.2	11.4	2	4	8	15	26
75 to 84 years	235 100	11.1	12.0 13.2	1 2	4	10	12	21 20	65 to 74 years 75 to 84 years 85 years and aver	1,155 425 60	13.0 10.5 10.3	12.0 9.3 12.8	2 2 2	4 4 2	9 7 5	16 12 8	28 22 23
One diagnosis	420	9.5 13.8	8.8 11.9	1 2	5	8 9	12 17	16 32	One diagnosis	665 975	12.3 12.2	12.0 11.0	2 2	4 4	8 8	16 14	26 27
With surgery	35 525	20.7 12.2	12.D 11.1	4 2	5	17 9	29 14	33	With surgery	35 1,605	17.1 12.1	14.5 11.3	5 2	7	9 8	18 15	37 26
GOUT (288)									CEREBRAL HEMORRHAGE,	1,803	12.1	11.3	2	4	٥	13	20
TotalAge: 65 to 74 years	330 185	9.0	5.5	4 2	6	7	10	14	NONTRAUMATIC AND STROKE (331,334.8)								
75 to 84 years	115	8.9 7.5	2.4 4.4	6 3	7	8 5	9	13	Total	9,040	14.1	13.6	1	4	10	19	32
One diagnosis	70 260	8.0 9.3	2.4 6.0	3 4	5 6	8 7	10 11	11 15	65 to 74 years 75 to 84 years 85 years and over	3,665 3,890 1,485	12.6 14.8 16.3	12.6 13.5 15.5	1	4 5 4	10 11	16 19 23	28 34 33
With surgery	30 300	16.3 8.3	12.5 3.5	5 4	6	11 7	15 10	32 13	One diognosis	4,035 5,005	12.7 15.3	12.6 14.2	1	3 5	8 10	16 20	31 33
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)									With surgery	340 8,700	18.6 14.0	14.8 13.5	2 1	6 4	14 9	28 18	42 31
Total	495	11.1	7.8	3	6	9	13	20	CEREBRAL EMBOLI5M AND THROMBO515 (332)								
Age: 65 to 74 years	205 260	12.7 10.1	9.4 6.2	3 3	7 5	10 8	13 13	29 19	Total	4,070	15.2	13.3	2	6	11	20	32
85 years and over	180	9.8	6.2	5 2	5	6	10	19	Age: 65 to 74 years	1,545 1,885	15.0 15.1	13.7 12.8	3 2	5 6	11 11	19 19	29 32
Two or more diognoses	315	12.7	7.9	5	7	10	14	20	85 years and over	640	15.8	13.6	1	6	10	25	34 29
With surgery	65 430	15.6	13.1	3	6	12	12	38 19	Two or more diagnoses	1,525 2,545	13.6 16.1	11.4	2	6	12	18 21	34
IRON DEFICIENCY ANEMIAS (291)	87D	9.3	6.0	2	4	8	12	16	With surgery	160 3,910	23.4 14.9	20.7 12.8	4 2	7 6	15 11	32 19	55 30
Totol	325	10.1	6.9	2	4	9	14	15	CERE8RAL ARTERIO5CLERO5I5 (SO 5PECIFIED) (334.0)								
75 to 84 years		8.8 8.8	5.5 4.9	2 4	4	7	12	16 16	Total	4,420	10.9	9.3	3	4	8	13	22
One diognosis	665	6.0 10.3	3.6 6.2	3	3 5	4 9	8 14	12 17	65 to 74 years	1,605 2,115 700	1D.3 11.4 11.0	9.7 9.2 8.7	2 3 2	4 5 4	7 8 8	12 14 14	22 22 23
With surgery		14.0 8.6	9.5 5.0	3 2	8 4	12 7	15 12	24 15	One diagnosis	1,460 2,960	8.5 12.1	7.0 1D.D	2 3	3 5	6 9	10 14	17 24
OTHER ANO UNSPECIFIED ANEMIAS (292,293)									With surgery	220	16.7	10.6	5	8	12	24	32
Total	2,255	11.1	11.3	2	4	8	13	22	PARALY515 AGITAN5 (350)	4,200	10.6	9.2	2	4	7	13	21
65 to 74 years	980	1D.8 10.9	11.0	1 2 3	4	8	13	21 22 29	Total	1,250	15.1	11.0	4	6	12	20	30
85 years and over One diagnosis	725	8.7 12.2	7.6 12.6	1 2	4 4	6 8	16 10 14	17 23	Age: 65 to 74 years 75 to 84 years 85 years ond over	780 435 35	14.9 15.6 13.D	10.7 11.6 9.6	4 4 2	7 5 4	12 11 8	19 22 15	30 33 26
With surgery	225	13.2	8.6	4	5	10	19	24	One diagnosis	540 710	14.5 15.6	9.3 12.0	3 4	7 6	12 12	2D 21	25 31
Without surgery	2,030	10.9	11.6	2	4	7	13	21	With surgery	60	21.6	11.4	5	8	23	3D	31
									Without surgery	1,190	14.8	10.9	4	6	12	19	29

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Perce	ntiles	(doys)		Potient	Number of	Averoge	Standard		Percer	ntiles	(doys))
chorocteristics	dischorges	stoy (doys)	deviation (days)	10th	25th	50th	75th	90th	chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
NEURALGIA AND NEURITI5 (360-366)									ALL OTHER MYOCAROIAL DEGENERATION (422.0,422.9)								
TotolAge:	1,390	10.0	6.9	3	4	8	13	18	Totol	1,090	13.6	12.9	3	6	10	15	25
65 to 74 years	865 475	10.5 8.9	7.5 5.2	3	4	8 7	13 12	20 15	Age: 65 to 74 years	460	11.1	7.6		5	9	14	19
85 years and over	50	10.4	6.7	3 2	4	8	11	22	75 to 84 years	455 175	14.0 19.3	14.5 17.2	3 3 4	6	13	16 26	29 45
One diagnosis	535 855	8.6 10.8	5.4 7.4	3	5	9	10	15 20	One diognosis	360 730	13.1 13.9	16.6 10.6	1	4 7	8	13 16	23 27
With surgery	160 1,230	8.4 10.2	4.9 7.0	3	5	7 8	10	17 19	With surgery	35	25.0	26.4	3	8	14	24	52
CATARACT (385)									Without surgery	1,055	13.3	12.0	3	6	10	15	25
Total	7,620	7.6	3.6	4	5	6	8	12	FUNCTIONAL DISEASE OF HEART (433)	2140	9,9		1	4	7	13	19
Age: 65 to 74 years	3,825 3,345	7.4 7.7	3.5 3.6	4	5	6 6	8 9	11 12	Age: 65 to 74 years	3,140 1,635	9.3	8.3 7.9	,	4	,	12	18
85 years and over	450	7.8	4.5	4	5	6	9	12	75 to 84 years	1,285	10.5 10.8	8.7 8.5	2	4	8 8	13	19 23
One diognosis	6,115 1,505	7.5 8.0	3.2 4.7	4 3	5	6	8	11 14	One diognosis	960	7.8	6.7	1	3	6	10	16
With surgery	7,360	7.6	3.5	4	5	6	8	12	Two or more diognoses	2,180	10.8	8.8	2	4	8	14	20
Without surgery	260	5.7	4.2	'	'	5	8	11	With surgery	405 2,735	12.9 9.4	10.0 7.9	3	5 3	10 7	16 12	26 18
GLAUCOMA (387) Totol	770	7.2	5.1	2	3	5	9	14	CONGESTIVE HEART FAILURE (434.1)								
Age: 65 to 74 years	360	6.7	4.4	2	3	5	9	13	Totol	6,450	11.8	10.2	2	5	9	15	24
75 to 84 years	375 35	7.2 12.1	5.6 4.1	6	3 6	10	9	13 16	65 to 74 years	2,685 2,810	11.1 12.4	9.5 10.6	2	5 5	8 9	14 14	21 24
One diagnosis	490	6.3	3.7	2	3	5	8	11	85 years ond over	955	12.2	10.6	1	4	8	18	26
Two or more diognoses	280	8.6	6.6	2	3	6	12	17	One diognosis	2,555 3,895	10.6 12.6	9.0 10.8	2	5	8 9	13 16	21 26
With surgery	540 230	7.0 7.5	4.0 6.9	1	2	5 4	וו	12 15	With surgery	255 6,195	16.7 11.6	12.8 10.0	3 2	7 5	14 8	20 14	29 23
CHRONIC RHEUMATIC HEART OISEASE (410-416)									HYPERTENSIVE HEART DISEASE (442,443)	0,173	11.0	10.0		3	ľ	1	23
Totoi	300	14.2	13.6	2	5	10	16	35	Total	7,320	11.9	10.4	3	5	8	14	24
Age: 65 to 74 years	180	15.2	14,1	3	6	11	17	32	Age: 65 to 74 years	3,595	11.1	9.1	3	5	8	13	21
75 to 84 years	120	12.7	12.7		5	8	14	34	75 to 84 years	3,130 595	12.2 14.8	11.1 13.2	2	5 6	10	15 19	26 28
One diagnosis	35 265	10.6 14.7	5.7 14.3	1 2	4 5	10	15 16	17 37	One diognosis	1,155 6,165	10.2 12.2	9.9 10.4	2	4 5	7 9	12 15	19 24
With surgery	5	*	*	. 2		9	1.5		With surgery	420	16.7	11.5	4 3	8	14	22	30 23
ARTERIOSCLEROTIC HEART DISEASE 50	295	13.7	13.3	2	5	,	15	29	OTHER HYPERTENSIVE OISEASE (446,447)	6,900	11.6	10.2	3	2	8	14	23
0ESCRI8EO (420.0)									Total	4,145	10.0	9.0	2	4	7	12	20
TotalAge:	15,270	11.5	9.5	3	5	9	14	22	Age: 65 to 74 years	2,200	9.5	8.6	2	4	7	11	19
65 to 74 years	6,025 6,530	10.7 11.9	8.9 9.6	3	5	8 9	13 15	21	75 to 84 years	1,560 385	9.9 13.4	9.7 11.5	2 2	3 5	10	13 19	19 27
85 years and over	2,715	12.4	10.5	3	5	9	15	25	One diognosis	1,220 2,925	7.5 11.0	6.3 9.7	2	3	5 8	8	15
One diognosis	11,295	12.1	9.8	3	5	9	15	23	With surgery	310	11.9	8.5	2	4	9	18	25
With surgery	785 14,485	15.5 11.3	12.1 9.3	3 3	7 5	12 8	20 14	26 22	Without surgery	3,835	9.8	9.0	2	4	7	12	19
ACUTE CORONARY OCCLUSION (420.1)									GENERAL ARTERIOSCLEROSIS (450)	5 575	20.0	,,,				,_	
Total	10,130	14.9	12.0	1	5	13	21	28	Total	5,575 1,640	13.8	12.6	3	5	9	17	29
Age: 65 to 74 years	5,775 3,485	15.3 15.0	11.4 12.6	1	6 4	14 13	21 21	27 30	65 to 74 years	2,690 1,245	14.3 15.0	13.6 12.5	3	5	9	18	31
85 years and over	870	11.4	11.7	i	i	8	16	26	One diognosis	890	14.1	13.6	2	4	9	19	29
One diognosis	5,030 5,100	13.4 16.3	11.0 12.7	1	3 6	12 15	20 22	25 31	Two or more diagnoses	4,685	13.7	12.4	3	5	10	17	29
With surgery	405	17.0	13.1	2	5	14	25	40	With surgery	850 4,725	20.9 12.5	16.2 11.4	7	11	15 8	22 16	28
OTHER ISCHEMIC HEART DISEASE	9,725	14.8	11.9	1	5	13	21	28	AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
(420.2-420.4,422.1)									Total	610	12.7	10.1	1	3	12	17	29
TotolAge:	11,810	10.9	9.4	2	4	8	14	22	Age: 65 to 74 years	355	13.2	10.6	1	3	12	17	28
65 to 74 years	6,165 4,360	10.4 11.7	9.3 9.4	2 2 2	5	7 9	13 15	21 22	75 to 84 years	220 35	11.8 13.6	9.5 7.5	- ;	3 7	16 13	16 14	25 20
85 years and over	1,285 3,760	11 0 9.7	9.7 9.3		4	8	14	23 20	One diognosis	260 350	13.7 12.0	10.5 9.7	1	2	13	17 16	31 28
One diognosis	8,050	11.5	9.4	2 2	5	8	14	23	With surgery	335	15.9	9.0	3	11	15	19	29
With surgery	475	15.1	12.2	3	6	12	20	29	Without surgery	275	8.8	10.0	i l	1	6	-11	22

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient chorocteristics	Number of dischorges	Averoge	Standard deviation			ntiles			Patient chorocteristics	Number of dischorges	Averoge	Standard deviation			ntiles		Т
CHOPOCHERISTICS	uischurges	(days)	(days)	10th	25th	50th	75th	90th	CHOLOCIELIZICS	urschorges	(days)	(doys)	10th	25th	50th	75th	5
ARTERIAL EMBOLISM AND THROMBUSIS (454)									ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								l
Total	650	14.9	12.4	3	6	11	19	29	Total	2,255	8.6	6.3	3	4	7	10	1
ge: 5 to 74 years	325 270 55	14.6 14.0 21.0	14.1 9.6 11.8	2 3 3	6 7 11	10 11 17	18 19 24	28 28 42	Age: 65 to 74 years	1,230 780 245	8.0 9.6 8.7	5.5 7.7 5.0	3 3 2	4 5 4	6 7 8	9 11 11	
ne diognosis	275	13.2	8.9	3 3	6 7	11	18 20	25	One diagnosis	715	7.3 9.2	4.5	2 3	4 5	6	9	
wo or more diognoses	405	16.1	14.2	6	9	12	23	31	Two or more diagnoses	1,540	10.5	7.0 8.8	4	5	8	10	
GANGRENE OF LOWER EXTREMITY	245	9.0	7.5	2	3	6	111	21	Without surgery	2,110	8.5	6.2	3	4	7	10	Ì
(455.0) Total	415	21.1	11.1	8	14	19	25	34	Total	6,340	9.6	7.0	3	5	7	11	
ge: 5 to 74 years	160	21.1 22.6	12.0 10.5	9 5	15 16	18 23	23 28	32 37	65 to 74 years	4,170 1,825 345	9.0 10.2 12.9	5.7 7.7 13.0	3 3 3	5 5 5	7 7 8	11 12 15	
5 years and over	90	18.2	10.0	3	13	16	21	30	One diognosis	3,010 3,330	8.1 10.9	5.6 7.9	3	4 5	6 8	9	
wo or more diognoses	205	21.4	9.5	5	15	21	26	33	With surgery	80	18.4	12.7	3	9	15	22 11	
Vith surgery	325 90	22.8 15.0	9.4	11 2	16	14	28	35 28	Without surgery	6,260	9.5	6.9	3	5	7	''	
'ARICOSE VEINS OF LOWER EXTREMITIES (460)	1)								Total	395	13.3	9.3	5	7	10	16	
Totalge: 5 to 74 years	790 570	16.6	15.0	4	6	11	20	36	65 to 74 years 75 to 84 years 85 years ond over	210 135 50	12.4 13.5 16.4	7.5 11,1 10.0	4 3 8	8 6 9	10 8 12	15 19 15	
5 to 84 years	205 15	20.8	17.3	4	6	13	32	46	One diagnosis	150 245	9.7 15.4	3.7 10.9	4	7 8	9	12 20	
ne diognosis	405 385	12.3 21.3	9.3 18.1	4 4	5 7	8 14	16 31	25 46	With surgery	10					٠		1
Vith surgeryVithout surgery	445 345	18.0 15.0	17.0 11.7	4 4	6	11	20 19	44 32	Without surgery	385	12.7	8.7	4	7	10	15	
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)									Total	4,590	12.2	9.9	3	6	9	14	l
Totol	1,025	10.0	7.2	3	5	8	12	17	65 to 74 years 75 to 84 years 85 years and over	1,965 1,855 770	11.3 12.6 13.6	7.3 10.4 13.6	4 3 2	6 5	10	14 15 15	
5 to 74 years	775 200 50	9.3 11.9 12.9	6.1 9.1 11.6	3 2 4	5 4 6	7 8 8	12 18 12	15 24 22	One diognosis	1,510 3,080	10.1	7.3 10.9	3	5	8 10	12	١
ne diagnosis	490 535	9.3 10.5	5.8 8.2	2 3	5	7 8	12	16 19	With surgery	185 4,405	20.0	15.0 9.5	6 3	10	14	28 14	l
Vith surgery	800 225	10.7	7.5 5.4	4 2	6	8 5	13	18	PRIMARY ATYPICAL PNEUMONIA (492)	,,							١
PHLEBITIS AND THROMBOPHLEBITIS OF	225	/.2	3,4		,	,	'	'3	Total	3,460	12.0	9.4	4	6	9	14	
LOWER EXTREMITIES (463) Total	1,530	12.8	8.0	4	7	11	16	23	65 to 74 years 75 to 84 years 85 years and over	1,830 1,240 390	10.9 12.5 15.3	8.8 9.2 11.7	4 4 5	5 6 7	8 9 12	12 16 18	
ge: 5 to 74 years 5 to 84 years	1,010 510	12.5 13.0	7.9 7.9	4 4	6 7	11	15 16	22 24	One diognosis	1,265 2,195	10.1 13.1	7.2 10.3	4	5	7	12 15	
5 years and over	675	10.8	5.8	4	6	9	14	18	With surgery	210 3.250	15.7 11.8	13.8 9.0	5	7	10	19 14	
wo or more diognoses	855	14.4	9.1	5	14	12	18	26 33	PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Vithout surgery	1,400	12.1	7.3	4	6	10	15	21	Total	7,005	12.2	9.9	3	6	9	14	
OTHER SITES (464)		10.5	11.4		,		,,	04	Age: 65 to 74 years 75 to 84 years	3,280 2,720	12.0 12.3 12.4	10.2 9.8	3 3 3	6	9 9 10	14 14	-
Total sge: 5 to 74 years	545 375	12.5	11.4	4	6	9	12	24	85 years and over	1,005 2,725	10.3	8.8	3	5	8	16	
5 to 84 years	160	14.9	12.5	3	5	11	19	33	Two or more diognoses	4,280	13.4	10.5	3	10	10	16 23	
one diagnosis ,	310 235	12.1 13.1	10.6 12.2	3 4	5 7	10	12 16	32 21	Without surgery	6,690	11.9	9.6	3	6	9	14	
Vith surgeryVithout surgery	35 510	28.4 11.5	25.1 8.7	8 4	9	18 9	29 12	56 21	(500) Total	3,230	9.7	7.0	3	5	7	11	
PULMONARY EMBOLISM AND INFARCTION (465)									Age: 65 to 74 years 75 to 84 years	1,885 1,155	8.9 10.8	5.9 8.4	3 4	4 5	7 8	10	1
Total	890	14.1	9.3	3	7	13	18	27	85 years and over	190	11.2	7.1	3	6	9	13	
5 to 74 years	425 375 90	14.4 14.9 9.8	9.3 9.1 9.1	3 1	8 6 3	13 14 5	16 21 14	27 28 17	One diognosis	1,045 2,185	9.1	6.9 7.1	3	5	8	10	
One diagnosis	200 690	12.2 14.7	7.6 9.6	3 3	7 7	10 13	16 20	21 28	With surgery	130 3,100	13.8 9.6	7.3 6.9	3 3	5	12	19	ĺ
With surgery	100	22.6 13.1	8 4 8.8	12	15	19	30 17	33 25									

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard		Perce	ntiles	(doys)			Averoge	Standard	Γ	Percer	ntiles	(doys)	
Potient charocteristics	Number of dischorges	stoy (doys)	deviation (days)	10th	25th	50th	75th	90th	Potient chorocteristics	Number of discharges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th
8RONCHITIS, UNQUALIFIED (501)									ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Totol	2,825	9.6	6.8	3	5	7	11	18	Total	235	13.7	8.3	4	9	13	15	21
65 to 74 years	1,715 890 220	9.1 10.0 11.4	6.6 6.0 9.8	3 3 3	5 5 6	7 8 8	11 12 12	16 19 21	Age: 65 to 74 yeors	160 70	12.3 13.8	4.5 6.5	5 2	9 9	12	14 17	18 22
One diagnosis	1,055 1,770	7.4 10.9	4.9 7.4	2 4	4 6	6 9	13	12 20	85 years and over One diagnosis	100 135	14.3	5.0 10.1	8 4	10	13	16 14	20 20
With surgery	265 2,560	11.3 9.4	7.0 6.7	3	6 5	9	14	21 17	With surgery	55	15.1	6.2	5	10	12	21	22
CHRONIC 8RONCHITIS WITH EMPHYSEMA (502.0)									ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE	180	13.3	8.8	4	9	13	15	18
Totol	1,530	11.2	9.4	3	5	8	12	23	(541.0)								
65 to 74 years 75 to 84 years 85 years ond over	1,020 435 75	10.5 13.4 9.2	8.2 11.9 4.0	3 3 4	5 6 5	8 9 8	12 15 11	21 25 13	Tatal	3,520 2,380 1,000	10.4 10.0 11.3	8.6 8.4 9.1	2 2 3	4 5	8 8	13 13 14	19 24
One diognosis	515 1,015	9.2 12.3	6.7 10.3	3	5 5	7 9	10 14	16 24	85 years and over	140	10.5	8.2	2	4	8	13	19
With surgery		8.2 11.6	5.7 9.6	3 3	4 5	7 8	10 13	12 23	One diagnasis	1,500 2,020	9.0 11.4	8.2 8.8	3	5	9	11 14	20 21
CHRONIC 8RONCHITI5 WITHOUT EMPHY5EMA (502.9)									With surgery	515 3,005	17.9 9.1	11.0 7.4	6 2	10	15 7	21 11	33 17
Totol		10.9	8.4	3	5	8	14	20	ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
65 to 74 years	260	10.5 11.2	8.5 7.9 9.5	3 4 5	5	9 8 8	13	18 22 26	Total	1,650	12.0	9.1	4	6	9	14	21
85 years ond over One diagnosis		13.9		2	3	7	18	14	65 to 74 years	1,035 520	11.9 11.7	8.9 9.6	4 3 4	6 5 9	9	14 13	19 22
Two or more diognoses	520	12.2 10.7	5.5 9.0 6.8	4	3 5 5	10	15	22 16	85 years and over One diagnosis	95 795	14.1	7.6 9.0	4	9	12	16 15	24 20
Without surgery	605	11.0	8.7	3	5	8	14	21	Two or more diagnoses	855 340	12.0 16.2	9.2 12.3	5	6 8	9	13 19	21 30
HYPO5TA515 (522) Totol	600	11.2	11.8	1	3	6	13	25	Without surgery	1,310	10.9	7.7	4	6	9	13	18
Age: 65 to 74 years	185	9.8	8.9	'	3 3	6	13	22	WITH PERFORATION (540.2,.3,541.2,.3)								
75 to 84 years	120	10.9 14.2	12.6 13.0	1 2	5	8	13 15	21 36	Total	150	16.8 17.2	11.7	3 4	10	14	18	29 33
One diagnosis	450	10.4 11.5	9.9 12.3	1	3	7	12	26 25	75 to 84 years	20 10	*	:	•	*	٠	:	:
With surgery	35 565	28.1 10.1	20.2 10.1	1	10	22	28 12	47 21	One diagnosis	90 60	12.9 22.5	6.2 15.1	10	10	13 16	17 29	20 40
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)									With surgery	130 20	16.8	12.2	3	10	14	18	31
Totol	3,645	10.1 9.9	8.5	2	4	7	13	19	GASTRITIS AND OUOOENITIS (543)	2 445	77	4.2	2	3	,	9	15
65 to 74 years	2,245 1,270 130	10.5 9.3	8.9 7.9 5.7	2 2 3	5 4	7 8 7	13 13 14	18 21 17	Totol	2,645 1,595 910	7.7 7.4 8.0	6.3 6.1 6.8				9	14 16
One diognosis		8.4 10.8	7.7 8.7	1 3	3 5	6 8	10 14	16 20	85 years and over One diagnosis	140 890	8.4	4.9	3	5	5 7 4	9 8	14
With surgery		14.4 9.7	14.6 7.4	2 2	6	11 7	17 12	25 19	Two or more diagnoses	1,755	8.5	6.6	2	4	6	10	16
015EA5E5 OF E50PHAGU5 (539)									With surgery Without surgery	130 2,515	13.3 7.4	10.5 5.8	2	5 3	5	19	29 14
Totol	905	8.9	8.8	1	3	5	11	19	APPENOICITIS (550-553)	(00	10.2	7.1		,	10	15	21
65 to 74 years	305	8.9 9.1 7.7	9.1 8.8 5.1	1 2 3	3 4	5 6 5	13 10 9	19 19 11	Total	380 175	12.3 10.7 14.7	7.4 5.9 9.3	5 4 5	7 6 8	10 9 13	15 13 18	21 18 24
One diagnosis	295 610	6.2 10.2	4.7 9.9	1 2	2 3	4 6	7 13	13 21	75 to 84 years 85 years and over One diagnosis	45 420	15.8	6.1 7.6	5	9	14	19	22 20
With surgery	305 600	12.1 7.2	12.0 5.9	2 1	3 2	8 5	17 9	23 14	Two or more diognoses	180 525	13.8	6.6 7.3	4	7	12	17	23 22
ULCER OF 5TOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)									With surgery Without surgery INGUINAL HERNIA WITHOUT MENTION	525 75	8.1	6.6	1	2	5	15 10	15
Total	940	12.8	9.8	3	5	10	17	24	OF OBSTRUCTION (560.0)								
65 to 74 years	570 350 20	12.8 13.2	9.6 10.2	2 3 *	5 5 *	10 10	18 17	23 24	Totol	3,595 2,405	9.7 9.3	6.0	4	6	8	10	15
One diognosis	365 575	9.7 14.8	6.3 11.0	2	4	8 12	14 19	20 29	75 to 84 years	1,050	10.2	5.2 8.0	5 3	6	10	12	16 23
With surgery	160 780	19.1 11.6	11.4	6 2	12	16	20 15	38 23	One diagnosis	2,295 1,300	9.2 10.6	6.2 5.6	5	6	8 9	10	14
	, , , , ,	. 7.0	J., (With surgery	3,385 210	9.4 14.3	4.6 16.2	5 2	6	8	10	14 28

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Averoge	Standard		Perce	ntiles	(doys)	Patient	Number of	Average	5tandard		Percer	ntiles	(days)	
charocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	stay (days)	deviation (days)	10th	25th	50th	75th	90th
OIAPHRAGMATIC HERNIA WITHOUT									CHOLELITHIA5I5 (584)								
MENTION OF OBSTRUCTION (560.4)	2.250		7.2				,,,	1.5	Total	5,425	13.7	9.1	4	7	12	17	25
Totol	3,350 2,190	8.2 7.6	7.3 6.5	2 2	3	5	10	15	Age: 65 to 74 years	3,305 1,780	13.5 14.0	8.4 9.6	4 4	8 6	12 12	17 18	23 26
75 to 84 years	995	8.9 12.1	8.2 9.2	3 3	4 5	6 8	10 16	16 25	85 years and over	340	14.0	11.4	3	5	10	18	30
One diognosis		6.9 8.7	6.2 7.6	2 2	3 4	4 6	9	12 17	One diagnosis	2,750 2,675	13.1 14.4	7.8 10.1	3	8	11	16 19	22 27
With surgery	440 2,910	15.9 7.1	9.8	5 2	8	14	21	29 12	With surgery	3,385 2,040	16.8 8.6	8.6 7.3	8 2	10	6	20 10	27 16
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.13,.8,.9)	-,								CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Totol	1,025	10.5	6.9	3	6	9	13	17	Total	3,015	10.9	8.7	3 2	4	8	14	22
Age: 65 to 74 years	760 230	10.6 10.1	7.3 5.0	3 2	6 7	9	12 13	17 17	65 to 74 years	1,585 1,095 335	10.3	8.8 7.7 10.8	3 2	5 5	8 8 10	14 13 16	23 19 28
85 years ond over One diognosis	35 535	8.5	9.5	3	5	7	10	13	One diagnosis	1,490 1,525	10.0	8.2 9.1	2 3	4 5	7 9	12 15	20 23
Two or more diagnoses	490	12.7	8.5	5	7	10	15	20	With surgery	810	16.8	8.5	7	10	15	22	29
With surgery	795 230	11.0 8.7	6.2 8.7	1	3	6	13	17 15	OTHER DISEASES OF GALLBLAOOER AND	2,205	8.8	7.7	2	4	6	10	16
HERNIA OF A800MINAL CAVITY WITH OBSTRUCTION (561)									8ILIARY DUCT5 (586) Total	840	9.6	7.6	2	4	7	12	19
Total	935	11.5	8.9	3	6	9	13	20	Age: 65 to 74 years	435	9.7	8.7	2	3	7	13	17
65 to 74 years	445 300 190	12.2 10.8 11.0	9.4 7.5 9.6	3 4 1	6 5 6	9 9 8	14 12 14	23 19 18	75 to 84 years	325 80	9.5 9.8	6.2	3	4	8	12 15	18 20
One diagnosis	500 435	9.6 13.7	6.3	2 3	5	8	11 17	17 24	One diognosis	400 440	8.5 10.6	7.2 7.9	2 2	3 4	6 9	10 14	17 19
With surgery	695 240	12.7	8.5 9.2	5	7 2	9 5	15	22	With surgery	155 685	16.6 8.0	11.3 5.4	2 2	10 4	14	20 11	22 14
INTESTINAL OBSTRUCTION WITHOUT	240	0.2	7.2	'		3	10	10	OISEASES OF PANCREAS (587)								
MENTION OF HERNIA (570) Totol	2,500	11.4	10.9	1	3	8	15	24	Total	745	13.6	12.5 11.8	3	7	10	14	23
Age: 65 to 74 years	1,145	10.7	9.7		4	7 9	15	21 27	75 to 84 years	245 55	12.1 20.6	12.2 16.6	2 8	5 8	9 10	12 23	19 42
75 to 84 years	960 395	12.1 11.5	11.2 13.0	i	3	6	16	25	One diagnosis	330 415	10.9 15.7	6.8 15.4	3 3	7	9	13 16	19 41
One diagnosis	1,255 1,245	10.0 12.8	8.6 12.6	1	3	9	16	22 28	With surgery	130 615	18.2 12.6	12.2 12.4	5 3	11 7	13 9	21 12	39 19
With surgery	800 1,700	17.7 8.4	11.7 8.9	4 1	9	16 6	22 10	31 16	NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)									Total	750	12.5	10.7	3	5	9	17	23
TotalAge:	5,530	8.4	7.1	2	3	6	10	16	Age: 65 to 74 years	395 250	10.7 14.8	11.2 10.1	2 3	4	8 15	13 19	16 27
65 to 74 years	2,105	7.3 9.0	6.2 7.5		3 4	5	9 10	14 17	85 years ond over	105	14.0	9.1	1	6	iĭ	20	25
85 years and over		6.4	7.9 5.1	2 2	3	8	15	12	One diagnosis	230 520	11.1	13.4 9.2	3	5	11	13 18	18 24
Two or more diagnoses	3,310	9.8	7.8	3	4	7	12	18	With surgery	140 610	13.1 12.4	9.5 11.0	3 2	5 5	11 9	16 17	28 22
Without surgery		8.2	6.7	2	3	6	10	16	INFECTIONS OF KIDNEY (600)	2.716	,,,	0.7	2			12	00
DIVERTICULITIS (572.1) Totol	5,160	9.4	7.7	2	4	7	11	18	Age: 65 to 74 years	3,715 1,795	11.1	8.7 7.8	3	5	8	13	20
Age: 65 to 74 years	2,875	9.2	7.6	2	4	7	11	17	75 to 84 years	1,435 485	11.7 12.2	8.9 10.7	3 4	5	9 10	14	24 19
75 to 84 years	1,915 370	9.2 11.9	7.5 9.1	2 2	5	9	16	17 23	One diagnosis	1,375 2,340	9.2 12.2	6.1 9.7	3	5 6	7 9	11 15	16 22
One diagnosis	1,980 3,180	7.9 10.3	6.2 8.4	2 3	3	6 7	10 12	15 20	With surgery	320 3,395	14.9 10.7	11.1	5	7	11	18 13	32 19
With surgery	825 4,335	15.5 8.2	11.4 6.2	3 2	7 4	13 6	20 10	31 15	CALCULI OF KIDNEY AND URETER (602)	3,2.3				-	J		
CIRRHOSIS OF LIVER (581)									Total	1,720	9.6	9.4	2	3	7	12	17
TotolAge:	515	13.1	9.2	3	6	11	17	24	65 to 74 years	1,260 385	9.0 11.6	7.5 13.7	2 2 4	3 4	7 8	11 15	17 18
65 to 74 years	410 80 25	13.1 13.3	9.2 9.5	4 2 *	6 5 *	11 10	17 17 *	24 26 *	85 years and over One diagnosis	75 965	10.1 8.5	7.3 7.4	2	5 3	8 7	9	20 16
One diagnosis	160	8.7	6.0	3	5 7	6	9	18 25	Two or more diognoses	755 830	11.1	11.2	3	7	8	14	19 21
Two or more diagnoses	355 85	15.0	9.6	3	5	13	18	32	With surgery		6.5	5.0	3 2	3	4	15	14
Without surgery	430	12.3	7.9	4	6	10	16	23									

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Perce	ntiles T	(doys)		Patient	Number of	Average	Standard		Percer	tiles (doys)	
characteristics	dischorges	stoy (doys)	deviation (days)	10th	25th	50th	75th	90th	choracteristics	dischorges	(doys)	deviation (doys)	10th	25th	50th	75th	90tl
OTHER DISEASES OF KIDNEY AND URETER (603,604)									OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	835	11.9	9.7	3	5	10	14	21	Total	890	7.7	4.9	2	4	6	9	1
65 to 74 years	550 215 70	10.8 14.0 14.1	9.3 10.8 7.5	2 4 3	5 6 8	9 12 12	13 17 17	19 23 23	65 to 74 years 75 to 84 years 85 years and over	570 260 60	7.2 8.2 10.9	4.1 5.2 8.4	2 3 1	4 4 3	6 6 9	9 10 14	1: 1: 1:
One diagnosis	350 485	9.8 13.5	10.2 9.0	2 4	3 7	11	12 17	15 22	One diognosis	455 435	6.2 9.3	4.0 5.3	2 4	3 5	5 7	8 12	1
With surgery Without surgery CYSTITI5 (605)	525 310	13.2 9.7	8.9 10.6	4 2	3	6	16 12	23 16	With surgery Without surgery	570 320	7.3 8.5	5.2 4.2	2 3	3 5	6 7	8 10	1
Totol	2,025	9.5	8.1	2	4	6	11	19	UTEROVAGINAL PROLAPSE (631) Total	1,905	12.7	6.9	7	8	11	14	١,
Age: 55 to 74 years	1,050 670 305	9.2 9.8 9.6	7.5 9.5 6.6	2 2 3	4 4 5	6	11 12 10	19 18 19	Age: 65 to 74 years 75 to 84 years 85 years ond over	1,310 545 50	12.4 13.3 13.8	6.3 8.1 5.2	7 6 5	8 9 10	11 11 14	14 15 15	1 2 2
One diognosis	625 1,400	8.0 10.1	7.3 8.4	2 2	3 4	6	9	16 20	One diognosis	935 970	12.0 13.4	5.2 8.1	7 6	8 9	10 11	13 14	1
Nith surgery	590 1,435	9.4 9.5	7.6 8.3	2 2	4 4	6 7	11	20 18	With surgery	1,760 145	12.7 13.2	6.1 13.0	7 2	9	11 8	14 16	1 2
OTHER DISEASES OF BLADDER (606)					_				INFECTIONS OF 5KIN AND 5UBCUTANEOU5 TI55UE (690-698)								
Total Age: 55 to 74 years	340	11.7	11.5	3	5		13	18	Total	1,725	11.7	11.0	3	5	8	13	2
75 to 84 years	240 60	11.0 12.7	6.4 11.4	1	6 2	7	13 20	20 29	65 to 74 years	785 720 220	10.1 12.7 14.3	7.9 13.0 12.0	3 3 3	5 5 6	8 8 10	11 15 16	1 2 3
One diagnosis	250 390	13.5 10.6	15.4 7.9	3	5	8	12	27 18	One diognosis	695 1,030	9.9 13.0	10.5 11.1	3 4	4 5	7 9	10 15	
With surgery Without surgery	415 225	11.8 11.7	8.6 15.5	4 2	6 4	7	14	24 16	With surgery	360 1,365	15.4 10.8	14.1 9.7	3	6 5	10 8	19 12	
URETHRITIS AND STRICTURE OF URETHRA (607,609)									RHEUMATOID ARTHRITIS (722.0)								
Totol	1,035	8.6	6.5	2	3	1	111	18	Totol	1,100	13.3	9.9	3	7	10	16	
65 to 74 years	640 360 35	8.2 9.3 8.1	6.3 6.8 4.2	2 1 4	3 4 4	8	10 12 11	18 18 14	65 to 74 years 75 to 84 years 85 years and over	790 275 35	13.6 13.3 7.4	10.7 7.5 6.2	3 3 2	7 7 2	10 12 4	16 17 8	
One diognosis	665	5.7 10.2	4.4 6.9	1 2	2	8	7 14	10 19	One diognosis	275 825	11.7 13.9	7.5 10.6	3 3	6 7	10 11	15 17	:
With surgery	755 280	9.2 7.0	6.6 5.8	2 1	2	7 4	12	19	With surgery	150 950	19.6 12.3	11.6 9.3	7 3	12	17 10	22 15	
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)									05TEOARTHRITI5 (ARTHR0515) (723.0) Totol	2,545	12,1	10.7	3	5	9	15	
Total	3,185	10.1	9.2	3	4		12	19	Age: 65 to 74 years	1,510	11.4	8.8	3	5	9	14	
55 to 74 years	1,315 1,365 505	9.4 10.9 9.8	9.2 9.8 6.9	3 3 3	4 4		10 13 14	17 20 18	75 to 84 years 85 years and over	855 180	13.6 11.6	13.7 7.1	3 4	6	9	15 15	
One diagnosis	1,155 2,030	7.8 11.4	6.4 10.2	2 3	3 5	5 8	13	15 20	Two or more diagnases	1,710	12.0	10.8	3 7	5	9	14 27	
With surgery	515 2,670	11.9 9.8	12.2 8.4	2 3	5 4	7 7	14 12	23 18	Without surgery	2,135	10.2	7.3	á	4	16 8	13	
HYPERPLASIA OF PROSTATE (610)								-	Total	1,985	9.7	6.9	3	5	7	12	
Totol Age: 55 to 74 years	7,150 3,975	11.9	7.4	5	7	10	14	20	Age: 65 to 74 years	1,210 670	9.6 9.5	6.3 7.3	3 2	5	7	11 12	
75 to 84 years		11.8	7.3 10.1	4	7 8	10	14	20 27	85 years and over	105	11.2	9.8	3	4	7	12	
ne diagnosis	3,360 3,790	10.6 13.1	5.6 8.5	4	6 7	9	13 16	17 23	One diagnosis. Two or more diagnoses. With surgery	475 1,510	9.2 9.8 11.5	8.5 6.3 9.7	2 3 2	4 5 4	6 8 11	10 12 13	
Vith surgeryVithout surgery	5,660 1,490	12.5 9.5	7.2 7.6	6 2	7 4	10	15 12	20 20	Without surgery	1,815	9.5	6.6	3	5	7	iĭ	
OTHER DISEASES OF PROSTATE (611,612)									ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)	2.075	10.1	10.0	2			15	
Totol	735	8.6	6.6	2	4	6	10	15	Age: 65 to 74 years	2,075 1,015	12.1	10.0 7.4	3	5	8	15	
75 to 74 years	490 200 45	8.3 8.2 12.7	6.9 5.4 7.7	2 3 3	4 4 3	6 6 10	10 10 21	14 15 22	75 to 84 years	790 270 700	12.3 16.7	9.3 17.1 9.2	3 2	5	9 12 7	17 17	
One diagnosis	315 420	7.2 9.6	3.9 7.9	2 2	4 4	6 7	9 12	13 18	One diagnosis Two or more diagnoses With surgery	1,375 120	12.9 18.7	10.4 13.6	3 3	5	10	16	
With surgery	250 485	9.7 8.0	8.4 5.4	3 2	5	7 6	11 10	15 15	Without surgery		11.7	9.6	3	5	8	14	

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Percer	ntiles	(doys))	Patient	Number of	Average	Standard		Percer	ntiles	(days)	
chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)									SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Totol	1,240	12.6	9.4	4	6	10	15	21	Total	605	8.9	7.7	1	3	7	11	18
65 to 74 years	575 555 110	11.2 14.3 12.0	6.5 12.1 5.0	3 4 4	6 6	10 10 12	14 17 15	18 26 17	Age: 65 to 74 years	345 220	8.2 9.6	7.7 7.7	1 2	2 3	6 7	11 12	16 19
One diagnosis	190 1,050	12.7 12.6	8.5 9.6	4 3	6	11 10	15 15	22 21	85 years ond over One diagnosis	40	10.9 8.7	5.9 7.9	6	6 2	7	12	20 18
With surgery	55 1,185	25.7 12.0	19.2 8.2	5 3	11	17 10	32 15	52 21	Two ar more diagnoses	110 210	9.9 13.2	6.5 8.9	2	7	9	13 16	17 29
OISPLACEMENT OF INTERVERTEBRAL DISC (735)	1								Without surgery OTHER GENERAL SYMPTOM5	395	6.6	5.7	١	2	5	8	14
Totol	1,155	12.8	7.3	5	7	11	16	21	(780,781,787-789)	1 405					١,	,,	
Age: 65 to 74 years	855 260	12.7 13.7	6.4 10.0	5 3	7 6	12 12	16 16	21 23	Total	1,485	9.5 8.1	9.9 6.3	2 2	3	6	12	17 16
85 years ond over One diagnosis	40	10.5	4.4 8.1	6 5	7	12	11	16	75 to 84 years	440 155	10.4 15.1	8.5 21.4	2 2 1	5 2	10	13 13	18 35
Two or more diognoses	560 335	12.0	6.4	9	10	11	15	20	One diognosis	1,165 320	9.4 9.9	10.5 7.1	2 3	3 5	6 7	12 12	17 17
Without surgery	820	10.7	5.3	á	6	iŏ	14	17	With surgery	225 1,260	13.7 8.8	18.0 7.3	2 2	4	7 6	16 11	22 16
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)									NERVOUSNESS AND DEBILITY (790)								
Totol		8.5	6.6	2	3	6	10	16	Age:	95	7.1	6.5	2	3	4	7	13
65 to 74 years	455 205 40	7.5 10.3 10.0	5.2 8.5 6.3	2 3 2	3 5 3	6 8 6	10 10 13	14 19 18	65 to 74 years	65 20 10	8.2	7.3	:	3	5	8	20
One diognosis	375 325	7.6 9.5	6.6 6.3	2 3	3 5	5 7	9 12	16 17	One diognosis	50 45	7.5 6.6	6.7 6.2	1	3	5 4	7 5	12 13
With surgery	305 395	7.8 9.0	6.2 6.8	2 3	3 5	5 7	12 10	16 15	With surgery	5 90	7.3	6.6	2	3	4	* 7	15
CONGENITAL MALFORMATIONS (750-759)									UREMIA (792)								
TotolAge:	400	9.4	8.9	2	3	6	10	18	Total	280	13.5	12.8	2	5	9	18	24
65 to 74 years	280 95 25	9.0 10.5	8.5 9.8	1 2	3	6	10 12 *	18 21 *	65 to 74 years	105 130 45	10.0 17.0 11.2	7.4 16.3 7.5	2 5 3	3 6 4	11 8	14 20 14	22 32 21
One diognosis	185 215	8.5 10.3	8.5 9.2	2 2	2	5 7	10 14	15 25	One diognosis	175 105	10.7 18.2	8.5 16.8	2 3	3 7	8 12	13 20	22 27
With surgery	170 230	9.1 9.7	8.8 9.1	2	3 2	5 7	10 11	16 23	With surgery	25 255	* 13.7	13.3	2	5	10	18	25
SYMPTOMS REFERABLE TO CAROIOVASCULAR AND LYMPHATIC									SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
SYSTEM (782) Totol	415	7.1	6.4	,	2	4	10	13	Total	80	12.2	9.7	2	3	8	19	23
Age: 65 to 74 years		5.2 9.2	4.0 8.4	1 2	2 3	3 5	7	11	65 to 74 years 75 to 84 years 85 years and over	50 30	15.2 7.2	9.8 7.2	- 1 2	6 2	12	20 5	25 16
85 years and over One diognosis	25	6.8	7,1	1	2	3	11	14	One diognosis	40 40	8.9 15.5	8.1 10.1	1 2	2	5	10 22	22 28
Two or more diognoses	130	7.8	4.5	3	4	6	10	12	With surgery	5				٠	9	*	
With surgery	65 350	13.1	10.0 4.7	1	2	10	13	26 12	OTHER AND ILL-DEFINED DISEASES	75	12.7	9.8	2	3	,	20	23
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)									(791,793,795) Total	735	8.2	8.4	,	2	5	9	20
TotolAge:	1,030	6.4	5.6	1	2	4	8	13	Age: 65 to 74 years	485	7.2	6.8	1	2	5	8	15
65 to 74 years	605 325 100	5.6 7.8 6.1	4.1 7.3 5.9	1 2 1	2 3 2	4 5 4	7 9 8	11 17 13	75 to 84 years	215 35	9.3 14.7	10.7 7.5	1 7	2 8	10	11 17	24 23
One diognosis	785 245	6.1 7.2	5.2 6.8	1	2 3	4 5	7 8	12	One diognosis	610 125	8.1 8.6	8.5 7.6	1	2	5 7	9	22 17
With surgery	205 825	8.1 5.9	7.4 5.0	1	2 2	6	10	15 12	With surgery	100 635	11.9 7.6	13.7 6.9	1	2 3	5 5	16 9	27 15
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)	623	5.7	5.0		2	-		12	FRACTURE OF VERTEBRAL COLUMN (805,806)								
Totol	1,535	7.1	6.1	1	3	5	8	15	Total	1,645	16.6	11.8	5	8	13	21	33
Age: 65 to 74 years 75 to 84 years	930 510	6.8	6.1 6.1	1	2	5	8	15 15	65 to 74 years	645 725 275	15.5 17.9 15.9	10.6 12.1 13.3	5 6 5	8 8 8	13 14 12	19 25 20	31 37 28
85 years and over One diagnosis	95	10.4	5.1	4	6	5	12	19	One diognosis	540 1,105	14.8 17.5	10.5 12.3	4 5	7 8	11 14	19	29 34
Two or more diagnoses	275	8.8	7.5	2	4	6	10	18	With surgery	90	24.2	12.4	6	13	i	33 20	41 32
With surgery	160 1,375	9.7 6.8	7.4 5.8	2	3	7 5	12 8	19 14	Without surgery	1,555	16.2	11.6	5	8	1 13	20 1	32

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Del'	Number	Averoge	Standard		Perce	ntiles	(doys))	D-A'	Number	Average	Standard		Perce	ntiles	(doys)
Potient choracteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	Patient chorocteristics	Number of dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th
FRACTURE OF R18(5), STERNUM AND LARYNX (807)									HEAD INJURY (EXCLUDING 5KULL FRACTURE) (850-856)								
Total	1,170	13.1	11.1	2	5	10	17	26	Total	1,220	10.2	10.8	1	3	6	13	23
65 to 74 years	575 420 175	14.0 11.8 13.6	12.5 8.9 10.3	3 2 3	6 4 5	10 10 10	16 17 17	27 22 29	65 to 74 years 75 ta 84 years 85 years ond over	715 390 115	9.9 10.5 11.4	10.2 10.6 13.6	1	3 2 2	7 7 6	12 14 13	22 25 27
One diagnosis	300 870	10.1 14.2	6.6 12.1	2 3	5	8 11	14 19	19 29	One diognosis	420 800	10.7 10.0	11.4 10.4	1	2 3	7 6	14 11	22 24
With surgery	145 1,025	19.1 12.3	18.2 9.3	1	5 5	12 10	26 16	42 22	With surgery	350 870	13.9 8.8	12.6 9.5	1	3 2	10	20 10	30 17
FRACTURE OF PELVI5 (808)									LACERATION AND OPEN WOUND (870-898)								
TotalAge:	545	22.7	17.0	4	9	18	30	44	Total	1,155	8.6	9.1	1	3	6	10	18
65 to 74 years 75 to 84 years 85 years and over	195 195 155	24.5 23.2 19.7	20.6 14.2 14.8	4 7 3	10 10 7	17 21 17	38 29 25	48 44 43	Age: 65 to 74 yeors 75 to 84 yeors 85 years ond over	710 330 115	8.6 8.6 8.6	10.0 7.3 6.6	1	3 3 3	5 6 6	10 10 10	16 18 17
One Jiognosis	195 350	20.5 23.8	15.0 18.0	4 5	10	17 18	29 35	41 48	One diognosis	400 755	6.9 9.5	8.1 9.4	1	2 3	4 6	7	13
With surgery	25 520	23.0	17.3	4	9	18	34	45	With surgery	585 570	9.9 7.2	11.5 5.1	1	2 3	5	11	24 13
FRACTURE OF HUMERUS (812)	1.105	10.4	10.7	_		7	15	28	SUPERFICIAL INJURY (910-918)								
Total	1,195	12.4	9.8	2	4	7	15	21	Total	105	10.2	9.3	2	3	5	14	22
75 to 84 years	500 210	13.9 11.6	15.8 9.8	1	3 4	8 7	18 14	32 26	65 to 74 years 75 to 84 years 85 years and over	35 50 20	6.9 12.5	7.2 10.9	1 4 •	1 4	3 6	8 13	17 25
One diagnosis	550	8.4 17.2	16.0	3	5	11	10 22	18 38	One diognosis	35 70	6.9 11.9	5.3 10.4	2 1	2 3	4 6	8 15	15 26
With surgery	515 680	12.9 12.0	11.5 13.5	2 1	5 4	7	18 14	24 29	With surgery	5 100	10.4	9.5	2	3	5	14	23
FRACTURE OF RAOIUS AND ULNA (EITHER OR 80TH) (813)									CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)	100	10.4	7.3	2	,	3	14	23
Total	1,025	6.9	7.9	1	2	4	7	14	Total	2,020	10.1	9.8	2	4	7	12	20
65 to 74 years 75 to 84 years 85 years and over	610 330 85	5.6 9.4 7.4	5.4 11.3 5.1	1	2 2 3	3 5 7	11 8	12 29 12	Age: 65 to 74 yeors	960 760 300	8.5 10.9 13.5	5.8 10.3 15.6	2 2 2	3 4 4	7 7 7	11 14 14	16 22 33
One diognosis	610 415	4.7 10.2	5.2 9.9	1	1 4	3 6	5 12	10 20	One diagnosis	485 1,535	7.9 10.8	7.1 10.4	1 2	3 4	5 8	10	15 21
With surgery	760 265	6.8 7.3	8.1 7.7	1	2 2	4	7 8	14 16	With surgery Without surgery	160 1,860	12.9 9.9	6.6 9.9	4 2	8	12 7	15 11	22 20
FRACTURE OF FEMUR (820,821)									ADVERSE EFFECTS OF ORUGS AND								
Total,	8,685 2,660	20.1	13.9	5	11	16	25	38	OTHER CHEMICAL SUBSTANCES (960-989)								
75 to 84 years 85 years and over	4,195 1,830	20.3 19.0	13.7 12.5	5	iii	17 16	26 24	39 35	Total	715 405	9.3 7.2	9.6 7.7	1	3	6	10	20 12
One diagnosis	5,430 3,255	19.0 22.1	12.8 15.4	5 5	11	15 18	23 29	34 45	75 to 84 years	275 35	11.8	11.2 8.2		3			
With surgery	6,710 1,975	20.8 17.8	13.0 16.6	8	12	17 13	25 25	37 41	One diagnosis	215 500	5.0 11.2	4.6 10.5	1 2	2 5	3 7	6 12	9 22
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)									With surgery	30 685	6.3 9.5	3.2 9.7	1	4 3	6	6 10	10 20
Total	1,770	14.5	12.7	3	6	10	19	29	COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
65 to 74 years	1,070 545 155	12.8 16.9 17.5	10.3 15.7 14.1	3 4 5	5 6 6	9 11 13	17 21 21	28 34 32	Total	785	9.1	7.7	2	3	6	11	19
One diagnosis	925 845	11.8 17.4	9.3 15.1	3 4	5	9 13	14 23	24 33	65 to 74 years 75 to 84 years 85 years and over	460 280 45	8.2 10.5 8.6	7.3 8.2 7.3	2 3 1	3 4 1	6 7	11 13 11	15 23 15
With surgery	1,000 770	15.7 12.9	14.0 10.7	4 2	7 5	11 8	19 18	30 29	One diagnosis	445 340	8.2 10.1	6.7 8.8	2	3 4	6 7	11 12	16 22
SPRAINS OF 8ACK (846,847)									With surgery	230 555	10.2 8.6	8.9 7.2	2 2	4 3	7 6	12 11	20 19
Total	1,510	10.3	7.3	3	5	8	13	19						<u>`</u>			<u> </u>
65 to 74 years	950 450 110	9.0 12.6 13.0	6.1 9.1 6.2	2 4 3	6 8	7 9 12	12 17 15	16 25 19									
One diagnosis	415 1,095	9.8 10.5	6.9 7.5	2	4 5	8	13 13	18 19									
With surgery	45 1,465	11.7 10.3	5.7 7.4	4 2	4 5	12 8	15 13	17 19									

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Part			Average	Standard	Γ	Perce	ntiles	(days)				Average	Stondard	Γ	Percer	tiles	(doys)	
Total		Number of dischorges		deviction	10th	25th	50th	75th	90th	Potient chorocteristics	Number of dischorges		deviation	10th	25th	50th	75th	90th
Second 1.65																		
diff by Assemment 2,965 10.9 20.9 2.7 13.7 13.9 2.9 14.9 13.9 2.9 2.9 1.9 13.9 2.9 </td <td></td> <td>5,270</td> <td>11.5</td> <td>12.2</td> <td>2</td> <td>3</td> <td>7</td> <td>13</td> <td>25</td> <td></td> <td>930</td> <td>15.4</td> <td>12.2</td> <td>3</td> <td>6</td> <td>12</td> <td>21</td> <td>31</td>		5,270	11.5	12.2	2	3	7	13	25		930	15.4	12.2	3	6	12	21	31
With Largery	65 to 74 years	1,840	12.1	11.9	2 2 2	4	В	14	26	65 to 74 years	320							
Wilhord Engrey Millor Signify Mil	One diognosis				2 2													
Section Sect																		
Section Sect													:					
2	Age:										1,345	17.6	15.7	2	5	13	25	38
Decomposition Property Prop	75 to 84 years	700 1B5	11.5	9.7	3	5	8	14	23	65 to 74 years	405	19.2	15.9	2	6	13	27	47
With surgery 1.50 1.70 1.60 1.71 1.88 2 2 4 6 2 20 1.00		B30 705								One diognosis	655	16.6	15.0		4	13	21	37
MALICANAT MOPLASAN OF BIOLOGY CANITY AND PROMOTE (SLEID) TOTAL STATES OF STA	With surgery	55 1,480			2 2					With surgery	525	27.9	16.5		15	24	36	51
Total	MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)									MALIGNANT NEOPLASM OF BRONCHUS,								
75 fo 86 years	Age:		1				ì	1		Total	6,035	13.6	12.6	2	4	10	17	28
December Computer	75 to 84 years	475	13.B	13.4	1	3	10	20	30	65 to 74 years	1,775	13.6	13.3		4	9	18	29
Without Surgery	One diognosis				1		6 9	13 20		One diognosis	3,225	12.9	12.0	2	4	9	17	27
MALICHANT NEDPLASM OF ESIGNACUS 13.4 2 4 10 27 37 10 10 28 28 28 29 28 28 29 28 28	With surgery				1					With surgery	1,970	15.3	12.0	2	7	12	20	30
A Color										MALIGNANT NEOPLASM OF BREAST	4,063	12.8	12.7	2	4	9	10	28
65 to 24 years 275 15.1 13.8 13 13 11 27 25 15 27 15 27 15 27 15 27 15 27 15 27 15 27 15 27 15 27 15 27 15 27 15 27 15 27 15 27 15 27 28 28 28 28 28 28 28		600	15.4	13.4	2	4	10	27	37		3,695	14.3	11.2	3	7	11	18	28
Dec diagnosis 15 14 14 12 4 11 2 5 14 15 14 2 4 11 2 5 14 15 14 15 14 15 14 15 15	65 to 74 years	240	13.1	11.7	3	4	В	15	35	Age: 65 to 74 years	2,160 1,185	13.9 14.3	10.3	4	7	10	18 18	26 29
Without surgery	One diognosis				2 2					One diagnosis	1,715	13.2	10.2	3		10	16	25
MALIGNANT NEOPLASM OF STOMACH (151) Totol	With surgery									With surgery	2,180	13.7	10.0	4	7	10	16	26
Totol. 1,460 18,1 15,5 2 6 15 24 37 710 1,220 11,2 12,9 2 4 6 12 24 45 174 175 15 24 37 75 10 24 37 37 37 37 37 37 37 3	MALIGNANT NEOPLASM OF STOMACH									MALIGNANT NEOPLASM OF CERVIX	1,515	15.1	12.6	3	6	11	19	31
75 to B4 years 560 17.9 16.2 2 5 13 24 37 55 to 74 years 750 11.5 13.9 2 4 6 13 23 85 years and over 170 16.9 14.2 1 4 12 26 36 75 to B4 years 355 11.2 12.2 2 3 6 13 23 95 years and over 115 8.5 5.7 2 4 7 9 15 96 years and over 115 8.5 5.7 2 4 7 9 15 11	Age:				1	6]			Total	1,220	11.2	12.9	2	4	6	12	24
Two or more diagnoses	75 to 84 years	580 170	17.9 16.9	16.2 14,2	2	4	13	24 26	37 36	65 to 74 years	355	11.2	12.2	2	3		12	28
With surgery 465 23.9 13.2 11 16 18 28 38 With surgery 740 10.0 12.0 2 3 6 10 18 MALICRANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153) 1 4 10 21 32 4 1 2 3 6 10 18 Age: 2,310 15.8 12.7 2 6 13 2 2 6 15 2 3 6 10 1.95 10.5 8.3 2 4 8 13 2 65 10 74 years 2,310 15.8 12.7 2 6 15 22 35 56 10 74 years 785 9.9 7.0 2 4 8 12 19 55 years and over 2,255 18.8 15.5 1 7 14 23 35 50 10 74 years 785 9.9 7.0 2 4 8 12 19										One diognosis					3 5	6 7		
## ALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153) Totol	With surgery					16 4				With surgery				2 2	3	6 7		
Age: 65 to 74 years	EXCEPT RECTUM (152,153)									MALIGNANT NEOPLASM OF UTERUS	4							
75 to 84 years 1,820 17.0 13.1 2 6 15 22 35 65 to 74 years 785 9.9 7.0 2 4 8 12 19 19 15.9 15.5 1 7 14 26 40 75 to 84 years 355 11.4 10.7 2 4 8 12 19 19 15.9 17.1 13.8 3 6 14 22 35 36 37 16 25 36 36 39 39 39 39 39 39	Age:										1,195	10.5	B.3	2	4	8	13	21
One diagnosis 2,155 15,9 13,2 2 2 5 13 2 7 14 23 35 34 21 34 23 35 35 One diagnosis 760 9,1 6,9 2 3 8 8 11 17 7 17 17 17 17 17 18 18 15 17 18 18 18 18 18 18 18 18 18 18 18 18 18	75 to 84 years	1,820	17.0	13.1	2	6	15	22	35	65 to 74 years	355	11.4	10.7	2	4	В	14	24
With surgery 2,410 20.7 12.0 8 13 18 25 36 Without surgery 920 9.4 6.6 2 4 B 12 16 MALIGNANT NEOPLASM OF RECTUM (154) 1,510 19.9 15.9 3 B 16 26 40 Age: MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175) Total Age: BJ Age:					2 2	5 7				One diognosis	760	9.1	6.9		3		11	17
MALIGNANT NEOPLASM OF RECTUM (154) Totol					8 1					With surgery	920	9.4	6.6		4		12	16
Totol										MAL. NEOPLASM OF OVARY, FALLOPIAN	2.3							
75 to 84 years	Age:							i		Total	620	20.1	16.B	3	7	16	25	40
One diagnosis B15 17.8 15.4 2 6 14 23 37 Two or more diagnoses 695 22.4 16.2 5 10 18 32 43 One diagnosis 225 19.6 15.4 4 7 14 27 41 With surgery 860 21.9 13.8 7 13 19 28 39 20.4 17.6 2 B 17 24 36 Without surgery 650 17.3 18.0 1 4 10 24 40 With surgery 275 21.3 15.7 6 9 17 25 40	75 to 84 years	530	21.0	16.9	5 3	9	16	25	41	65 to 74 years	225			1 4	7 7	16 15		
With surgery 860 21.9 13.8 7 13 19 28 39 Without surgery 275 21.3 15.7 6 9 17 25 40	One diagnosis	B15 695								One diagnosis	225				7 R	14		
	With surgery				7 1					With surgery	275	21.3	15.7	6	9	17	25	40

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard		Perce	ntiles	(days))			Averoge	Standard		Percer	ntiles	(doys)	
Potient chorocteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	Potient charocteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)									OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
TotalAge:	5,545	11.7	10.0	2	5	9	14	22	Total ,	1,475	13.6	13.2	1	4	9	18	27
#ge: 65 to 74 years 75 to 84 years 85 years ond over	2,615 2,340 590	11.5 11.4 14.1	9.8 8.8 14.2	2 2 2	5 5 4	8 9 10	14 14 18	21 22 34	65 to 74 years 75 to 84 years 85 years ond over	875 530 70	14.4 12.7 10.9	13.8 12.8 5.7	2 1 2	4 3 5	12 8 9	18 18 13	27 30 18
One diognosis	2,720 2,825	10.8 12.6	8.8 11.0	3 2	5 5	8 9	13 16	20 24	One diognosis	725 750	14.2 13.1	15.1 11.0	2 1	4 3	9	17 19	29 26
With surgery	2,875 2,670	12.1 11.3	8.6 11.3	4	6	9 7	15 14	22 23	With surgery	375 1,100	14.5 13.3	10.1 14.1	3 1	5	13	20 18	30 27
MALIGNANT NEOPLASM OF KIONEY AND URETER (180)									8ENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
TotalAge:	625	17.3	15.1	3	7	13	21	31	Total	555	11.6	7.5	2	6	10	15	22
45 to 74 years	405 190 30	16.6 15.2 40.3	14.0 8.7 32.7	3 3 7	7 6 9	12 15 19	19 21 50	32 26 75	65 to 74 years	385 160 10	10.2 14.3	6.3 9.0	1 2 *	4 6 *	9 12	14 20	17 26
One diognosis	285 340	17.9 16.8	14.7 15.5	3 3	7 7	14 12	21 21	32 29	One diagnosis	360 195	10.2 14.2	7.3 7.2	1 5	3 8	8 12	15 18	21 23
With surgery	315 310	19.8 14.8	13.3 16.3	5 2	11 6	16 9	22 16	34 31	With surgery	395 160	13.8 6.1	7.3 4.9	4 1	8 2	12 5	17 7	23 14
(181.0) Total	2,810	10.5	10.3	2	3	7	13	23	Total	470	8.5	6.2	2	4	6	11	17
Age: 65 to 74 years 75 to 84 years	1,450	10.3	9.7 11.4	2	3 3	7 7	14	22 24	65 to 74 years	310 160 —	8.0 9.5 —	5.7 6.9 	2 2 -	3 4	5 6 	11 12	15 19 —
85 years and over	1,905	9.5 9.2	8.6 9.0	1	3	6	11	25 19	One diognosis	205 265	6.3 10.3	4.1 7.0	2 3	3 4	5 8	7	13 22
Two or more diagnoses	905	13.3	12.3	2 2	4	7	19	31 22	With surgery	385 85	9.4 4.5	6.5 1.7	2	4 3	7 4	13 5	18 6
Without surgery OF SKIN		10.2	9.7	1	3	6	15	26	8ENIGN NEOPLASM OF UTERUS (214,215)								
(190,191) Total	2 045	6.9	7.9	Ι,	2	١,	8	15	Total	760	8.3	7.5	1	2	5	10	17
Totol	3,865 2,095	6.7	7.5	1	2	3	8	15	Age: 65 to 74 years	510 220	7.5 9.8	6.9 8.8	1	2	4 7	10 13	16 19
75 to 84 years	1,350 420	7.3 6.6	8.8 6.8	1	2	4 4	8 7	15 15	85 years and over	30 310	10.5 5.0	5.2 3.3	4	5	8	15 7	16
One diognosis	2,385 1,480	6.1 8.3	7.9 7.7	1	3	3 5	6 11	12 17	Two or more diognoses	450 660	10.6	8.7 7.9	2	3	5	15	20 18
With surgery	3,255 610	6.1 11.4	6.2 12.9	}	2	3 6	7 14	13 24	Without surgery	100	8.7	4.8	3	4	9	11	15
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)									Total	880	5.2	4.8	1	2	3	7	11
TotolAge:	5,875	14.9	14.5	2	4	10	19	34	65 to 74 years	695 180 5	5.1 5.6	4.8 4.6	1 1	2 1	3	6 8 *	10 13
65 to 74 years	3,595 1,950 330	15.9 12.7 17.8	15.5 11.3 17.6	1 3	5 4 5	11 9 11	20 17 21	37 28 50	One diognosis	695 185	4.4 8.3	3.7 6.6	1	1 3	2	5 11	10 16
One diognosis	3,500	14.6 15.3	14.7 14.2	2 2	4 5	10	19	30 35	With surgery Without surgery	825 55	5.0 9.5	4.5 7.3	1 2	1 2	3 7	6	10
With surgery	1,705 4,170	16.3 14.3	14.7	2 2	5 4	12	21 18		NEOPLASMS OF UNSPECIFIED NATURE OF THE 8LADDER (236.2)								
LYMPHOSARCOMA ANO RETICULOSARCOMA (200)									Total	955	6.4	5.7	1	2	4	8	13
Totol	840	16.5	15.6	2	5	10	24	36	65 to 74 years	595 305	5.9 7.4	6.1 5.2	1	2 3 3	6	10	13 14
Age: 65 to 74 years	535 280 25	14.4 20.6	12.6 19.6	2 1 *	5 4 *	9 16	19 28	31 39	85 years and over One diagnosis	55 825 130	6.5 6.2 7.8	3.2 5.7 5.7	3 1 1	2 3	5 4 6	7 8	11 13 18
One diognosis	385	13.7 19.0	13.0 17.1	2 2	3 7	8 14	19 26	34 37	With surgery Without surgery	815 140	6.4	5.9 4.4	1	2 2	4 6	8 8	13 13
With surgery	290	18.3 15.7	13.8	2 2	8 5	15	26 22	33 36	ASTHMA (241)								
LEUKEMIA AND ALEUKEMIA (204)	350	15.7	70.4		,	ĺ		3.0	Total	2,935	9.0	7.7	2	3	6	10	19
Total	2,075	12.0	13.0	1	3	7	15	28	65 to 74 years	2,025 815 95	9.0 8.9 10.3	7.7 8.1 6.8	2 2 2	3 4	6 7 7	10 10 16	20 17 19
Age: 65 to 74 years	1,250 720 105	11.0 13.5 14.4	12.4 13.9 13.2	1	3 4 4	6 8 9	13 16 19	25 32 26	One diagnosis Two ar more diagnoses	1,310 1,625	7.4 10.3	5.8 8.8	1 2	3 4	6 7	9	14 21
One diognosis	1,135 940	11.1	12.1 14.0	1 2	3 3	6 8	13 18	27 28	With surgery Without surgery	75 2,860	16.5	12.1	3 2	5 3	9	25	30 19
With surgery	295	21.4	17.5	3	8 3	19	27 12	40 25	The state of the s	2,000	0.0	7.51	- 1	3 1	0 1		
Without surgery	1,780	10.5	11.4	1	3	6	12	25									

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Second Conference Seco		Ī., , ,	Averoge	Standard	Г	Perce	ntiles	(doys)				Averoge	Standard	Γ	Percer	ntiles	(doys)	
Table	Potient chorocteristics	Number of dischorges	stoy	deviation	10th	25th	50th	75th	90th	Potient chorocteristics	Number of dischorges	stoy	deviation	10th	25th	50th	75th	90th
Teal	OISEASES OF THYROIO GLANO (250-254)																	
See See See See See See See See See See		1,705	8.7	7.3	2	4	6	10	15		3 040	14.1	13.0	,		٥	10	30
Dec Propriet colorente 100 1	65 to 74 years	385	9.0	5.9	2 2 2	4	7	10	18	Age: 65 to 74 years	1,145 1,340	14.4 14.1	14.4 12.1	2	5	8 9	19 20	31 29
With surpry	One diognosis				3 2					One diognosis	1,045	13.9	14.2		4	8	18	28
December 1,1							7 5			With surgery	190	18.2	13.2	4	10	13	25	32
Marging 11,166										PSYCHOTIC AND PSYCHOPHYSIOLOGIC	2,570	10.0	12.7	1			"	.,
System of color	Age:			1	1		1	1			1 225	16.7	16.8	,	5	10	23	26
Des desponsis	75 to 84 years	6,990 1,155	11.6	10.6	3 2	4	8	14	22	Age: 65 to 74 years	940	16.8	16.4		5	10	23	36
Without purpors AMAINTERTONAL OFFICENCY STATS CREW ASPER ASPER ASPER ASPER ASPER ASPER ASPER ASPER ASPER ASPER ASSES ASSE										85 years and over	20	*	•	•	*	*	•	*
MANURITHORNA DIFFICENCY STATS 1,700 12,0 11,2 3 5 7 13 22 3 3 5 7 13 22 3 3 5 7 13 15 15 15 15 15 15 15	With surgery						15 8		35 20	Two or more diagnoses	535	14.9	15.3		6	9	20	31
A										Without surgery				3 2	5			35 36
66 to 74 worst 823 14 14 10 7 2 4 8 13 23 23 25 25 25 25 25 2		1,730	12.0	11.2	3	5	9	13	23		4.790	13.1	13.2	2	4	8	16	30
One dispracis 1,296 313 122 3 5 7 10 15 15 15 15 15 15 15	65 to 74 years	735	12.9	12.1	2 3 3	5	10	14	24	Age: 65 to 74 years	3,245 1,400	14.2 10.7	14.0 11.0	1	3	7	13	22
Without surgery 1,655 1.6 10.5 3 4 9 13 2 2 With aurgery 1,855 11.6 10.5 3 4 9 13 2 2 With aurgery 1,855 11.6 10.5 3 4 8 15 2 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 8 15 2 2 4 4 4 4 4 4 4 4	One diognosis				2 3					One diognosis	2,545	15.7	15.5	2	5	9	22	36
Coult (288) 1,040 8.4 5.7 3 4 6 10 14 CRESTAL HIMMORNIAGE										With surgery	185	17.9	16.3	3	6	11	23	35
Age	GOUT (288)										4,605	12.9	13.0	2	4	8	15	29
25 to 64 years	Age:		i							NONTRAUMATIC AND STROKE								
Decomposition Color Colo	75 to 84 years	365	9.2	6.6	3	5	8	11	13	Age:				1				
PERNICIOUS AND OTHER HYPERCHROMIC ALE ALE ALE ALE ALE ALE ALE ALE ALE ALE	One diognosis				3 3		5 7	8 11		75 to 84 years	9,730	14.2	13.6		4	10	19	31
Totol	With surgery									One diognosis				1 2	4 5			32 30
Age:	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)													5 1				45 30
65 17 A yeors 200 10.7 8.5 2 5 8 12 24 8 12 14		625	9.9	6.7	2	5	8	12	18									
One diagnosis	65 to 74 years	260	8.7	4.7	2 2 3	4	8	12	14	Total	5,480	15.0	14.1	2	5	10	19	34
With surgery 95 10.3 6.2 3 5 8 12 20 One diagnosis 2,325 14.2 14.1 2 4 9 17 32 Without surgery 500 9.9 6.8 2 5 8 12 17 Two or more diagnoses 3,155 15.7 14.0 2 5 11 21 35 IRON DEFICIENCY ANEMIAS (291) 1,490 9.0 7.0 2 4 7 10 16 6 18.7 15.4 6 8 13 19 47 Totol. 1,490 9.0 7.0 2 4 7 10 16 6 14.7 13.9 2 4 10 19 33 Age: 50 8.5 6.3 2 4 7 10 16 6 16.2 4 7 10 16 18.2 18.2 18.2 17.0 10 11.5 18.2	One diognosis	265	7.8	5.4	1			9		65 to 74 years	2,535	15.0	14.5	2 2 2	5 4 5	10	19	34 36 32
TRON DEFICIENCY ANEMIAS (291) Totol 1,490 9.0 7.0 2 4 7 10 16 65 to 74 years 560 8.5 6.3 2 4 7 10 16 17 17 17 18 18 18 19 19 33 33 39 2 4 10 19 33 33 39 33 39 33 39 33 39 33 39 33 39 33 39 33 39 33 39 33 39 33 39 33 39 33 39 33 39 33 39 33 39 33 30 30	With surgery	95	10.3	6.2	3			12		One diagnosis	2,325	14.2		2 2				
Totol										With surgery				6 2				
75 to 84 years	Age:	1								CEREBRAL ARTERIOSCLEROSIS (SO	3,020	1-3.7	10.7					
One diognosis 440 7.0 4.6 2 3 5 9 12 65 to 74 years 4.550 10.0 8.7 2 4 7 12 21 7 7 12 4 11 17 5 to 84 years 5.365 11.2 11.4 2 4 7 12 22 85 years and over 1.610 10.3 10.4 2 4 7 12 22 85 years and over 1.610 10.3 10.4 2 4 6 11 22 85 years and over 1.610 10.3 10.4 2 4 6 11 22 85 years and over 1.610 10.4 2 4 6 11 22 11 3 6 11 21 2 4 6 11 22 12 13 6 11 22 11 4 1 2 4 1 1 3 6 11 21 2 4 1	75 to 84 years	720	8.7	7.6	2	4	7 7 9	10	15	Total	11,525	10.6	10.3	2	4	7	12	21
With surgery 250 13.3 11.4 4 7 9 17 27 Without surgery 1,240 8.1 5.4 2 4 6 10 15 One diognosis 4,615 9.4 9.0 2 3 6 11 18 OTHER ANO UNSPECIFIED ANEMIAS (292,293) 8.7 1 3 6 11 21 With surgery 1,060 16.4 13.1 6 8 12 19 27 Totol 5,335 9.2 9.2 1 3 6 11 21 Without surgery 1,060 16.4 13.1 6 8 12 19 27 Age: 2,095 9.3 8.7 1 3 6 11 21 PARALYSIS AGITANS (350) 2,915 15.5 11.7 4 7 12 20 29 85 9.8 1 3 5 10 19 Totol 2,915 15.5 11.7	One diognosis						5 8			65 to 74 years	5,365	11.2	11.4	2	4	7	13	22
OTHER AND UNSPECIFIED ANEMIAS (292,293) Totol	With surgery									One diognosis	4,615	9.4	9.0	2	3		-11	18
Totol										With surgery	1,060	16.4	13.1	6	8		19	27
65 to 74 years 2,095 9.3 8.7 1 3 5 10 19 Totol 2,915 15.5 11.7 4 7 12 20 29 85 years and over 660 11.2 11.2 1 3 7 13 25 Age. One diagnosis 2,375 7.3 7.7 1 2 4 8 16 75 to 84 years 1,030 14.5 11.4 3 6 11 19 28 Two or more diagnoses 2,960 10.6 10.0 2 4 7 12 23 85 years and over 45 14.3 8.9 1 4 11 21 25 With surgery 420 15.3 13.4 2 5 11 21 35 10 19 Two or more diagnoses 1,410 15.0 12.1 3 6 11 19 28 Without surgery 4,915 8.6 8.5 1 3 5 10 19 Two or more diagnoses 1,410 15.0 12.1 3 6 11 19 28 With surgery 130 22.6 13.6 7 11 18 31 39		5,335	9.2	9.2	1	3	6	11			10,465	10.0	9.8	2	4	٥	12	21
One diognosis	65 to 74 years	2,580	8.5	8.9	1 1	3 3	6 5 7	10	19	Totol								
With surgery 420 15.3 13.4 2 5 11 21 35 One diagnosis 1,505 16.1 11.2 4 8 13 20 30 Without surgery 4,915 8.6 8.5 1 3 5 10 19 Two or more diagnoses 1,410 15.0 12.1 3 6 11 19 28	One diognosis	2,375	7.3	7.7	1	2	4	8	16	65 to 74 years	1,030	14.5	11.4	3	6	11	19	28
With surgery 130 22.6 13.6 7 11 18 31 39	With surgery	420	15.3	13.4	2													
										With surgery	130 2,785			7 3		18 12		

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

			51 -1 -1		Percei	ntiles	(days))						Percei	ntiles	(doys)	
Potient chorocteristics	Number of dischorges	Averoge stoy (doys)	Stendard deviation (days)	10th	25th	50th	75th	90th	Potient charocteristics	Number of discharges	Average stoy (doys)	Standard deviation (days)		25th		75th	90th
							-		ALL OTHER AWAS A POLAL OF STREET								
NEURALGIA AND NEURITIS (360-366) Totol	3,195	10.3	9.5	2	4	7	12	23	ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Age: 65 to 74 years	1,940	9.7	8.7	ì	4	7	11	19	Total	2,075	10.8	9.3	2	4	8	14	21
75 to 84 years	1,030 225	11.9 8.4	11.4 5.1	2 2 2	4 4	7 6	14 11	30 15	65 to 74 years 75 to 84 years 85 years ond over	975 820 280	10.4 10.1 14.3	8.5 7.2 14.7	2 2 2	4 4	7 8 7	13 14 19	20 19 35
One diognosis	1,700 1,495	9.5 11.2	8.9 10.1	2 2	4	6 7	10 14	18 26	One diagnosis	705 1,370	9.7 11.4	7.9 9.8	2 2	4 4	7 8	12 16	17 21
With surgery Without surgery	495 2,700	12.6 9.9	11.2 9.1	3 2	5 4	8 7	14 11	30 20	With surgery	80	17.6	13.9	2	3	17	21	29
CATARACT (385)									FUNCTIONAL DISEASE OF HEART (433)	1,995	10.5	8.9	2	4	7	13	20
Totol	19,010	7.3	4.5	3	4	6	8	-11	Totol	7,905	9.0	8.1	1	3	6	12	18
65 to 74 years	8,085	7.0 7.5 7.6	4.1 4.6 4.8	3 3 3	4 4	6 6		11 12 13	Age: 65 to 74 years	4,095 2,935	7.8 10.1	6.6 8.8	1	3 4	6	10	16 20
One diognosis	15,745	7.1	3.6	3	4	6	8	11	75 to 84 years	875	10.2	10.5	i	2	6	13 13	23
Two or more diagnoses		7.3	7.0	3	5	6	8	13	One diognosis	3,045 4,860	7.6 9.8	6.8 8.7	1	3	7	10 13	14 19
Without surgery		6.9	6.8	ĭ	1	5	8	13	With surgery	1,030 6,875	11.7 8.5	7.3 8.1	3 1	6	10	15 11	21 17
Totol	1,605	7.8	6.5	2	3	6	9	14	CONGESTIVE HEART FAILURE (434.1)								
Age: 65 to 74 years	900	7.5	5.9	2	3	5	9	14	Total	20,110	11.2	10.1	2	4	8	14	23
75 to 84 years	90	8.3 8.3	7.3 4.7	2 2	3	8	12	17 14	65 to 74 years 75 to 84 years 85 years ond over	7,970 9,010 3,130	10.8 11.6 11.2	9.4 10.4 10.9	2 2 2	4 4	8 8	13 14 14	21 23 24
One oliognosis	1,010 595	7.1 9.0	6.6	2 2	3 4	5 7	12	11	One diognosis	9,860 10,250	10.5 11.9	9.5 10.5	2 2	4	7 8	13 15	21 24
With surgery	1,230 375	7.9 7.7	6.1 7.6	2	4 2	6 5	9	14 15	With surgery	665	16.5	12.1	3	7	14	22	31
CHRONIC RHEUMATIC HEART DISEASE (410-416)						ļ	1		HYPERTENSIVE HEART DISEASE (442,443)	19,445	11.0	9.9	2	4	8	14	22
Total	740	10.5	7.5	2	4	8	15	21	Total	10,990	10.5	9.7	2	4	7	13	20
Age: 65 to 74 years	495 175	10.7 8.1	7.6 4.9	3	4 3	8 7	16 12	21 14	Age: 65 to 74 years	5,205 4,525	9.8 11.1	8.6 10.3	2 2	4 4	7	13 13 13	19 21
75 to 84 years		14.7	9.7	i	4	14	21	26	75 to 84 years	1,260	11.3	11.2	2	4	7		23
One diagnosis	590	10.0	7.6	1 2	4	12 7	17	20 21	One diagnosis	2,310 8,680	8.0 11.2	7.1 10.1	2	5	8	10	16 21
With surgery	85 655	13.0 10.1	7.0 7.5	2 2	4	12 8	19 13	21	With surgery	470 10,520	15.2 10.3	13.9 9.4	3 2	6	10 7	17 13	33 20
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)									OTHER HYPERTENSIVE DISEASE (446,447)	11 500		0.5		3			10
Totoi	27,770	10.5	9.3	2	4	7	13	21	Age: 65 to 74 years	11,590 6,235	9.0 8.2	8.5 7.6	2	3	6	11	18 16
65 to 74 years	12,216	10.1 10.6 11.5	9.1 9.2 9.9	2 2 2	4 4	7 8 8	12 13 15	20 21 23	65 to 74 years 75 to 84 years 85 years and over	4,345 1,010	9.6 11.5	9.0 10.5	2 3	3	7 8	12 13	20 24
One diagnosis	8,885 18,885	9.4	8.8 9.4	2 2	4		11 14	18 22	One diagnosis	3,690 7,900	7.9 9.5	7.4 8.9	2 2	3 4	5	9 11	15 19
Two or more diagnoses	1,480	11.0	13.3	3	7	11	20	36	With surgery	710 10,880	15.0 8.6	14.2 7.9	3 2	6	10 6	18 10	26 17
Without surgery	26,290	10.2	8.9	2	4	7	13	20	GENERAL ARTERIOSCLEROSIS (450)								
Total	20,485	14.0	11.0	1	4	12	20	28	Total	11,435	ì2.1	11.4	2	4	8	15	26
Age: 65 to 74 years 75 to 84 years	11,425 7,430	14,4 13,9	10.3 11.5	1	6 4	13	20 20	28 28	65 to 74 years 75 to 84 years 85 years ond over	4,105 5,145 2,185	11.6 12.0 13.0	11.3 11.1 12.2	2 2 2	4 4 4	8 8 8	14 14 17	24 26 30
85 years and over	1,630	12.0	13.3	1	2	8	15	30	One diagnosis	2,880	11.6	11.6	2	4	7	14	25
One diagnosis		13.8 14.2	10.6	1	4	13	20 21	27 29	Two or more diagnoses	8,555 1,645	12.3 17.9	11.4	5	9	8 14 7	15 23	26 33
With surgery	580 19,905	18.4 13.9	14.4 10.9	3	7	14 12	28 20	39 28	Without surgery	9,790	11.1	11.0	2	4	7	13	24
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)									DISSECTING ANEURYSM (451)	1,490	11.7	11.6	,	3	9	16	22
TotolAge:	28,785	9.9	9.2	2	3	7	12	20	Total	770	13.0	11.5	1	3	11	16	22 26
65 to 74 years	15,015 10,775 2,995	9.3 10.2 11.9	8.1 9.8 11.3	2 2 2	3 4 4	6 7 8	12 12 15	19 21 24	75 to 84 years	645 75	10.2	12.3	1	1	6 5	14 15	19 22
One diognosis	11,505	9.0	8.3	1 2	3 4	6 7	11	19 22	One diagnosis	860 630	11.0 12.7	9.6 13.6	1	3	9	16 16	22 27
Two or more diagnoses	17,280	10.6 16.5	9.6 12.6	3	7	13	13	33	With surgery	745 745	16.1 7.3	10.2 11.0	4	10	14	20 8	27 15
Without surgery		9.7	8.9	2	3	7	12	20		, 43 (7.51				,	٠,	

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard		Perce	ntiles	(days)				Average	Standard		Percer	tiles ((doys)	
Potient choracteristics	Number of discharges	stoy (days)	deviation (doys)	10th	25th	50th	75th	90th	Patient choracteristics	Number of dischorges	stoy (doys)	deviation (dgys)	10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)									ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	1,505	12.5	10.8	2	4	10	16	25	Total	6,790	8.2	6.8	2	4	6	10	15
Age: 65 to 74 years 75 to 84 years 85 years and over	830 530 145	13.3 11.5 11.4	12.2 8.1 10.7	2 2 1	5 5 2	10 10 6	16 14 20	26 21 26	Age: 65 to 74 years 75 to 84 years 85 years ond over	3,850 2,210 730	7.8 8.7 9.1	6.2 7.2 7.8	2 2 3	4 4	6 6 6	9 10 11	14 16 14
One diagnosis	945 560	10.9 15.2	9.0 13.0	2	3 7	9	14 18	22 26	One diagnosis	2,580 4,210	7.0 8.9	6.3 6.9	2 3	3 4	5 6	8 11	12 16
With surgery	975 530	15.3 7.3	11.5 6.9	4	9	12	19	28 16	With surgery	290 6,500	11.7 8.0	9.4 6.6	2 2	4	9 6	16 9	23 14
GANGRENE OF LOWER EXTREMITY (455.0)									INFLUENZA (480-493)	9,515	8.4	4.4	3	4	6	10	15
TotalAge:	945	18.2	13.7	3	6	16	24	38	Total	6,095	8.1	6.4 5.7	3	4	6	10	14
65 to 74 years	380 350 215	17.9 18.8 17.8	13.1 15.7 11.0	3 3 2	6 7 10	16 15 15	26 21 23	37 41 36	75 to 84 years	2,880 540	8.9 10.3	7.3 8.5	3	5	6 7	10	16 20
One diagnosis	575 370	16.9 20.1	12.1 15.7	2 4	6 7	15 16	23 26	36 39	One diagnosis	5,300 4,215	7.5 9.6	4.9 7.8	3	4	7	11	13 17
With surgery	650 295	20.6 12.8	14.4 10.2	5 1	9	17 9	26 20	39 27	With surgery Without surgery LOSAR PNEUMONIA (490)	135 9,380	11.7 8.4	4.9 6.4	3	8	11 6	15 10	19 15
VARICOSE VEINS OF LOWER EXTREMITIES (460)									Total	780	13.0	8.3	3	7	11	16	23
TotalAge:	1,610	12.6	10.0	3	5	9	15	27	Age: 65 to 74 years	390 250	12.1 12.6	8.0 6.1	3 5	5 7	11 11	15 16	21 20
65 to 74 years	995 540	11.3 14.8	9.3 10.3	3 4		8 12	13 19	25 29	85 years and over	140	16.5	11.2	2	9	11	22	30
85 years and over	75 910	11.0	13.0	3	5	8	15	26	One diognosis	375 405	11.0 14.9	7.4 8.7	5	5	13	13 18	21 26
Two or more diagnoses	700 875	14.7	9.3	3	5	12	20 13	29	With surgery	40 740	18.1 12.8	6.5 8.3	14	14	15 11	17 16	27 23
Without surgery	735	14.2	10.5	4	6	11	18	29	BRONCHOPNEUMONIA (491) Totol	6,240	10.6	8.5	3	5	8	12	19
ULCER) (461) Total	2,870	8.5	5.5	2	4	7	10	13	Age: 65 to 74 years 75 to 84 years	2,775 2,385	9.9	7.4 9.5	3 3	5 5	8	11 13	17 20
Age: 65 to 74 years 75 to 84 years	2,055 700	8.1 9.2	4.8 6.7	2 3	4 5	7 8	10 12	13 14	85 years and over One diagnosis	1,080 2,715	11.4 8.9	8.8 6.1	2 2	5	7	14	20 16
85 years and over	115	10.4 8.0	7.9 4.8	1 2	4	7	13	18	Two or more diagnoses	3,525 175	11.9	9.7 9.6	3	5	9 10	14 17	21
Two or more diagnoses	1,185	9.1	6.4 5.6	3	5	8	11	14	PRIMARY ATYPICAL PNEUMONIA (492)	6,065	10.5	8.4	3	5	8	12	19
Without surgery	670	5.4	4.1	ĩ	2	4	6	12	Total	6,620	10.4	8.1	3	5	8	12	19
PHLESITIS AND THROMSOPHLESITIS OF LOWER EXTREMITIES (463)	2 400	,,,	77				,,	21	Age: 65 to 74 years 75 to 84 years	3,275 2,440 905	9.7 10.8 11.7	7.3 8.5	3 3 3	5 5 5	7 9 9	11 13 14	19 18 22
Age: 65 to 74 years	1,530	11.6	6.2	4			14	17	One diagnosis	2,800	9.1	9.6 7.1	3	5 5	7 9	10	15 21
75 to 84 years	910 160	11.9	13.8	2	4	10	14 22	26 28 18	With surgery	3,820 260 6,360	11.3 14.9 10.2	8.7 11.4 7.9	3	7 5	11 8	20	25 18
One diagnosis	1,385	10.4	6.2 8.9	3 4	7	10	13 15 21	25	PNEUMONIA, OTHER AND UNSPECIFIED (493)	0,000	10.2	7.7	,	ر	3	'2	13
With surgery	185 2,415	18.1 11.1	11.7 7.1	7	6	15	13	27 20	(493) Total	12,310	11.6	9.3	3	5	9	14	22
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)									Age: 65 to 74 years	5,615 4,650	11.2 12.0	8.5 9.6	3	6	9	13 15	20 23
Totol	1,565	11.7	9.0	3	5	10	14	21	85 years and over	2,045	12.1	10.5	3	5	9	15	26
65 to 74 years 75 to 84 years 85 years and over	880 600 85	11.0 13.3 7.6	8.3 10.1 3.7	3 3 2	5 4	10 10 6	14 16 10	18 28 12	One diagnosis	6,370	12.8 17.5	10.3	3	5 6 8	10 13	16	26 38
One diagnosis	1,005 560	10.0 14.7	6.2 11.9	3 4	5 7	9	13 16	18 29	With surgery Without surgery ACUTE BRONCHITIS (OR SUBACUTE)	11,690	11.3	8.8	3	5	9	14	21
With surgery	95 1,470	18.3 11.3	11.0 8.7	6	9 5	16	19 14	36 21	(500)	6,490	8.6	6.9	3	4	6	10	15
PULMONARY EMBOLISM AND INFARCTION (465)									Age: 65 to 74 years	3,660 2,190	8.2 8.9	6.3 7.7	2	4	6 7	10 10	14 15
Totol	1,305	13.7	10.7	2	5	11	18	28 27	85 years and over	640 2,590	10.1 7.3	7.2 5.4	3 2	5	8 5	12	17 12
65 to 74 years	705 465 135	13.2 13.9 15.4	9.6 10.9 14.2	3 1 1	5 2	10 12 13	17 18 26	25 25 29	Two or more diagnoses	3,900	9.5	7.7	3	4	7	11	16
One diagnosis	560 745	12.5 14.5	9.9 11.1	2 2	5 6	10 12	16 21	24 29	With surgery	6,280	11.2 8.6	10.2	3	4	6	10	29 15
With surgery	125 1,180	16.5 13.3	11.4 10.5	6 2	7 5	11	20 17	35 27									

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

## BONCHIS, DIGAJAFIED (200) ## BONCHIS, DIGA	Potient	Number of	Averoge	Standard		Perce	ntiles	(doys)		Potient	Number of	Averoge	Standard		Percer	ntiles	(doys)	
Total			(doys)		10th	25th	50th	75th	90th					10th	25th	50th	75th	90th
Total Contro	8RONCHITIS, UNQUALIFIED (501)																	
5.5 by 4 grown 3.200		5,355	9.2	7.1	3	4	7	11	17		510	12.7	10.0	2	5	10	18	23
Decident Services 1.25	65 to 74 years	1,680	10.1	7.6	3 3 3	4	8	12	20	Age: 65 to 74 years	130	9.7	7.5	3	2	6		23 21
With Largery					2 3					One diognosis	230	11.7	6.7	2	7	9	18	21
Cubonic Book Cultis with Lumms (SAM) Cubonic Book Cultis with Lumms (SAM) Cubonic Book Cultis with Lumms (SAM) Cubonic Book Cultis with Lumms (SAM) Cubonic Book Cultis with Lumms (SAM) Cubonic Book Cubonic Book Cultis with Lumms (SAM) Cubonic Book Cub					2 3				23 17				ŀ				21	30
Total	CHRONIC BRONCHITIS WITH EMPHYSEMA									ULCER OF DUODENUM W/O	330	8.6	6.9	2	3	7	10	17
\$5 to \$4 events		3,275	10.3	8.8	3	4	7	12	19									
Decomposis 1.355 9.0 0.4 1.4 4 7 11 10 10 10 12 10 10 10	65 to 74 years	2,155 965 155	10.5	8.8	3 3 1	4 5 2	8	12	21	Age: 65 to 74 years	4,720	8.3	6.6	2	3	6	10	16
With usersey 3,000 1,4 1,4 1,4 7 14 19 19 19 19 19 19 19					3					85 years and over	335	11.5	8.0	3	4	10	16	22
With Surgery	With surgery			11.4 8.5					36 19				7.3	2		7	12	17
Total	CHRONIC BRONCHITIS WITHOUT									Without surgery								25 15
25 to 84 years	Age:						1		}	PERFORATION & WITH HEMORRHAGE								
Section Sect	75 to 84 years	455	9.9	10.1	2 2 4	4	6	10	20		2,670	11.3	8.5	3	5	9	13	21
PRIMORE CONDISTION AND PRIMORE CONDISTION AND	One diognosis	500	8.0	8.3		3 4	6 7			65 to 74 years	915	12.1	9.0	3	6	10	13 15 13	
MYPOSTASIS (222)	With surgery	175 1,180			1 3													16 27
Age: 04 yeers	PULMONARY CONGESTION AND HYPOSTASIS (522)									With surgery				6		16 8	24 12	28 17
65 to 74 years 5.50 1.70 1.10 2 4 8 13 17 25 75 to 84 years 5.50 1.20		1,360	12.0	13.0	2	4	9	14	22	ULCER OF STOMACH & OUOOENUM, WITH PERFORATION (540.2, 3,541.2, 3)								
One diagnosis	75 to 84 years	530	13.2	12.4	2 2	4	10	17	25	Tatol	470	13.6	9.9	1	8	12	17	24
With surgery	One diognosis	535	11.8	12.3	2	4	8	13	22	65 to 74 years	140			1 5 *				
EMPHYSEMA WITHOUT MENTION OF 8KOKCHITIS (527.1) Total 9,470 10.2 9.6 2 4 7 12 20 GASTRITIS AND OUGOENITIS (543) Age. 62 15 10.1 9.5 2 4 7 12 19 Total 7,175 7,0 6.0 1 3 5 8 13 13 5 8 13 13 5 8 13 13 5 8 14 7 11 20 Age. 64 15 14 7 11 20 Age. 64 15 14 7 11 17 18 Age. 64 15 14 7 11 17 18 Age. 64 15 14 7 11 17 18 Age. 64 15 14 7 11 17 18 Age. 64 15 14 7 11 18 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 14 Age. 65 16 Age	With surgery	30	14.2	3.2	10	11	13	15	18	One diognosis	245						15 18	24 24
Age:	EMPHYSEMA WITHOUT MENTION OF																	
65 to 74 yeers 6,215 10,1 9,5 2 4 7 11 27 75 to 84 yeers 2,2760 99 8.8 13 2 4 7 11 27 85 yeers and over 475 12,3 14,1 3 4 7 11 27 75 to 84 yeers 4,255 6.4 5.0 1 2 4 8 12 12 12 12 12 12 12		9,470	10.2	9.6	2	4	7	12	20	GASTRITIS AND OUODENITIS (543)								
One diagnosis	65 to 74 years	2,780	9.9	8.8	2	4	7	11	20	Age: 65 to 74 years	4,255							
With surgery 530 17,7 15,4 4 8 14 21 30 Two or more diagnoses 3,905 8,4 6,9 2 3 6 10 16 Without surgery 8,940 9,7 8,9 2 4 7 11 18 With surgery 435 10,3 7,9 3 4 7 13 25 Totol 2,275 7,4 7,1 1 2 5 8 17 APPENDICITIS (550-553) 8 1 0 6,7 5 8 10 19 25 8 15 Appendication 1,170 14,4 10,1 5 8 10 19 25 8 17 APPENDICITIS (550-553) 8 10 19 25 8 15 Appendication 1,170 14,4 10,1 5 8 10 19 25 8 15 Appendication 1,170 14,4 10,1 1 10,0 <td< td=""><td>One diognosis</td><td></td><td>9.3 10.7</td><td></td><td></td><td>4 4</td><td>7 7</td><td></td><td></td><td>85 years and over</td><td>575</td><td>7.9</td><td></td><td>2 2</td><td>3 4</td><td></td><td></td><td>15</td></td<>	One diognosis		9.3 10.7			4 4	7 7			85 years and over	575	7.9		2 2	3 4			15
OISEASES OF ESOPHAGUS (539) Totol				15.4 8.9			14			Two or more diagnoses	3,270 3,905			2				
Age: 65 to 74 years 1,190 7,1 6.6 1 2 5 8 15 Total 1,170 14.4 10.1 5 8 10 19 25 75 to 84 years 905 7,5 7,3 1 2 4 9 17 85 years and over 180 9,2 9,2 1 3 6 10 20 65 to 74 years 785 14.9 11.1 6 8 10 20 28 875 to 84 years 305 13.2 6,7 5 7 13 17 20 0ne diagnosis 745 5.8 6.6 1 2 3 6 11 Two or more diagnoses 1,530 8.2 7,2 1 3 6 9 18 With surgery 800 8.2 8.4 1 2 5 10 18 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 7,1 6.4 1 2 5 8 16 With surgery 1,585 8.5 4.6 4 5 7 9 12 Without surgery 1,585 7,55 2 5 9 13 15 One diagnosis 1,305 9,5 9,6 1 3 3 6 12 19 With surgery 3,375 8,0 3,9 4 5 7 9 12 With surgery 3,375 1,370 12,9 11,7 2 5 10 15 20 One diagnosis 5,375 8,0 3,9 4 5 7 9 11 With surgery 2,140 9,7 10,2 2 3 6 12 19 Without surgery 3,385 1,33 11,3 6 11 15 20 29 Without surgery 2,180 9,9 5,8 4 6 8 12 16 With surgery 3,385 1,33 11,3 6 11 15 20 One diagnosis 5,375 8,0 3,9 4 5 7 9 11 With surgery 2,180 9,9 5,8 4 6 8 12 16 With surgery 2,180 9,9 5,8 4 6 8 12 16		9,110								With surgery				3 1				
75 to 84 years and over 180 9.2 9.2 1 3 6 10 20 20 65 to 74 years 785 14.9 11.1 6 8 10 20 28 28 29 20 28 20 20	Age:		i	7.1	1	2												
One diagnosis 745 5.8 6.6 1 2 3 6 11 85 years and over 80 15.0 10.7 2 5 11 21 24 Two or more diagnoses 1,530 8.2 7.2 1 3 6 9 18 0ne diagnosis 680 11.6 6.6 5 7 9 14 21 With surgery 1,585 7.1 6.4 1 2 5 8 16 16 16 6.6 5 7 9 14 21 ULCER OF STOMACH W/O PERFORATION & W/O PERFORATION & W/O HEMORRHAGE (540.0) 2,675 11.2 10.9 2 4 8 14 20 10.05 15.4 10.3 6 8 12 20 27 Age: 48.0 1,780 10.9 10.3 2 4 8 14 20 11.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	75 to 84 years	905	7.5	7.3	1 1		4	9	17	Age: 65 to 74 yeors	785	14.9	11.1		8	10	20	28
With surgery 690 8.2 8.4 1 2 5 10 18 Two or mare diagnoses 490 18.3 12.6 6 8 15 22 32 Without surgery 1,585 7.1 6.4 1 2 5 8 16 With surgery 1,005 15.4 10.3 6 8 12 20 27 ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0) 2,675 11.2 10.9 2 4 8 14 20 16 1.005 15.4 10.3 6 8 12 20 27 Age: 1.760 10.9 10.3 2 4 8 14 21 1.001 7,555 8.5 4.6 4 5 7 9 13 75 to 84 yeors 755 12.2 12.7 2 4 9 14 20 Age: 7 9 1.2 75 to 84 yeors 5,150 8.0 3.7	One diagnosis	745 1,530			1					85 years and over	80	15.0	10.7		5	11	21	24
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0) Totol	With surgery		8.2 7.1		1					Two or mare diagnoses	490	18.3	12.6	6	8	15	22	32
Totol.										Without surgery					4	7	9	
65 to 74 years 1,780 10,9 10,3 2 4 8 14 21 Totol 7,555 8.5 4.6 4 5 7 9 13 75 to 84 years 755 12.2 12.7 2 4 9 14 20 Age: 85 years ond over 140 9.7 5.5 2 5 9 13 15 65 to 74 years 5,150 8.0 3.7 4 5 7 9 12 75 to 84 years 2,095 9.6 5.8 4 6 8 11 15 15 15 15 15 15	Age:	1		10.9	ľ	4	8	14		OF OBSTRUCTION (560.0)								
One diagnosis 1,305 9.5 9.6 1 3 6 12 17 85 years and over 310 10.3 5.7 3 6 9 12 18 Two or more diagnoses 1,370 12.9 11.7 2 5 10 15 22 One diagnosis 5,375 8.0 3.9 4 5 7 9 11 With surgery 535 17.3 11.3 6 11 15 20 29 17 wo or more diagnoses 2,180 9.9 5.8 4 6 8 12 16 Without surgery 2,140 9.7 10.2 2 3 6 12 19	65 to 74 years	755	12.2	12.7	2 2 2	4	9	14	20	Age: 65 to 74 years	5,150	8.0	3.7	4	5	7	9	12
With surgery	One diagnosis				1 2					85 years and over	31D	10.3	5.7	3	6	9	12	18
T WITH CHEADY TO A VIII T XX 1 A 3 A 4 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1	With surgery	535 2,140			6 2			20 12			5,375 2,180 6,910							

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard	<u> </u>	Perce	ntiles	(doys))			Averoge	Standard		Percei	ntiles	(doys)	
Potient choracteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	Potient chorocteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
OIAPHRAGMATIC HERNIA WITHOUT									CHOLELITHIASIS (584)								
MENTION OF OBSTRUCTION (560.4) Totol	7,220	8.1	7.7	2	3	5	10	16	Total	11,070	12.3	8.7	3	6	10	15	22
Age: 65 to 74 years	4.845	7.8	7.7	2 2	3	5	9	15	65 to 74 yeors	6,680 3,595	12.1 12.7	7.7 9.8	3	7 5	10 10	15 17	20 24
75 to 84 years	2,020 355	8.7 8.3	7.8 7.7	1	3 2	5	11	18 17	85 years and over One diagnosis	795 6,055	11.8	10.4 7.5	3	6	10	14	25 20
One diognosis	2,235 4,985	7.1 8.5	6.1 8.4	1 2	2	5	9 10	14 17	Two or more diagnoses	5,015	13.3	9.8	3	6	11	17	25
With surgery	1,440 5,780	14.4 6.5	11.4	4	7	11	17 8	28 12	With surgery	6,380 4,690	15.8 7.6	8.5 6.5	8 2	10	13 5	18 9	25 14
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.13,.8,.9)									CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Totol	2,865	10.6	6.8	3	6	9	12	18	Tatal	7,600	10.4	8.5	2	4	8	13	20
Age: 65 to 74 years	2,025 755	10.2	6.1 8.3	4 3	6	8 9	11 15	16 24	65 to 74 yeors	3,945 2,765 890	9.9 10.9 11.2	8.1 9.1 8.1	2 2 2	4 4 5	7 8 9	12 14 15	19 21 19
85 years and over	85	10.2	6.9	1	5	8	11	19	One diagnosis	4,195	9.2 12.0	7.1	2 3	4 5	7 9	12 15	17 23
One diognosis	1,090	10.0 11.7	6.6	3 4	7	10	14	17 20	Two or more diagnoses	3,405 1,840	16.4	9.8 9.7	7	9	14	19	28
With surgery	2,285 580	11.6 6.8	6.7 5.8	5	7 2	5	13	19 14	OTHER DISEASES OF GALLBLAODER AND	5,760	8.5	7.1	2	3	6	11	16
HERNIA OF ABOOMINAL CAVITY WITH OBSTRUCTION (561)									BILIARY DUCTS (586)	0.070		,,,,			_	10	00
TotalAge:	1,805	10.6	9.9	2	5	8	12	18	Total	2,070 1,105	9.6	10.8 8.2	2	3 5	8 7	13	22 18
65 to 74 years	945 685 175	9.4 12.0 11.7	9.3 10.2 11.3	3 3	7 4	7 9	11 14 12	16 20 16	75 to 84 years	735 230	13.6 11.7	13.1 12.0	2 2 2	5	9 8	16 13	36 22
One diagnosis	1,165	8.8	6.2	2	4	7	11	15	One diagnosis	1,090 980	10.3 12.2	9.4 12.0	2 2	4	7 8	12 13	20 24
Two or more diagnoses		13.9	9.2	3	6	9	15	21 18	With surgery	545 1,525	20.8 7.8	13.0 7.3	9	11	16 6	26 9	42 14
Without surgery	415	8.9	12.0	1	2	5	10	18	OISEASES OF PANCREAS (587)								
MENTION OF HERNIA (570)									Totol	1,250	12.0	10.7	2	4	8	16	24
Totol	5,990 2,705	11.1	10.9	1	3	7	15	24	65 to 74 years	660 530 60	10.6 13.1 18.3	9.5 11.8 8.0	2 3 4	4 5 12	7 8 19	14 17 22	21 24 24
75 to 84 years	2,305	10.9 10.7	10.0	1 2	3	7 6	15 14	25 23	One diognosis	575 675	9.5 14.2	7.7 12.2	2	4 5	7 11	12 19	20 25
One diognosis	3,100 2,890	10.1 12.1	10.7 11.1	1 2	2	6 8	14 16	21 26	Two or more diagnoses	175	20.7	10.4	9	14	18	23	31
With surgery	1,950 4,040	17.3 8.0	11.4 9.3	4	9 2	15	21 9	32 16	Without surgery NEPHRITIS, NEPHROSIS, AND	1,075	10.6	10.0	2	4	7	14	21
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)									HYDRONEPHROSIS (590-594,601) Total	1,715	13.1	11.4	2	5	9	16	31
Total	16,325	7.0	6.4	1	3	5	8	14	Age: 65 to 74 years	870	11.2	9.8	2	4	8	14	24
Age: 65 to 74 years	8,695 6,095	6.3 7.7	5.2 7.6	}	2	4 5	7 9	12 15	75 to 84 years	670 175	15.4 13.5	12.8 11.6	3 2	5 5	10 9	23 15	35 27
85 years and over	1,535	8.7	7.2	2	3	6	11	19	One diognosis	670 1,045	11.6 14.1	8.8 12.7	3 2	5 5	8 9	15 17	24 32
One diognosis		5.7 8.4	5.2 7.3	2	3	6	10	10 17	With surgery	385 1,330	13.3 13.1	11.5 11.4	3 2	5 5	9 8	15 17	32 30
With surgery	595 15,730	11.2 6.9	10.2 6.2	2 1	3	8 5	14 8	23 14	INFECTIONS OF KIONEY (600)								
OIVERTICULITIS (572.1)	12.205	7.0	7.4	2	2	5	9	14	Total	8,235 3,685	10.4 9.4	8.6 7.3	2	4	7	13 12	20 19
Totol	7,045	7.9 7.4	7.4	1	2	5	9	16	75 to 84 years	3,265 1,285	10.6 12.8	8.6 11.2	2 3 3	4 6	8 9	13 15	20 24
75 to 84 years	4,950	8.6 8.1	7.7 7.0	2 2	3	6	10	17 14	One diognosis	3,335 4,900	9.1 11.3	7.1 9.4	2 3	4 5	6	11 14	18 21
One diognosis	6,480 6,825	6.8 9.0	6.3 8.2	1 2	2	5 6	8 11	14 17	With surgery	800 7,435	16.0	11.8	3 2	8	14	21 12	29 19
With surgery	2,075 11,230	13.3 7.0	11.1 6.0	2 1	4 3	11	18 8	26 13	CALCULI OF KIDNEY AND URETER (602)	7,400	7.0	6.0	-				1,7
CIRRHOSIS OF LIVER (581)									Total	3,815	7.9	6.9	1	3	5	11	17
Totol	1,180	15.8	12.0	3	6	12	20	32	65 to 74 years	2,790 930 95	7.4 9.6 8.1	6.2 8.6 6.9	1 2 3	3 3	5 6 5	10 13 8	15 23 21
65 to 74 years	865 280 35	14.9 17.4 24.7	11.1 14.0 9.4	3 3 18	6 7 18	12 11 19	18 25 27	30 33 39	One diagnosis	2,165	6.9	6.2	1	2	4	9	14
One diognosis		16.1 15.6	10.9 12.7	4 3	7 5	13 12	20 19	31 33	Two or more diagnoses	1,650	9.3	7.5 7.3	3	5 2	6	13	20 20
With surgery	290	18.3	9.1	6	11	17	23	28 34	Without surgery	2,140	5.4	5.4	i i	2	3	6	īī
Without surgery	890	15.0	12.7	3	5	10	18	34									

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Dation	Number of	Averoge	Standard		Perce	ntiles	(doys)	On Allmost	Number	Average	Standard		Percer	ntiles	(doys)	,
Potient chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	Potient choracteristics	Number of dischorges	-4	deviation (doys)	10th	25th	50th	75th	90th
OTHER DISEASES OF KIONEY AND URETER (603,604)									OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	2,030	9.8	8.7	2	3	7	13	21	Tofol	1,675	8.4	8.4	2	4	ó	9	14
65 to 74 years	1,305 585 140	9.3 11.0 9.2	9.0 8.5 6.2	2 2 3	3 4 4	6 9 7	11 16 12	20 21 19	65 to 74 years	1,050 535 90	7.7 9.9 8.2	7.5 9.9 5.7	2 2 3	3 4 5	6 6	9 11 9	12 19 12
One diognosis	880 1,150	8.1 11.0	6.6 9.9	1 2	3 4	6 7	11 15	17 23	One diagnosis	995 680	7.1 10.4	4.8 11.5	2 2	3	5 7	8 11	13 18
With surgery	1,055 975	12.0 7.3	8.7 8.1	3 1	5 2	9 4	16 7	22 16	With surgery	1,055 620	8.5 8.4	8.8 7.5	2 3	3 4	6	9 9	15 13
Total	6,030	8.5	7.5	2	3	6	10	16	Total	4,150	11.3	5.0	6	8	10	13	17
Age: 65 to 74 years 75 to 84 years 85 years and over	2,935 2,270 825	7.7 9.2 9.2	6.7 8.4 7.6	1 2 2	3 4 4	5 6 6	9 10 11	15 17 18	Age: 65 to 74 years	3,135 915 100	10.8 12.4 15.3	4.4 6.5 6.5	6 6 8	7 8 10	10 11 14	13 15 16	16 20 19
One diagnosis	2,175 3,855	7.0 9.3	5.7 8.2	1 2	3 4	5 7	8 11	13 17	One diagnosis	2,470 1,680	10.7 12.1	5.0 4.8	6	7 8	9 11	12 14	16 18
With surgery	1,850 4,180	8.5 8.5	8.4 7.1	1 2	2 4	6	11 10	17 15	With surgery	3,895 255	11.4 9.7	4.9 6.6	6 2	8	10 9	13 16	16 17
OTHER OISEASES OF BLAOOER (606) Totol	2,015	9.8	7.5	2	4	7	12	21	SUBCUTANEOUS TISSUE (690-698)								
Age: 65 to 74 years	1,115	9.7 9.8 10.5	7.9 6.9 7.3	2 2 3	4 4 5	7 7 8	11 13 12	23 18 21	Totol Age: 65 to 74 years	3,735 1,965 1,345	11.0 10.2 11.5	9.7 9.7 9.9	3 2 3 4	5 4 5	8 7 8	13 12 13	21 20 20
One diagnosis	895	8.7 10.7	7.3 7.5	2 3	4 4	7 8	10	17 22	85 years and over	425 1,790	12.9	8.8		6	1Ŏ 7	15	19
With surgery		10.3	7.7	3	5 3	8 6	12	22	Two or more diagnoses	2,035 815	11.8	8.7 15.2	3	6	9 7	14	22
URETHRITIS AND STRICTURE OF URETHRA (607,608)	/25	0.7	/.2	Ċ			"-	"	Without surgery	2,920	10.4	7.4	3	5	8	13	18
Total	2,640	8.0	6.9	1	3	6	10	16	Total	2,705	12.2	9.9	3	5	9	15	22
Age: 65 to 74 years	800	7.2 8.9 10.1	6.2 7.5 8.5	1 2 1	2 3 3	5 6 7	8 12 13	15 18 25	Age: 65 to 74 years 75 to 84 years 85 years and over	1,775 820 110	11.5 14.0 10.6	9.7 10.4 7.0	2 5 1	4 7 5	9 11 9	14 18 13	21 23 22
One diognosis	1,125 1,515	6.9 8.8	7.0 6.8	1 2	2 3	4 6	7 12	14 16	One diagnosis	1,005 1,700	11.0 12.9	7.4 11.1	3 3	5	9 10	14 15	21 24
With surgery	1,920 720	8.2 7.2	7.1 6.3	}	3	6 5	11 8	17 14	With surgery	380 2,325	16.0 11.6	11.2 9.5	4 3	8 5	12 9	19 14	31 21
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)									OSTEOARTHRITIS (ARTHROSIS) (723.0)	E 000	,,,	10.0				14	· n
Total	6,465	10.3	9.7	2	4	7	12	19	Total	5,900 3.025	11.2	10.0	3	4	8	14	22
65 to 74 years	2,670	9.5 10.6 11.6	8.7 10.1 11.2	2 3 2	4 5 4	7777	11 12 14	18 19 23	75 to 84 years	2,250 625	11.4 11.0	9.8 8.7	3	5	8	14	22 21
One diagnosis	2,790 3,675	8.7 11.4	8.2 10.6	2 3	4 5	6 8	10 13	17 23	One diognosis	3,825	11.6 11.1	11.0 9.4	3	4	3	15 14	23 22
With surgery	1,450 5,015	11.0 10.1	10.4 9.5	2 3	4 4	7 7	13	25 18	With surgery Without surgery	1,125 4,775	17.8 9.7	14.2 8.0	3 2	4	15 7	22 11	36 18
HYPERPLASIA OF PROSTATE (610)									SPONOYLITIS OSTEGARTHRITICA (723.1) Total	3,525	9.3	7.3	2	4	7	11	18
Total	15,225	11.9	8.5	4	6	9	14	22	Age: 65 to 74 years	1,985	8.8	7.4	2	4	6	10	18
65 to 74 years	8,670 5,275 1,280	11.0 12.9 14.2	7.7 9.0 10.6	4 4 3	6 7	10 11	13 16 17	19 24 27	75 to 84 years	1,190 350	9.5	7.5 5.8	3 2	5	8 7	13	18 17
One diagnosis	8,585 6,640	11.0 13.1	7.4 9.7	4 4	6	9 10	13 16	19 25	One diognosis	940 2,585	7.8 9.9	6.2 7.7	2	3 4	7	13	15 20
With surgery	12,340 2,885	12.6 8.9	8.4 8.6	5 2	7 3	10	15 11	22 17	With surgery Without surgery ARTHRITIS (POLYARTHRITIS), UNSPECIFIED	200 3,325	17.2 8.8	13.8 6.5	2	4	13	21 11	39 17
OTHER DISEASES OF PROSTATE (611,612)									(725)	4 750	10.0			,	,	12	21
Total	2,125	10.4	10.3	2	4	7	12	19	Total	4,750 2,340	9.1	8.2 6.8	2	4	7	13	21 17
65 to 74 years	1,205 700 220	8.9 11.2 16.1	7.1 10.6 18.5	2 2 2	4 4 6	7 7 10	10 14 16	16 22 34	75 to 84 years	1,970 440	10.9 13.0	9.1 10.3	2 2	4	10 10	13 17	23 29
One diagnosis		9.2 11.4	10.4 10.1	1 3	3 5	6 8	10 13	17 24	One diagnosis Two or more diagnoses	2,000 2,750	10.0	8.3 8.2	2 2	4	8	12	22 20
With surgery	850	11.5 9.6	11.8 9.0	2 2	5 4	8 7	13 11	19 17	With surgery Without surgery	390 4,360	16.4 9.7	9.0 7.9	5 2	8 4	7	12	28 19

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard		Perce	ntiles	(days)				Averoge	Standard		Percer	ntiles ((doys)	
Patient chorocteristics	Number of dischorges	stay (doys)	deviation (days)	10th	25th	50th	75th	90ih	Potient chorocteristics	Number of discharges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)									SYMPTOMS REFERABLE TO								
Totol	2,950	11.0	9.3	2	5	8	13	21	GENITOURINARY 5Y5TEM (786) Total	1,640	9.i	8.8	,	3	6	11	17
65 to 74 years	1,080 1,465 405	10.6 11.2 11.1	9.2 9.5 9.1	2 3 2	5 5	8 8 8	12 15 13	19 21 21	Age: 65 to 74 yeors 75 to 84 yeors 85 yeors ond over	920 570 150	8.0 10.9 8.8	7.9 9.2 11.2		2 4 2	6 9 5	10 14 7	15 20 23
One diognosis	640 2,310	12.6 10.5	12.7 8.1	2 2	5 4	8	13 14	32 20	One diagnosis	1,470	9.1	9.0	1	3	6	11	18
With surgery		12.9 10.9	12.0 9.2	2 2	5 4	11 8	14 13	19 21	Two or more diagnoses	170 790	8.6 10.9	7.1	3	6	7	12	16 18
OISPLACEMENT OF INTERVERTEBRAL OISC (735)									OTHER GENERAL 5YMPTOM5 (780,781,787-789)	850	7.3	9.4	1	2	4	7	16
Total		12.7	86	4	6	10	16	23	Total	5,640	8.9	7.9	1	3	6	11	19
65 to 74 years 75 to 84 years 85 years ond over	415	12.5 13.4 15.6	8.6 8.5 8.2	4 5 6	8 7	10 10 10	17 16 21	22 22 25	Age: 65 to 74 yeors 75 to 84 years 85 years and over	3,035 1,955 650	8.4 9.5 9.2	7.5 8.2 8.4	1 2 1	3 3 3	6 6 6	11 12 13	18 22 19
One diagnosis	1,045	12.7 12.8	8.2 8.9	4	6 7	10	17 16	22 23	One diagnosis	4,855 785	8.7 10.2	7.9 8.1	1 2	3	6 7	11 13	19 19
With surgery Without surgery SYNOVIDIA BURSITIS AND	545 1,650	19.0 10.7	10.8 6.5	8 3	10	9	13	33 19	With surgery	1,215 4,425	10.8 8.4	9.3 7.4	2 1	3	7 6	15 10	23 17
TENO5YNOVITI5 (741)	1,690	6.9	6.2	١,	2	5	8	12	NERVOU5NE55 AND DEBILITY (790) Total	615	9.7	8.8	2	3	6	13	19
Age: 65 to 74 years 75 to 84 years 85 years ond over	1,265 355	6.9 6.9 7.5	6.8 4.4 4.5	1 1 3	2 3 4	4 6 5	8 9 8	12 12 13	Age: 65 to 74 years 75 to 84 years 85 years ond over	315 200 100	8.8 8.7 14.3	9.8 6.2 8.2	2 2 2	3 3 5	5 7 13	10 12 19	17 16 22
One diagnosis	960	5.8 8.4	5.2 7.1	1 2	2 4	4 6	7	11	One diagnosis	470 145	9.5 10.3	6.9 13.2	2	3 3	7 5	14 10	19 19
With surgery	675 1,015	4.8 8.3	5.7 6.2	1 2	2 3	3 6	5 10	10 14	With surgery	20 595	9.5	8.8	2	3	6	13	19
CONGENITAL MALFORMATIONS (750-759)									UREMIA (792)								
Totol	į.	9.1 9.0	6.6	2	3	7	11	20	Total	560 185	14.6	13.8	2	5	10	17	32 27
75 to 84 years	210	9.1	7.3	2 2	3	7	11	21	75 to 84 years	210 165	16.7 14.2	17.0 12.4	2	5	10 10	20 16	37 24
One diognosis	400	8.9 9.3	6.2 6.9	2 2	3	7	11 12	19 19	One diagnosis	475 85	15.0 12.4	14.2 10.8	3 1	5	10 8	17 20	33 27
With surgery	290 425	9.0 9.2	6.8 6.5	2 2	3	8	11	19 20	With surgery	30 530	22.0 14.2	8.9 13.9	9	13	19	26 16	34 32
SYMPTOMS REFERABLE TO CAROIOVASCULAR AND LYMPHATIC SYSTEM (782)									SENILITY WITHOUT MENTION OF P5YCHOSIS (794)	240	9.0	8.8	,	3	6	12	14
TotalAge:		6.5	7.4	1	2	4	8	13	Age: 65 to 74 years	20							
65 to 74 years	890 510 185	5.2 8.3 7.9	5.3 9.8 7.3		2 2 2	3 4 6	6 11 10	11 19 16	75 to 84 years	130 90	9.6 9.3	7.8 10.5	i	2	5	12	13
One diagnosis	1,380 205	5.9 10.6	6.7 9.9	1 2	2 2	3 7	7 14	12 20	Two or more diagnoses	135	7.8	10.1 6.5	2	3	7	9	18
With surgery	125 1,460	8.0 6.4	6.5 7.5	2	2 2	4 3	12 7	18 13	With surgery	235	8.5	8.2	1	2	6	11	13
SYMPTOMS REFERABLE TO RESPIRATORY 5YSTEM (783)									OTHER AND ILL-DEFINED DISEASES (791,793,795)								
TotalAge:	3,525	7.5	7.2	1	2	5	9	15	Total	2,085 1,315	8.4 8.3	7.7 6.9	1	3	6 6	11	18 17
65 to 74 years	1,140	6.8 8.8 8.4	6.5 8.1 8.4	1	3 3	4 6 5	8 10 11	14 19 14	75 to 84 years	620 150	9.1 6.5	9.5 4.7	1	2	6	8	21 11
One diagnosis	3,205 320	7.6 7.2	7.4 5.0	1 2	2	5	9	16 13	One diognosis	1,840 245	8.3 9.6	7.3 9.8	2	2 3	6 7	11	18 17
With surgery	475 3,050	9.3 7.3	9.2 6.9	1	3 2	6 5	1! 9	19 15	With surgery Without surgery FRACTURE OF VERTERRAL COLUMN	310 1,775	11.8 7.9	10.8 6.8	i	2	6	18	29 15
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)									(805,806)	3,000	15.2	11.0	4	7	12	19	29
Total	4,885	8.4	8.8	1	3	5	10	18	Age: 65 to 74 years	1,390	14.8	11.2	4	6	12	19	28
65 to 74 years	2,670 1,720 495	7.6 9.6 8.4	7.7 10.5 7.0	1 2 1	2 3 2	4 6 7	9 12 10	17 20 19	75 to 84 years	1,215 395	16.0	11.1 9.6	4 4	7	13	21 16	29 25
One diagnosis	4,335 550	8.5 7.3	9.1 6.5	1	3 2	5	10 10	19 15	One diagnosis	1,395 1,605	15.4 15.0 20.1	11,1 10.9 14.0	4 4	7 7 7	13 12 19	20 19 25	31 28 32
With surgery ,	610 4,275	13.6 7.6	10.7 8.2	2	5	10 5	20 9	29 15	With surgery		14.9	10.7	4	7	12	19	29

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Averoge	Standard		Perce	ntiles	(doys)				Averoge	Standard		Percer	ntiles ((doys)	
Potient chorocteristics	Number of dischorges	stoy (days)	deviation (doys)	10th	25th	50th	75th	90th	Potient chorocteristics	Number of dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)									HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Totol	2,535	12.3	11.3	2	5	8	15	27	Total	2,415	9.1	10.5	1	2	5	11	20
65 to 74 years 75 to 84 years 85 years ond over	1,260 960 315	11.7 11.9 15.7	11.6 9.5 13.9	2 3 4	5 6	7 8 10	13 15 18	24 27 31	65 to 74 years	1,155 945 315	8.7 9.6 9.5	11,4 9.6 9.6]]]	2 3 3	6 6	9 12 12	20 20 19
One diognosis	865 1,670	9.1 13.9	8.7 12.1	2 3	4 5	6 9	11 17	17 30	One diognosis	830 1,585	9.0 9.2	11.3 10.1	1	2 3	5	11 11	22 19
With surgery	165 2,370	16.0 12.0	13.6 11.0	5 2	7 4	10 8	17 15	36 27	With surgery	460 1,955	11.9 8.5	12.8 9.8	1	3 2	5 5	18 10	29 18
Totol	1,510	21.1	15.0	4	9	18	28	42	(870-898)								
Age: 65 to 74 years	595 625 290	19.5 22.6 21.3	13.7 15.3 16.4	4 5 4	8 11 9	17 19 15	25 30 27	38 43 43	Totol Age: 65 to 74 years 75 to 84 years	1,600 815	7.5 10.3	7.8 10.1	1	2 3 3	5 6 6	11 10 14 13	20 16 23 21
One diognosis	815 695	19.5 22.9	14.0 15.9	4 5	9	16 21	25 28	42 40	85 years and over	1,205	11.0 7.2	11.6 7.2	2 1	2	1	9	15
With surgery	110 1,400	25.6 20.7	15.0 14.9	11 4	14	20	30 27	37 42	Two or more diognoses	1,485 1,365	10.0 9.6	10.2 10.7	1	3	5 6 5	13 12	23 23
FRACTURE OF HUMERUS (812)	,,,,,,								Without surgery	1,325	7.8	6.9	i	2	5 6	10	16
TotolAge:	2,950	12.7	12.4	2	4	8	17	27	Total	380	7.4	6.9	1	2	4	9	19
65 to 74 years	1,175 1,255 520	11.2 11.7 18.7	12.0 10.7 14.9	2 2 3	3 4 7	8 15	13 16 23	24 24 43	Age: 65 to 74 years	175 185	5.6 9.1	5.9 7.5	1 2	2	3 7 *	10	12 19
One diognosis	1,960 990	11.0 16.2	11.4 13.5	2 2	3 5	7 12	14 22	23 35	85 years and over	20 70	6.2	5.5	1	2 3	4 4	8	13
With surgery	1,000 1,950	12.5 12.8	13.0 12.0	2 2	4 4	8	14 18	28 27	Two or more diagnoses	310 45 335	7.6 9.8 7.0	7.1 8.9 6.4	3	3 2	6 4	10	20 15 18
FRACTURE OF RAOIUS AND ULNA (EITHER OR BOTH) (813)	2,330	7.6	9.8	1	2	4	8	17	CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)	303	7.0	0.4		-			
Totol Age: 65 to 74 years	1,300	6.7	9.3	'	2	3	8		Total	4,950	8.7	8.5	1	3	6	11	17
75 to 84 years	800 230	10.9	9.2 13.1	1	3	6	9	19 36	65 to 74 years	2,250 1,945 755	7.7 9.3 9.9	7.7 8.8 9.4	1 1 1	3 2	5 7 7	9 12 12	15 18 23
One diognosis	1,515 815	5.6 11.2	8.8 10.5	1	3	8	15	10 27	One diognosis	1,515 3,435	6.9 9.4	6.7 9.1]]	2	4 7	9 12	15 18
With surgery	1,595 735	6.3 10.4	7.1 13.5	1	3	5	11	14 22	With surgery	385 4,565	12.5 8.3	14.0 7.7	1	3	7 6	16 11	34 16
FRACTURE OF FEMUR (820,821) Totol	15,340	20.6	15.3	4	10	17	26	41	AOVERSE EFFECTS OF ORUGS AND OTHER CHEMICAL SUBSTANCES								
Age: 65 to 74 years 75 to 84 years	4,085 7,155	21.4 20.7	15.8 15.4	5	10	17	27 26	41 42	(960-989)	1,775	7,1	7.4	1	2	5	8	14
85 years and over	4,100	19.4	14.7	3	10	16	25	37 39	Age: 65 to 74 years 75 to 84 years	1,020 670	7.2 7.0	7.5 7.6	1	2 2		9 7	14
Two or more diagnoses	4,515	21.7	16.4	7	10	17	27 26	44 39	85 years and over	85 915	5.9	1.7 5.1	2	4	5	7	12
With surgery	4,185	18.3	18.4	í	3	13	26	43	Two or more diognoses	860	8.8	8.9	2	3	6	9	18
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)									With surgery	60 1,715	11.7 6.9	8.5 7.3	3	2	7 5	15 8	25 13
Totol Age: 65 to 74 years	3,270 2,100	14.0 13.0	13.7 12.9	3	5	9	16 15	31 27	COMPLICATIONS OF SURGICAL PROCEOURES (997,998)								
75 to 84 years	960 210	15.3 17.2	14.1 17.8	3 2	6 3	10 7	17 28	34 42	Total	2,240	10.1	12.0	2	3	6	12	20
One diognosis	2,295 975	12.6 17.2	12.0 16.8	3	5 6	8 10	15 21	27 41	65 to 74 years	1,470 675 95	8.9 11.4 18.4	10.5 12.0 24.3	2 2 3	3 4 3	5 8 9	10 13 14	19 22 46
With surgery	1,825 1,445	14.0 14.0	13.4 14.1	3 2	6 4	9	16 18	28 33	One diognosis	1,410 830	8.9 12.1	9.6 15.1	2 2	3	5	10 14	17 25
SPRAINS OF 8ACK (846,847)									With surgery	660 1,580	14.1 8.4	16.5 9.1	2	3	9	16 10	28 16
Total	3,995	9.2	7.5	2	4	7	11	17									
65 to 74 years	2,420 1,290 285	8.0 11.4 10.4	5.2 9.9 8.8	2 3 2	4 5 4	6 8 17	10 14 13	14 21 19									
One diognosis	1,695 2,300	8.5 9.8	6.9 7.9	2	4	6 7	10 12	15 18									
With surgery	205 3,790	13.3 9.0	7.2 7.5	4 2	7	11	18 10	21 16									

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

		Averoge	Standard		Perce	ntiles	(doys)				Average	Standard		Percer	tiles	(doys)	
Potient chorocteristics	Number of dischorges	stoy (doys)	deviation (days)	10th	25th	50th	75th	90th	Potient charocteristics	Number of dischorges	stoy (doys)	deviation (days)	10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)	_								MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Totol	1,225	11.0	11.6	1	3	7	13	24	Total	200	16.9	11.7	2	6	14	24	31
65 to 74 years	685 460 80	10.6 10.8 16.4	-12.1 8.9 17.3	1 1 4	3 3 6	6 9 9	11 13 15	24 24 33	65 to 74 years	80 110 10	13.4 19.3	13.2 10.4	1 2 *	2 11 *	18 *	20 26	27 31
One diognosis	465 760	10.5 11.4	11.2 11.7	1 1	3	6 8	12 13	21 25	One diognosis	60 140	14.1 18.2	7.2 13.0	2 1	7 5	13 18	20 26	23 32
With surgery	185 1,040	13.8 10.6	13.5 11.1	2 1	5 3	9 7	17 12	25 23	With surgery	105 95	19.3 14.3	8.5 14.0	5 1	12 2	20 9	25 18	30 32
HERPES ZOSTER (088)	20.5				_				MALIGNANT NEOPLASM OF PANCREAS (157)								
Totol	335 145	13.0	10.4	3	5	9	18	25 27	Totol	370	14.4	12.3	1	4	12	21	26
75 to 84 years	150	10.8 20.2	8.0 5.3	3 12	12	8 20	11 23	20 26	65 to 74 years	165 185 20	15.2 12.5	12.1 10.9	2 1 *	5 4	11 11	23 17 *	27 22 *
One diognosis	140 195	9.4 15.6	6.2 12.0	3 4	5 6	7 10	12 21	18 31	One diagnosis	145 225	16.6 13.0	15.1 9.8	1 2	3 5	14 10	21 21	42 25
With surgery	15 320	13.3	10.6	4	5	9	18	25	With surgery	130 240	19.2	10.0	9	12	16 6	22 15	26 27
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)		35.4		_					MALIGNANT NEOPLASM OF 8RONCHUS, TRACHEA, AND LUNG (162,163)	240	11.8	12.6		3	0	13	21
Totol	150	15.6 14.3	21.8 19.9	1	2	5	19	42 30	Total	1,185	14.3	13.0	2	4	10	19	31
65 to 74 years 75 to 84 years 85 years ond over	85 10	10.3	12.9	1	2	4	11	27	65 to 74 years	815 315 55	14.3 14.1 14.5	12.8 13.2 13.6	2 3 1	4 4 3	11 8 10	19 19 16	31 29 20
One diognosis	95 150	3.6 23.2	2.6 25.0	2	4	11	3 28	8 56	One diognosis	590 595	13.8 14.7	13.7 12.1	2 3	4 5	9 11	17 20	37 29
With surgery Without surgery MALIGNANT NEOPLASM OF ESOPHAGUS	135	7.5 25.5	8.6 28.1	1 2	3	11	8 39	21 63	With surgery	455 730	15.1 13.7	12.9 12.9	2 2	4 4	12 10	20 17	31 30
(150)	115	11.9	9.2	2	4	8	17	26	MALIGNANT NEOPLASM OF BREAST (170)								
Age: 65 to 74 years	50 65	15.1 9.5	9.3 8.2	4 2	6 2	10	21 9	28 21	Total	860 500	10.2	6.9 7.1	2	5	9	14	17 16
85 years and over	65	8.9	7.1	2	2	7	9	16	75 to 84 years	285 75	9.6 13.0	5.9 7.5	2 4	3 7	9 10	15 17	17 19
One diognosis	50	15.8	9.9	4 2	6 3	10	25 18	27	One diognosis	345 515	9.4 10.8	5.8 7.3	1 2	5 5	9 10	12 14	16 18
With surgery	55	12.2	7.9	2	4	8	17	22	With surgery	505 355	9.8 10.9	4.7 8.9	2 1	6 3	9 9	13 14	16 19
MALIGNANT NEOPLASM OF STOMACH (151)									MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
TotolAge: 65 to 74 years	585	16.4	14.3	2	7	12	22	32	Total	210	7.3	8.2	2	3	4	7	10
75 to 84 years	250 55	15.5 24.5	16.9 16.4	3	5	11 19	18 40	24 43	65 to 74 years 75 to 84 years 85 years ond over	140 60 10	5.5 10.8	3.9 13.4	2 3 *	3	4	6 7 *	8 34
One diognosis	200 385	18.3 15.4	18.1 11.8	1	8 5	12	21 23	28 32	One diognosis	130 80	6.0 9.4	6.1 10.4	2 3	3	4 5	6 9	8 17
With surgery	260 325	20.7 12.9	10.8 15.8	8	12	17 8	25 15	35 25	With surgery	145 65	5.6 10.9	3.7 12.8	2 2	3	4 5	6 9	8 29
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)		10.5							MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Age: 65 to 74 years	1,020	18.5 18.3	14.8	2	9	15	24	36 41	Total	470	10.5	11.2	2	4	7	12	20
75 to 84 years	480 80	19.3	14.9 8.9	2 3 1	7	16 14	25 19	36 27	65 ta 74 years	320 110 40	9.3 15.4 6.5	8.4 17.0 5.1	2 3 2	3 6 2	6 10 3	11 19 7	19 22 12
One diognosis	405 615	18.8 18.3	16.8 13.3	2 2	9	13 16	20 24	42 32	One diagnosis	255 215	7.9 13.4	7.3 14.0	1 4	2 5	5	9	15 22
With surgery	630 390	22.4 12.2	14.2 13.4	10 1	13 2	18 8	25 15	38 28	With surgery	350 120	8.1 17.4	5.9 18.1	2 2	3 4	7	11 21	15 37
MALIGNANT NEOPLASM OF RECTUM (154)									MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
TotolAge:	440	15.6	13.6	2	4	12	21	33	Total	175	16.7	13.5	3	8	12	18	35
65 to 74 years	250 110 80	15.9 17.6 12.0	11.8 16.3 14.2	2 2 2	7 4 3	15 11 5	21 26 11	26 35 30	Age: 65 to 74 years	120 50 5	14.4 20.3	11.6 15.8	3	7 6 *	11 13	16 28	21 45
One diognosis	175 265	15.3 15.8	12.6 14.2	2 2	5 4	13 11	20 21	28 35	One diognosis	55 120	16.4 16.9	9.9 14.9	5 2	7	12 11	19 18	33 41
With surgery	275 165	18.5 10.9	12.0 14.7	4	10	17 5	22	34 22	With surgery Without surgery	110	18.6 13.5	13.5 12.9	8	10	12	19 17	33 34

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Averoge stoy	Standard deviation		Percei	ntiles	(days)		Potient	Number of	Averoge	Standard		Percei	ntiles	(doys)	
chorocteristics	dischorges	(doys)	(days)	10th	25th	50th	75th	90th	charocteristics	dischorges	(days)	deviation (doys)	10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)									OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	1,635	11.6	10.6	2	5	9	14	20	Total	425	15.3	12.9	2	6	13	20	27
Age: 65 ta 74 years 75 to 84 years 85 years ond over	745 690 200	10.2 12.9 12.2	11.2 10.4 8.4	2 2 3	4 6 6	7 10 9	11 17 16	15 21 26	Age: 65 to 74 years	240 180 5	15.2 15.6	14.6 10.3	2 2 *	6 7	10 15	20 21 *	32 24
One diognosis	625 1,010	10.8 12.0	11.9 9.8	2	5	8 10	11 15	21 20	One diagnosis	195 230	14.6 16.0	14.1 11.7	2 2	6 7	11 13	16 24	22 29
With surgery	880 755	11.1 12.1	7.6 13.3	2 2	5 5	9	14 14	20 21	With surgery	90 335	20.4 14.0	12.7 12.6	5 2	10 5	19 11	24 17	32 26
MALIGNANT NEOPLASM OF KIONEY AND URETER (180)									8ENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	230	14.4	9.8	3	6	12	17	29	Total	165	10.0	5.7	2	4	9	14	17
65 to 74 years 75 to 84 years 85 years and over	135 75 20	13.7 16.3	9.2 11.6	3 3 *	6	11 13	17 17 *	27 34 *	65 to 74 years 75 to 84 years 85 years ond over	105 60 —	9.8 10.5 —	4.8 6.9 —	2 1 -	5 3 -	9	14 15 	16 17 -
One diagnosis	65 165	14.6 14.3	9.0 10.1	4 3	7 6	13 11	16 18	23 29	One diagnosis	65 100	10.3 9.8	5.7 5.6	3 2	5 3	8 10	14 14	16 17
With surgery	95 135	13.3 15.1	7.7 11.0	2 3	7 6	12 10	15 23	17 30	With surgery	110 55	11.4 7.3	5.5 4.8	2	7	11 5	15 9	18 15
MALIGNANT NEOPLASM OF BLAODER (181.0)									BENIGN NEOPLASM OF RECTUM (211.4)								
Total	965	9.4	9.5	1	3	5	13	22	Total	165 90	8.9 8.6	8.9 9.8	1	3	6	10	21 18
65 to 74 years	590 325 50	8.8 10.4 10.9	9.5 9.7 7.8	1 2 2	2 3 6	5 6 8	12 14 10	22 22 18	75 to 84 years 85 years and over	70 5	9.9	7.6	į	!	5 9 *	11	21
One diagnosis	610 355	8.5 11.0	9.7 8.9	1 3	2 4	4 7	11 14	20 23	One diagnosis	115 50	8.7 9.4	9.4 7.4	1 2	4	5 8	10	21 15
With surgery	705 260	8.6 11.7	8.5 11.5	1 2	3	5 7	12 14	21 31	With surgery Without surgery	150 15	9.2	9.2	1	3	6	10	22
MALIGNANT NEOPLASM OF SKIN (190,191)									8ENIGN NEOPLASM OF UTERUS (214,215)								
Total	600	6.8	8.0	1	2	3	8	16	Age: 65 to 74 years	190 155	5.1 4.5	4.7 4.8	1	1	2	8 5	12
75 to 84 years	305 210 85	6.7 6.8 7.1	7.9 8.4 7.1	1 1	2 2 2	3 3 5	8 7 8	12 16 11	75 to 84 years	35	7.7	3.3	3	3	8	9	-
One diognosis	360 240	5.3 8.9	6.8 9.1	1	2 2	3 6	5	10 19	One diagnosis	95 95	4.3 5.9	4.6 4.6	1	1	3	10	12
With surgery	485 115	6.1 9.6	6.4 12.2	1	2 2	3 5	7	14 16	With surgery Without surgery	180 10	5.2	4.8	1	1	3	8	12
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY									LIPOMA (226) Total	135	3.4	2.0	1	1	2	4	6
SITES (199) Total	1,240	14.5	12.4	2	5	10	19	31	Age: 65 to 74 years	90 25	29	1.4	1	1	2	3	5
Age: 65 to 74 years	675 460	15.0 14.0	13.6 11.5	2 2	4 4	10	20 18	31 35	85 years and over	20 90	2.2	0.0	1	2	2	3	3
85 years and over	105	13.4	7.6 13.2	4 2	6	11	17	22 33	Two or more diagnoses	45 115	5.8 3.4	2.0	2	3	4	3	8
Two or more diognoses	560	15.3	11.3	3	6	13	21	31	Without surgery	20	5.3	*	·	•	2	*	·
With surgery Without surgery	335 905	15.9 14.0	14.3	3	5 5	10	21 18	31 31	NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
LYMPHOSARCOMA ANO RETICULOSARCOMA (200)									Age:	260 145	5.5 5.3	4.8	1	2	3	7	9
Total		17.4	15.5	2	4	14	23	39	65 to 74 years	110 5	5.3	5.2 4.2	į	2	3	7 8 •	11
65 to 74 years	115 105 20	18.0 17.8	17.1 14.4	2 2	6	11	23 20	42 34 *	One diognosis	210 50	5.4 6.1	5.2 2.4	1 2	2	3 6	6	11 9
One diagnosis	130 110	14.1 21.4	15.3 14.9	2 3	3 7	8 20	16 25	31 44	With surgery Without surgery	235 25	5.3	4.8	1	2	3	7	?
With surgery	50 190	25.1 15.4	15.6 14.9	4 2	7 4	27 12	35 20	45 24	ASTHMA (241) Total	1,220	9.3	8.9	2	4	6	11	19
LEUKEMIA AND ALEUKEMIA (204)									Age: 65 to 74 years	915	9.5	9.0	2	3	7	11	19
Total		12.8	10.4	2	5	9	16	26	75 to 84 years	255 50	9.2 6.0	8.9 3.6	1	4	5	10	20 10
65 to 74 years	240 285 30	12.1 12.6 19.5	9.5 10.2 15.1	3 2 5	5 5 5	10 13	16 16 21	22 32 39	One diagnosis	445 775	7.3 10.4	6.5 9.8	1 2	3	6 7	8 12	13 22
One diagnosis	190 365	13.4 12.5	9.6 10.8	4 2	7 4	11 8	16 16	26 26	With surgery Without surgery	55 1,165	25.2 8.5	21.1 7.0	7 2	7	10	40 10	56 17
With surgery	65 490	11.5 12.9	12.4 10.1	1 3	1 5	8 9	14	19 27									

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Part			Averoge	Stondard		Perce	ntiles	(doys))			Averoge	Standard	[Percer	ntiles	(doys)	
The column			stoy	deviation	10th	25th	50th	75th	90th			stoy	deviation	10th	25th	50th	75th	90th
Total March Marc	DISEASES OF THYROIO GLAND (250-254)									CHRONIC BRAIN SYNOROME ASSOCIATEO								
Sign 14 start 1940 1941 1942		490	9.7	7.4	3	4	6	13	20		A35	128	123	,	5	٥	14	27
Decomposition Control	65 to 74 years	140					6 9			Age: 65 to 74 years	260 300	12.8 13.2	13.1 12.5	2	4	9	14 14	25 34
With surgery 253 77 51 3 4 5 6 10 10 10 10 10 10 10	One diagnosis									One diagnosis	180	12.3	13.9	1	3	9	12	26
Designation Control					3 2					With surgery	50	16.5	14.1	5	7	10	14	36
Age 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					_		_			PSYCHOTIC AND PSYCHOPHYSIOLOGIC	363	12.5	12.0		,	8	14	29
88 years and over	Age:				l						360	14.9	16.7	2	4	9	19	39
Decomposition 1,205 9,3 11,4 3 5 4 7 12 11 12 14 3 5 14 23 5 15 13 18,9 17 18 18 18 18 18 18 18	75 to 84 years	1,675	11.9	10.6	2 2	5	9	15	21	Age: 65 to 74 years	240	12.9	14.1	2	4	7	15	32
Without partyry	One diognosis									85 years and over	_	-	-	-	-	-	-	-
MANURIFICIONAL DEFICIENCY STATES TOTO TO	With surgery				4 2					Two ar more diagnoses	205				5			
Tarol										Without surgery		13.4	15.1	2	4	8	18	28
55 to 54 years		270	10.3	11.0	2	4	7	12	20		1 260	10.5	110	,	3	6	13	23
Section Continue	65 to 74 years	110								Age: 65 to 74 years	800	10.3	11.5	1	3	6	13	19
Without surgery 20	One diagnosis	65	6.5		1		5			85 years ond over	55	15.5		i,	2	6	23	41
Without surgery 200 8 9 6 2 2 3 7 7 11 19 Without surgery 1.250 10.5 11.5 1 3 8 1.2 2 2 3 7 7 11 19 Without surgery 1.250 10.5 11.5 1 3 8 1.2 2 3 5 10 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 2 3 6 1 3 6 1 3 2 3 6 1 3 6		1	11.5	12.2	2	4	7		21	One diognosis			11.6 12.0	2	3			
Total	Without surgery		8.9	6.2	2	3	7	11	19			10.5	11.9	1	3	6	13	23
65 10 74 years 150 84 7.6 2 4 5 9 10 10 10 10 10 10 10	Totol	295	7.9	6.3	3	4	5	9	14	NONTRAUMATIC AND STROKE								
One diagnosis	65 to 74 years	95		7.6 3.0	2		5	9		Total	4,590	13.6	13.9	1	3	8	18	32
Without surgery 280 79 6.5 2 4 6 9 14 Two or more diagnoses 2,690 14,0 13,7 1 4 9 19 32	One diognosis	85			2 3					65 to 74 years	2,295	13.9	13.9	1 1 1	3	9	18	34
PERNICIOUS AND OTHER HYPERCHROMIC AREAMIAS (290) Totol. 215 12.5 10.3 2 4 9 17 27 Age. 65 10 74 years 100 9.6 7.9 1 2 6 17 20 Syedrs and over 30 20.3 13.1 4 5 14 33 34 One diagnosis 125 7.2 5.9 2 3 5 9 13 7 17 2 18 With surgery 64 years 65 10.2 years 65 10.2 years 10.0	With surgery		* 7.9	6.5	* 2	* 4	6		14	One diognosis				1		8 9		33 32
Total	PERNICIOUS AND OTHER HYPERCHROMIC					,				With surgery			13.0 13.9		6		23 18	39 32
65 to 74 years 100 9.6 7.9 1 2 6 17 20 75 to B4 years 85 11.3 10.2 4 6 11 16 20 85 years and over 30 20.3 13.1 4 5 14 33 34 6 15 20 3 7 12 23 33 7 12	Total	215	12.5	10.3	2	4	9	17	27	CEREBRAL EMBOLISM AND THROMBOSIS								
One diagnosis	65 to 74 years	85	13.1	10.2	4	6	-11	16	20	Total	1,580	16.9	15.4	2	5	12	23	40
Two or more diagnoses 90 19,9 10,6 8 11 17 24 31 85 years and over 225 17.5 20.6 1 3 11 20 44 With surgery 195 12.4 10.3 2 4 9 17 28 Two or more diagnoses 1.095 17.7 16.0 3 6 13 2 4 9 17 28 Two or more diagnoses 1.095 17.7 16.0 3 6 13 24 39 IRON DEFICIENCY ANEMIAS (291) 385 11.3 12.6 2 4 7 12 24 Age: 160 6.9 6.4 1 3 6 7 11 57 7 1 2.20 10.0 9.7 2 4 7 12 24 7 11 2.20 10.0 9.7 2 4 7 12 19 13 1 2.2 4 7	One diognosis	125	7.2	5.9	2	3	5	9	13	65 to 74 years	665	16.5	13.5	3	7	12	23	33
Without surgery 195 12.4 10.3 2 4 9 17 28 17 28 17 16.0 3 6 13 24 39			19.9	10.6	8	11	17	24	33	One diognosis								
Totol	Without surgery		12.4	10.3	2	4	9	17	28	Two or more diognoses		17.7		3	6		24	39
Age: OTHER AND UNSPECIFICO ANEMIAS (292,293) Total	Total	385	11.3	12.6	2	4	7	12	24	Without surgery				2				
85 years and over	65 to 74 years					5	9	14	29									
Two or more diagnoses 285 13.3 14.1 2 5 8 16 26 75 to 84 years 1.010 10.0 9.7 2 3 7 12 19 10 10 10 10 10 10 10	85 years and over	45	15.1	8.6	4	6				Age:								
Without surgery. 355 10.9 12.8 2 4 7 10 24 One diognosis. 720 7.8 6.4 1 3 6 10 16 OTHER AND UNSPECIFIEO ANEMIAS (292,293) 1 7.7 1 3 6 11 20 With surgery. 210 18.8 13.1 6 9 15 21 37 11 17 17 1 3 6 11 20 PARALYSIS AGITANS (350) 9.1 8.8 2 3 6 11 17 17 1 3 6 11 20 PARALYSIS AGITANS (350) PARALYSIS AGITANS (350) 8.8 2 3 6 11 17 17 1 3 6 11 17 17 1 3 6 11 17 17 1 1 11 17 18 8 1 1 17 1 1 1 1 1 1 1 1	Two or more diognoses	285	13.3	14.1			8	16	26	75 to 84 years	1,010	10.0	9.7	2 2	3	7	12	19
Company Comp	Without surgery				2					One diognosis				1 2		6 7		
Total														6 2				
75 to 84 years	Age:				1]										
One diognosis 310 8.6 6.9 1 3 6 11 19 75 to 84 years 220 12.2 7.3 3 6 10 19 23 Two or more diognoses 710 9.3 8.1 1 3 6 11 21 85 years ond over 30 19.8 20.0 3 4 6 21 40 With surgery 90 11.6 8.0 3 6 10 12 17 One diognosis 330 14.7 9.7 4 7 10 20 25 Without surgery 90 8.8 7.7 1 3 6 11 20 1 7 10 20 25 With surgery 45 25.2 21.9 2 10 20 26 38	75 to 84 years	495	8.3	6.8	2 2	3	6	9	18	Age:							- 1	
Without surgery 930 8.8 7.7 1 3 6 11 20 Two or more diagnases 425 14.8 13.4 2 5 10 22 29 With surgery 45 25.2 21.9 2 10 20 26 38	One diognosis					3				75 to 84 years	220	12.2	7.3	3	6	10	19	23
With surgery	With surgery	90																
														2 3		20 10	26 20	38 28

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Averoge	Standard		Perce	ntiles	(doys)		Potient	Number of	Averoge	Standard		Perce	ntiles	(doys)	
chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
NEURALGIA ANO NEURITIS (360-366)									ALL OTHER MYOCAROIAL DEGENERATION (422.0,422.9)								
Total	835	9.2	6.9	3	4	6	12	19	Total	430	9.9	9.3	2	3	7	13	21
65 to 74 years	530 260	9.5 9.0	7.1 6.6	3 3 1	4 4 2	7 6 5	13	20 19	Age: 65 to 74 yeors	200	7.5	7.8	1	2	3 7	10	15
85 years ond over One diagnosis	405	6.6 7.5	4.7 5.1		4	5	8	10	75 to 84 years	130 100	13.1 10.4	12.1 6.0	3 2	4	8	14 15	38 19
Two or more diognoses	430	10.8	7.9	3	4	7	14	24	One diognosis	95 335	8.3 10.4	6.0 10.0	2 2	3	7 6	12 13	14 21
With surgery	150 685	13.9 8.2	9.3 5.7	3	7	10	21 10	26 16	With surgery	10 420	9.9	9.4	* 2	* 3	:	13	21
CATARACT (385)									FUNCTIONAL DISEASE OF HEART (433)	420	9.9	9.4		3	6	13	21
Totol	6,040	6.3	3.2	3	4	5	7	10	Total	2,245	8.8	7.9	1	3	6	11	18
65 to 74 years	2,995 2,620 425	6.0 6.6 6.8	2.6 3.6 3.2	3 3 4	4 4	5 5 6	6 7 7	11	Age: 65 to 74 years	1,130 825	8.0 9.5	6.9 8.2	1	2 3	6 7	10 12	16 20
One diognosis	4,655	6.1	2.8	3	4	5	6	9	75 to 84 years	290	10.3	9.6	1	4	7	12	20
Two or more diagnoses	1,385	7.1 6.3	3.7	3	4	5	8	12	One diognosis	675 1,570	7.2 9.5	7.0 8.1	1	3	5 7	13	13 20
Without surgery	255	6.1	4.6	ĭ	3	5 5	7	10	With surgery	320 1,925	12.8 8.1	9.8 7.3	3 1	6 3	9	17 10	28 16
GLAUCOMA (387)	295	47	7.2	2	3	4	7	11	CONGESTIVE HEART FAILURE (434.1)								
Totol	145	6.7 5.4	3.5	1	3	4	6	''	Total	4,515	11.3	10.2	2	4	8	14	22
75 to 84 years	130 20	6.9	8.4	2 2	3	4	7	8	65 to 74 years	1,850 1,870	10.9 10.6	9.9 9.9	2 2 2	4	8 7	14 13	21 20
One diognosis	130 165	5.2 7.8	6.1 7.7	2 2	2	4 6	5 8	6	One diagnosis	795 1,590	13.9 9.9	11.2 8.2	2	5	11	17 13	29
With surgery	230	6.3	5.3	2	3 2	5	6	10	Two or more diagnoses	2,925	12.0	11.0	2	5	8	15	24
Without surgery	65	7.8	11.7	1	2	3	6	11	With surgery	150 4,365	17.4 11.1	8.6 10.2	5 2	10	17	22 14	28 21
CHRONIC RHEUMATIC HEART DISEASE (410-416)									HYPERTENSIVE HEART DISEASE (442,443)								
Total	520	11.0	8.5	3	4	8	14	20	Total	2,260	11.0	11.0	2	4	7	13	21
65 to 74 years	355 150 15	10.9 11.1 *	9.3 6.7	2 2	5	10	13	24 19	65 to 74 years	955 1,035 270	10.2 11.5 12.0	9.8 10.8 14.9	2 2 1	3 4 4	8 7	12 14 13	20 23 18
One diognosis	45	9.2	9.6	4	4	5 8	7	16	One diognosis	385	8.8	9.8	1.	3	6	10	16
Two or more diagnoses	475 50	11.1	14.5	3 2	5	8	14	39	Two or more diagnoses	1,875 180	11.5 18.6	11.2	2	6	13	23	22 42
Without surgery	470	10.5	7.4	3	4	8	14	19	Without surgery	2,080	10.4	10.3	2	3	7	13	19
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)									OTHER HYPERTENSIVE DISEASE (446,447) Total	2,165	7.4	7.3	2	3	5	8	15
Totol	6,970	10.8	9.4	2	4	8	13	21	Age.	1,170	7.4	7.1	1	2	4	8	15
65 to 74 years	2,740 3,120	10.4 10.4	8.6 9.1	2 2 3	4	7 7	13	21 20	65 to 74 years	785 210	6.7 10.8	5.8 11.0	2 2	3	5 6	8 15	11 25
85 years ond over One diagnosis		12.8	9.6	2	5	7	16	28 18	One diognosis	635 1,530	6.3 7.8	5.7 7.7	1 2	2	4 5	7	11 16
Two or more diognoses	5,520	11.0	9.3	2	4	8	13	22	With surgery	130	10.3	8.9	1	5	7	13	25
With surgery	500 6,470	15.7 10.4	12.0 9.1	3 2	4	13	13	28 20	GENERAL ARTERIOSCLEROSIS (450)	2,035	7.2	7.1	2	3	5	8	15
ACUTE CORONARY OCCLUSION (420.1)									Total	2,215	12.8	12.3	2	4	9	16	27
Total	5,240	14.4	11.3	1	4	13	20	27 27	Age: 65 to 74 years	760 995	10.5 13.4	10.0 12.0	1	3 5	7	15 16	22 27
65 to 74 years	3,115 1,835 290	13.6 15.5	10.8 10.9 17.2	i	6 4 2	11	20 20 20	27 37	85 years and over	460	15.3	15.4	2	5	iĭ	17	31
One diognosis	2,360	13.7	9.9	1	4	13 13	19	26	One diognosis	440 1,775	10.7 13.3	10.4 12.6	1 2	3	7	14 16	24 27
Two or more diagnoses	2,880	15.0 14.6	12.3	1	2	11	20	29 30	With surgery	380 1,835	16.9 11.9	12.2 12.2	5 2	8	14 8	20 15	30 25
Without surgery	5,090	14.4	11.3	i	5	13	20	27	AORTIC ANEURYSM, NONSYPHILITIC, AND	.,							
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)									OISSECTING ANEURYSM (451)	490	11.9	9.9	1	2	10	19	24
Totol	5,670	9.5	8.8	2	3	7	12	19	Age: 65 to 74 years	245	13.4	10.6	1	4	12	19	25
65 to 74 years	3,180 2,040	9.0 10.4	8.8 9.0	2 2 1	3 4	6 7 7	.13 .13	18 22	75 to 84 years	220 25	10.4	9.1	1	1	6	19	24
85 years and over	1,980	9.2 8.5	7.1 8.2	2	3		12 10	17 17	One diagnosis	195 29 5	8.4 14.2	7.7 10.6	1	2	5 14	11 20	19 25
Two or more diognoses	3,690	10.1	9.0	2	4	5 7	12	20	With surgery	285	15.4	10.1	ļ	7	14	21	27 19
With surgery	210 5,460	15.8 9.3	11.7 8.5	2	3	12	20 11	32 19	Without surgery	205	7.0	7.3 i	1	1	3 1	10	19

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Perce	ntiles	(days)		Potient	Number of	Averoge	Standard		Perce	ntiles	(doys)	
choracteristics	dischorges	(doys)	deviation (days)	10th	25th	50th	75th	90th	chorocteristics	discharges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)		1							ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	465	12.7	10.7	1	5	9	16	26	Total	1,200	7.2	6.7	2	3	5	8	12
65 to 74 years	270 130 65	12.4 13.7 11.9	9.2 13.8 9.0	1 2 1	6 4 2	9 8 11	16 15 17	24 32 20	65 to 74 years	635 480 85	7.3 6.7 9.4	5.7 7,4 8.2	2 2 2	3 3 4	5 4 6	8 8 9	12 12 17
One diognosis	225 240	10.7 14.5	10.2 10.7	1	3 6	8 11	14 19	20 32	One diognosis	470 730	6.1 7.9	4.6 7.7	2 2	3 3	5 5	7 9	10 15
With surgery	280 185	16.6 6.8	10.8 7.3	7 1	8	14	19 8	32 16	With surgery	65 1,135	10.8 7.0	16.4 5.6	1 2	3	5	8	15 12
GANGRENE OF LOWER EXTREMITY (455.0)									INFLUENZA (480-483)	2,030	7.8	6.8	2	3		9	15
Totol	110	28.7	19.3	6	14	17	41	59	Total	1,180	7.8	5.5	2	3	5	8	14
65 to 74 years	50 30 30	32.4 14.5 36.7	19.5 9.2 19.1	15 4 14	15 5 14	18 12 38	49 19 41	59 27 59	75 to 84 years	690 160	8.B 8.5	8.1 8.1	1	4	6	10 10	16
One diagnosis	40 70	27.2 29.5	19.5 19.2	4 7	8	17	32 42	53 58	One diognosis	915 1,115	6.2 9.1	5.4 7.5	1 2	3 4	7	7 11	17
With surgery	70 40	31.6 23.6	17.7 21.0	14	15	24 13	42 30	58 53	With surgery	50 1,980	13.9 7.7	9.6 6.6	4 2	5 3	8 5	19 9	27 14
VARICOSE VEINS OF LOWER EXTREMITIES (460)									Total	285	11.4	10.8	2	4	8	16	23
Total	425	13.3	12.6	3	5	8	16	31	Age: 65 to 74 yeors	130 120	11.2 12.1	8.8 13.3	3	5	8 7	13 17	21 22
65 to 74 years	265 125	10.3 20.3	8.7 17.3	3 3 3	5 5 3	7 13	12 29	19 36	85 years and over	35	10.0	7.4	i	2	7	16	19
85 years and over One diagnosis	35 205	10.6	7.3 9.4			7 9	21	21 27	One diagnosis	105 180	10.2 12.1	6.6 12.6	2	5	8 7	15 16	19 24
Two or more diagnoses	220 215	12.3	15.0	3 3	5 5	7	15	33 23	With surgery	15 270	11.3	11.0	1	4	7	14	23
Without surgery HEMORRHOIO5 (WITH OR WITHOUT	210	14.2	11.0	3	6	11	17	32	8RONCHOPNEUMONIA (491) Totol	1,950	11.3	8.5	3	5	9	14	20
ULCER) (461) Totol	600	8.4	4.1	3	5	7	10	14	Age: 65 to 74 years	925 730	10.6 12.5	8.2 8.7	3	5	9 10	13 16	19 21
Age: 65 to 74 years	400 165	8.1 9.4	4.2 4.1	3	5	7 9	10 11	13 15	One diagnosis	295 590	9.4	7.3	2	4	8	13	17
85 years and over	35 245 355	7.4 9.0 8.0	2.6 4.7 3.6	5 4 3	5 5 5	7 7	9 10 10	11 16 13	Two or more diagnoses	1,360 65 1,885	12.1 16.5 11.1	18.8 7.9	3 3	6 4 5	10 10 9	15 18 14	22 29 20
Two or more diagnoses	500	9.0	4.1	4	5	8	11	15	PRIMARY ATYPICAL PNEUMONIA (492)	1,005	11.1	7.7		,	,	14	20
PHLEBITIS AND THROMBOPHLEBITIS OF	100	5.5	2.6	1	3	5	7	9	Total	1,645	9.2	8.1	2	4	7	11	17
LOWER EXTREMITIES (463)	1,035	12.5	8.2	5	6	10	15	21	65 to 74 yeors	730 670 245	8.9 9.8 8.7	6.9 9.7 5.9	2 2 3	4 4	7 7 6	10 11 11	15 19 16
Age: 65 to 74 years	655 340	11.5	8.0 7.1	4 5	6 9	9	14 16	20 23	One diognosis	625 1,020	7.3 10.4	4.1 9.5	2	4	6	9	13
85 years and over	40 455	16.2	15.0 6.2	2 4 5	6	8	23 14	40 19	With surgery	35 1,610	15.3 9.1	14.2 7.9	4 2	6	10 6	13 11	30 16
Two or more diagnoses	580 95	13.8	9.3	6	7	12	15 17	27 32	PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Without surgery PHLEBITIS AND THROMBOPHLEBITIS OF	940	12.1	7.9	4	6	iõ	15	32 21	Total	2,895	11.8	9.7	3	5	8	14	22
OTHER SITES (464)	40.5	12.2	0.7	3		9	13	24	Age: 65 to 74 years	1,445 1,080 370	10.8 12.6 13.2	8.1 10.3 13.0	3 3 3	5 6 4	8 9	13 15 16	21 22 30
Totol	495 255	12.2	9.7 8.9	4	6	10	12	21	One diognosis	1,190	9.6	7.0	3	5	7	12	17
75 to 84 years	200 40	12.3 14.0	10.4 10.6	1 5	5 7	9	13 14	26 26	Two or more diognoses	1,705	13.3	11.0 16.0	3 6	6 8	10 16	17 27	25 34
One diognosis	225 270	10.5 13.6	7.6 10.9	3 2	5	8 10	11 15	22 29	ACUTE BRONCHITIS (OR 5U8ACUTE)	2,740	11.2	9.0	3	5	8	14	20
With surgery	40 455	22.4 11.3	13.3 8.8	7 3	8	18 9	31 12	41 22	(500)	1,340	8.6	6.4	2	4	6	9	16
PULMONARY EM80LI5M ANO INFARCTION (465)									Age: 65 to 74 years 75 to 84 yeors	760 440	8.3 9.4	6.6	2	4	6 7	9 11	16 19
Total	765	14.3	12.0	2	6	12	18	26	85 years and over	140	7.5	4.1	3 2	4	6	10	12
65 to 74 years 75 to 84 years 85 years ond over	470 215 80	14.4 16.5 7.6	11.5 14.0 3.3	2 3 2	6 7 5	12 14 7	19 19 10	28 27 12	One diognosis	430 910 20	7.0 9.4	3.9 7.1	3	4	6 7	10	11 19
One diognosis	270 495	11.3 15.9	9.5 12.9	2 2	5	8 14	13 19	24 28	With surgery Without surgery	1,320	8.6	6.4	2	4	6	9	17
With surgery	75 690	17.3 14.0	9.0 12.2	6 2	8 6	13 12	25 18	27 25									

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Average	Standard		Perce	ntiles	(doys)		<u> </u>		Averoge	Standard		Percer	tiles	(doys)	
Potient chorocteristics	Number of discharges	stoy (doys)	deviation (days)	10th	25th	50th	75th	90th	Patient chorocteristics	Number of dischorges	stoy (doys)	deviation (days)	10th	25îh	50th	75th	90th
8RONCHITIS, UNQUALIFIEO (501)									ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	1,275	8.2	6.6	2	4	6	10	14	Total	235	13.0	8.5	4	6	11	16	22
65 to 74 years	745 445 85	7.3 9.7 9.0	5.2 8.2 6.8	2 3 3	3 4 4	6 7 6	9 11 10	13 18 16	Age: 65 to 74 years	155 55 25	12.1 17.1	7.7 10.4	2 6	6 8	10 15	15 18	20 28
One diognosis	545 730	7.2 9.0	4.7 7.7	2 2	4 4	5	8 10	14 16	One diagnosis	120 115	13.4 12.5	10.1 6.3	4 3	6 7	9	15 16	29 19
With surgery	50 1,225	11.8 8.1	10.1 6.4	2 2	3 4	6	13	24 14	With surgery Without surgery	85 150	19.3 9.4	9.5 5.3	8 2	13 5	15 8	23 12	30 16
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)									ULCER OF OUODENUM W/O PERFORATION & W/O HEMORRHAGE		! 						
Total	830 555	9.8	6.2	3	5	7 8	12	21 18	(541.0) Total	1,620	9.6	7.3	2	4	7	12	18
75 to 84 years	235 40	11.1 17.9	10.3 15.4	2 4	4 4		14 23	22 36	Age: 65 to 74 years 75 to 84 years	1,045 525	9.7 9.5	7.3 7.5	3 2	4	7	12	17 18
One diagnosis	265 565	8.9 11.4	7.8 8.5	2 3	6	6 8	10	18 21	85 years and over One diagnosis	50 610	8.8	5.7	4	3	6	9	16 17
With surgery	60 770	9.0 10.7	5.5 8.5	3 3	3 5	6 8	13 12	16 21	Two or more diognoses	1,010	10.1	7.5	2 3 5	5	7 12	12	20
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)									Without surgery	1,300	8.2	6.2	2	Á	6	ģ	15
Total		6.8 9.0	6.2	2	3	7	11	18 19	PERFORATION & WITH HEMORRHAGE (541.1)								
75 to 84 years	170 10	8.8	4.9	3	5	7	9	17	Total	865 475	11.6	9.5 7.7	3	5 5	8	13 11	24 19
One diagnosis	135 340	8.0 9.2	5.6 6.3	1 2	4	6 7	9	17 19	75 to 84 years	320 70	12.7 15.9	10.4 13.7	3 2	5	12	17 17	30 30
With surgery	65 410	8.7 8.8	6.7 6.1	1 2	1 4	6 7	15 10	18 18	One diagnosis	465 400	10.1 13.3	8.5 10.2	3 4	4 6	7	11 16	21 26
PULMONARY CONGESTION AND HYPOSTASIS (522)									With surgery	180 685	19.4 9.5	12.8 7.1	6 3	7	15 8	31 11	38 17
Total		10.6	8.4	1	4	7	15	23	ULCER OF STOMACH & OUODENUM, WITH PERFORATION (540.2,3,541.2,3)				3				
65 to 74 years		10.7 9.0 15.8	7.1 7.9 12.9	1 6	5 2 6	9 5 9	15 16 17	19 22 34	Totol	115	15.7	11.0	3	9	12	19	25
One diagnosis	105 175	6.1 13.3	4.6 9.1	1	3 6	4 12	6 19	16 25	65 to 74 years	45 65 5	21.3	13.3	11	6	10	20 17	42 21
With surgery	15 265	10.6	8.4	i	4	* 8	15	23	One diognosis	45 70	21.2 12.1	14.1 6.1	1 3	9 8	16 10	21 16	42 20
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)									With surgery	80 35	17.5 11.6	12.0 6.3	5 1	9	13 10	20 16	34 19
Totol	2,535	10.2	10.0	2	3	7	12	21	GASTRITIS AND OUODENITIS (543)								
65 to 74 years	800	9.8 11.1 9.2	9.8 10.7 7.7	2 2 2	3 4 3	7 7 5	11 13 12	20 24 22	Total	765	7.0	5.9 6.3	1	2	5	8	15
One diagnosis	610 1,925	9.0 10.6	8.4 10.5	ì 2	3 4	7 7	10 13	16 22	75 to 84 years	480 115	8.0	4.4	1	5	7	9	12 13
With surgery		17.6 9.9	11.7 9.8	3 2	5 3	16 7	25 12	31 20	One diognosis	385 975 135	5.6 7.5	6.3	i	3	5	7 9	11
OISEASES OF ESOPHAGUS (539)	525	7.5	7.0					14	With surgery Without surgery APPENOICITIS (550-553)	1,225	13.3 6.3	8.1 5.1	1	2	11	8	26 12
Total		7.5	7.2 8.2	1	2	5	8	16	Total	275	11.6	6.3	5	6	9	15	20
75 to 84 years	200 65	8.0 7.2	6.0 5.4	1	2	6	8	9	Age: 65 ta 74 years	115 135	9.5 13.7	5.5 6.9	3	5 8	7 12	10 17	20 21
One diagnosis	340	6.2 8.2	4.8 8.1		2 2	5	10 10	11	85 years and over One diagnosis	25 135 140	9.7 13.5	4.5 7.1	4	6	8 11	12 18	16 21
With surgery	160 375	9,1 6.8	8.9 6.2	1	2	7 4	8	21 13	With surgery	240	11.1	5.2	5	7	10	14	19
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)									Without Surgery INGUINAL HERNIA WITHOUT MENTION	35	14.9	10.7	6	6	7	17	27
Total	375	12.6	9.1 8.1	4	5	8	17	22	OF OBSTRUCTION (560.0) Total	2,645	7.6	4.6	3	4	6	8	12
75 to 84 years	40	15.4 14.1	11.0 6.5	1	8	13	18	30 20	Age: 65 to 74 years	1,750 760	5.8 8.6	3.0 5.1	3 4	4 5 5	6 7	7 9	10 13
One diognosis	330	11.2	5.8 10.9	4	6	9	16	18 32	85 years ond over	1,720	6.9	10.7 3.6	3	4	8 6 7	13	10
With surgery	130 455	19.0	11.5 7.3	3	5	14 8	26 15	34 19	Two or more diagnoses	925 2,430	7.4	3.5	3	5 5 3	6	8	15
									Without surgery	215	9.3	10.9	2	3	6	9	15

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

		Average	Stondard		Perce	ntiles	(doys)	,			Augraga	Stondard		Percer	ntiles	(doys)	
Patient choracteristics	Number of dischorges	Averoge stoy (doys)	deviation (days)	10th	25th	50th	75th	90th	Patient chorecteristics	Number of discharges	Averoge stoy (doys)	deviation (days)	10th	25th	50th	75th	90th
QIAPHRAGMATIC HERNIA WITHOUT									CHOLELITHIASIS (584)								
MENTION OF OBSTRUCTION (560.4)									Total	2,935	12.4	9.1	3	7	9	15	21
Totol	1,580	7.4	6.1	2	3	5	9	13	Age: 65 to 74 years	1,955	12.1	8.4	4	7	9	14	21
65 to 74 years	1,000 495 85	7.9 6.5 7.2	6.8 5.0 2.8	2 2 3	3 4	5 4 6	10 8 9	15 12 10	75 to 84 years	800 180	11.7 19.1	7.9 15.7	3	6 5	10 13	15 29	21 40
One diognosis	380	8.0	8.1	1	3	5 5	9	16	One diagnosis	1,460 1,475	11.6 13.3	7.7 10.1	4 3	7	9 10	13 17	20 24
Two or more diagnoses	1,290 360	7.2	5.4 8.7	3	5	9	12	13	With surgery	1,980 955	14.6 7.9	8.4 8.7	7 2	8	12	17 8	24 13
Without surgery	1,220	6.2	4.6	2	3	4	7	ii	CHOLECYSTITIS AND CHOLANGITIS	,,,,	,,,	J.,				Ů	"
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.13,.8,.9)									WITHOUT MENTION OF CALCULI (585) Total	1,565	9.7	7.5	2	4	7	12	18
Total	840	9.5	7.5	3	5	7	11	14	Age: 65 to 74 years	810	9.6	8.2	2	4	7	12	18
65 to 74 years	580 240 20	8.9 10.5	4.9 11.2	3	5	8 7	11	13	75 to 84 years	630 125	9.8 9.2	7.0	2 4	5	8	14	20 14
One diognosis	430	7.6	3.5	3	4	6	10	12	One diognosis	725 840	8.2 11.0	6.6 8.1	3	3 5	6 8	10 14	16 19
With surgery	410 725	9.7	9.7 7.9	4	5	7	12	13	With surgery	540 1,025	13.7 7.6	7.9 6.4	7	8	12	16 9	21 15
Without surgery HERNIA OF ABOOMINAL CAVITY WITH	115	8.0	4.5	1	4	7	10	15	OTHER DISEASES OF GALLBLADDER AND BILIARY OUCTS (586)								
OBSTRUCTION (561)								,	Total	510	9.8	7.5	2	4	7	13	20
Total	465	10.2	7.7	3	6	7	11	21	Age: 65 to 74 years	200	9.5 9.9	7.3	2	3	7 7	12	19
65 to 74 years	185 210 70	9.5 10.3 11.4	6.2 8.9 7.6	3 3	6 6	7 7 9	12 11 11	18 19 24	85 years and over	240 70	10.5	9.2 5.0	4	5	10	14 13	21 18
One diagnosis	235 230	10.0	5.5 9.5	3 3	6 5	8 7	11	17 23	One diognosis	275 235	9.3 10.5	7.4 7.5	2 2	3	7 8	12 13	17 22
With surgery	345	11.3	7.9	5 2	6	8	13	22	With surgery	175 335	15.1 7.0	7.3 5.9	6 1	9	12 5	19 9	26 14
Without surgery	120	7.0	6.1	2	3	5	7	10	OISEASES OF PANCREAS (587)								
MENTION OF HERNIA (570)									Total	440	11.4	9.8	2	4	7	14	25
Totol	1	10.0	11.0	1	3	6	12	22	65 to 74 years 75 to 84 years 85 years and over	290 140 10	11.6	9.6	2 2	3	8 7	13 19	28 23
65 to 74 years	760 250	9.5 9.5	9.4	i	2 2	6 6	12	20 20	One diagnosis	120	7.7	7.1	1	2	5	9	16
One diagnosis	785 1,625	8.6 11.1	9.3 12.1	1	2 3	6	10 14	18 26	Two or more diognoses	320 70	12.7 17.6	10.4	3	5	8 22	19 26	27 29
With surgery	395	15.8	11.7	4	8	12	21	27	Without surgery	370	10.2	9.3	2	4	7	îĭ	21
Without surgery	1,415	8.4	10.3	1	2	5	9	19	NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
ULCERATIVE (571)									Total	485	13.6	14.2	2	4	9	16	27
Totol	3,195 1,560	7.3 6.5	6.3 5.9		2	5	8	15	65 to 74 years	325 130 30	12.7 15.3 15.8	11.3 19.2 16.2	3 2	4 4 2	10 9 6	16 14 21	27 34 37
75 to 84 years		7.6 9.4	6.1 7.9	2 2	3	5	9	15 19	One diognosis	140	8.4	4.9	1	3	8	11	15
One diognosis	1,315 1,880	5.4 8.6	4.1 7.2	1 2	2 3	4 6	6	10 18	Two or more diognoses	345 150	15.7	16.1	2 2 2	7 3	10	21 18	38
With surgery		11.9 7.2	7.4 6.2	3	6 3	8 5	18	21 14	Without surgery	335	12.4	14.5	2	3	8	13	25
OIVERTICULITIS (572.1)	3,103	7.2	6.2					"	Total	970	10.0	9.3	2	4	7	12	20
Totol	3,090	8.4	8.4	1	3	5	10	17	Age: 65 to 74 years	510	10.2 9.4	8.7 10.6	2 2	4	7	12 9	18 14
65 to 74 years	1,620 1,210	8.7 7.6	9.0 6.9	1	3	5	10	19 14	85 years and over	120	11.2	7.3	2	3	9	17	22
				1		5	13	21	One diognosis	675	11.1	10.4	2	4	7	10 12	22
Two or more diognoses	1,915	9.3	9.2	2		6	11	20	With surgery	130 840	12.7 9.6	11.5 8.8	2 2	4	9 7	16 11	24 13
Without surgery		7.5	7.5	1	3	5	9	15	CALCULI OF KIONEY AND URETER (602)								
CIRRHOSIS OF LIVER (581)				<u>ا</u>			,,,	27	Age:	760	7.3	6.9	1	2	4	10	16
Age:		ĺ	1		5	9	17	31 27	75 to 84 years	150 10	10.3	9.9	2	3	5	16	23
75 to 84 years 85 years ond over	75	18.6	15.1	4	6	1í -	25	32	One diognosis	395	6.1	6.1 7.5	1	2	4	8	14
One diagnosis	165 220	9.8 16.4	8.7 12.8	2 2	4 5	7 12	13 22	19 35	With surgery	295	10.6	8.1	2	4	8	15	19
With surgery	25								Without surgery		5.2	4.9	1 1	2	3	7	, 11
Age: 65 to 74 years 75 to 84 years 85 years ond over One diagnosis Two or more diagnoses With surgery Without surgery CIRRHOSIS OF LIVER (581) Total Age: 65 to 74 years 75 to 84 years 85 years ond over One diagnosis Two or more diagnoses	1,620 1,210 260 1,175 1,915 475 2,615 385 310 75 -	8.7 7.6 11.2 7.1 9.3 13.5 7.5 13.6 12.4 18.6 ————————————————————————————————————	9.0 6.9 10.5 6.9 9.2 11.1 7.5 11.7 10.3 15.1	1 1 2 1 2 3 1	3 3 5 5 2 3 5 3 5 4 6 6 - 4 5 5 •	5 5 8 5 6 9 5	10 9 13 8 11 19 9 17 25 - 13 22	19 14 21 14 20 27 15 31 27 32 —	75 to 84 years 85 years ond over One diagnosis Two or more diagnoses With surgery Without surgery CALCULI OF KIONEY AND URETER (602) Total Age: 55 to 74 years 75 to 84 years 85 years ond over One diagnosis Two or more diagnoses With surgery	340 120 295 675 130 840 760 600 150 10 395 375	9.4 11.2 7.7 11.1 12.7 9.6 7.3 6.4 10.3 *	10.6 7.3 4.9 10.4 11.5 8.8 6.9 5.6 9.9 *	2 2 2 2 2 2 1 1 2.*	4 4 4 4	6 9 6 7 9 7 4 4 5	9 17 10 12 16 11 10 9 16	14 22 14 22 24 13 16 15 23

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Average	Standard		Perce	ntiles	(days)		Potient	Number of	Averoge	Standard		Percer	ntiles	(doys)	
choracteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	chorocteristics	discharges	(doys)	deviation (days)	10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)									OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
TotalAge:	495	9.2	6.6	2	4	8	12	16	Total	530	7.0	5.7	2	3	5	8	12
65 to 74 years	320 150 25	8.7 10.0	7.2 4.8 *	1 3 *	6 *	9 *	11 12	15 16 *	65 to 74 years 75 to 84 years 85 years and over	395 110 25	6.6 8.1 *	5.3 6.2	2 2 *	3	5 6 *	8 11 *	10 16 *
One diognosis	235 260	7.9 10.4	6.6 6.2	1 3	3 5	7 9	13	13 19	One diognosis	305 225	6.7 7.3	5.2 6.4	2 1	3	5 5	8	11 14
With surgery	285 210	10.4 7.7	7.4 4.7	1	5 4	6	12	19 14	With surgery	380 150	6.7 7.5	6.1 4.6	1 2	2 5	6	7 9	17 10
Total	1,155	8.0	7.5	1	2	5	1D	14	Total	1,215	10.4	5.9	5	7	9	11	16
65 to 74 years	570 480 105	6.7 9.0 10.4	6.6 8.0 8.5	1 2 2	2 4 5	6 7	10 11 11	13 17 26	65 to 74 years	905 280 30	10.2 11.2 7.7	5.1 8.0 6.2	5 5 1	7 7 2	9 9 4	11 11 8	16 19 16
One diognosis	410 745	6.5 8.9	6.6 7.8	1 2	2 4	3 6	9	13 14	One diagnosis	650 565	9.2 11.7	4.1 7.3	5 5	6 7	8 9	10 13	13 19
With surgery	340 815	6.4 8.7	5.1 8.2	1	3	6	10 11	13 14	With surgery	1,130 85	10.5 8.0	5.7 8.5	5 1	7 3	9 4	11 8	16 15
Totol	425	10.3	8.4	2	4	6	15	22	SUBCUTANEOUS TISSUE (690-698)	716	10.2	7.0	,	4	7	13	19
Age: 65 to 74 years	240 150 35	8.7 10.5 20.9	6.9 8.5 9.9	1 2 5	4 4 9	6 6 20	10 14 26	20 21 32	Totol	715 430 205	9.9 10.1	7.9 8.4 7.0	3 3 2	4 4	7 8	12 14	15 21
One diognosis	185 240	7.9 12.1	6.6 9.2	2 2	4 4	6 9	8	14 25	One diagnosis	290	12.0 7.1	7.3 5.1	3 2	5 3 5	11 5 10	14	23 12
With surgery	275 150	11.4 8.2	8.1 8.5	3 1	5 3	7 5	17 10	22 17	Two or more diognoses	425 185	12.3	9.1	3	4	8	14	22
URETHRITIS AND STRICTURE OF URETHRA (607,608)									RHEUMATOID ARTHRITIS (722.0)	530	9.8	7.5	3	4	7	12	18
Total	640	7.8	10.8	1	2	5	8	15	Total	755	13.8	12.0	2	5	10	18	29
65 to 74 years	345 235 60	7.2 7.5 12.5	10.8 5.0 21.1	1 2 1	2 3 2	6 3	8 9 9	14 13 22	65 to 74 years	525 200 30	13.3 16.4 7.2	10.3 15.8 6.0	2 4 2	5 6 2	10 11 3	18 22 10	28 32 16
One diognosis	205 435	6.6 8.4	12.2 9.9	1 2	3	3 6	6 9	10 15	One diagnosis	260 495	12.2 14.7	10.5 12.7	2	4 5	10 10	14 19	23 30
With surgery	515 125	7.4 9.8	9.2 15.5	1	2 2	5	8	14 17	With surgery	185 570	15.6 13.3	10.6 12.4	4 2	7 4	11 9	21 17	30 28
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)									OSTEOARTHRITIS (ARTHROSIS) (723.0) Totol	1,520	13.1	11.6	2	5	8	17	27
Totol	980	8.6	8.2	2	3	5	10	18	Age: 65 to 74 years	710	15.0	13.2	3	5	10	19	33
65 to 74 years	410 485 85	7.6 9.7 6.5	6.4 9.4 6.9	2 2 1	3 2	6 5	11 11 8	16 20 9	75 to 84 years	655 155	11.3 11.9	10.1 8.7	2 2	3	8	13 17	25 25
One diognosis	365 615	7.5 9.2	8.6 7.8	2 2	2 3	4 7	7 12	17 17	One diognosis	515 1,005	14.8 12.2	12.4 11.1	2	5	8	14	26
With surgery	315 665	8.2 8.7	8.8 7.9	1 2	2 3	6	11 10	18 17	With surgery Without surgery SPONDYLITIS OSTEOARTHRITICA (723.1)	410 1,110	21.6 9.9	14.3 8.5	2	10	18 7	12	42 21
HYPERPLASIA OF PROSTATE (610)	4.500	,,,,	7.1	,			12	10	Total	985	9.2	6.2	2	4	8	12	16
TotolAge: 65 to 74 years	4,500 2,475	9.4	7.1 5.8	2	5	8	12	18 16	Age: 65 to 74 years	495 400	8.6 9.8	5.7 6.2	2	4	7 9	11 12	15 16
75 to 84 years		11.0 12.6	8.2 8.1	3 4	5 6	1D	13 15	19 24	85 years ond aver One diagnosis	90 275	9.3 8.5	7.9 4.9	2	3	7 8	11	20 14
One diagnosis	2,365 2,135	9.2 11.4	5.9 8.0	2	5	7 9	11 14	15 21	Two or more diognoses	71D 90	9.4	6.6 6.4	2	7	8	12 11	16 18
With surgery	3,765 735	10.6 8.5	6.6 8.8	1	6 2	8 5	13 11	18 18	Without surgeryARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)	895	9.D	6.2	2	4	8	12	16
Total	295	7.2	7.D	2	3	5	9	11	Total	910	9.3	6.9	2	4	7	12	18
Age: 65 to 74 years	170 105 20	7.2 6.9	8.1 5.4 *	1 2 *	2 3	5 5 *	8 8	11 11	65 to 74 years 75 to 84 years 85 years and over	420 370 120	9.5 9.7 7.5	7.1 7.1 5.4	2 2 2	4 4	7 8 6	12 13 8	18 20 13
One diognosis		5.9 8.1	3.6 8.4	2 2	3 4	4 6	9	11 12	One diagnosis	400 510	8.9 9.7	7.D 6.9	2 2	4	8	10 12	18
With surgery	115	8.4 6.4	10.2 3.3	2 2	3	4 5	8	11 11	With surgery	95 815	13.5 8.9	9.3 6.4	2	5	10	18	23 17

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

	N	Averoge	Standard	Ι	Perce	ntiles	(doys))	0.1.4		Average	Standard		Perce	ntiles	(doys)	,
Potient charocteristics	Number of discharges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th	Potient chorocteristics	Number of discharges	stay (doys)	deviation (doys)	10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)									SYMPTOMS REFERABLE TO								
Total	620	11.4	7.7	4	5	9	14	20	GENITOURINARY SYSTEM (786) Total	385	7.9	8.2	,	2	6	10	16
65 to 74 years	250 275 95	11.9 11.0 11.5	9.3 6.2 6.9	4 4 4	6 5 5	8 9 11	15 14 14	22 20 15	Age: 65 to 74 years 75 to 84 years 85 years ond over	225 140 20	9.1 6.4	10.0	1	2 2	7 5	11 8 *	17 11
One diognosis	110 510	11.9 11.3	7.6 7.7	3 4	6 5	11	16 14	18 21	One diagnosis	315 70	7.3 10.4	8.2 7.6	1 2	2	6 5	9	12 19
With surgery	35 585	15.1 11.2	14.9 7.0	2	4 5	10 9	15 14	30 20	With surgery	185 200	10.6	10.3	1	4 2	9 3	12	18
OISPLACEMENT OF INTERVERTEBRAL OISC (735)					Ì				OTHER GENERAL SYMPTOMS (780,781,787-789)	200	3.4			1			
Total	625	12.1	8.8	4	6	9	15	24	Total	980	6.6	5.9	,	2	4	8	14
65 to 74 years	465 125 35	11.9 9.5 23.7	8.1 5.9 14.8	4 3 6	6 4 8	9 8 21	15 11 28	23 17 39	Age: 65 to 74 years 75 to 84 years	490 415	6.8	6.4 5.1	1	2	4 4	9	13 13
One diognosis	330 295	12.1 12.1	8.8 8.9	4 3	6	9	15 14	24 24	85 years and over One diagnosis	75 745	9.2 6.1	6.3 5.2	2	2 3 2	7	11	20 13
With surgery	160 465	19.7	10.7	8 3	12	16	24	33 19	Two or more diognoses	235 175	8.2 6.2	7.7	2 2	3	6	10	15
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)	403	7.3	0.2		,			17	Without surgery	805	6.7	6.2	ĺ	2 2	4	8	14
Total	320	5.6	4.5	1	2	4	7	11	Total	70	7.0	6.7	1	2	4	6	18
65 to 74 years	225 90 5	5.3 6.3	4.1 5.1	1 2 *	2 2	3 4	7 8 *	11	65 to 74 years	20 35 15	8.1	8.2	2	2	3	11	21 *
One diognosis	150 170	3.2 7.8	1.7 5.0	1 2	1 3	2	10	6 12	One diognosis	60 10	4.9	4.5	!	2 *	3	5 *	6
With surgery	195 125	4.2 7.9	3.7 4.5	1 2	3	2 8	5 11	7 12	With surgery	- 70	7.0	6.7	1	2	4	6	18
Total	195	8.2	6.6	2	3	5	11	17	Total	80	8.7	9.6	1	2	4	10	19
Age: 65 to 74 years	135 55 5	8.5 7.4	6.9 6.0	2 2	4 3 *	6 4	11 9 *	16 15	Age: 65 to 74 yeors	15 40 25	9.6	11.4	:	* 2 *	6	9	21 *
One diognosis	75	6.0 9.5	4.1 7.4	2	3 4	5 7	7 12	8 18	One diognosis	65 15	8.7	9.7	!	2	5	9	15
With surgery	80 115	7.7 8.5	5.4 7.3	2	4 3	5 6	9	16 15	With surgery	5 75	9.2	9.7	1	2	5	11	19
SYMPTOMS REFERABLE TO CAROIOVASCULAR ANO LYMPHATIC SYSTEM (782)									SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	360	5.7	5.1	1	1	4	8	14	Total	150	9.7	6.6	2	4	7	13	19
65 to 74 years	230 110 20	5.8 5.7	4.7 6.3	1	1	4 2	8 5 *	13 18	75 to 84 years	65 75	8.1 10.9	5.6 6.8	1 3	3 4	6 9	11 14	17 18
One diognosis	240	5.2 6.7	4.9 5.4		1 2	3 4	7 9	13 14	One diognosis	65 85	9.2 10.1	5.5 7.4	1 2	5 3	7 7	12 15	17 19
With surgery	45	7.7 5.5	6.9	2	2	2 4	12	18	With surgery	5 145	9.6	6.7	2	4	7	13	19
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)	313	3.3	4.0		'	4	°	12	OTHER ANO ILL-OEFINED DISEASES (791,793,795)								
Totol	790	5.8	7.3	1	1	3	6	11	Total	490	5.8	6.1	1	2	3	7	11
Age: 65 to 74 years 75 to 84 years	430	5.5 5.4	7.5	1	1 2	3	6	10	65 to 74 years	310 155 25	5.7 5.9	5.8 6.4	1 1	2 2	3 *	7 7	10 11
85 years and over	65	9.3	7.2	1	2	3	12	19	One diognosis	405 85	4.2 13.1	3.0 10.2	1 2	2	3	6	8 31
One diagnosis	170	9.9	12.5	1	2	5	10	20	With surgery	110 380	4.6 6.1	4.4	1	1 2	2 3	5 7	9
With surgery	70 7 20	5.6 5.8	4.2 7.6	1	3	3	5 7	11	FRACTURE OF VERTEBRAL COLUMN (805,806)	. 380	6.1	6.5		2	3	,	
GASTROINTESTINAL SYSTEM (784,785)								.,	Total	940	15.1	11.0	4	7	12	20	28
Total	825 410	7.6 7.1	9.0	1 1	2	4	8	16	Age: 65 to 74 years	420 385	15.3 15.2	11.9 10.6	4 3 3	7 7 8	12	20 21 17	27 30 24
75 to 84 years	365 50	8.8 3.7	10.3 2.6	;	3	5 2	10 5	17	85 years and over	135 315	13.8	8.4	3	7 7	12	20	25
One diognosis	655 170	7.2 9.1	9.3 7.7	1 2	2	6	8 9	12 20	Two or more diognoses	30	15.2 14.0	11.8 7.7	5	5	11	20 19	32 23
With surgery	110 715	13.9 6.7	11.8 8.1	2 1	4 2	10 4	18 7	33 12	Without surgery	910	15.1	11.0	4	7	12	l 20	l 28

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Perce	ntiles	(days)		Potient	Number of	Average	Standard	<u> </u>	Perce	ntiles	(days)	<u> </u>
characteristics	discharges	(days)	deviation (days)	10th	25th	50th	75th	90th	characteristics	discharges	stoy (days)	deviation (doys)	10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)									HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	710	10.1	8.0	1	4	8	13	22	Total	695	8.1	9.4	1	2	5	10	15
Age: 65 ta 74 years	355 235 120	10.0 8.4 13.6	7.3 7.1 10.0	1 1 3	3 3 5	8 7 12	13 10 16	22 14 23	Age: 65 to 74 years 75 to 84 years 85 years and over	355 270 70	8.0 8.0 9.1	8.7 10.2 9.4	1	2 2 2	5 5 7	10 10 11	17 12 15
One diagnosis	180 530	7.3 11.0	3.7 8.8	2	4	7 9	10 15	13 23	One diagnasis	210 485	7.9 8.2	11.2 8.5	1	1 2	2 6	9 11	15 15
With surgery Without surgery	30 689	15.3 9.9	8.4 7.9	3	4	14 7	21 13	23 22	With surgery	160 535	11.9 7.0	14.6 6.7	1	2 2	7 4	11 10	31 13
FRACTURE OF PELVIS (808)	420	22.4	17.7		11	19	30	48	LACERATION AND OPEN WOUND (870-898)								
Total	125	23.6	13.7	4	13	17	24	45	Total	655	7.8	10.8	1	1	5	8	15
75 ta 84 years	190 105	24.1 25.5	17.2 22.0	3 7 3	11 6	20 17	28 38	48 51	65 ta 74 years 75 to 84 years 85 years and over	375 210 70	7.8 6.0 13.7	11.6 5.5 15.2	1 1 1	2 1 3	5 4 8	8 8 13	15 14 31
One diagnasis	175 245	24.1 23.2	17.3 18.0	6 3	13 11	19 18	31 28	48 48	One diagnasis	250 405	5.9	5.0 12.9	1	1 2	4 5	8	12
With surgery	35 385	31.6 22.9	18.3 17.5	1 4	13 11	32 19	47 27	48 47	With surgery	255 400	6.0 9.0	6.2 12.7	1	1 2	3 5	8	15 16
Total	670	12.4	9.9	2	S	10	17	24	SUPERFICIAL INJURY (910-918)								
Age: 65 to 74 years	300	12.0	10,7	1	4	9	14	24	Tatal	65	5.8	4.8	1	2	3	10	13
75 to 84 years	260 110	11.8 14.9	8.1 11.1	2	5	10	17	20 29	65 ta 74 years 75 ta 84 years 85 years and over	20 35 10	4.3	2.4	2	2	3	4	6
One diagnosis	365 305	10.5 14.7	7.9 11.5	3	7	10	16 18	20 35	One diagnosis	20 45	7.8	4.6	. 3	3	4	13	14
With surgery	235 435	12.0 12.6	9.1 10.3	2	5 5	10	16	21 26	With surgery	65	 5.8	4.8	- 1	_	3	10	13
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)	555	6.8	8.3	1	2	3	7	17	CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Age: 65 to 74 years	270	5.4	5.7	1	1	3	6	16	Total	1,310	8.0	7.0	1	3	5	11	16
75 to 84 years	240 45	6.3 17.9	5.3 19.1	1	2 2	4	8 26	16 40	65 ta 74 years 75 to 84 years 85 years ond aver	500 625 185	6.5 8.8 8.9	5.3 7.9 7.1	1	2 3 3	4 6 7	9 13 13	13 19 16
One diagnosis	300 255	3.2 11.0	2.4 10.4	1 2	3	7	16	6 21	One diagnosis	335 975	6.0 8,6	7.3 6.8	1	1 3	3 6	7	12 17
With surgery	385 170	6.1 8.4	6.1 11.7	1	1	3 4	7 9	17 17	With surgery	110 1,200	12.1 7.6	7.8 6.8	1	4 2	13 5	17 10	21 15
FRACTURE OF FEMUR (820,821)									ADVERSE EFFECTS OF DRUGS AND								
Total	3,770 1,000	21.2 19.9	15.8	3	11	17	27	37	OTHER CHEMICAL SUBSTANCES (960-989)								
75 ta 84 years	1,750 1,020	22.3 20.8	16.2 17.3	6 2	11	18	27 27	42 38	Tatal	740 450	6.7	7.2 5.6	1	2	4	8	13
One diagnosis	2,415 1,355	20.1 23.2	15.1 16.9	3 4	11 10	17 19	24 31	37 48	75 ta 84 years	210 80		10.3 3.9	1	2 2 2	6 5	8 9	13 10
With surgery	2,710 1,060	20.9 22.0	12.7 21.8	7 1	12 4	18 16	26 28	37 58	One diagnosis	250 490	5.4 7.4	5.4 7.9	1	2	3 5	5 9	10 14
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)									With surgery	15 725	6.8	7.3	1	2	4	8	13
Total	1,190	11.1	10.9	2	Λ	7	13	22	COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
65 ta 74 years	830 295 65	10.6 11.4 15.6	11.0 8.3 16.3	2 3 2	3 5 2	7 9 7	13 14 23	22 21 41	Tatal	715	7.7	6.9	1	3	5	10	17
One diagnosis	675 515	8.1 15.0	8.3 12.5	1 3	3 7	5	10 21	15 27	65 to 74 years 75 ta 84 years 85 years and over	445 220 50	8.0 6.4 11.2	6.8 5.3 11.6	1 2 1	3 2 3	5 4 6	10 7 14	18 13 22
With surgery Without surgery	600 590	11.9 10.2	11.5	1 2	4 3	8 7	14	28 22	One diagnasis Two ar more diagnases	405 310	7.4 8.2	6.5 7.4	1	2	4 5	9	17 18
SPRAINS OF 8ACK (846,847)									With surgery	205	7.9	5.5	2	3 2	6	10	15
Total	895	9.9	7.5	2	4	7	12	21	Without surgery	510	7.6	7.4		2	5	8	17
Age: 65 to 74 years 75 ta 84 years 85 years and over	460 325 110	9.4 9.7 12.0	6.6 8.6 7.3	1 1 3	4 4 5	8 6 10	12 10 14	20 20 25									
One diagnasis	270 625	10.1 9.7	8.0 7.3	2	4 4	7 8	13 12	22 21									
•			8.9	2	2	5	12	21									

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

	Number of	Averoge	Standard deviation		rerce	Tilles	(days	,	Patient	Number of	Average			rercei	Tilles	(doys)	,
	dischorges	stoy (doys)	(days)	10th	25th	50th	75th	90th	choracteristics	discharges	(doys)	deviation (doys)	101h	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)									MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)			1					
TotalAge:	3,180	10.7	11.6	1	3	7	13	22	Total	955	12.5	10.5	2	5	9	16	26
65 to 74 years 75 to 64 years 85 years ond over	1,675 1,235 270	10.4 10.6 12.3	11.7 11.1 12.7	1	3 3	7 7 7	12 13 13	22 21 33	65 ta 74 years	505 360 90	12.9 12.5 9.8	9.8 12.0 6.6	2 2 2	5 4 4	10 7 7	16 15 11	25
One diognosis	1,175 2,005	9.3 11.4	12.0 11.3	1	2 4	5 8	10 14	20 23	One diognosis	330 625	10.6 13.5	7.9 11.5	2 2	5	8 10	14 17	31
With surgery	705 2,475	11.5 10.4	11.6 11.6	1	3	8 7	15 12	26 22	With surgery	315 640	18.1 9.7	11.3 8.8	6	10 4	15 6	21 12	32 19
HERPES ZOSTER (088)	045	0.0	4.4	3	5	8	12	,,,	MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	865 335	9.8 9.7	6.4	3	5	8	12	18	Total	830	15.1	11.3	4	6	12	20	26
75 to 84 years	400 130	10.4 8.3	7.2 3.7	3	4 4	8	13 11	13	65 to 74 years 75 to 84 years 85 years and over	485 300 45	14.8 14.6 20.3	11.3 11.7 5.9	4 3 13	6 6 15	12 10 17	20 17 22	21 21 2
One diagnosis	260 605	8.6 10.4	6.0 6.5	3	5	8	13	13	One diagnasis	270 560	12.0 16.5	9.5 11.8	3 5	5 7	9	16 22	33
With surgery	55 810	16.8 9.3	9.5 5.8	3	10	13 7	16	32 18	With surgery	385 445	16.9 13.4	8.0 13.3	6 2	10 5	16 8	22 16	27
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)									MALIGNANT NEOPLASM OF 8RONCHUS, TRACHEA, AND LUNG (162,163)								
Total	970 645	9.8	10.4	2	3	6	11	20	Total	4,550	11.8	11.0	1	4	8	15	2:
75 to 84 years	280 45	8.6 7.3	7.6 5.7	2 2	3	5 5	16	16 12	75 to 84 years	3,380 1,010 160	12.1 10.8 10.7	11.4 9.2 14.4	1 1 2	4 4 3	9 8 5	16 14 11	25 25 20
One diognosis	540 430	7.1 13.3	8.2 11.8	2	3 5	10	7 17	12 24	One diagnosis	1,700 2,850	10.5 12.5	9.7 11.7	1 2	3 4	7 9	15 16	21
With surgery	685 285	8.7 12.6	9.1 12.7	2 2	3 4	5 8	10 16	18 27	With surgery	1,815 2,735	13.0 10.9	10.6	2	4 3	10 7	18 14	27
MALIGNANT NEOPLASM OF ESOPHAGUS (150)									MALIGNANT NEOPLASM OF BREAST (170)								
Total	480	14.3	13.3	1	3	12	18	28	Total	3,355	11.4	9.2	3	6	9	12	2
65 to 74 years 75 to 84 years 85 years and over	245 210 25	14.4	14.9 11.7	1	3	13	18 20 *	23 29	Age: 65 to 74 yeors 75 to 84 years 85 years ond over	1,870 1,240 245	10.7 12.2 12.3	9.2 8.7 11.2	3 4 3	5 7 4	8 9 8	12 14 12	20
One diagnosis	165 315	11.7 15.6	16.0 11.4	1 2	8	14	16 19	23 29	One diognosis Two or more diagnoses	1,465 1,890	9.2	5.3	3 3	6	8	10	15 24
With surgery	245 235	14.5 14.0	11.8 14.7	1	3	15 10	18 18	27 31	With surgery Without surgery	2,200 1,155	10.1	7.1 12.0	3 3	6 5	8 10	11 17	10
MALIGNANT NEOPLASM OF STOMACH (151)									MALIGNANT NEOPLASM OF CERVIX UTERI (171)	1,133	10.7	12.0	Ů	,		"	
Total	1,455	16.2	12.3	2	6	14	21	33	Total	1,080	7.5	8.3	1	2	4	9	10
65 to 74 years	675 610 170	16.7 16.1 14.6	12.8 11.3 14.0	3 2 2	7 7 4		21 22 21	32 33 32	Age: 65 to 74 years	735 325 20	7.6 6.9	8.0 7.8	1	2 2	4	9 8	10
One diognosis	495 960	13.8 17.4	11.8 12.4	3	7	12 14	19 23	23 34	One diognosis	645 435	6.4 9.1	8.1 8.3	1	2 3	3 6	6	11
With surgery	720 735	20.5 12.0	11.2 12.0	9	12	18	23 16	36 30	With surgery	770 310	7.7 7.1	8.5 7.6	1	2	4	9	16
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)									MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	4,180	16.8	11.7	3	9	14	21	31	Total	1,310	8.6	7.4	2	3	7	10	15
65 to 74 years	2,185 1,650 345	16.7 17.3 15.3	11.8 11.9 10.4	3 4 3	9 9 7	13 14 13	21 22 20	31 32 26	Age: 65 to 74 years 75 to 84 years 85 years and over	880 370 60	7.7 10.1 13.5	6.3 7.2 16.1	1 2 3	3 5 3	6 8 7	9 12 10	13 20 30
One diagnosis	1,165 3,015	16.8 16.8	11.7 11.7	3	9	14 13	21 22	32 31	One diagnosis	680 630	6.9	5.1 9.0	1 2	3 5	5 8	9	12
With surgery	2,570 1,610	19.0 13.2	11.2 11.7	8 2	11 4	15 10	23 18	33 29	With surgery	1,000	7.9 11.2	5.0 12.1	2	4 3	7 6	10	13
MALIGNANT NEOPLASM OF RECTUM (154)									MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)	310	11.2	12.1	·	3		14	22
Total	1,725	16.9	12.2	3	7	15	22	32	Total	805	13.9	14.1	2	5	9	16	21
65 to 74 years	1,005 605 115	17.4 15.8 18.9	12.6 11.4 12.5	2 3 4	8 6 7	15 14 17	22 21 26	32 28 36	Age: 65 to 74 years	515 275	14.1 13.1	14.4 13.2	3 2	5 4	10	16 14	20
One diognosis	770 955	15.9 17.8	10.9 13.1	2 4	7 7	15 15	22 22	28 32	One diagnosis	165	11.9	8.4	3 2	6	10	13	19
	1,230	18.9	11.9	3	11	17	23	32	Two or more diognoses	640	14.4	15.2	2	5	9	18	30

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stoy	Standard deviation		rercei	ntiles	(doys)		Potient	Number of	Averoge stoy	Standard deviation		Percer	ntiles	(doys)	,
chorocteristics	dischorges	(doys)	(doys)	10th	25th	50th	75th	90th	characteristics	discharges	(doys)	(days)	10th	25th	50th	75th	901
MALIGNANT NEOPLASM OF PROSTATE (177)									OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Totol	5,230	9.9	8.6	2	4	7	12	19	Total	1,195	13.9	13.1	2	5	9	18	:
65 to 74 years	2,530 2,055 645	9.7 10.3 9.9	9.3 7.9 7.4	1 2 2	3 5 4	7 8 8	12 13 13	19 21 20	65 to 74 years	630 475 90	12.9 15.0 15.2	12.3 14.8 7.5	3 2 4	5 4 8	8 11 12	16 20 21	
One diagnosis	1,965 3,265	8.4 10.9	6.6 9.5	1 2	3 4	8	11 13	16 22	One diognosis	465 730	11.1 15.8	9.6 14.6	2 3	3 5	10 10	16 21	
With surgery Without surgery	3,205 2,025	9.9 10.0	7.3 10.2	2 1	3	8 7	13 12	19 23	With surgery	290 905	17.4 12.8	15.8 11.9	2 2	5 5	12	22 17	
MALIGNANT NEOPLASM OF KIONEY AND URETER (180)									BENIGN NEOPLASM OF INTESTINE, EXCLUOING RECTUM (211.2,211.3)								
Totol	705	12.7	8.4	2	7	11	15	21	Total	570	10.7	7.3	2	4	9	14	
55 to 74 years	480 190 35	13.0 12.9 6.7	8.7 7.7 6.9	3 2 1	7 8 1	12 11 2	15 14 10	21 27 17	65 to 74 years	370 185 15	10.6 10.8	7.3 7.4	1 2 *	5 3 *	10	13 15	
One diagnosis	230 475	11,4 13.3	6.4 9.2	1 2	6 8	11 11	15 16	18 23	One diognosis	200 370	9.1 11.6	7.2 7.3	1 2	6	7 10	12 15	
With surgery	385 320	14.1 10.9	7.3 9.3	4 1	10 4	12 9	17 14	24 20	With surgery	450 120	12.1 5.5	7.2 5.1	1	7 2	3	15 7	
Totol	3,340	9.0	9.2	1	3	5	11	19	Totol	480	5.9	5.1	1	2	4	7	l
Age: 55 to 74 years	1,740 1,250 350	8.9 9.2 8.6	9.8 8.4 7.9	1 1 2	3 3 3	5 6 6	11 12 10	20 19 17	65 to 74 years 75 to 84 years 85 years ond over	320 125 35	5.4 6.8 6.4	4.8 6.1 3.9	1 3	2 2 3	4 4 4	8 7	
One diagnosis	1,835 1,505	6.8 11.7	6.8 10.8	1 2	2 4	4 7	8 15	15 26	One diognosis	240 240	4.3 7.4	4.9 4.9	1 2	1 3	3 6	5 9	
Vith surgeryVithout surgery	2,630 710	8.4 11.3	7.9 12.5	1	3 4	5	10 14	17 27	With surgery	410 70	5.6 7.6	5.1 5.1	1 2	3	7	8	
MALIGNANT NEOPLASM OF SKIN (190,191)									(214,215)	825	6.3	6.0	1	2	4	9	
Total	1,830	7.0	9.3	1	2	3	7	17	Age:	630	6.2	6.3	1	2	3	8	
5 to 74 years	890 685 255	7.4 6.5 6.7	10.5 8.5 5.9	1 1	2 1 2	3 4	8 7 9	16 17 15	65 to 74 years 75 to 84 years 85 years ond over	165 30 340	7.2 4.3	4.8 2.4 3.5	1 2	2 2	3	9 4	
One diognosis	1,070 760	5.1 9.6	7.5 10.8	1	1 2	2 5	4 14	10 21	One diagnosis	485 780	3.6 8.2 6.2	6.6 5.9	1	3 2	7	10	
Vith surgeryVithout surgery	1,585 245	6.1 12.6	8.3 12.7	1 2	1 4	3 9	6 15	15 24	Without surgery	45	7.6	6.9	1	2	4	8	
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONOARY SITES (199)									Total	680	4.4	3.7	1	· 1	2	5	
Totol	4,315	12.5	11.6	` 1	4	8	16	27	65 to 74 yeors	540 130 10	4.1 5.3	3.7 4.2	1	2	4	7	
75 to 74 years	2,620 1,415 280	12.9 12.2 10.3	11.9 11.5 9.1	2 2 1	4 4 3	9 8 7	16 16 14	28 26 22	One diognosis	475 205	3.6 6.1	3.3 4.4	1	1 2	2 4	4 10	
One diognosis	1,820 2,495	11.4 13.2	12.1 11.2	1 2	3 5	7 9	14 17	26 28	With surgery	650 30	4.5 2.3	3.9 0.0	1 2	1 2	2 2	5 2	
Nith surgery	1,350 2,965	13.0 12.2	9.8 12.4	2 1	5 4	10 8	18 15	27 27	NEOPLASMS OF UNSPECIFIED NATURE OF THE BLAOOER (236.2)								
LYMPHOSARCOMA ANO RETICULOSARCOMA (200)									Total	880	4.9	5.5	1 .	2	3	5	
Total	950	11.4	9.8	2	3	8	15	24	65 to 74 years	450 350 80	5.0 4.6 5.3	6.7 3.9 3.5	1 2	1 3	3 4	5	
5 to 74 years	630 270 50	9.8 15.6 8.6	9.1 10.9 5.3	1 4 1	3 7 2	12 7	13 21 13	23 30 15	One diognosis	585 295	3.9 6.8	3.2 8.1	1	1 2	2 4	4 7	
One diognosis	510 440	9.3 13.8	8.2 10.9	1 3	3 5	6 10	13 20	20 27	With surgery	810 70	4.6 7.6	4.2 12.5	1	2 1	3 2	5	
Nith surgery	335 615	13.5 10.2	10.1 9.5	2 2	3	11 6	20 13	26 23	ASTHMA (241)	2,700	8.3	6.9	2	3	6	10	
Totol	1,605	9.9	9.3	1	3	7	12	22	Age: 65 to 74 years 75 to 84 years	1,700 945	8.4 8.2 7.7	6.9 6.9	1 2 1	3 3 3	6 6 5	10 9	
Age: 55 to 74 years	805 665 135	9.6 10.6 8.4	8.7 10.0 8.9	1 2 1	2 3 2	7 7 6	12 13 10	23 21 16	85 years and over One diagnosis Two or more diagnoses	735 1,965	6.7 8.9	5.7 5.3 7.3	1 2	3 4	5 7	9	
One diognosis	670 935	9.4 10.3	10.4 8.4	1 2	2 4	5 7	12 13	22 20	With surgery	105	9.0 8.3	6.6 6.9	1 2	2 3	8 6	12 10	
With surgery	185	11.8	8.6		4	10	18	23	-								

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Secretary Secr			Averoge	Standard		Perce	ntiles	(days))			Averoge	Standard	Γ	Perce	ntiles	(doys)	
The color of the	Potient chorocteristics	Number of dischorges	stoy	deviation	10th	25th	50th	75th	90th	Patient chorocteristics	Number of dischorges	stoy	deviation	10th	25th	50th	75th	90th
Tell		200		7.4	2			_										
Control of the Cont	Age:		8.3		3			9		Age:	2,320	10.3	11.0	1	3		13	21
December 1968 196	75 to 84 years	200 15	_ 8.9	7.0	2 *	4 *	6	10	18	65 to 74 years	1,140	10.4	9.4	1 2	4	5 7	14	21
Manuscray	One diagnosis	520	9.6	7.5 7.3			5 7	11		One diagnosis	640	9.5	11.2	1 2	2		11	21
Total					3					With surgery				3		15		
Second Second		10.045	101	0.7	,	١,	7	12	20	PSYCHOTIC AND PSYCHOPHYSIOLOGIC	,,,,,,							
Mail	Age:	1	9.8	8.8	2	4	7	12	18	Total	1,050	14.2	12.6	2	4	9	20	32
With Surgery 1968 1979	75 to 84 years	3,910			2 2					Age: 65 to 74 years				2 2				
With surgery 9,866 9,867 9,78 2,78 2,78 2,78 2,78 2,78 2,78 2,78 2	One diognosis									85 years and over	İ		16.2	2		İ	24	
MANUFATIONAL DEFICIENCY STATES Column Colu	With surgery		17.2 9.3				15 7	23 11		Two or more diagnoses	435	13.9	12.1		4	9	19	32
Section 1,055 10.1 9.2 2 4 7 13 19 Total 2,450 9.2 8.4 2 3 6 11 20 25 12 19 25 12 12 13 13 12 13 13			:							Without surgery				2			36 19	
\$5 to 2 years		1,035	10.1	9.2	2	4	7	13	19		2,450	9.2	8.4	2	3	6	11	20
Dec degree degrees 200 9, a 0 2 4 7 13 20 20 20 20 20 20 20 2	75 to 84 years	465	9.6	5.7		5	8	13	19	Age: 65 to 74 years				2	3			
Without surgery 965 102 9.4 2 4 7 13 20 23 4 7 13 20 20 20 20 20 20 20 2	One diognosis	200	9.7	6.0		4	8	11	18	85 years and over	110	7.5	5.8	i		6	11	13
GOUT (288) Tatol	With surgery	70	10.1	5.3	1	6	9	14	17	Two or more diagnoses	1,470	8.4	7.3			6	10	
A fold 6/5 9.9 9.2 2 4 7 12 19 NONTRAUMIC AND STROKE (33):34.0 1 1 4 8 16 27 75:0 84 years 250 11.7 12.0 2 4 7 13 29 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 10 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 12 19 7 100 34 7 10 34 7		965	10.2	9.4	2	4	′	13	20	Without surgery			7.9	1	3			23
75 to 64 years 250 11,7 12,0 2 4 7 13 29 14 8 16 27 27 27 27 28 28 29 29 24 8 12 14 29 29 29 29 29 29 29 2	Age:	675	9.9	9.2	2	4	7	12	19	NONTRAUMATIC AND STROKE						!		
Chee diagnasis	75 to 84 years	250	11.7	12.0	2 2	4	7	13	29	Total	13,370	12.4	12.1	1	4	8	16	27
With surgery	One diognosis	215	8.5	6.6	1	3	7	12	17	65 to 74 years	6,030	12.9	12.2	1 2 1	4	9	16	28
Totol	With surgery									One diognosis				1 2				
Age: One diagnosis 185 9.7 5.9 2 2 8 8 13 17 7 70 10 5.50 128 11.0 2 4 10 16 27 75 10 84 years 300 10.4 7.9 2 4 9 12 17 70 10 5.650 128 11.0 2 4 10 16 27 75 10 84 years 300 10.4 7.9 2 4 9 12 17 70 10 5.650 128 11.0 2 4 10 16 27 75 10 84 years 300 10.4 7.9 2 4 9 12 17 70 10 5.650 128 11.0 2 4 10 16 27 75 10 84 years 300 10.4 7.9 2 4 9 12 17 70 10 12 75 10 84 years 301 10.4 7.6 3 4 9 14 20 85 10 128 11.0 2 4 10 16 27 75 10 84 years 302 10.7 7.6 3 4 9 14 20 85 10 128 11.0 2 4 10 16 27 75 10 10 10 128 11.1 12 12 4 10 16 27 11 12 12 12 12 12 12 12 12	PERNICIOUS AND OTHER HYPERCHROMIC ANEMIA5 (290)									With surgery				2 1	7		26 15	
65 to 74 years 165 9.7 5.9 2 5 8 13 17 Totol 5.650 12.8 11.0 2 4 10 16 27 27 50 B4 years and over 85 6.6 4.6 2 3 4 8 10 17 Totol 5.650 12.8 11.0 2 4 10 16 27 27 28 28 28 28 28 28		570	9.6	7.0	2	4	8	12	17									
Che diognosis	65 to 74 years	300	10.4	7.9	2 2	4	9	12	17	Total	5,650	12.8	11.0	2	4	10	16	27
With surgery	One diognosis	185	7.4	4.6				10	12	65 to 74 years	2,625	13.7	11.3	2 3	5	11	18	27
IRON DEFICIENCY ANEMIAS (291)	With surgery	25						*	*	One diognosis	1,755	11.9	9.9	2		9	14	27
Totol. 1,195 9.7 8.8 2 4 7 11 18 CEREBRAL ARTERIOSCLEROSIS (50 5PECIFIED) (334.0) 1.6 CEREBRAL ARTERIOSCLEROSIS (50 CEREBRAL ARTERIOSCLEROSIS (50 5PECIFIED) (334.0) 1.6 CEREBRAL ARTERIOSCLEROSIS (50 5PECIFIED) (334.0) 1.6 CEREBRAL ARTERIOSCLEROSIS (50 5PECIFIED) (334.0) 1.6 CEREBRAL ARTERIO		343	7.4	7.0		"	"	12	''	With surgery	350	18.4	15.1	4	9	13	24	29
75 to 84 years ond over		1,195	9.7	8.8	2	4	7	11	18	CEREBRAL ARTERIOSCLEROSIS (50	5,300	12.4	10.6	2	4	9	16	26
One diagnosis	75 to 84 years	525	10.0	10.8	1	4	7	11	18		7,035	8.4	7.9	2	3	6	10	16
With surgery 180 10.7 8.2 1 4 9 13 23 Without surgery 1,015 9.5 8.9 2 4 7 11 17 One diagnosis 2,145 7.2 6.6 1 2 5 9 15 OTHER AND UNSPECIFIED ANEMIAS (2792,293) 2 4 7 11 17 One diagnosis 2,145 7.2 6.6 1 2 5 9 15 Totol. 2,875 8.9 8.5 1 3 6 11 19 Age: 45 7.2 6.490 8.0 7.3 2 3 6 9 15 Yor both over 45 1.70 9.1 9.5 1 3 5 10 21 21 4 5 10 15 25 With out surgery 5.45 3.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 <td< td=""><td>One diognosis</td><td>225</td><td>7.6</td><td></td><td>1 2</td><td></td><td></td><td></td><td></td><td>65 to 74 years</td><td>3,255</td><td>8.5</td><td>6.9</td><td>1 2</td><td>3</td><td>6</td><td>10</td><td>16</td></td<>	One diognosis	225	7.6		1 2					65 to 74 years	3,255	8.5	6.9	1 2	3	6	10	16
OTHER AND UNSPECIFIED ANEMIAS (292,293) Total					1 2					One diagnosis	2,145	7.2	6.6	1	2	5	9	15
Totol	OTHER AND UNSPECIFIED ANEMIAS									Two or more diognoses				4		6	ı	
65 to 74 years 1,170 9,1 9,5 1 3 5 10 21 75 to 84 years 1,250 8.1 7.6 1 3 6 10 16 85 years and over 65 to 74 years 1,250 8.1 2 3 8 14 22 Age: 65 to 74 years 1,250 8.1 7.6 1 3 8 1 2 3 8 14 22 Age: 1,000 13.5 10.9 3 6 10 18 24 10.0 1	Total	2,875	8.9	8.5	1	3	6	11	19	Without surgery				2			9	
One diagnosis 770 5.9 5.2 1 2 4 7 12 75 10.0 13.5 10.9 3 6 10 18 24 Two or more diagnoses 2,105 9.9 9.3 1 3 7 12 21 85 years 660 11.9 8.7 3 5 8 15 25 With surgery 370 13.8 12.6 3 6 9 16 33 One diagnosis 600 13.8 12.2 3 4 10 20 25 Without surgery 2,505 8.1 7.5 1 3 5 10 17 Two or more diagnoses 1,105 12.3 8.7 4 6 9 16 22 With surgery 160 18.3 12.2 3 9 15 23 26	65 to 74 years	1,250	8.1	7.6		3 3	6	10	16	Total	1,705	12.8	10.1	3	5	9	17	24
With surgery 370 13.8 12.6 3 6 9 16 33 One diognosis 600 13.8 12.2 3 4 10 20 25 Without surgery 2,505 8.1 7.5 1 3 5 10 17 Two or more diognoses 1,105 12.3 8.7 4 6 9 16 22 With surgery 160 18.3 12.2 3 9 15 23 26	One diagnosis	770	5.9	5.2	1		4	7	12	65 to 74 years	660			3 3 *	6 5 *			24 25 *
With surgery	With surgery	370	13.8	12.6		6	9	16	33	One diognosis								25 22
	,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								With surgery	160	18.3				15		

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard deviation		Percei	ntiles	(days)		Potient	Number of	Averoge	Stondard	ļ	Percer	ntiles	(doys)	
chorocteristics	dischorges	stoy (doys)	(days)	10th	25th	50th	75th	90th	chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)									ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Totol	1,865	8.8	6.9	2	4	6	12	17	Totol	750	10.8	8.8	2	4	8	14	22
65 to 74 years	1,050 700	8.6 9.4	6.5 7.5	2	3	6 7	11	18 17	Age: 65 to 74 years	280	10.9	7.7	3	4	8	16	20
85 years ond over	115	8.0	5.2	3	3	6	10	16	75 to 84 years	355 115	9.9 13.0	7.7 12.9	1	3	8 9	13 13	22 24
One diognosis	770 1,095	8.3 9.2	7.3 6.4	2 2	3	7	12 12	15 19	One diagnosis	115 635	8.1 11,2	7.9 8.8	2 2	3 4	4 9	10 15	14 22
With surgery	295 1,570	10.1 8.6	9.0 6.3	3 2	3	7 6	13 11	15 18	With surgery	45	13.4	8.3	3	4	10	22	25
CATARACT (385)									FUNCTIONAL DISEASE OF HEART (433)	705	10.6	8.8	2	4	8	14	22
Total	15,460	6.1	3.3	3	4	5	6	9	Total	6,725	8.0	7.8	1	3	5	9	16
65 to 74 years	6,815 6,975 1,670	5.9 6.2 6.4	2.8 3.5 3.9	3 3 3	4 4	5 5 5	6 7	8 9	Age: 65 to 74 years	3,120 2,865	7.6 8.1	7.9	ļ	2	5	9 10	15 17
85 years and over One diagnosis		5.7	2.4	3	4	5	6	8	75 to 84 years	7.40	9.4	7.5 8.4	i	3	5 7	12	19
Two or more diognoses	4,165	7.0	4.7	3	4	5	7	11	One diagnosis	1,685 5,040	6.9 8.4	6.5 8.2	. 1	2 3	6	8 10	14 17
With surgery Without surgery	14,925 535	6.1 6.1	3.0 7.9	3	1	5	6	12	With surgery	1,465 5,260	10.9 7.2	9.0 7.2	2	4 2	8 5	13 8	21 15
GLAUCOMA (387)							1		CONGESTIVE HEART FAILURE (434.1)	3,200	'	,					
Totol		6.2	4.7	2	3	5	7	12	Total	11,160	10.1	8.8	2	4	7	13	20
65 to 74 years	695 485 95	5.9 6.2 8.3	4.8 4.2 5.6	1 1 3	3	5 6	6 9	11 12 15	Age: 65 to 74 years	4,190 4,965	9.8 10.6	8.7 8.8	2 2 2	4	7 8	13 13	19 21
One diognosis	705	5.2	3.3	,	2	4	6	9	75 to 84 years	2,005	9.8	9.1	2	4	7	12	19
Two or more diagnoses	l	7.4 6.3	5.7	2	3	5	8	16 12	One diognosis	3,160 8,000	9.3 10.5	8.7 8.9	1 2	3	6 8	12 13	19 20
With surgery		5.7	4.6 5.0	í	2	4	6	9	With surgery	655 10,505	17.1 9.7	11.1 8.5	5 2	9	15	21 12	30 19
CHRONIC RHEUMATIC HEART DISEASE (410-416)				Ì					HYPERTENSIVE HEART DISEASE (442,443)	10,535		5.5	_				
Totol	1,335	10.7	9.9	1	4	7	13	22	Total	6,735	9.1	7.5	2	4	7	11	17
Age: 65 to 74 years	955 335	11.5 9.3	10.3	2	4 3	8 6	14	24 18	Age: 65 to 74 years	3,365 2,590	8.7 9.5	7.3 7.7	2 2 2	4	6 7	11 12	17 19
85 years and over	45	6.7	4.4	2	2	5	8	13	85 years and over	780	9.0	7.9	2	3	7	iĩ	16
One diognosis	185 1,150	10.5 10.8	10.5 9.8	1 2	3 4	8 7	12	20 22	One diognosis	980 5,755	6.8 9.5	5.7 7.7	1 2	3	5 7	8 12	13 19
With surgery	210 1,125	18.5 9.3	14.4 8.1	3 1	6	16 7	22	39 19	With surgery	410 6,325	12.6 8.8	10.7 7.2	3 2	5 4	9 6	16 11	23 16
ARTERIOSCLEROTIC HEART DISEASE SO OFSCRIBEO (420.0)									OTHER HYPERTENSIVE DISEASE (446,447)								
Totol	20,755	9.4	8.1	2	4	7	12	18	Total	3,575	7.9	8.1	- 1	3	5	9	15
Age: 65 to 74 years	7,545	9.2	8.1	2	3	6	11	19	65 to 74 years	2,095 1,195	7.4 8.0	7.9 8.0	1	3	5 7	8 9	14 16
75 to 84 years		9.5 9.3	8.2 7.4	2 2	4	7	12	19 18	85 years and over One diagnosis	285 975	10.4	9.5 5.8	3	2	4	12	16
One diognosis	4,280 16,475	7.8 9.8	6.2 8.4	1 2	3 4	6 7	10 12	15 19	Two or more diagnoses	2,600	8.8	8.7	i	3	6	ıĭ	17
With surgery	1,325 19,430	15.9	11.1 7.6	3 2	7 3	13	21	30 17	With surgery	295 3,280	13.6	12.0 7.5	1	2	10	8	28 14
ACUTE CORONARY OCCLUSION (420.1)	17,430	0.7	/.0	'	3	ľ	l ''	"	GENERAL ARTERIOSCLEROSIS (450)								
Totol	16,060	13.7	9.9	1	5	13	19	26	Total	7,060	10.5	11.0	2	3	7	13	22
Age: 65 to 74 years		14.3	9.7 10.2	1	6	13	19 20	26 26	65 to 74 years 75 to 84 years 85 years ond over	2,645 3,105 1,310	10.8 10.6 9.7	12.2 10.1 10.0	1 2	3 4 3	7 7 6	13 13 12	22 22 21
75 to 84 years		13.3	9.5	i	3	8	18	23	One diagnosis	1,115	10.5	14.6	1	2	5	12	20
One diagnosis		12.5 14.5	9.0 10.4	1	6	12 13	18 20	24 27	Two or more diagnoses	5,945	10.5	10.1	2		7	13	22
With surgery	695 15,365	16.5 13.6	13.2 9.7	2	5	15 13	21 19	32 25	With surgery	1,485 5,575	16.6 8.9	9.3	1	3	6	19	32 19
OTHER ISCHEMIC HEART DISEASE									AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
(420.2-420.4,422.1) Totol	16,710	9.4	8.4	2	3	7	12	19	Total	1,275	9.2	9.7	1	1	6	12	19
Age: 65 to 74 years	8,490	9.0	8.2	2	3	6	11	19	65 to 74 years	695 495	10.2 8.4	10.7 8.2	1	1	7 5	14 12	21 18
75 to 84 years	6,610	9.8 9.7	8.7 8.4	2 2	4	7	12 12	20 19	85 years and over One diagnosis	85 465	5.6 8.3	7.5	1	1	6	12	10
One diognosis		7.8 10.0	7.0 8.8	1 2	3 4	5 7	10 12	18 20	Two or more diognoses	810	9.7	10.6	i	i	6	13	23
With surgery	875	13.4 9.2	10.0 8.2	2 2	5 3	11 6	18 11	24 19	With surgery	560 715	12.7	8.9 9.4		7	3	17	26 16

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge stay	Stondard deviation		erce	ntiles	(00/5)		Patient	Number of	Averoge stoy	Stondard deviation		rercei	ntiles	GOOYS	
choracteristics	discharges	(doys)	(doys)	10th	25th	50th	75th	90th	characteristics	dischorges	(doys)	(days)	10th	25th	50th	75th	901
ARTERIAL EMBOLISM AND THROMBOSIS (454)									ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	1,485	11.0	9.5	1	3	9	14	23	Total	1,610	6.5	4.2	2	3	5	8	1
75 to 74 years	865 520 100	10.1 12.8 9.5	8.6 11.0 7.1	1	3 4 4	8 10 7	13 16 12	20 24 19	65 to 74 years 75 to 84 years 85 years ond over	785 595 230	6.1 6.8 7.4	3.7 4.1 5.B	2 2 2	3 3 3	4 6 5	7 8 8	1 1: 1:
One diognosis	650 825	8.7 12.8	7.2 10.7	1	2 4	7 10	12 16	16 25	One diognosis	440 1,170	5.1 7.1	3.3 4.5	2 2	2 3	4 5	6 9	,
With surgery	830 655	13.2 8.2	7.6 10.9	4 ì	8	12 3	16 10	23 21	With surgery	125 1,485	7.5 6.5	5.5 4.1	1 2	2	5 5	12 8	1
GANGRENE OF LOWER EXTREMITY (455.0)									INFLUENZA (480-483)	2 005							١.
Totol	520	17.9	14.4	4	8	15	21	31	Total	3,005 1,715	7.1 6.7	5.7 5.3	2	3	5	8	1 1
65 to 74 years	200 220 100	15.3 16.9 25.6	10.5 12.0 21.7	4 4 6	7 9 10	12 15 15	21 19 27	25 29 61	75 to 84 years	1,040 250	7.8 6.7	6.2 5.7	1	3	5	8	;
One diognosis	195 325	17.8 18.0	11.0 16.2	4	8 8	16 13	22 19	30 33	One diognosis	1,145 1,860	5.4 8.1	3.7 6.4	1 2	3	6	9	1
With surgery	385 135	16.9 20.9	11.4 20.5	4 3	10	15 11	20 25	26 48	With surgery Without surgery	2,950	13.8 6.9	9.5 5.5	3 2	6 3	5	18 8	1
VARICOSE VEINS OF LOWER EXTREMITIES (460)									LOBAR PNEUMONIA (490) Total	425	10.8	9.8	1	4	8	14	2
Total	1,655	10.2	10.9	2	4	6	11	21	Age: 65 to 74 years	175 205	11.0 9.2	7.7 8.1	2	5	10 7	13 14	1
65 to 74 years	1,095 480 80	8.8 12.7 14.3	9.9 11.5 15.3	3	3 4 4	5 9 7	9 15 16	17 27 29	One diagnosis	130	17.0 B.6	6.1	5 1	8 2	12	19	1
One diagnosis	910	8.1 12.7	8.4 12.8	2 3	3 4	5 8	9 15	16 30	Two or more diagnoses	295 40	11.7	9.5 9.1	3	5	15	15	2
With surgery	1,085 570	8.1 14.2	8.0 14.1	3 2	3 4	5 9	8 17	16 31	Without surgery	385	10.2	8.5	1	4	8	13	1
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)									Toto!	3,665	10.8	8.9	2	5	8	13	2
Totol	1,860	6.7	4.4	2	4	5	8	11	65 to 74 years 75 to 84 years 85 years ond over	1,535 1,500 630	10.4 10.9 11.4	7.7 9.3 10.5	3 2 1	5 4 4	8 8	13 14 14	2 2
65 to 74 years	1,290 490 80	6.6 7.2 6.4	4.2 4.5 6.2	3 2 2	4 4 3	5 6 4	7 8 7	10 12 10	One diagnosis	795 2,870	8.2 11.5	5.1 9.6	3 2	4 5	7 8	9	1. 2
One diognosis	885 975	5.6 7.7	2.8 5.3	2 3	3 4	5	7 9	9 13	With surgery	210 3,455	17.6 10.4	12.2 8.5	4 2	7 4	16 8	21 13	3
With surgery	1,515 345	6.7 6.7	3.6 7.0	3	4 2	5 4	8	11 13	PRIMARY ATYPICAL PNEUMONIA (492)	0.705	0.1						
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)									Total	3,705 1,755	9.4 8.8	6.7 5.4	3	5	7	10	1
Total	1,820	10.3	7.7	3	5	8	12	18	75 to 84 years	1,430 520	9.6 10.7	7.2 8.8	3	5	8	12	2
65 to 74 years	1,175 530 115	9.9 10.7 12.4	7.1 6.8 14.7	4 4 2	5 6 5	8 8 7	11 13 8	17 19 28	One diognosis		7.7 9.9	4.5 7.2	3	5	8	12	11
One diagnosis	855 965	8.5 11.8	5.0 9.3	3 4	5	7 8	10 14	15 22	With surgery Without surgery	205 3,500	13.1 9.2	9.1 6.5	3	5	12 7	18	10
With surgery	145	13.2 10.0	12.6 7.1	2	4 5	8	16 12	26 17	PNEUMONIA, OTHER AND UNSPECIFIED (493)								
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)									Total	5,815 2,780	11.1	6.9 9.1	3	5	8	14	2
Total	625	10.8	7.9	3	5	8	12	22	75 to 84 years	2,145 890	11.7 10.5	8.8 8.8	3 1	5 5	8	15 14	20
Age: 65	255	10.0 10.5 21.3	7.9 6.2 10.2	3 4 11	5 6 11	7 9 13	11 12 32	18 19 33	One diognosis	1,905 3,910	8.9 12.3	6.9 9.6	3	6	7 9	10 15	10
One diagnosis		10.0	9.1 7.1	3 3	4 6	7 9	11 13	16 23	With surgery	425 5,390	1B.0 10.6	12.4 8.4	3 3	7 5	15 8	26 13	3:
With surgery	70 555	17.1	10.3	3 3	8 5	14 8	25	32 18	ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Without surgery	333	10.0	7.1	3			"	10	Totol	2,535 1,460	B.2 7.8	6.3 6.0	2	4	6	9	1:
Total	1,455	13.7	10.0	3	7	11	17	28	75 to 84 years	870 205	8.5 9.1	6.7 6.8	3	4 5	6 7	10 10	1
Age: 65 to 74 years 75 to 84 years 85 years ond over	495	13.6 14.0 13.4	9.1 11.1 11.0	3 2 1	7 7 4	11 11 8	18 16 18	24 28 33	One diognosis	500 2,035	6.4 8.6	3.3 6.8	2 2	4	5 6	7 10	1
One diagnosis	420	13.4 13.0 14.0	9.7 10.1	3 2	6 7	10 12	16 18	29 26	With surgery	75 2,450	13.3 8.0	14.9 5.8	1 2	4	6	13 9	3.
With surgery		19.3	14.4 9.1	5 3	9	14	24 17	35 25									

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard		Perce	ntiles	(doys))	Potient	Number of	Averoge	Standard		Percer	tiles	(doys)	
chorocteristics	dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th	characteristics	dischorges	(doys)	deviation (doys)	10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)									ULCER OF STOMACH W/O PERFORATION								
Total	2,125	8.5	6.2	2	4	6	10	16	& WITH HEMORRHAGE (540.1) Totol	775	11.8	10.0	2	5	10	15	21
65 to 74 years	730	7.8 8.7	5.9 6.2	2 2	3 4	6 7	9	15 17	Age: 65 to 74 yeors	460	10.7	7.6	3	5	9	13	20
85 years and over One diagnosis		6.3	7.0 4.9	1	3	11	15	22	75 to 84 years	230 85	13.5 13.4	10.5 17.1	2	6	6	17	26 24
Two or more diagnoses	1,525	9.4	6.5	3	4	7	12	17	One diognosis	370 405	9.3 14.1	6.3 12.0	3	6	7	12 18	19 27
With surgery		9.2 8.5	9.2 6.0	2	4	5	10	16	With surgery	185 590	16.2 10.4	8.5 10.1	6	11	13	19 12	27 20
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)		i							ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE								
Total		9.4	7.7	2	4	7	11	17	(541.0)								
65 to 74 years	695	10.1 8.1 11.4	8.9 5.1 8.2	3 2 3	4 4 7	7 7 8	12 10 12	19 15 22	Total	2,960 1,730	9.8	8.0 8.4	2 2	4	7	13	19
One diognosis	555	8.2	5.8	2 3	3	7	10	14	75 to 84 years	1,080 150	10.8 8.0	7.6 5.3	3 2	5	8	14	20 14
Two or more diagnoses		10.0	10.2	1	4	8	12 20	18	One diognosis	955 2,005	7.9 11.1	5.3 8.8	2 3	3 4	6 8	10 15	14 21
Without surgery	1,785	9.3	7.5	2	4	7	11	16	With surgery	805	14.7	8.2 7.3	6 2	9	13	18	23 17
EMPHYSEMA (502.9)									Without surgery ULCER OF DUODENUM W/O	2,155	8.4	/.3	2	3	6	7	''
Total		8.4 8.1	7.3 7.2	1	3	6	10	16	PERFORATION & WITH HEMORRHAGE (541.1)								
75 to 84 years	270	8.9 9.9	7.2 7.5 7.5	1 2	3 3	7 8	11 10	14	Age:	2,170	10.8	7.4	3	5	9	13	20
One diognosis	270 575	5.7 9.7	4.6 8.0	1 2	1 4	4 7	8	11 20	65 to 74 years 75 to 84 years 85 years and over	1,190 785 195	10.0 12.2 10.4	6.9 8.4 5.4	3 4	5 6 6	8 11 9	12 17 12	19 21 17
With surgery	170	7.7	9.4	,	1	4	9	18	One diognosis	855	9.1	5.3	3	5	7	12	16
PULMONARY CONGESTION AND	675	8.6	6.7	2	4	6	10	16	Two or more diagnoses	1,315 475	11.9 16.5	8.4 6.7	3	11	10 15	16 21	21 25
HYPO5TA5I5 (522)	200	,,,,				١.	,,,		Without surgery	1,695	9.2	6.9	3	4	7	11	17
Totol	1	9.5	9.2 7.7	1	3	7	13	21 20	ULCER OF STOMACH & OUOOENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
75 to 84 years	385	10.5 11.3	9.6 11.5	2 2	3	6 7	14	22 25	Total	400 210	12.8 13.7	9.5	3	7	9	15 17	23 23
One diognosis		8.1 10.9	5.6 10.0	2	4 3	6 7	11 14	15 24	75 to 84 years	165 25	12.2	8.2	3 *	7	9	15	22
With surgery	20 900	10.1	9.2	* 2	3	* 7	13	* 21	One diognosis	150 250	10.7 14.1	7.1 10.5	4	7 8	8	11 19	16 23
EMPHYSEMA WITHOUT MENTION OF	700	10.7	,						With surgery	250	13.5	7.4	6	8	10	18	23
8RONCHITI5 (527.1) Totol	5,000	9.8	9.4	2	4	7	11	19	GASTRITIS AND OUDOENITIS (543)	150	11.6	12.2	1	3	9	14	21
Age: 65 to 74 years	3,120	9.9	9.9	2	4	7	11	20	Total	2,435	6.5	5.4	1	2	5	8	12
75 to 84 years	1,600 280	9.5 10.4	8.1 9.6	1 2	4		12 12	19 18	Age: 65 to 74 years	1,515 735	5.9 7.8	4.8 6.2	1	2	4	7	11 15
One diagnosis	1,230 3,770	8.1 10.4	9.3 9.3	1 2	3	6 7	12	15 21	85 years and over One diagnosis	185 720	6.9 5.2	4.7 4.0	1	2	5 4	7	14
With surgery	410 4,590	15.3 9.3	12.0 8.9	2 2	7 4	12	19 11	36 18	Two or more diagnoses	1,715	7.0	5.7	i	3	5	9	13
OISEASES OF ESOPHAGUS (539)									With surgery	180 2,255	9.5 6.3	5.9 5.2	1	2	4	12 8	17 11
Total	1,440	8.5	9.8	1	2	5	10	19	APPENOICITIS (550-553)	1.050	11.0	0.5		_		,,	21
65 to 74 years	410	7.3 11.0 8.3	8.1 13.2 6.1	i	2 2 3	6	9 14 13	16 25 17	Total	1,050	11.2	8.5 7.5	3	5	8 7	14	21 20
One diognosis		6.5 9.4	6.6 10.9	1 2	2	3 5	8 11	15 21	75 to 84 years	300 85	12.1 15.6	8.4 12.9	3	6 8	10 9	15 19	21 32
With surgery	750	9.0	9.6	1	2 2	4	12	22	One diognosis	615 435	9.5 13.4	6.9 9.8	4 3	5 6	7 10	11	15 28
Without surgery ULCER OF STOMACH W/O PERFORATION	690	7.9	9.9	1	2	5	9	16	With surgery	885 165	11.2 11.1	7.5 12.4	4	5 2	9	14 10	20 31
& W/O HEMORRHAGE (540.0)	1 -00	17.5					, ,		INGUINAL HERNIA WITHOUT MENTION								
Total	1,700	11.8	8.7 7.3	3	6	9	14	21 20	OF OBSTRUCTION (560.0) Total	8,185	6.4	3.7	3	4	5	7	9
75 to 84 years	570 120	11.9 15.1	9.3 13.7	3	5	10 11	14 16	23 28	Age: 65 to 74 years	5,385 2,435	5.9 7.3	2.6 4.5	3	4	5	7 8	9 11
One diognosis	580 1,120	10.5 12.5	7.2 9.3	3	5 6	8 10	13 15	21 21	85 years and over	365	7.8	7.6	2	3	6	9	11
With surgery	480 1,220	14.1 10.9	7.2 9.0	6	9	12 8	17 13	24 20	One diognosis	5,345 2,840	5.8 7.6	2.2 5.3	3 3	4	6	8	8 12
	1,220	10.7	7.0						With surgery	7,795 390	6.4 6.8	3.5 7.6	3	4 2	5 4	7 7	9 15

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Detiont	Number of	Averoge	Standard		Perce	ntiles	(doys)	Potiont	Number of	Averoge	Standard		Percei	ntiles	(doys)	,
Potient chorocteristics	dischorges		deviation (doys)	10th	25th	50th	75th	90th	Potient chorocteristics	dischorges	stoy (doys)	deviation (doys)	10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT									CHOLELITHIA5I5 (584)								
MENTION OF OBSTRUCTION (560.4) Totol	3,500	B.B	7.5	2	3	6	10	17	Total	7,965	12.1	7.B	4	7	10	14	21
Age: 65 to 74 years	2,160	8.4	6.6		3	6	10	16	65 to 74 years	4,925 2,555	11.2 13.2	6.7 B.5	4 4	7 7	9 11	13 16	19 23
75 to 84 years	1,115 225	9.0	B.2 10.5	2 2 2	4	7	10 14	17 23	85 years and over	485 3,885	14.3	6.9	3	7	11	18	29
One diognosis	725 2,775	7.3 9.1	5.2 7.9	2 2	3 4	6	9	13 1B	One diognosis	4,080	13.0	B.5	5 4	7	11	13 16	1B 23
With surgery	1,070 2,430	12.6 7.0	8.1 6.5	4 2	7 3	10	15 B	21 13	With surgery	5,690 2,275	13.5 B.4	7.4 7.5	7 2	B 3	11	15 10	17
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.13,.8,.9)									CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (5B5)								
Totol	2,150	8.6	5.9	3	4	7	10	15	Total	2,730	9.7	7.0	2	4	В	12	19
Age: 65 to 74 years	1,385 660	8.0 9.4	5.0 6.5	3 3	4 5	6 7	9	14 1B	65 to 74 years	1,410 1,040 280	9.4 10.4 B.9	5.9 B.3 6.0	3 2 2	5 4 4	B 7 7	11 13 12	17 21 19
85 years and over One diagnosis	1,215	7.1	9.9	3	4	6	14	1B	One diognosis	1,195 1,535	B.3 10.8	5.5 7.7	2 3	3 5	7 B	11 13	16 21
Two or more diognoses	935	10.5	7.2	3	5	В	13	19	With surgery	950	13.3	6.5	7	В	11	16	21
With surgery	1,935 215	8.6 B.0	5.3 9.7	3	5 2	7	10	15 16	OTHER DISEASES OF GALLBLADDER AND	1,780	7.B	6.4	2	3	5	9	16
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)									BILIARY DUCTS (586) Total	845	11.5	9.5	3	5	В	14	26
Age:	1,540	9.2	7.2	2	4	6	11	1B	Age: 65 to 74 years	455	10.6	B.B 9.9	2	4	7	13	21 29
65 to 74 years	660 630 250	7.6 10.0 11.3	5.7 B.1 7.7	3 4	5 5	5 7 9	11	14 19 18	75 to 84 years	305 B5	12.2 13.B	10.3	3 4	5 6	9 9	16 17	31
One diagnosis	835 705	7.9 10.7	6.0 B.2	2 3	4 5	6 B	9	14 20	One diognosis	240 605	9.2 12.4	7.9 9.9	3	3 5	6 8	11	20 28
With surgery	1,340 200	9.3 B.3	6.6	3	5	7 4	11 8	17 24	With surgery	260 585	1B.1 B.6	10.3 7.4	6 2	9	16 6	24 10	29 16
INTESTINAL OBSTRUCTION WITHOUT	200	В.3	10.2	'	ļ '	-	°	24	DISEASES OF PANCREAS (587)								
MENTION OF HERNIA (570) Total	4,660	10.3	10.2	1	3	7	13	22	Total	1,095	11.4	9.0	2	5	9	14	19
Age: 65 to 74 years	2,080 1,905	10.9	10.5	1	3	8 7	14	23 21	75 to 84 years	435 70	11.6 11.1	7.9 4.7	3 6	6 7	10 9	14 14	1B 15
85 years and over	675	B.B	9.7	i	2	5	10	. 18	One diognosis	335 760	9.5 12.2	6.2 9.9	3 3	4	B 10	11 14	17 21
One diognosis	1,790 2,870	B.2 11.6	7.6 11.4	1	3	5 B	11	16 25	With surgery	215 880	17.3 10.0	B.B B.5	7 2	11 5	15 B	20 12	29 17
With surgery	1,720 2,940	15.8 7.1	10.2 B.7	5	9	13	20 8	27 14	NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)									Total	945	11.3	10.8	2	3	7	14	25
Total	5,685	6.4	6.4	1	2	4	7	12	Age: 65 to 74 years	600 270	11.1 11.2	11.4 9.7	2 2	3	6 8	13 13	27 21
65 to 74 years	2,740 2,260	6.0	6.2 5.7	1	2 2	4	7 8	11 12	B5 years ond over	75	13.3	9.4	ī,	5	B	22	25
85 years and over One diagnosis	2,110	7.B 5.0	B.4 4.6	1	2	3	5	15	One diognosis	225 720	B.0 12.3	11.3	2	4	9	15	23 25
Two or more diagnoses	3,575	7.3	7.1 13.2	1 1	3	5	1B	14 25	With surgery	305 640	13.3 10.3	10.9 10.6	2 1	3	10 6	1B 12	27 23
Without surgery	5,445	6.1	5.7	i	2	4	7	ii	INFECTIONS OF KIDNEY (600)	2.240	0.5	7.3	2	4	7	10	10
DIVERTICULITIS (572.1) Total	6,625	9.0	7.7	2	3	6	11	18	Total	2,240 1,070	9.5 9.3	7.3	2	4	7 6	12	19 1B
Age: 65 to 74 years	3,240	8.8	7.6	l	3	6	11	1B 19	75 to 84 years	895 275	9.7 9.6	7.6 7.3	2	4	7 B	12 11	19 19
75 to 84 years	2,545 840	9.4 9.0	8.1 6.6	2 2 2	3 4	6 7	11	18	One diognosis	615 1,625	6.9 10.5	5.5 7.7	2 3	3 5	5 B	8 13	13 21
One diagnosis	2,330 4,295	7.7 9.B	6.4 B.3	2 2	3 4	5 7	12	15 19	With surgery	325 1,915	12.4 9.0	7.4 7.2	4 2	6	11 6	16 11	23 1B
With surgery	1,465 5,160	15.2 7.3	9.4 6.2	4 2	B 3	13 5	19 B	28 14	CALCULI OF KIDNEY AND URETER (602)								
CIRRHOSIS OF LIVER (581)									Total	1,975	8.5	B.5	1	2	5	11	18
Total		13.1	11.7	2	4	9	17	28 29	65 to 74 years	1,455 455 65	6.9 12.7 15.2	6.2 12.2 9.1	1 2 3	3	4 8 14	9 17 16	14 28 25
65 to 74 years 75 to 84 years B5 years and over	955 225 25	13.7	12.3 8.5	3	5 *	B	15	20	One diognosis	1,075	6.2	5.7	1	2	4	В	13
One diognosis	380 825	14.3 12.6	14.2 10.3	2 3	4 5	10	1B 17	33 27	Two or more diognoses	900 945	11.3	10.2 B.1	2	3 5	9	14	25
With surgery	175	15.7	9.9	3 2	9	13	19	28 28	Without surgery	1,030	5.7	7.9	1	1	3	5	11
Without surgery	1,030	12.7	11.9	2	4	В	16	28									

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient	Number of	Average	Standard		Perce	ntiles	(days)		Potient	Number of	Average	Standard		Percei	ntiles	(days)	
characteristics	dischorges	stoy (days)	deviation (days)	10th	25th	508h	75th	90th	characteristics	discharges	stay (days)	deviation (days)	101h	25th	50th	75th	90th
OTHER DISEASES OF KIONEY AND URETER (603,604)									OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Tatal	1,545	9.2	9.1	1	2	6	11	21	Total	1,290	6.5	6.1	1	3	4	7	12
65 to 74 years	935 490 120	8.4 10.8 9.0	8.4 10.6 6.1	1	2 3 3	5 7 8	10 16 12	18 23 16	65 to 74 years	875 340 75	6.1 7.2 6.7	6.1 6.5 4.4	1 1 1	3 3 3	5 6	6 8 7	11 14 13
One diagnosis	570 975	6.8 10.6	6.7 9.9	1	2	3 7	9 14	15 22	One diagnasis	690 600	5.6 7.5	5.5 6.6	1 2	2 3	4 5	6 8	10 16
With surgery	990 555	10.3 7.2	9.1 8.7	1	3 2	8 4	14 8	22 15	With surgery	945 345	5.7 8.4	5.3 7.4	3	4	6	6 10	11 13
Totol	2,615	7.0	6.5	1	3	5	8	12	Tatal	3,480	9.5	4.2	5	6	8	11	14
75 ta 84 years	1,265 1,120 230	6.7 6.8 9.4	7.0 5.1 8.7	1 2 2	2 3 4	4 5 6	8 8 9	13 12 23	65 to 74 years	2,495 890 95	9.3 10.0 11.8	4.0 4.6 5.0	5 5 7	6 6 8	8 9 10	10 11 12	14 14 17
One diagnosis	800 1,815	5.0 7.9	5.7 6.6	1 2	2 3	3 5	6 9	9 15	One diagnasis	1,645 1,835	9.2 9.8	4.0 4.4	5 5	6	8	11 11	13 15
With surgery	1,130 1,485	7.2 6.8	7.9 5.2	1 2	2 3	5	8	17 11	With surgery	3,315 165	9.6 8.4	4.1 5.0	5 1	6	8	11	14 15
OTHER DISEASES OF BLAODER (606)	1.700					_	١.,	20	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Totol	950	9.9	8.8 9.5	2	4	8	11	21	Total	2,065	10.8	10.0	2	4	7	13	22
65 to 74 years	1	9.3 8.5	8.5 4.5	2 2 3	5	7	10	18 16	65 to 74 years 75 ta 84 years 85 years and aver	1,035 795 235	10.3 10.5 13.6	10.3 9.3 10.7	2 3 3	3 5 5	7 8 10	13 12 20	19 19 25
One diagnosis	1,140	8.9 10.5	7.2 9.5	2 2	3	8	11 12	17 21	One diagnasis	690 1,375	7.9 12.2	5.8 11.3	2	3	6	10 15	14 24
With surgery		10.0 9.8	8.8 8.7	2 2	3	7	11	20 19	With surgery	495 1,570	13.3 10.0	13.5 8.5	2	4	8 7	16 12	28 19
URETHRITIS AND STRICTURE OF URETHRA (607,608)									RHEUMATOIO ARTHRITIS (722.0)		į						
Totol		6.3	6.2	1	2	4	8	13	Total	1,590	13.1	12.2	2	5	9	17	26
65 to 74 years	530	5.1 7.9 8.2	4.7 7.1 8.2	}	2 2	3 6 5	7 10 12	10 16 17	65 ta 74 years 75 ta 84 years 85 years and over	1,055 465 70	13.2 14.1 6.1	12.6 11.7 3.0	2 3 2	4 5 3	9 11 6	17 19 8	26 26 10
One diagnosis	655 1,025	4.2 7.7	3.9 6.9	1	3	5	5 9	10 15	One diagnosis	430 1,160	10.1 14.3	7.5 13.3	2 3	4 5	5 9	15 17	21 29
With surgery	1,445 235	6.3 6.5	6.5 4.2	1	2 2	4 5	8 9	13 12	With surgery Without surgery	420 1,170	13.1 13.1	11.6 12.4	2 3	4 5	8 9	17 17	29 23
OTHER OISEASES OF URETHRA AND URINARY TRACT (609)									OSTEOARTHRITIS (ARTHROSIS) (723.0)	3,210	13.0	11.3	3	4	9	17	26
Totai	2,305	8.5	8.1	1	3	5	10	18	Age: 65 to 74 years	1,555	13.8	10.8		5	11	19	26
65 ta 74 years	750	8.1 8.5 9.5	8.5 7.9 7.3	1 2 2	3 3 4	5 6 6	9 10 13	17 17 18	75 to 84 years	1,250 405	13.1 9.1	12.5 5.4	3 2 2	4	9	18	27 14
One diagnosis	820 1,485	6.4 9.6	5.7 9.0	1 2	3	4	8 11	12 21	One diagnosis	1,110 2,100 1,160	15.2 11.8 20.0	11.3 10.8 12.6	2	4	13 8 18	21 15	25
With surgery		7.8 8.8	8.4 8.0	1 2	2	6	9 10	17 18	With surgery Without surgery 5PONOYLITIS OSTEOARTHRITICA (723.1)	2,050	9.0	7.6	6 2	11	6	24 11	35 17
HYPERPLASIA OF PROSTATE (610)									Tatal	1,935	9.8	7.6	2	4	7	13	20
TotalAge:	1	9.8	7.3	3	5	7	12	17	Age: 65 to 74 years	1,045	9.5	7.6	2	3	7	12	20
65 to 74 years	7,390 4,290 960	8.9 10.8 13.1	6.2 7.9 9.7	3 4 4	5 6	7 8 10	10 13 17	15 20 24	75 to 84 years	650 240	10.0 10.1	7.7 7.0 6.9	2 2 2	4 4	7 7	12 15 8	21 18
One diagnosis	6,035 6,605	8.6 10.9	6.0 8.1	3 3	5	7 8	10 13	15 21	One diagnosis Two or more diagnoses With surgery	390 1,545	7.5 10.3 17.5	7.6 9.7	2 7	3 4 8	5 8 14	14	20
With surgery	11,110 1,530	10.1 8.2	7.1 8.1	4	5 3	8 5	12 10	18 16	Without surgery ARTHRITIS (POLYARTHRITIS), UNSPECIFIED	1,795	9.2	7.1	2	4	6	12	18
OTHER DISEASES OF PROSTATE (611,612)									(725)	2 205	0.1	0.7				11	10
Totol	660	5.9	4.9	1	2	4	8	12	Total	1,395	9.4 8.8	9.7 7.1	2	3	6	11	18
Age: 65 to 74 years	435 220 5	5.4 6.8	4.2 5.8	1	2 2	4 5 *	7 9	10 13	75 ta 84 years	565 155	10.7 6.9	12.7 3.9	2 2	3	6	11 8	20 11
One diagnosis	235 425	4.2 6.8	3.3 5.5	1	1 2	3 5	5 9	8 12	One diagnasis Two or mare diagnases With surgery	425 970 160	9.6 9.2 15.7	12.2 8.3 13.7	2 2 2	4	6 6 12	11 18	15 19 36
With surgery	305 355	6.5 5.4	6.1 3.6	1	2 2	4	8 7	12 11	Without surgery	1,235	8.5	8.7	2	3	6	10	16

Toble 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

	Number of dischorges	Average stoy (days)	Standard deviation (days)	Percentiles (days)							Average	Standard	Percentiles (doys)				
Potient choracteristics				107h	25th	50th	75th	90th	Potient choracteristics	Number of dischorges	stoy (days)	deviation (days)	10th	25th	50th	75th	90th
05TEOPOROSIS AND ATROPHY (733.3)									SYMPTOMS REFERABLE TO				-	-			
Totol	1,790	10.9	8.6	3	5	8	14	21	GENITOURINARY SYSTEM (786)								
Age: 65 to 74 years	475 900	11,4 10.5	10.9 6.9	2 3 2	5	8	13 14	21 20	Total	755 440	8.6 8.5	7.8 6.3	1 2	3	7	10	17 16
85 years and over	415	11.2	8.9	i	5	7	13	27	75 to 84 years	235	9.1 8.2	10.1 7.2	1 2	3	6	10	17 19
One diagnosis	1,565	10.4 11.0	6.8 8.8	3	5	8	12	18 21	One diognosis	575 180	8.1 10.4	6.2 11.3	2	3 2	7 6	10 13	16 24
With surgery	120 1,670	18.9 10.3	13.9 7.8	3	7 5	17 7	24 13	32 20	With surgery	420	10.5	6.2	3	7	8	12	19
DISPLACEMENT OF INTERVERTEBRAL DISC (735)									OTHER GENERAL SYMPTOM5	335	6.3	8.9	'	2	3	5	13
Totol	1,905	11.9	8.1	3	6	10	15	22	(780,781,787-789) Total	2,025	6.2	7.1	,	2	4	7	12
Age: 65 to 74 years	1,390 435	12.1 11.4	8.5 7.1	3 4 4	6	10 9 10	15 14 13	22 22 19	Age: 65 to 74 years	1,115	5.6	7.3	,	1	3	6	10
85 years and over	775	11.1	7.8		6	10	13	19	75 to 84 years	720 190	7.2 6.3	7.1 5.0	1	1	5	8 9	15 13
Two or more diognoses	1,130	11.9	8.4	3	5	10	15	23	One diagnosis	1,450 575	5.0 9.1	4.5 10.8	1	3	3 6	6 10	9 17
With surgery		16.8 10.4	8.6 7.3	7	11	8	13	25 19	With surgery	290 1,735	6.0 6.2	7.6 7.1	1	1 2	4	7 7	12 12
SYNOVITIS, 8URSITIS AND TENOSYNOVITIS (741)									NERVOUSNESS AND DEBILITY (790)	.,,.55							
Totol	1,245	5.8	5.1	1	2	4	7	12	Totol	235	5.8	6.7	1	- 1	3	6	18
65 to 74 years	840 340 65	5.5 5.9 9.8	4.8 5.1 7.1	1 1 3	2 2 4	3 4 6	7	11 11 17	65 to 74 years	150 55 30	5.0 8.5 4.8	4.6 10.5 5.6	-	1	3 2 2	6 9 4	9 20 12
One diagnosis	680	4.0	3.5 5.8	1	1	2	4	7	One diagnosis	165	6.4	7.0	2	2	3	7	17
Two or more diagnoses	565 830	8.0 4.2	4.0	2	3	6 2	10	17	Two or more diagnoses	70	4.5	5.8			2	4	14
Without surgery	415	9.0	5.5	3	5	7	ıĩ	17	Without surgery	230	5.8	6.8	- 1	١	2	6	18
CONGENITAL MALFORMATIONS (750-759) Totol	615	8.5	8.6	,	2	5	11	18	UREMIA (792) Total	145	14.2	12.5	3	4	9	19	30
Age: 65 to 74 years	380	7.9	8.7	1	2 3	4	8	18	Age: 65 to 74 years	60	10.7	7.1	2	3	8	14	19
75 to 84 years	205 30	9.9 7.3	8.8 2.4	3	4	7	15 9	19	75 to 84 years	90 5	17.3	14.9	2	4 .	13	23	37
One diagnosis	260 355	6.2 10.2	5.7 9.9	1	3	7	7 15	14 22	One diagnosis	35 110	13.6 14.4	9.6 13.3	2 3	4	7	18 18	25 29
With surgery	335 280	10.4 6.3	10.0 5.6	1	3	6	15 8	22 14	With surgery	35 110	11.9 14.9	8.4 13.5	2 3	3 4	7 8	17 19	22 32
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC									SENILITY WITHOUT MENTION OF PSYCHOS!S (794)								
SYSTEM (782)	0.5							,,	Total	150	8.1	13.3	1	3	5	7	11
Totol	945 460	4.8 5.3	5.1 5.2	1	1	3	7	10	Age: 65 to 74 years	25 65	11.5	19.4	* 1	2	5	* 9	11
75 to 84 years	385 100	4.1 4.9	5.1 4.2	1	1 2	3 2 4	4 5	6 9	85 years and over	60 90	6.4 5.7	3.3	3	3	5	7	12
One diagnosis,	725 220	4.1 7.0	4.0 7.1	1	1 2	2 3	5 8	9 19	One diagnosis	60	11.7	20.2	i	3	5	7	14
With surgery	95 850	8.1 4.4	7.7 4.6	1	2	5 2	8	21	With surgery	145	8.2	13.6	1	3	5	7	11
SYMPTOMS REFERABLE TO RESPIRATORY	630	4.0	4.0	İ	İ	1	,	ĺ	OTHER AND ILL-DEFINED DISEASES (791,793,795)								
SYSTEM (783) Totol	1,480	4.3	3.5	1	1	3	5	8	Total	1,270	6.7	8.4	1 :	2	4	8	14
Age: 65 to 74 years	925 390	4.1	3.5	1	1	3	5	8	65 to 74 years	890 295 85	6.9 6.2 6.1	9.3 5.4 6.5	1 1 1	2 1 2	5 3	8 8 5	15 12 16
75 to 84 years	165	4.6 4.3	3.3 4.5	1	1	3	5	8 7	One diagnosis	940	5.9	7.0	1	1	3	7	11
One diagnosis	1,150 330	3.9 5.7	3.0 4.4	1	1 2	2	5 7	7 12	Two or more diagnoses	330 360	9.0 6.5	11.1 8.3	1	2	5	10	19 15
With surgery	245 1,235	4.8 4.2	3.6 3.5	1	1	3	6 5	11 8	Without surgery	910	6.7	3.4	i	2	4	é	13
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)									FRACTURE OF VERTEBRAL COLUMN (805,806)								
Totol	1,520	5.5	5.1	1	2	3	7	11	Total	2,700 1,060	13.9 13.9	11.4 12.7	3	6	11 10	17 16	25 25
Age: 65 to 74 years	860 465	5.5 5.8	4.8 5.5	1	2	4 3	6 7	11 12	65 to 74 years	1,280 360	14.5 11.7	11.0 8.1	4	7 5	11 10	20 14	25 21
85 years and over	1,115	4.9 5.3	4.8 5.2	1	1	3	6	9	One diagnosis	730 1,970	13.3 14.1	9.6 12.0	4 3	7	11 10	17 17	24 26
One diagnosis	405	5.9	4.8	i	2	4	8	12	With surgery	235	20.1	15.0	4	8	18	25	36
With surgery	130 1,390	10.7 5.0	7.7 4.5	1	4 2	9	15	20 10	Without surgery	2,465	13.3	10.8 	3	6	10	16 i	24

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient	Number of	Averoge	Standard deviation		Perce	ntiles	(doys)		Potient	Number of dischorges	Averoge stoy (doys)	Standard deviation (doys)	Percentiles (doys)				
chorocteristics	dischorges	stoy (doys)	(doys)	10th	25th	50th	75th	90th					10th	25th	50th	75th	90t
FRACTURE OF RI8(5), 5TERNUM AND LARYNX (807)									HEAO INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
TotolAge:	1,815	9.8	8.0	2	4	7	12	20	Total	2,005	7.8	9.7	1	2	4	9	1
65 to 74 years	775 745 295	8.5 10.1 12.1	7.0 8.4 8.7	1 2 3	3 4 5	5 7 10	12 12 15	18 19 22	65 to 74 years	1,000 740 265	7.6 7.2 10.2	10.4 8.0 10.7	1 1	1 2 2	4 4 6	8 8 15	1 1 2
One diognosis	365 1,450	7.2 10.4	6.6 8.2	1 2	2 4	5 8	9 13	14 21	One diognosis	405 1,600	4.9 8.5	7.2 10.1	1 1	1 2	2 5	5 9	2
Vith surgeryVithout surgery	95 1,720	14.2 9.5	9.6 7.8	2 2	6 4	10 7	21 12	28 19	With surgery	435 1,570	10.3 7.1	10.7 9.2	1	2	6 4	14 8	
FRACTURE OF PELVI5 (808)									LACERATION AND OPEN WOUND (870-898)								
TotolAge:	1,425	16.7	13.6	3	7	13	22	31	Total	1,595	6.9	8.4	1	1	4	8	
65 to 74 years	415 670 340	17.3 18.3 12.9	12.2 15.5 9.8	4 4 2	9 7 5	13 14 10	22 22 17	34 35 26	Age: 65 to 74 years	995 465 135	6.3 7.8 8.4	7.3 10.3 7.7	1	1 2 2	3 4 5	8 9 12	
One diognosis	485 940	14.0 18.1	13.3 13.5	2 5	4 9	10 14	17 23	27 34	One diognosis	660	6.3	9.8	1	1	2 5	6	
With surgery	70 1,355	27.9 16.1	18.4 13.0	4 3	7 7	26 13	37 21	55 30	Two or more diognoses	935 875 720	7.3 7.3 6.5	7.2 9.8 6.2]]]	1 2	5 3 4	9 9 8	
FRACTURE OF HUMERU5 (812)									Without surgery	720	6.5	0.2			-		
Total	2,275	11.3	12.6	2	4	7	12	24	Total	280	6.2	7.3	1	1	3	7	
65 to 74 years 75 to 84 years 85 years ond over	975 980 320	9.2 13.3 11.3	9.8 14.4 12.8	3 2	3 4 3	6 8 6	10 16 13	19 28 24	Age: 65 to 74 years	145 100 35	5.6 7.6 4.1	8.4 6.0 4.9	1	1 3 1	3 4 2	6 11 3	
One diognosis	1,125 1,150	8.1 14.4	7.3 15.5	1 3	3 4	5 9	10 18	19 30	One diognosis	55 225	4.7 6.5	3.0 8.0	1	1	3	5 7	
Nith surgery	875 1,400	14.0 9.6	15.5 9.9	2 2	5 3	8 6	17 11	29 22	With surgery	25 255	6.0	7.5		1	3	6	
FRACTURE OF RADIU5 AND ULNA (EITHER OR 80TH) (813)									CONTUSION AND CRUSHING WITH INTACT 5KIN SURFACE (920-929)	255	6.0	7.5	'		3	0	
Total	1,995	7.4	9.1	1	2	4	9	16	Total	3,055	7.0	6.7	1	2	5	9	
65 to 74 years	980 740 275	5.8 9.8 6.5	6.5 12.2 5.0		2 2	3 5 5	7 11 8	12 21 14	Age: 65 to 74 years	1,245 1,240 570	5.8 7.9 7.8	5.0 7.7 7.3]]]	2 3 3	4 5 5	7 10 10	
One diognosis	1,085 910	4.9 10.4	5.4 11.4	1 2	1 3	3 7	6 12	10 20	One diognosis	585 2,470	4.8 7.6	5.4 6.9	1	1 3	3 5	6	
With surgery	1,480 515	6.6 9.6	7.5 12.5	1	2 2	5	12	13 19	With surgery	165 2,890	7.5 7.0	5.4 6.8	1	2 2	6	10	
FRACTURE OF FEMUR (820,821) Totol	12,435	19.5	14.0	6	11	15	23	36	AOVERSE EFFECTS OF ORUGS AND OTHER CHEMICAL SUBSTANCES								
Age: 65 to 74 years 75 to 84 years		19.1 20.1	15.0 13.9	5 6	9	15	22 24	38 37	(960-989)	1,610	6.0	7.8	1	2	3	7	
85 years and over	6,720	19.0 17.7	13.3	7 6	10	15	23	34 30	Age: 65 to 74 years	930 545	5.4 7.7	7.1 9.2	1	1 2	3	6	
Two or more diagnoses	5,715 9,685	19.0	16.0	7	111	17	27	33	One diagnosis	135 515	3.6 5.6	11.3	1	1	3	5	
Without surgery FRACTURE OF LOWER EXTREMITY EXCEPT	2,750	21.6	19.8	2	7	14	29	51	Two or more diagnoses	1,095	6.3 15.2	5.6 20.9	4	2	7	8	
FEMUR (822-826)									Without surgery	1,560	5.8	6.9	1	ì	3	7	
Totol	3,110 1,970	11.1	10.4	2 2	4	8	13	23	COMPLICATIONS OF SURGICAL PROCEOURES (997,998)								
55 to 74 years 75 to 84 years 85 years ond over	965 175	11.9 12.0	10.0	3	5 3	8 9	15 16	25 26	Total	1,695 1,140	8.3 8.0	9.6 9.3	1	3	5	8	
One diognosis	1,845 1,265	10.2 12.4	9.5 11.4	2 2	4 5	7 9	13 15	20 25	75 to 84 years	1,140 460 95	9.0 8.5	10.7 6.5	2 2	3	5 4 5	10 11	
With surgery	1,960 1,150	11.6 10.1	10.2 10.7	3 1	5 3	8 7	14 12	24 23	One diagnosis	995 700	6.9 10.4	8.0 11.2	1 2	2 4	4 6	7 10	
5PRAIN5 OF 8ACK (846,847)									With surgery	700 995	9.3 7.7	10.5 8.9	1	2	5	9	
Totol	2,160	9.7	7.4	2	4	7	12	19					لنسا		لنب		
65 to 74 years	1,155 740 265	9.6 10.0 9.4	6.8 8.2 7.4	2 2 2	4 4 4	7 8 8	12 12 10	18 19 15									
One diognosis	735 1,425	8.1 10.5	6.0 7.9	1 3	3 5	6 8	10 12	16 21									
With surgery	95 2,065	20.6 9.2	13.8 6.6	1 2	7 4	19	31 11	34 17									

.

CHS LIBRARY

3 8095 00010768 6

U.S. Department of HEALTH, EDUCATION, AND WELFARE Social Security Administration Washington, D.C. 20201

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID U.S. DEPARTMENT OF H.E.W. HEW 397

